

## Manuals+


[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Air King](#) /

› [Air King BFQ50 ENERGY STAR® Qualified SNAP-IN Exhaust Fan User Manual](#)

## Air King BFQ50



# Air King BFQ50 ENERGY STAR® Qualified SNAP-IN Exhaust Fan

Model: BFQ50 | Brand: Air King

Safety Information   Product

Overview   Installation   Operation   Maintenance   Troubleshooting   Specifications   Warranty & Support

## 1. SAFETY INFORMATION

Read all instructions carefully before installation and operation. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Always disconnect power at the service panel before wiring or servicing the unit.
- All wiring must be performed by a qualified electrician in accordance with all applicable local codes and standards.
- This fan is UL listed for use over a tub or shower when installed in a GFCI protected branch circuit. Ensure proper GFCI protection is in place.
- Do not use this fan in areas where it may be exposed to excessive heat, such as near a furnace or fireplace.
- Ensure proper ducting is used to exhaust air to the outside. Do not vent into attics, crawl spaces, or other enclosed areas.
- Maintain proper clearances from combustible materials as specified in local building codes.
- The motor is suitable for continuous operation.

## 2. PRODUCT OVERVIEW

The Air King BFQ50 is an ENERGY STAR® qualified exhaust fan designed for efficient and quiet ventilation in bathrooms and other areas requiring air extraction. Its unique snap-in installation system simplifies the setup process.

### Key Features:

- **High Performance:** 50 CFM (Cubic Feet Per Minute) airflow capacity, suitable for rooms up to approximately 50 square feet.
- **Quiet Operation:** Operates at 0.5 sones, providing nearly silent ventilation.
- **Durable Construction:** Features a UL listed molded high-impact plastic housing that resists rust and corrosion, ensuring a longer product life.
- **Easy Installation:** Unique snap-in installation system allows for quick and simple setup, even for replacing existing fans without extensive ceiling work.
- **Energy Efficient:** ENERGY STAR® qualified, consuming only 28.1 watts.
- **Integrated Damper:** Includes a 4-inch plastic duct collar with a backdraft damper to prevent cold air from entering the room when the fan is off.
- **Low Profile Grill:** White polymeric grill measures 10" x 10" and blends seamlessly with most ceiling designs.



Figure 2.1: Air King BFQ50 Exhaust Fan. This image shows the complete exhaust fan unit, highlighting its white grill and the black housing with the duct connection.

# SNAP-IN Mounting System



**NAIL • SNAP • WIRE**

Figure 2.2: Room Size Recommendation. This diagram illustrates that the fan is perfect for smaller bathrooms up to 50 sq. ft. and powder rooms or other spaces up to 60 sq. ft.

# Standard 4" Round



## Duct Collar

Figure 2.3: Quiet Operation Chart. This chart visually compares the fan's 0.6 Sones noise level to everyday sounds like a whisper, calm office, conversation, TV/radio, restaurant, and traffic, demonstrating its quiet performance.



Figure 2.4: Energy Efficient Operation. This image highlights the ENERGY STAR certification and states the fan's low power consumption of 17.4 Watts and 0.3 Amps.

### 3. INSTALLATION

The Air King BFQ50 features a SNAP-IN installation system designed for ease of setup. Follow these steps for a secure and efficient installation.

#### Tools and Materials Required:

- Drill
- Screwdriver (Phillips and Flathead)
- Hammer
- Measuring Tape
- Utility Knife or Drywall Saw

- Wire Strippers
- Duct Tape or Clamps
- Safety Glasses and Gloves

## Installation Steps:

### 1. Prepare the Opening:

Locate a suitable position between ceiling joists. The fan housing requires an opening of approximately 9-1/16 inches wide by 8-1/2 inches deep. For existing installations, you may need to enlarge the current opening. Ensure there is sufficient space for the 4-inch duct connection.



Figure 3.1: Fan Dimensions. This image provides the exact measurements of the fan housing (9-1/16" wide x 8-1/2" deep x 4-3/4" high) and the grill (10" x 10"), indicating it fits 9-1/8" x 8-11/16" openings.

### 2. Mount the Bracket:

The included bracket nails or screws directly to the ceiling joist. Position the bracket securely to support the fan housing.

# Fits $9\frac{1}{8}'' \times 8\frac{11}{16}''$ Openings



Figure 3.2: SNAP-IN Mounting System. This composite image shows the three main steps: Nailing the mounting bracket to a joist, snapping the fan housing into the bracket, and connecting the electrical wiring.

### 3. Connect Ducting:

Attach a 4-inch duct to the fan's plastic duct collar. Ensure the connection is sealed with duct tape or clamps to prevent air leakage and maintain efficiency. The integrated backdraft damper should be oriented correctly to allow airflow out.

# High Impact Plastic Housing Won't Rust or Corrode Over Time




Figure 3.3: Standard 4" Round Duct Collar. This image highlights the 4-inch diameter of the fan's duct collar, indicating the required duct size for installation.

#### 4. Wire the Fan:

Connect the electrical wiring according to local codes. Ensure the power is OFF at the circuit breaker before making any connections. This unit requires a 120V power supply and is UL listed for use over a tub or shower when installed in a GFCI protected branch circuit.

# Energy Efficient Operation



**17.4 Watts, 0.3 Amps**



Figure 3.4: Low Profile Grill. This image shows the fan's white grill installed in a bathroom ceiling, demonstrating how it blends discreetly into the room's aesthetic.

## 5. Snap-in the Housing:

Once ducting and wiring are complete, carefully snap the fan housing into the pre-installed mounting bracket. Ensure it is securely seated.

## 6. Install the Grill:

Attach the white polymeric grill to the fan housing. It is designed for easy fitting and removal for maintenance.

## 7. Restore Power:

Turn on the power at the circuit breaker and test the fan's operation.

## 4. OPERATION

The Air King BFQ50 exhaust fan is designed for simple and effective operation to maintain air quality in your bathroom or designated area.

### Basic Operation:

- The fan is typically controlled by a wall switch (not included). Flip the switch to turn the fan ON or OFF.
- For optimal moisture removal, operate the fan during and after showering or bathing for at least 15-20 minutes, or until moisture has cleared from surfaces.
- The fan is suitable for continuous operation, providing constant air circulation if desired.

### Airflow and Noise:

- The fan provides 50 CFM of airflow, effectively ventilating rooms up to 50 square feet.

- With a noise level of 0.5 sones, the fan operates very quietly, often perceived as a soft background hum.

## 5. MAINTENANCE

---

Regular maintenance ensures the longevity and optimal performance of your Air King BFQ50 exhaust fan. Always disconnect power before performing any maintenance.

### Cleaning the Grill:

- Frequency:** Clean the grill periodically, or when dust accumulation is visible.
- Steps:**
  - Turn off power to the fan at the circuit breaker.
  - Gently pull down the grill to detach it from the housing.
  - Wash the grill with mild soap and water. For stubborn dirt, a soft brush can be used.
  - Rinse thoroughly and allow the grill to dry completely before reattaching.
  - Snap the dry grill back into place.

### Cleaning the Fan Housing and Motor:

- Frequency:** Annually or as needed, depending on usage and environment.
- Steps:**
  - Turn off power to the fan at the circuit breaker.
  - Remove the grill as described above.
  - Carefully vacuum or wipe down the fan blades and interior of the housing to remove dust and debris. Avoid getting moisture on electrical components.
  - Inspect the duct connection for any blockages or disconnections.
  - Reattach the grill and restore power.

*Note: The high-impact plastic housing is designed to resist rust and corrosion, minimizing the need for extensive internal cleaning related to material degradation.*

## 6. TROUBLESHOOTING

---

This section provides solutions to common issues you might encounter with your Air King BFQ50 exhaust fan. If the problem persists, contact qualified service personnel.

Problem	Possible Cause	Solution
Fan does not operate.	No power to the unit. Loose wiring connection. Motor malfunction.	Check circuit breaker and wall switch. Verify all wiring connections are secure (ensure power is off before checking). Contact a qualified electrician or service center.
Fan is noisy or rattling.	Loose mounting. Debris in fan blades. Ducting issues (e.g., loose, kinked, or undersized). Motor bearing wear.	Ensure fan housing is securely snapped into the bracket. Clean fan blades and housing (see Maintenance section). Inspect ductwork for obstructions or damage. Ensure proper 4-inch ducting is used. Contact service for motor replacement if necessary.

Problem	Possible Cause	Solution
Poor air extraction.	Blocked or restricted ducting. Backdraft damper stuck closed. Fan blades are dirty. Fan is undersized for the room.	Check ductwork for obstructions and ensure it's properly connected to the outside. Inspect the backdraft damper for free movement. Clean fan blades (see Maintenance section). Verify room size is within the fan's capacity (up to 50 sq. ft.).

## 7. SPECIFICATIONS

Feature	Detail
Model Name	BFQ50
Brand	Air King
Air Flow Capacity	50 CFM (Cubic Feet Per Minute)
Noise Level	0.5 Sones (0.6 Sones in some specifications)
Power Source	Corded Electric
Voltage	120 Volts
Wattage	28.1 watts
Product Dimensions (Housing)	9-1/16" W x 8-1/2" D x 4-3/4" H
Grill Dimensions	10" W x 10" D
Duct Collar Size	4 Inches Round
Item Weight	4.9 Pounds
Room Type	Bathroom
Efficiency	ENERGY STAR® Qualified
Certifications	UL Listed (for use over tub/shower with GFCI), cULus-listed, HVI 2100-certified, Title 24 compliant, ASHRAE 62.2 approved
Housing Material	High-impact plastic

## 8. WARRANTY & SUPPORT

### Warranty Information:

The Air King BFQ50 exhaust fan comes with a **5-year limited warranty**. This warranty typically covers defects in materials and workmanship under normal use and service. Specific terms and conditions may apply. Please refer to the official Air King warranty documentation for full details.

*Note: Some specifications mention a "1-Year parts only" warranty. For the most accurate and up-to-date warranty information, please consult the product packaging or the manufacturer's official website.*



### Customer Support:


For technical assistance, replacement parts, or warranty claims, please contact Air King customer support. Have your product model number (BFQ50) and purchase date available when contacting support.

### Air King Contact Information:


Please visit the official Air King website for the most current contact details, including phone numbers, email, and support hours.

## Related Documents - BFQ50

 	<p><a href="#"><u>Air King Indoor Air Quality Product Catalog: Exhaust Fans, Heaters &amp; Ventilation Solutions</u></a></p> <p>Explore the comprehensive Air King product catalog featuring ENERGY STAR certified exhaust fans, combination heaters, and fresh air systems designed to enhance indoor air quality and meet ASHRAE 62.2 standards. Find detailed specifications and solutions for residential and commercial ventilation needs.</p>
	<p><a href="#"><u>Air King EWF180 Through the Wall Exhaust Fan - Installation and Operating Manual</u></a></p> <p>Comprehensive installation, operation, and safety instructions for the Air King EWF180 Through the Wall Exhaust Fan. Includes troubleshooting and warranty information.</p>
	<p><a href="#"><u>Air King AK100L/AK100FL Exhaust Fan with Light - Installation and Operating Manual</u></a></p> <p>This manual provides essential instructions for installing, operating, and maintaining the Air King AK100L and AK100FL exhaust fan with light. It includes safety precautions, troubleshooting tips, warranty information, and a parts diagram.</p>
	<p><a href="#"><u>Air King Exhaust Fan Installation and Operation Manual</u></a></p> <p>Comprehensive guide for installing, operating, and maintaining Air King exhaust fans, including safety information, troubleshooting, and warranty details for models AS50, AS60, AS70, and AS54.</p>
	<p><a href="#"><u>Air King AK100D/AK100DH Exhaust Fan Installation and Operating Manual</u></a></p> <p>Comprehensive installation, operation, troubleshooting, and warranty guide for the Air King AK100D and AK100DH exhaust fans. Includes safety precautions, wiring diagrams, and parts list.</p>



## Documents - Air King – BFQ50




### [pdf] User Manual Instructions

Air King BFQ Instruction Manual air king exhaust fan bathroom instruction manual bfq R E Williams Contractor a switch where it can be reached from tub or · shower WARNING DO NOT USE IN KITCHENS IMPORTANT INSTRUCTIONS OPERATING MANUAL Important instructions operating Models BFQ50 BFQ70 BFQ75 BFQ90 BFQ110 BFQ140 BFQ175 Exhaust Fan BFQinstructionmanual 083162903068 use lib store yahoo net rewiliams ep yimg ty cdn lowes useandcareguides

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **BFQ50**, **BFQ70**, **BFQ75**, **BFQ90**, **BFQ110**, **BFQ140**, **BFQ175** Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INF...

lang:en score:51 filesize: 108.83 K page\_count: 4 document date: 2011-10-27




### [pdf] User Manual Instructions

Air King BFQ Instruction Manual air king exhaust fan bathroom instruction manual bfq R E Williams Contractor Download the ManualBFQinstructionmanualsep turbifycdn ty cdn rewiliams BFQinstructionmanual t 1753294362 ManualDownload ManualR Inc Newsletterv1sep 1753294362sep 1755705879 |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **BFQ50**, **BFQ70**, **BFQ75**, **BFQ90**, **BFQ110**, **BFQ140**, **BFQ175** Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INF...

lang:en score:47 filesize: 108.83 K page\_count: 4 document date: 2011-10-27




### [pdf] User Manual Installation Guide Instructions

Air King BFQ installation Manual BFQ50 manual RE Williams Contractor rewci IMPORTANT INSTRUCTIONS OPERATING MANUAL important instructions operating save these 210572021 rev r 12 15 airkinglimited 1 of bfq bfqw series exhaust fan read and carefully before attempting to assemble install operate or maintain BFQIO ep yimg ty cdn rewiliams

IMPORTANT INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCT ... ing 2 1 Damper Assembly - BFQ 1 Damper Assembly - BFQW 3 1 Receptacle 3P 4 1 Wire Cover 5 1 Motor - **BFQ50**, **BFQ50W** 1 Motor - BFQ60 1 Motor - BFQ70,BFQ70W 1 Motor - BFQ75 1 Motor - BFQ80 1 Motor - BFQ90...

lang:en score:46 filesize: 115.71 K page\_count: 6 document date: 2016-07-07




### [pdf] User Manual Installation Guide Instructions

IMPORTANT INSTRUCTIONS OPERATING MANUAL Air King HQ important instructions operating manual save these 210572021 rev r 12 15 airkinglimited 1 of bfq bfqw series exhaust fan read and carefully before attempting to assemble install operate or maintain BFQ140 airkinghq ca file 171680 |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCT ... ing 2 1 Damper Assembly - BFQ 1 Damper Assembly - BFQW 3 1 Receptacle 3P 4 1 Wire Cover 5 1 Motor - **BFQ50, BFQ50W** 1 Motor - BFQ60 1 Motor - BFQ70,BFQ70W 1 Motor - BFQ75 1 Motor - BFQ80 1 Motor - BFQ90...

lang:en score:41 filesize: 182.98 K page\_count: 12 document date: 2016-01-07




### [pdf] User Manual Instructions

Installation Manual Air King BFQ50 Exhaust Fan High Performance 50 CFM Rexel USA air king bfq50 installation manual i 4B024F13 168B 4472 AAE0 DF26B5ADEE1E rexelcdn products |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCT ... ing 2 1 Damper Assembly - BFQ 1 Damper Assembly - BFQW 3 1 Receptacle 3P 4 1 Wire Cover 5 1 Motor - **BFQ50, BFQ50W** 1 Motor - BFQ60 1 Motor - BFQ70,BFQ70W 1 Motor - BFQ75 1 Motor - BFQ80 1 Motor - BFQ90...

lang:en score:40 filesize: 179.97 K page\_count: 12 document date: 2017-02-24




### [pdf] User Manual Instructions

Untitled Instruction Manual Air King BFQ50T BFQ Series Exhaust Fan Plastic 50 CFM 1225 RPM 0 5 Sones White 4 75 H X 8 W 9 13 D In Graybar Store c5540bd7868fab8c9974abc541e0c58e0db73c93 images salsify image upload s dTNLW9Mz |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **BFQ50, BFQ70, BFQ75, BFQ80, BFQ90, BFQ110, BFQ140** Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INFO...

lang:en score:37 filesize: 136.88 K page\_count: 8 document date: 2020-07-31



### [pdf] User Manual Instructions Warranty

IMPORTANT INSTRUCTIONS OPERATING MANUAL Air King HQ Installer Installation Date Place of Purchase Model Number LIMITED WARRANTY WHAT THIS COVERS This product is warranted against defects in workmanship and or materials HOW LONG LASTS warranty extends only to the original purchaser lasts for five 5 years from date purchase until sells BFQ50MBG INSTRUCT airkinghq ca file 164437 |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCT ... ing 2 1 Damper Assembly - BFQ 1 Damper Assembly - BFQW 3 1 Receptacle 3P 4 1 Wire Cover 5 1 Motor - **BFQ50** 1 Motor - BFQ70 1 Motor - BFQ75 1 Motor - BFQ80 1 Motor - BFQ90 Replacement Part # 5S2205001 ...

lang:en score:36 filesize: 138.03 K page\_count: 12 document date: 2014-05-21




### [pdf] User Manual Installation Guide Instructions

IMPORTANT INSTRUCTIONS OPERATING MANUAL important instructions operating manual save these 210572021 rev u 11 18 airkinglimited 1 of 8 bfq bfqw series exhaust fan read and carefully before attempting to assemble install operate or maintain 47da3a90 426f 4738 a10c a5df3dfb41ed globalcommander ca files 47 |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCT ... ing 2 1 Damper Assembly - BFQ 1 Damper Assembly - BFQW 3 1 Receptacle 3P 4 1 Wire Cover 5 1 Motor - **BFQ50, BFQ50W** 1 Motor - BFQ60 1 Motor - BFQ70,BFQ70W 1 Motor - BFQ75 1 Motor - BFQ80 1 Motor - BFQ90...

lang:en score:36 filesize: 105.5 K page\_count: 4 document date: 2020-01-27




### [pdf] User Manual Instructions

IMPORTANT INSTRUCTIONS OPERATING MANUAL WARNING TO REDUCE THE RISK OF FIRE ELECTRIC SHOCK AND INJURY PERSON OBSERVE FOLLOWING a Use this unit only in the manner intended by BFQINST amresupply file 147230

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **BFQ50, BFQ70, BFQ75, BFQ80, BFQ90, BFQ110, BFQ140** Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INFO...

lang:en score:36 filesize: 188.52 K page\_count: 8 document date: 2012-12-10



### [pdf] Specifications Dimension Guide Guide

BFQ50Spec Air King BFQ50 Dimensions Guide 0 6 Sone 50 CFM White Decorative Bathroom Fan ENERGY STAR 083162903044 42725092 lowes productdocuments 902797a0 17d4 4eb2 b5ec 616f615370bb |||

SPECIFICATIONS **BFQ50** EXHAUST FANS 50 CFM/0.6 Sones 0.10 SP. 36 CFM 0.25 SP. Grill White, polymeric grill secured in place with torsion springs; easily removed if necessary, dimensions - 10 x 10 . Blower Wheel One piece polymeric wheel 51/8 diameter, 23/8 wide, with 48 fins. Motor Heavy...


lang:en score:34 filesize: 470.71 K page\_count: 1 document date: 2018-08-15



### [pdf] User Manual Installation Guide Instructions Catalog

IMPORTANT INSTRUCTIONS OPERATING MANUAL operating manual save these instructions 210572021 rev s 7 16 airkinglimited 1 of 12 bfq bfqw series exhaust fan read and carefully before attempting to assemble install operate or maintain the product described protect yourself others by observing all safety information owner airking bfq80 120 3b543219 26ad 415f 8c66 882610aaaedb assets sylvane media documents products images thdstatic catalog Images 3b

IMPORTANT INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCT ... ing 2 1 Damper Assembly - BFQ 1 Damper Assembly - BFQW 3 1 Receptacle 3P 4 1 Wire Cover 5 1 Motor - **BFQ50, BFQ50W** 1 Motor - BFQ60 1 Motor - BFQ70, BFQ70W 1 Motor - BFQ75 1 Motor - BFQ80 1 Motor - BFQ90...  
lang:en score:33 filesize: 183.11 K page\_count: 12 document date: 2016-07-27




### [pdf] Specifications Dimension Guide

BFQ50Spec user Air King BFQ50 Spec Sheet 50 CFM Snap In Bathroom Exhaust Fan Ceiling Mount 4 Inch Duct air king b2e4161919874d719dec9f840ea7d1ed ecomfort manuals |||

**SPECIFICATIONS BFQ50 EXHAUST FANS** 50 CFM/0.5 SONES 0.10 WG. HVI CERTIFIED 120 Volts, 0.25 amps, 60 hz. Grill White, polymeric secured in place with torsion springs; easily removed if necessary, dimensions - 10 x 10 . Blower Wheel One piece polymeric wheel 51/8 diameter, 23/8 wide, wi...

lang:en score:33 filesize: 99.77 K page\_count: 1 document date: 2007-12-19



### [pdf] User Manual Instructions Guide Catalog

BFQ1 O Kevin Zepp Snap In Installation 90 CFM Bathroom Exhaust Fan Guide Air King BFQ90 083162903204

0083162903204 1000326314 bcd064ba 26f2 4f2b adb9 be1182b70b21 images thdstatic catalog Images bc |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **BFQ50, BFQ70, BFQ75, BFQ90, BFQ110, BFQ140, BFQ175** Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INF...

lang:en score:32 filesize: 156.09 K page\_count: 8 document date: 2012-06-22

## [pdf] User Manual Instructions Specifications



BFQ1 O Kevin Zepp IMPORTANT INSTRUCTIONS OPERATING MANUAL 1 of 8 2 Snap the fan body into bracket

Figure 4 The can be snapped position with duct collar facing to left or right depending which is most convenient

SECTION 3 Existing Construction Position housing against joist stud and trace an outline RETAIN FOR FUTURE

REFERENCE GENERAL SAFETY INFORMATION When using electrical appliances basic precautions should always


followed reduce risk fire electric shock injury person including following Read all instructions before installing exhaust

71Q9uT9iLs BFQIO bfqio images na ssl amazon I ntsupply files products s1 img b 80 build mediabase specifications

air king 434874

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **BFQ50**, BFQ70, BFQ75, BFQ90, BFQ110, BFQ140, BFQ175 Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INF...

lang:en score:32 filesize: 153.97 K page\_count: 8 document date: 2006-06-07




## [pdf] User Manual Installation Guide Instructions Specifications

BFQ1 O Kevin Zepp Installation GuideAir King BFQ50 50 CFM 5 Sone Ceiling Mounted Snap In Energy Star Rated

Exhaust Fan Buildbfqios1 img b build mediabase specifications air king 438728 bfqio GuidelInstallation BuildAir BFQ140 120 4 with from the High Performance Collection Builds1 bfqios1 435445 Instructions Bathroom Air axk1050 BFQInstallation BFQ75Air Build8926secure img1 ag wfcdn dm document 52cef05a b7e9 bd91 159e 13d863b67380 8926s1 |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL Models: **BFQ50**, BFQ70, BFQ75, BFQ90, BFQ110, BFQ140, BFQ175 Exhaust Fan READ AND SAVE THESE INSTRUCTIONS READ CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE, INSTALL, OPERATE OR MAINTAIN THE PRODUCT DESCRIBED. PROTECT YOURSELF AND OTHERS BY OBSERVING ALL SAFETY INF...

lang:en score:31 filesize: 153.97 K page\_count: 8 document date: 2006-06-07




## [pdf] User Manual Instructions

Provided by ManualsAndMore Download User Manual Air King BFQ Series Operating manualsandmore |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCT ... ing 2 1 Damper Assembly - BFQ 1 Damper Assembly - BFQW 3 1 Receptacle 3P 4 1 Wire Cover 5 1 Motor - **BFQ50** 1 Motor - BFQ70 1 Motor - BFQ75 1 Motor - BFQ80 1 Motor - BFQ90 Replacement Part # 5S2205001 ...

lang:en score:31 filesize: 163.48 K page\_count: 12 document date: 2019-07-23




### [pdf] User Manual Specifications Dimension Guide

BFQ50Spec Air King BFQ50 Installation Manual 0 6 Sone 50 CFM White Decorative Bathroom Fan ENERGY STAR

083162903044 42725089 lowes productdocuments ec3595db 4132 455e 81e2 9343b1f288d5 |||

**SPECIFICATIONS BFQ50 EXHAUST FANS** 50 CFM/0.6 Sones 0.10 SP. 36 CFM 0.25 SP. Grill White, polymeric grill secured in place with torsion springs; easily removed if necessary, dimensions - 10 x 10 . Blower Wheel One piece polymeric wheel 51/8 diameter, 23/8 wide, with 48 fins. Motor Heavy...

lang:en score:30 filesize: 489.91 K page\_count: 1 document date: 2017-08-14




### [pdf] Specifications Dimension Guide

BFQ50Spec110515 ai air king bfq50 cut sheet i AD0ED3D5 522F 4B10 996E B7327012735F rexel cdn products |||

**SPECIFICATIONS BFQ50 EXHAUST FANS** 50 CFM/0.6 Sones 0.10 SP. 36 CFM 0.25 SP. Grill White, polymeric grill secured in place with torsion springs; easily removed if necessary, dimensions - 10 x 10 . Blower Wheel One piece polymeric wheel 51/8 diameter, 23/8 wide, with 48 fins. Motor Heavy...

lang:en score:29 filesize: 278.82 K page\_count: 1 document date: 2015-11-05



### [pdf] Specifications

Air King N A BFQ50 ENERGY STAR Certified Ventilating Fans v4 0 certification information for Product ID 2251571

Specification Version 4 NA 2021 12 18 energystar gov productfinder product certified ventilating fans details export |||

**ENERGY STAR CERTIFIED Ventilating Fans Air King - N/A : BFQ50 Specifications ENERGY STAR Unique ID: Brand Name: Model Name: Model Number: Type: Lighting: Number of Speeds: Airflow 1 cfm : Bathroom and Utility Room Airflow at 0.25 in. w.g.: Efficacy 1 cfm/Watt : Sound Level sones : Duct Size: D...**


lang:fr score:28 filesize: 18.74 K page\_count: 1 document date: 2021-12-18



## [pdf] Specifications

Air King N A BFQ50 ENERGY STAR Certified Ventilating Fans v4 0 certification information for Product ID 2251571 Specification Version 4 NA 2021 12 17 energystar.gov productfinder product certified ventilating fans details export ||| ENERGY STAR CERTIFIED Ventilating Fans Air King - N/A : **BFQ50** Specifications ENERGY STAR Unique ID: Brand Name: Model Name: Model Number: Type: Lighting: Number of Speeds: Airflow 1 cfm : Bathroom and Utility Room Airflow at 0.25 in. w.g.: Efficacy 1 cfm/Watt : Sound Level sones : Duct Size: D...

lang:fr score:28 filesize: 18.74 K page\_count: 1 document date: 2021-12-17




## [pdf] Specifications Dimension Guide

Air King BFQ50 Specification Sheet specification sheet specs RE Williams Contractor Inc rewci Download the BFQ50Spec t 1670967735 sep yimg ty cdn rewilliams |||

**SPECIFICATIONS BFQ50 EXHAUST FANS 50 CFM/0.6 Sones 0.10 SP. 36 CFM 0.25 SP. Grill**  
White, polymeric grill secured in place with torsion springs; easily removed if necessary, dimensions - 10 x 10 . Blower Wheel One piece polymeric wheel 51/8 diameter, 23/8 wide, with 48 fins. Motor Heavy...

lang:en score:27 filesize: 379 K page\_count: 1 document date: 2016-07-07



## [pdf] User Manual Instructions

Installation Manual Air King BFQ75 AIR 70 CFM 1 5 Sones ENERGY PLATT ELECTRIC SUPPLY

cf87424b6186ff797aa2124930aa0444424d9a7e i FA536686 8CD8 461A 9FF0 527D6C8AD38E rexl cdn products ||| **IMPORTANT INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCT ... ing 2 1 Damper Assembly - BFQ 1 Damper Assembly - BFQW 3 1 Receptacle 3P 4 1 Wire Cover 5 1 Motor - **BFQ50, BFQ50W** 1 Motor - BFQ60 1 Motor - BFQ70, BFQ70W 1 Motor - BFQ75 1 Motor - BFQ80 1 Motor - BFQ90...**

lang:en score:26 filesize: 183.12 K page\_count: 12 document date: 2018-06-04



## [pdf] Instructions

INSTRUCTIONS IMPORTANTES MODE D EMPLOI 8531ec97 d792 4c74 ae8c b5a62ceaca65 ouellet files 85 |||

**INSTRUCTIONS IMPORTANTES MODE D EMPLOI Srie BFQ et BFQW Ventilateur d vacuation LIRE ET CONSERVE ... e du Clapet - BFQ 1 Assemble du Clapet - BFQW 3 1 Rceptacle 3P 4 1 Couvercle des cbles 5 1 Moteur - **BFQ50, BFQ50W** 1 Moteur - BFQ60 1 Moteur - BFQ70, BFQ70W 1 Moteur - BFQ75 1 Moteur - BFQ80 1 Moteur -...**

lang:fr score:26 filesize: 107.41 K page\_count: 4 document date: 2020-01-27




### [pdf] User Manual Instructions

Air King BFQ75 Operating Manual bath fans 1 5 Sone 70 CFM White Decorative Bathroom Fan ENERGY STAR

083162903068 42725177 lowes productdocuments 26785555 ab6d 4cb8 b56f 3be628065be4 |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCTIONS ... ing 2 1 Damper Assembly - BFQ 1 Damper Assembly - BFQW 3 1 Receptacle 3P 4 1 Wire Cover 5 1 Motor - **BFQ50, BFQ50W** 1 Motor - BFQ60 1 Motor - BFQ70,BFQ70W 1 Motor - BFQ75 1 Motor - BFQ80 1 Motor - BFQ90...  
lang:en score:26 filesize: 182 K page\_count: 12 document date: 2018-06-27



### [pdf] Specifications Datasheet Dimension Guide

BFQ50Spec112911 ai Download Datasheet Air King BFQ50 Snap In Exhaust Fan City Electric Supply airkingve datasheet bfq50 cesonline azureedge net media airkingvent documents |||

SPECIFICATIONS **BFQ50** EXHAUST FANS 50 CFM/0.5 Sones 0.10 SP., 28.1 Watts 38 CFM 0.25 SP. Grill White, polymeric grill secured in place with torsion springs; easily removed if necessary, dimensions - 10 x 10 . Blower Wheel One piece polymeric wheel 51/8 diameter, 23/8 wide, with 48 fins. ...  
lang:en score:25 filesize: 292.29 K page\_count: 1 document date: 2011-11-29



### [pdf] User Manual Instructions

WM120 Instructions Model Ceiling Mounted 120 CFM High Performance Snap In Exhaust Fan Lasko Family of Products 19682206128269 laskoproducts zendesk hc en us article attachments |||

IMPORTANT INSTRUCTIONS OPERATING MANUAL BFQ, BFQW Series Exhaust Fan READ AND SAVE THESE INSTRUCTIONS ... ing 2 1 Damper Assembly - BFQ 1 Damper Assembly - BFQW 3 1 Receptacle 3P 4 1 Wire Cover 5 1 Motor - **BFQ50, BFQ50W** 1 Motor - BFQ60 1 Motor - BFQ70,BFQ70W 1 Motor - BFQ75 1 Motor - BFQ80 1 Motor - BFQ90...  
lang:en score:25 filesize: 178.68 K page\_count: 8 document date: 2018-11-09



### [pdf] Specifications Guide Accessories Catalog

Catalog Page Air King ECQ306 30 WHITE RANGE HOOD BLACK PLATT ELECTRIC SUPPLY hoodcatalog1 i 4D32E658 CCE9 44A0 B2D0 040E1BC445DC rexel cdn products |||

RANGE HOOD PRODUCT CATALOG airkinglimited.com Table of Contents RANGE HOOD SELECTION GUIDE Select ... - Laundry Fresh Air Standard AK100D BFQ90 AS54 AV1303 AS54 FAS ENERGY STAR Certified EVD AK80LS-1 **BFQ50** EB30WH **BFQ50** QFAM16 ENERGY STAR Certified Humidity Sensing EVDH AK80H **BFQ50** EB30WH **BFQ50** QFAM...  
lang:en score:23 filesize: 6.59 M page\_count: 36 document date: 2021-07-19

**ASHRAE 62.2**



**Making Sense of ASHRAE 62.2**

ASHRAE 62.2 prescribes minimum requirements for the ventilation of buildings and Local Exhaust Air Systems. This booklet provides the necessary information to help you make sense of what the code requires for special situations.

**What Is Best For Me?**

ASHRAE 62.2 prescribes minimum requirements for the ventilation of buildings and Local Exhaust Air Systems. This booklet provides the necessary information to help you make sense of what the code requires for special situations.

**What About Dual Speed Fans?**

To either one of the two types of speed fans, the code prescribes Continuous Ventilation with Demand Control. This booklet provides the necessary information to help you make sense of what the code requires for special situations.

**Are There Other Options?**

ASHRAE 62.2 prescribes minimum requirements for the ventilation of buildings and Local Exhaust Air Systems. This booklet provides the necessary information to help you make sense of what the code requires for special situations.

**Is This Everything I Need?**

ASHRAE 62.2 prescribes minimum requirements for the ventilation of buildings and Local Exhaust Air Systems. This booklet provides the necessary information to help you make sense of what the code requires for special situations.

**Don't Demand It, Kitchen!**

ASHRAE 62.2 prescribes minimum requirements for the ventilation of buildings and Local Exhaust Air Systems. This booklet provides the necessary information to help you make sense of what the code requires for special situations.

**Don't Forget the Kitchen!**

ASHRAE 62.2 prescribes minimum requirements for the ventilation of buildings and Local Exhaust Air Systems. This booklet provides the necessary information to help you make sense of what the code requires for special situations.


**Rooms 1500-3000 Sq Ft, 3-Bedrooms**

Type	Basement	Bedroom	Bath	Kitchen	Living Room	Other
1	1000	750	750	750	750	750
2	1000	750	750	750	750	750
3	1000	750	750	750	750	750
4	1000	750	750	750	750	750
5	1000	750	750	750	750	750
6	1000	750	750	750	750	750
7	1000	750	750	750	750	750
8	1000	750	750	750	750	750

**Rooms 1500-3000 Sq Ft, 2-3 Bedrooms**

Type	Basement	Bedroom	Bath	Kitchen	Living Room	Other
1	1000	750	750	750	750	750
2	1000	750	750	750	750	750
3	1000	750	750	750	750	750
4	1000	750	750	750	750	750
5	1000	750	750	750	750	750
6	1000	750	750	750	750	750
7	1000	750	750	750	750	750
8	1000	750	750	750	750	750

**SECOND FLOOR**



**FIRST FLOOR**



**Basement**






[\[pdf\]](#) Datasheet Guide Accessories Catalog

Download Datasheet Air King FA50T Contractor Pack Motor Housing Damper City Electric Supply airkingve datasheet fa50t cesonline azureedge net media airkingvent documents |||

INDOOR AIR QUALITY PRODUCT CATALOG [airkinglimited.com](http://airkinglimited.com) Table of Contents FAN  
SELECTION GUIDE Selec ... - Laundry Fresh Air Standard AK100D BFQ90 AS54 AV1303 AS54  
FAS ENERGY STAR Certified EVD AK80LS-1 **BFQ50** EB30WH **BFQ50** QFAMD ENERGY  
STAR Certified Humidity Sensing EVDH AK80H **BFQ50** EB30WH **BFQ50** QFAMD...

lang:en score:23 filesize: 13.89 M page\_count: 48 document date: 2022-05-25



[pdf] User Manual Specifications Borchure Catalog

LED NEW 3 way capable with manual push button for temporary or continuous override of automatic programming LCD display screen Rated Fluorescent lights Motors up to 1 2 HP 15A Brochure cesco resources Air King AK80MBG ID BRO v1 ExhaustFanCatalog ideadigitalcontent files 11502

Ventilation Products LED NEW MODELS AVAILABLE [www.airkinglimited.com](http://www.airkinglimited.com) Introduction DL4 Series E ... FAN DUCT .1 SP .25 SP .1 SP WATTS LIGHTING LISTING SIZE HOUSING SIZE SNAP-IN EXHAUST FAN **BFQ50** 50 36 0.6 17.4 N/A UL 4 91/8 W x 81/2 D x 43/4 H BFQL50 50 44 0.8 17.8 6 W LED ...

lang:en score:23 filesize: 3.56 M page count: 24 document date: 2017-03-07




[pdf] Specifications Borchure

Brochure Air King AK912 1 southernpipe ASSETS DOCUMENTS CMS EN |||

Ventilation Products Introduction Model AKF80H - 80 CFM/0.5 Sones ENERGY STAR Qualified Humidity S ... y Bath Bedroom 2 Homes Under 1500 Sq Ft., 2-3 Bedrooms Type Good Better Best 1 Whole Building **BFQ50** AK50LS AK80LS Continuous 2 2 On Demand Local AS54 BFQ75 AK80H with Light ASF50 BFQF70 AKF...

lang:en score:22 filesize: 2.89 M page count: 36 document date: 2015-01-09




### [\[pdf\] Specifications Dimension Guide](#)

BFQ50Spec Specification Sheet Air King BFQ50 50 Cfm 0 5 Sones Energy Star Qualified Snap In Exhaust Fan with 4 Inch Duct North Coast airkinglimited specsheets |||

**SPECIFICATIONS BFQ50 EXHAUST FANS** 50 CFM/0.5 Sones 0.10 SP., 28.1 Watts 38 CFM 0.25 SP. Grill White, polymeric grill secured in place with torsion springs; easily removed if necessary, dimensions - 10 x 10 . Blower Wheel One piece polymeric wheel 51/8 diameter, 23/8 wide, with 48 fins. ...

lang:en score:22 filesize: 357.54 K page\_count: 1 document date: 2012-08-30




### [\[pdf\] Specifications Borchure Catalog](#)

Catalog Page Air King BFQF50 AIRKING 50 CFM 0 5 SONES \*\*\* Discontinued PLATT ELECTRIC SUPPLY air king exhaustfancatalog brochure i 9D283F4D BF47 44E2 8501 4CBB42AEB0C7 rexel cdn products |||

Ventilation Products 3 Introduction Model ESF80H - 80 CFM/ 0.3 Sones ENERGY STAR Qualified Humidit ... at least 100 CFM. Homes Under 1500 Sq Ft., 2-3 Bedrooms Type Good Better Best 1 Whole Building **BFQ50** AK50 AK80LS Continuous 2 2 On Demand Local AS54 BFQ75 AK80H with Light ASLC50 BFQF70 AKF8...

lang:en score:22 filesize: 5.63 M page\_count: 36 document date: 2014-08-21




### [\[pdf\] Guide Accessories Catalog](#)

INDOOR AIR QUALITY DigitalOcean Air King s combination heaters provide effective ventilation as well supplemental heat for bathrooms All functions can be wired to operate independently 103317432 Catalog supplyhog nyc3 cdn digitaloceanspaces orgill docs |||

INDOOR AIR QUALITY PRODUCT CATALOG airkinglimited.com Table of Contents FAN SELECTION GUIDE Selec ... - Laundry Fresh Air Standard AK100D BFQ90 AS54 AV1303 AS54 FAS ENERGY STAR Certified EVD AK80LS-1 **BFQ50** EB30WH **BFQ50** QFAM16 ENERGY STAR Certified Humidity Sensing EVDH AK80H **BFQ50** EB30WH **BFQ50** QFAM...

lang:en score:22 filesize: 10.86 M page\_count: 48 document date: 2021-07-13



### [\[pdf\] Guide Decleration of Conformity Accessories Catalog](#)

INDOOR AIR QUALITY UnilogPros Simple installation typically the lowest cost way to meet minimum requirements The MD624 motorized damper mounts inline with ducting Air Air King BFQ75T Catalogassets unilogcorp 267 ITEM DOC Air Catalog |||

INDOOR AIR QUALITY PRODUCT CATALOG airkinglimited.com Table of Contents FAN SELECTION GUIDE Selec ... - Laundry Fresh Air Standard AK100D BFQ90 AS54 AV1303 AS54 FAS ENERGY STAR Certified EVD AK80LS-1 **BFQ50** EB30WH **BFQ50** QFAM16 ENERGY STAR Certified Humidity Sensing EVDH AK80H **BFQ50** EB30WH **BFQ50** QFAM...

lang:en score:22 filesize: 10.86 M page\_count: 48 document date: 2021-07-13



### [\[pdf\] Specifications Guide Accessories Catalog](#)

RANGE HOOD airkinglimited Specifications subject to change without notice 3 Air King offers a wide array of range hood solutions including ENERGY STAR ® certified options Selecting the perfect 7 Approved for indoor use as well covered outdoor kitchens Professional grade stainless steel dishwasher safe baffles capture grease and debris from HoodCatalog1 2020 09 |||

RANGE HOOD PRODUCT CATALOG airkinglimited.com Table of Contents RANGE HOOD SELECTION GUIDE Select ... - Laundry Fresh Air Standard AK100D BFQ90 AS54 AV1303 AS54 FAS ENERGY STAR Certified EVD AK80LS-1 **BFQ50** EB30WH **BFQ50** QFAMD ENERGY STAR Certified Humidity Sensing EVDH AK80H **BFQ50** EB30WH **BFQ50** QFAMD...

lang:en score:21 filesize: 8.25 M page\_count: 36 document date: 2022-03-29




### [\[pdf\] Specifications](#)

Untitled Specification Sheet 2 Air King BFQ50T BFQ Series Exhaust Fan Plastic 50 CFM 1225 RPM 0 5 Sones White 4 75 H X 8 W 9 13 D In Graybar Store 1aded4ee9d604f02457324da89ac6977c90c3fe5 images salsify image upload s ZaVWLU9G |||

Introduction Model AKF80H - 80 CFM/0.5 Sones ENERGY STAR Qualified Humidity Sensing Exhaust Fan/Ligh ... us 2 On Demand Local with Light 3 ENERGY STAR Range Hood Good Better Best AK150LS AK150LS AK150LS **BFQ50** BFQ75 AKF50LS AKF80LS ESDQ ESVAL ES130S AKF80H APF Specifications subject to change. Visit w...

lang:en score:21 filesize: 341.62 K page\_count: 3 document date: 2020-07-30




### [\[pdf\] Specifications Catalog](#)

Catalog Air King AK55L 3 southernpipe ASSETS DOCUMENTS CMS EN |||

Ventilation Products 2014 Sustained Excellence Climate Communications 2013 2012 Partner of the ... 0 CFM. Homes Under 1500 Sq Ft, 2-3 Bedrooms Type Good Better Best 1 Whole Building Continuous **BFQ50** AK50 AK80LS 2 2 On Demand Local AS54 BFQ75 AK80H with Light ASLC50 BFQF70 AKF80H Bedroom 2...

lang:en score:20 filesize: 2.19 M page\_count: 32 document date: 2015-01-09



[\[pdf\]](#) Specifications Borchure

VENTILATION PRODUCTS SupplyHouse Air King s products are engineered to be the perfect answer your Indoor Quality IAQ needs with full lines of ENERGY STAR qualified exhaust fans AS60 brochure s3 supplyhouse product files Ventilation Products Introduction Model AKF80H - 80 CFM/0.5 Sones ENERGY STAR Qualified Humidity S ... y Bath Bedroom 2 Homes Under 1500 Sq Ft., 2-3 Bedrooms Type Good Better Best 1 Whole Building **BFQ50** AK50LS AK80LS Continuous 2 2 On Demand Local AS54 BFQ75 AK80H with Light ASF50 BFQF70 AKF...

lang:en score:20 filesize: 4.94 M page\_count: 36 document date: 2013-04-26



[\[pdf\]](#) Specifications Catalog

Catalog Air King AS50 AKAS50 1 southernpipe ASSETS DOCUMENTS CMS EN ||| Ventilation Products 2014 Sustained Excellence Climate Communications 2013 2012 Partner of the ... 0 CFM. Homes Under 1500 Sq Ft., 2-3 Bedrooms Type Good Better Best 1 Whole Building Continuous **BFQ50** AK50 AK80LS 2 2 On Demand Local AS54 BFQ75 AK80H with Light ASLC50 BFQF70 AKF80H Bedroom 2...


lang:en score:20 filesize: 2.19 M page\_count: 32 document date: 2015-01-09



[\[pdf\]](#) Specifications Borchure

Brochure Air King AK917 AK80 1 southernpipe ASSETS DOCUMENTS CMS EN ||| Ventilation Products 2014 Sustained Excellence Climate Communications 2013 2012 Partner of the ... 0 CFM. Homes Under 1500 Sq Ft., 2-3 Bedrooms Type Good Better Best 1 Whole Building Continuous **BFQ50** AK50 AK80LS 2 2 On Demand Local AS54 BFQ75 AK80H with Light ASLC50 BFQF70 AKF80H Bedroom 2...

lang:en score:20 filesize: 2.19 M page\_count: 32 document date: 2015-01-09




### [\[pdf\] User Manual Specifications Datasheet Accessories Borchure Catalog](#)

Download the complete Ventilation CatalogDownload Data Sheet URLProduct BrochureAnderson Bolts Air King ProductsAnderson ProductsAir BDD4R Exhaust Fan Ducting Accessories City Electric SupplyAir ASHSG Buy Online Westway BFQ90 User

ManualExhaustFanCatalogExhaustFanCatalogExhaustFanCatalogExhaustFanCatalogExhaustFanCatalogairkinglimited catalogs ExhaustFanCatalogairkinglimited ExhaustFanCatalog |||

Ventilation Products 3 Introduction Model AKF80H - 80 CFM/1.0 Sones ENERGY STAR Qualified Humidity ... at least 100 CFM. Homes Under 1500 Sq Ft., 2-3 Bedrooms Type Good Better Best 1 Whole Building **BFQ50** AK50 AK80LS Continuous 2 2 On Demand Local AS54 BFQ75 AK80H with Light ASF50 BFQF70 AKF80...

lang:en score:20 filesize: 4.9 M page\_count: 36 document date: 2013-08-15



### [\[pdf\] Specifications Borchure](#)

Ventilation Products SupplyHouse 2 airkinglimited For an Ever Evolving Market Air King is a leader in the ventilation industry constantly introducing new and innovative products to market ESB80SH brochure s3 supplyhouse product files |||

Ventilation Products Climate Communicator 3 Introduction Model ESF80H - 80 CFM/ 0.3 Sones ENERGY S ... at least 100 CFM. Homes Under 1500 Sq Ft., 2-3 Bedrooms Type Good Better Best 1 Whole Building **BFQ50** AK50 AK80LS Continuous 2 2 On Demand Local AS54 BFQ75 AK80H with Light ASLC50 BFQF70 AKF8...

lang:en score:20 filesize: 5.57 M page\_count: 36 document date: 2014-04-16



### [\[pdf\] Specifications Decleration of Conformity Accessories Catalog](#)

Air King® ASLC50 Inscos Distributing King Catalog assets unilogcorp 267 ITEM DOC |||

Indoor Air Quality Catalog 7 TIME ENERGY STAR PARTNER OF THE YEAR 2020, 2019, 2014 Partner of the Ye ... be wall mounted into standard 2 x 4 studs. Sold in Contractor Packs ONLY 4 Housings / 4 Trims : **BFQ50W** = **BFQ50T** BFQ2HSG BFQ70W = BFQ75T BFQ2HSG Exterior Grill 2 x 4 stud 4 oval outlet s...


lang:en score:19 filesize: 9.39 M page\_count: 24 document date: 2020-04-03



### [\[pdf\] Specifications Accessories Catalog](#)

Air King® AS50 Inesco Distributing UNI2019GPJ093 Broc inesco ASSETS DOCUMENTS ITEMS EN |||  
Indoor Air Quality Catalog 6 TIME ENERGY STAR PARTNER OF THE YEAR 2019, 2014  
Partner of the Year - S ... FAN DUCT .1 SP .25 SP .1 SP WATTS LIGHTING LISTING SIZE  
HOUSING SIZE SNAP-IN EXHAUST FAN **BFQ50** 50 36 0.6 17.4 N/A UL 4 91/8 W x 811/16 D x  
43/4 H BFQL50 50 39 0.8 17.8 6 W LE...

lang:en score:19 filesize: 3.55 M page\_count: 0 document date: 0000-00-00




### [\[pdf\] Specifications Dimension Guide](#)

BFQ50Spec user Specification SheetAir King BFQ50 50 CFM 5 Sone Ceiling Mounted Snap In Energy Star Rated Exhaust Fan Buildbfq50specs1 img b build mediabase specifications air king 438728 bfq50spec Sheet Bathroom Air axk1050 BFQAir BFQ75Air Build8924secure img1 ag wfcdn dm document 54025f6d 8549 3361 64ce c854b468c9d3 8924s1 |||

**SPECIFICATIONS BFQ50 EXHAUST FANS** 50 CFM/0.5 SONES 0.10 WG. HVI CERTIFIED 120 Volts, 0.25 amps, 60 hz. Grill White, polymeric grill secured in place with torsion springs; easily removed if necessary, dimensions - 10 x 10 . Blower Wheel One piece polymeric wheel 51/8 diameter, 23/8 wide, wi...

lang:en score:19 filesize: 99.77 K page\_count: 1 document date: 2007-12-19



### [\[pdf\] Specifications](#)

air king aslc70 article 1365597439770 en cc1 resource bakerdist is content Watscocom Gemaire Ventilation Products 4 TIME ENERGY STAR PARTNER OF THE YEAR 2017, 2013 and 2012 Partner of the Year ... FAN DUCT .1 SP .25 SP .1 SP WATTS LIGHTING LISTING SIZE HOUSING SIZE SNAP-IN EXHAUST FAN **BFQ50** 50 36 0.6 17.4 N/A UL 4 91/8 W x 811/2 D x 43/4 H BFQL50 50 39 0.8 17.8 6 W LED ...

lang:en score:18 filesize: 3.31 M page\_count: 24 document date: 2017-10-10



[\[pdf\] Specifications Accessories Catalog](#)

Air King® ASLC50 InSCO Distributing King Catalog inSCO ASSETS DOCUMENTS ITEMS EN |||

Indoor Air Quality Catalog 6 TIME ENERGY STAR PARTNER OF THE YEAR 2019, 2014

Partner of the Year - S ... FAN DUCT .1 SP .25 SP .1 SP WATTS LIGHTING LISTING SIZE

HOUSING SIZE SNAP-IN EXHAUST FAN **BFQ50** 50 36 0.6 17.4 N/A UL 4 91/8 W x 811/16 D x

43/4 H BFQL50 50 39 0.8 17.8 LED U...

lang:en score:18 filesize: 3.51 M page\_count: 28 document date: 2019-07-25



[\[pdf\] Specifications Declaration of Conformity Accessories Catalog](#)

Air King® AS50 InSCO Distributing UNI2019GPJ093 Broc assets unilogcorp 267 ITEM DOC |||

Indoor Air Quality Catalog 6 TIME ENERGY STAR PARTNER OF THE YEAR 2019, 2014

Partner of the Year - S ... FAN DUCT .1 SP .25 SP .1 SP WATTS LIGHTING LISTING SIZE

HOUSING SIZE SNAP-IN EXHAUST FAN **BFQ50** 50 36 0.6 17.4 N/A UL 4 91/8 W x 811/16 D x

43/4 H BFQL50 50 39 0.8 17.8 6 W LE...

lang:en score:18 filesize: 3.55 M page\_count: 28 document date: 2019-04-16



[Air King Indoor Air Quality Product Catalog: Exhaust Fans, Heaters & Ventilation Solutions](#)

Explore the comprehensive Air King product catalog featuring ENERGY STAR certified exhaust fans, combination heaters, and fresh air systems designed to enhance indoor air quality and meet ASHRAE 62.2 standards. Find detailed specifications and solutions for residential and commercial ventilation needs.

lang:en score:17 filesize: 14.03 M page\_count: 48 document date: 2023-03-24