Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Definitive Technology VEPC

Definitive Technology VEPC Pro-Mount 90 Speaker Wall Mount Instruction Manual

Model: VEPC

1. Introduction

The Definitive Technology Pro-Mount 90 is an articulating wall mount bracket designed to securely hold and position your speakers for optimal sound quality. This mount is engineered for sturdy construction, capable of supporting speakers weighing up to 10 pounds that feature a 1/4-20 thread insert. It allows for precise aiming of your speakers towards the listening position, enhancing your audio experience. The Pro-Mount 90 is available in both black and white finishes to seamlessly integrate with your home decor.

2. Package Contents

Please verify that all components are present before beginning installation.

- Pro-Mount 90 Speaker Wall Mount (Pair)
- Mounting Hardware (screws, anchors - specific types may vary based on wall material, user must supply appropriate hardware)
- Hex Key for adjustments



Figure 1: The black Definitive Technology Pro-Mount 90, highlighting its articulating ball joint and wall mounting plate.

3. Features

- Articulating wall mount bracket accessory for Definitive Technology speakers.
- Securely holds any speaker weighing up to 10 pounds that has a 1/4-20-thread insert.
- Compatible with various Definitive Technology speaker models including ProMonitor 1000, ProCenter 2000 (requires two mounts), Mythos Gem XL, ProMonitor 600, ProMonitor 800, and ProCenter 600.
- Available in black or white finishes.

- Sold as a pair.

4. Safety Information

Read all instructions carefully before installation. Improper installation can result in property damage or personal injury.

- **Weight Limit:** Do not exceed the maximum weight capacity of 10 pounds (4.5 kg) per mount.
- **Wall Material:** Ensure the mounting surface (wall, ceiling) can safely support the combined weight of the mount and the speaker. Use appropriate mounting hardware for your specific wall type (wood stud, concrete, drywall with anchors).
- **Tools:** Use proper tools and wear safety glasses during installation.
- **Professional Installation:** If you are unsure about the installation process, consult a qualified professional.
- **Cable Management:** Ensure speaker cables are routed safely and do not pose a tripping hazard.

5. Setup and Installation

This section provides general guidelines for installing your Pro-Mount 90. Specific wall types may require different hardware or techniques.

5.1 Tools Required (Not Included)

- Pencil for marking
- Drill with appropriate drill bits
- Stud finder (if mounting to wood studs)
- Level
- Screwdriver (Phillips or flathead, depending on hardware)
- Safety glasses

5.2 Installation Steps

1. **Determine Mounting Location:** Choose a location on the wall that provides optimal sound dispersion and is structurally sound. Use a stud finder to locate wood studs if possible, as direct mounting to studs provides the most secure installation.
2. **Mark Drill Holes:** Hold the wall plate of the Pro-Mount 90 against the wall at the desired height and use a level to ensure it is straight. Mark the positions of the two mounting holes with a pencil.
3. **Drill Pilot Holes:** Drill pilot holes at the marked locations. The size of the drill bit will depend on the type of mounting hardware you are using (e.g., wood screws for studs, drywall anchors for drywall).
4. **Attach Wall Plate:** Secure the wall plate to the wall using the appropriate screws and anchors. Ensure it is firmly attached and does not wobble.
5. **Attach Ball Joint to Speaker:** Screw the threaded stud of the ball joint into the 1/4-20 thread insert on the back of your speaker. Hand-tighten until snug.
6. **Mount Speaker to Wall Plate:** Insert the ball joint (with the speaker attached) into the receptacle on the wall plate.
7. **Adjust Speaker Angle:** Loosen the hex screw on the side of the wall plate using the provided hex key. Reposition the speaker to the desired angle.
8. **Secure Speaker:** Once the desired angle is achieved, firmly tighten the hex screw using the hex key. Ensure the speaker is held securely and does not sag. For heavier speakers, consider re-orienting the wall bracket vertically if it was installed horizontally, as this can provide better support against downward force.



Figure 2: A speaker mounted on the Pro-Mount 90, demonstrating the adjustable angle.




Figure 3: Dimensions of the Pro-Mount 90, shown in hand for scale.



Figure 4: The white Definitive Technology Pro-Mount 90, illustrating its design and components.

6. Operating

The Pro-Mount 90 allows for easy adjustment of your speaker's angle after installation. To adjust, simply loosen the hex screw on the side of the wall plate using the provided hex key. Reposition the speaker to the desired angle, then firmly re-tighten the hex screw to lock the speaker in place. Always ensure the screw is fully tightened to prevent the speaker from shifting or sagging over time.

7. Maintenance

The Pro-Mount 90 requires minimal maintenance. Periodically check the mounting screws and the hex screw on the ball joint to ensure they remain tight. Dust the mount with a soft, dry cloth as needed. Avoid using abrasive cleaners or solvents, as these may damage the finish.

8. Troubleshooting

- **Speaker Sags After Tightening:**
  - Ensure the hex screw is fully tightened. Apply firm pressure.
  - Verify that the speaker weight does not exceed the 10-pound limit.
  - Consider re-orienting the wall bracket vertically if it was installed horizontally, especially for heavier speakers. This can provide better leverage and prevent sagging.
- **Mount Feels Loose on Wall:**
  - Check the wall mounting screws. Re-tighten them if loose.
  - If using drywall anchors, ensure they are properly installed and not stripped. You may need to use larger or different types of anchors if the wall material is weak.
  - Ensure the mount is secured to a wall stud if possible.

9. Specifications

Brand	Definitive Technology
Model Number	VEPC
Mounting Type	Wall Mount
Compatible Devices	Speakers with 1/4-20 thread insert
Maximum Weight Capacity	10 pounds (4.5 kg)
Product Dimensions	Approximately 1 x 1 x 1 inches (Note: As per image, actual length is closer to 3.9 inches)
Item Weight	0.16 ounces (per mount)
Available Colors	Black, White

10. Warranty Information

Definitive Technology products are designed and manufactured to the highest quality standards. For specific warranty terms and conditions, please refer to the warranty card included with your product or visit the official Definitive Technology website. Keep your proof of purchase for warranty claims.

11. Customer Support

If you have any questions or require assistance with your Definitive Technology Pro-Mount 90, please contact Definitive Technology customer support. Contact information can typically be found on the official Definitive Technology website or in the product packaging.

© 2024 Definitive Technology. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B001UAFJ0K

More documents and user manuals: **https://manuals.plus/**