

Wheelock WPBB-R

Wheelock WPBB-R Weather Resistant Back-Box User Manual

Model: WPBB-R

INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of the Wheelock WPBB-R Weather Resistant Back-Box. The WPBB-R is designed for outdoor use and is weatherproof, specifically intended for mounting ASWP Horn Strobes. It includes a weep hole and plug for drainage.

Please read this manual thoroughly before installation and retain it for future reference.

SAFETY INFORMATION

WARNING: Installation must be performed by qualified personnel in accordance with all local and national electrical codes and regulations. Failure to do so may result in property damage, serious injury, or death.

- Always disconnect power before installing or servicing the device.
- Ensure all connections are secure and properly insulated.
- Do not modify the product in any way. Use only genuine Wheelock accessories and parts.
- This back-box is designed for outdoor, weatherproof use. Ensure proper sealing during installation to maintain its weather resistance.

PRODUCT OVERVIEW

The Wheelock WPBB-R is a durable, red-colored metal back-box specifically designed to house Wheelock ASWP Horn Strobes in outdoor environments. Its robust construction and weatherproof features ensure reliable performance in various weather conditions.



Figure 1: Wheelock WPBB-R Weather Resistant Back-Box. This image shows the red metal back-box from an angled top-down perspective, revealing its square shape, internal mounting points, and the grey gasket around the opening.

Key Features:

- Designed for use with Mounting ASWP Horn Strobes.
- Suitable for Outdoor USE/Weatherproof applications.
- Includes a WEEP Hole and Plug for moisture drainage.
- Constructed from durable metal with a powder-coated finish.

SETUP AND INSTALLATION

The WPBB-R back-box is designed for screw-in installation. Follow these general steps for proper setup:

1. **Site Selection:** Choose a suitable outdoor location that provides adequate support for the back-box and the ASWP Horn

Strobe. Ensure the surface is flat and stable.

- 2. **Mounting Preparation:** Mark the drilling points on the mounting surface using the back-box as a template. Ensure the weep hole, if used, is oriented downwards for proper drainage.
- 3. **Drilling:** Drill appropriate pilot holes for the mounting screws.
- 4. **Secure Back-Box:** Attach the WPBB-R back-box to the mounting surface using suitable screws (not included). Ensure it is securely fastened and level.
- 5. **Wiring:** Route the necessary wiring into the back-box through the designated entry points. Ensure all wiring complies with local electrical codes.
- 6. **Install ASWP Horn Strobe:** Mount the ASWP Horn Strobe onto the WPBB-R back-box, ensuring a tight and weatherproof seal. The back-box includes a gasket to aid in weather resistance.
- 7. **Weep Hole Management:** The back-box includes a weep hole and a plug. For outdoor installations where moisture drainage is desired, ensure the weep hole is clear and positioned at the lowest point. If not needed or if a sealed enclosure is required, insert the provided plug.
- 8. **Final Check:** Verify all connections are secure and the installation is robust.

OPERATING

The Wheelock WPBB-R is a passive component designed to provide a weatherproof enclosure for ASWP Horn Strobes. It does not have active operational controls. Its function is to protect the mounted device from environmental elements. Once properly installed, the back-box continuously performs its protective function. The operation of the ASWP Horn Strobe itself is independent of the back-box, beyond providing a secure and protected mounting point.

MAINTENANCE

The Wheelock WPBB-R back-box requires minimal maintenance. Regular inspections are recommended to ensure its continued integrity and performance, especially in harsh outdoor environments.

- **Visual Inspection:** Periodically inspect the back-box for any signs of physical damage, corrosion, or wear. Check the integrity of the powder-coated finish.
- **Seal Integrity:** Ensure the gasket and seal between the back-box and the mounted ASWP Horn Strobe remain intact and free from cracks or degradation. A compromised seal can lead to water ingress.
- **Weep Hole:** If the weep hole is utilized, ensure it remains clear of debris (e.g., dirt, leaves, insect nests) to allow for proper drainage.
- **Cleaning:** Clean the exterior of the back-box with a soft, damp cloth as needed to remove dirt or grime. Avoid abrasive cleaners or solvents that could damage the finish.
- **Mounting Security:** Verify that the back-box remains securely fastened to its mounting surface. Tighten any loose screws if necessary.

TROUBLESHOOTING

As a passive enclosure, the WPBB-R back-box itself typically does not experience "malfunctions." Most issues would relate to its protective function or physical integrity.

Problem	Possible Cause	Solution
Water/Moisture inside the back-box	Compromised seal/gasket; improperly installed weep plug; weep hole blocked.	Inspect and replace damaged gasket. Ensure weep plug is properly seated or removed if drainage is desired. Clear any obstructions from the weep hole. Re-seal the ASWP Horn Strobe to the back-box.

Problem	Possible Cause	Solution
Back-box is loose on mounting surface	Loose mounting screws; inadequate mounting surface.	Tighten all mounting screws. If the surface is inadequate, consider reinforcing it or relocating the installation.
Visible corrosion or damage to back-box	Environmental exposure; physical impact.	Assess the extent of damage. Minor surface corrosion on the powder coat may be cleaned and touched up. Significant damage may require replacement of the back-box to ensure continued protection.

SPECIFICATIONS

Attribute	Detail
Model Number	WPBB-R
Brand	Wheelock
Material	Metal
Color	Red
Finish Type	Powder Coated
Installation Type	Screw-In
Product Dimensions	2 x 5 x 5 inches
Item Weight	8 ounces
Manufacturer	EATON CORPORATION
UPC	786697090141
Compatibility	Designed for Wheelock ASWP Horn Strobes
Environmental Rating	Outdoor USE/Weatherproof

WARRANTY AND SUPPORT

For warranty information and technical support regarding your Wheelock WPBB-R Weather Resistant Back-Box, please refer to the official Wheelock or Eaton Corporation website, or contact their customer service directly.

Manufacturer: EATON CORPORATION (Wheelock is a brand of Eaton)

Please have your model number (WPBB-R) and UPC (786697090141) available when contacting support.


You can often find support contact details and product documentation on the manufacturer's official website:

[Eaton Corporation Official Website](#)



FAQ 2 xls Default Wheelock MT 24 LSM Instruction manual 7351309 archive org manualzilla id
FREQUENTLY ASKED TECHNICAL QUESTIONS FIRE NOTIFICATION
APPLIANCE CIRCUITS NAC SERVICE MAINTENAN ... mplish this 3 I need a Horn
Strobe that I can put in a freezer Use the ASWP-2475W-FR with the **WPBB-R** Back
Box 4 Do you make a strobe only appliance for outdoor Yes, the RSSWP-2475W-FR
with th...

lang:en score:43 filesize: 34.92 K page_count: 12 document date: 2002-05-02



wpbbr wheellock products lanotattachments file id 246 store 2


Mounting Accessories a universal mounting plate AS Mounting b single-gang, flush bo
See No ... X XX X G 2-Gang x 1.75 Deep - Surface BO Note 5 X X X H NATP Trim
Plate X X X I **WPBB-R** Weatherproof Backbox for ASWP 2 J BB Surface WSI Note 9
X X X X X X K WBB Weat...

lang:en score:32 filesize: 1.27 M page_count: 8 document date: 2011-07-26

S9004 Rev2 WP indd Wheelock Weatherproof Appliances fire alarm control panel datasheet with technical specifications 2006 edition wheelock facp rsswp aswp ah 24wp 12wp mtwp mt et70wp and et 1010 product electrical wiring diagram data d POWERPATH PS 12 24 8MP Installation Operations Manual FACP Manuals v1 docs facpmanuals manuals weatherproof appliances |||

Weatherproof Appliances - Series AH Audibles, AS Audible Strobes, MT Multitone Strobes, RSS Strobes ... FPA Gasket Kit WP-KIT Flush Plates WFP-A WFP-W WFP-R WFP-W Backboxes IOB-R IOB-W WPSBB-R WPSBB-W **WPBB-R** WPBB-W WBB-R WBB-W Order Code 4486 Red White Red White 4698 4701 4696 4697 Red White Red ...

lang:en score:31 filesize: 451.57 K page_count: 4 document date: 2021-06-04




[pdf] User Manual Specifications Datasheet Accessories

Wheelock mounting accessories Mounting Accessories fire alarm control panel datasheet with technical specifications 2022 edition wheelock facp bb dbb wbb rp r isp2 sbb iob wpsbb shbb sbl 2 cbb 8 e50sb e50ssb wfp esbc wfpa esb kit lsbb osb lspkbb elsbb and elspkbb sp POWERPATH PS 12 24 8MP

Installation Operations Manual FACP Manuals v1 docs facpmanuals manuals |||

Wheelock Mounting Accessories B Single-Gang, Flush BO Used with Series MIZ, RSS See Notes 1 8 ... 3 F 2-Gang x 3.5 Deep - Flush BO Note 4 8 G 2-Gang x 1.75 Deep - Surface BO Note 5 | **WPBB-R** Weatherproof Backbox for ASWP J BB Surface WSI Note 9 K WBB Weatherproof WSI L ISP ...


lang:en score:28 filesize: 1.21 M page_count: 9 document date: 2024-03-07



[pdf] Instructions

3 Bosch Group fdr5fp Instructions CSFM Listing Documen Certificate US enUS 216172798861184011 cdn tvc mx media 10071 |||

CSFM Listings Instructions To obtain a PDF of a required CSFM Listing: Locate the product in the t ... Listings Ceiling-mount, multi-candela: W-HSRC and W-HSWC Wall-mount, multi-candela: W-HSR and W-HSW **WPBB-R** As used Wheelock Listings WPBB WPSBB-R/-W As used Wheelock Listings WPSBB W-ST Strobes Exced... lang:en score:26 filesize: 818.56 K page_count: 37 document date: 2019-02-06



[pdf] Specifications Datasheet Accessories

Wheelock mounting accessories Specifications for backboxes and Eaton Mounting Accessories Eatonwheelock data sheetl WPBB R Weatherproof Backbox ASWP 2 J BB Surface WSI Note 9 X K WBB 3 L ISP Adapter Square ET 1010 W ET speaker sheetwheelock sheeteaton content dam eaton products safety security emergency communications lsmns wheelock 43t sheet |||

Wheelock Mounting Accessories B Single-Gang, Flush BO Used with Series MIZ, RSS See Notes 1 8 ... 3 F 2-Gang x 3.5 Deep - Flush BO Note 4 8 G 2-Gang x 1.75 Deep - Surface BO Note 5 | **WPBB-R** Weatherproof Backbox for ASWP J BB Surface WSI Note 9 K WBB Weatherproof WSI L ISP ...

lang:en score:25 filesize: 1.34 M page_count: 9 document date: 2022-09-22

[illegible]


COPOLUX *technica*

SERIES RS200P, RS200P AMV and M20P-WEATHERPROOF, STROBE, AUDIOBLE HORN

AUDIOBLE STROBE, WEATHERPROOF AUDIOBLE HORN

RS200P
Audio Strobe
Weatherproof M20P

RS200P AMV
Audio Strobe
Weatherproof M20P

M20P AMV
Audio Strobe
Weatherproof M20P

RS200P
Audio Strobe
Weatherproof M20P

RS200P
Audio Strobe
Weatherproof M20P

Features

- Adjustable beam: 10° to 150°
- Beam Color: Red or White
- UL Listed with an extended temperature range of -40°C to 60°C (-40°F to 140°F)
- 24VDC input with UL listed battery
- Range: up to 1000' (300m)
- Spot/scan with Weather Series DM, Spot Model (K)

Description: The RS200P Audio Strobe, Audio Strobe, Weatherproof Strobe and Audio Strobe of Series RS200P are designed to provide a wide range of color and intensity adjustment. All models are UL listed and have a wide temperature range of -40°C to 60°C (-40°F to 140°F). The RS200P Audio Strobe, Audio Strobe, Weatherproof Strobe and Audio Strobe of Series RS200P are designed to provide a wide range of color and intensity adjustment. All models are UL listed and have a wide temperature range of -40°C to 60°C (-40°F to 140°F). The RS200P Audio Strobe, Audio Strobe, Weatherproof Strobe and Audio Strobe of Series RS200P are designed to provide a wide range of color and intensity adjustment. All models are UL listed and have a wide temperature range of -40°C to 60°C (-40°F to 140°F).

Weatherproof Audio Strobe and Audio Strobe Series RS200P

UL LISTED: The RS200P Audio Strobe, Audio Strobe, Weatherproof Strobe and Audio Strobe of Series RS200P are designed to provide a wide range of color and intensity adjustment. All models are UL listed and have a wide temperature range of -40°C to 60°C (-40°F to 140°F). The RS200P Audio Strobe, Audio Strobe, Weatherproof Strobe and Audio Strobe of Series RS200P are designed to provide a wide range of color and intensity adjustment. All models are UL listed and have a wide temperature range of -40°C to 60°C (-40°F to 140°F).

Weatherproof Audio Strobe and Audio Strobe Series RS200P

UL LISTED: The RS200P Audio Strobe, Audio Strobe, Weatherproof Strobe and Audio Strobe of Series RS200P are designed to provide a wide range of color and intensity adjustment. All models are UL listed and have a wide temperature range of -40°C to 60°C (-40°F to 140°F). The RS200P Audio Strobe, Audio Strobe, Weatherproof Strobe and Audio Strobe of Series RS200P are designed to provide a wide range of color and intensity adjustment. All models are UL listed and have a wide temperature range of -40°C to 60°C (-40°F to 140°F).

UL LISTED: The RS200P Audio Strobe, Audio Strobe, Weatherproof Strobe and Audio Strobe of Series RS200P are designed to provide a wide range of color and intensity adjustment. All models are UL listed and have a wide temperature range of -40°C to 60°C (-40°F to 140°F). The RS200P Audio Strobe, Audio Strobe, Weatherproof Strobe and Audio Strobe of Series RS200P are designed to provide a wide range of color and intensity adjustment. All models are UL listed and have a wide temperature range of -40°C to 60°C (-40°F to 140°F).

[illegible]



CFPM Listings

Instructions

- To obtain a PDF of a required CFPM Listing
- Locate the product in the table below to find its CFPM Listing number(s).

For example: The 07423594 has a CFPM Listing number of 1B3 1835 8242

- Since certain products are listed as components of a system, also look under the Control Panel system you are using.
- Click this link to go to the CFPM Building Material Listings Search page - [link to search page](http://link.to.search.page).
- For Category, double click to highlight -ALL Listings- and enter the first four numbers of the CFPM Listing number.
- For our example, you would enter 7183.
- For Company, double click to highlight -ALL Listings- and enter the next four numbers of the CFPM Listing number.
- For our example, you would enter 1835.
- For Listing, use the pull-down and click on the CFPM Listing number that you want.
- Click Search to display the CFPM document information.
- Double click on the listing number to open or save the PDF.

  **VICKSAIR**

[\[pdf\]](#)

S9004C Prelim pmd jtownshe AHWP ASWP MTWP RSSWP can spec res fault codes Manuals

Electronics ICs WLEELock

FIRE ALARM SYSTEMS INC. Helping People Take ActionSM Description: Wheelock
s Weatherproof Strobe, ... be MTWP-2475W-FR MTWP-2475W-FW MTWP-2475W-
NW Horns/Audibles AH-24WP-R MT-12/24-R Back Boxes WPSBB-R **WPBB-R** 9013
3034 9778 9012 8420 3112 9744 7416 5023 9751 9014 IOB-R 5046 WBB-R 2959
NonSync S...

lang:en score:24 filesize: 96.2 K page count: 8 document date: 2005-11-10

[\[pdf\]](#) Datasheet

Click to View Wheelock ASWP 2475C FR Red Ceiling Mount Weatherproof Audi Data Sheet
alldataresource assets images wheelock |||

Notification SERIES RSSWP, ASWP, AHWP, and MTWP WEATHERPROOF
STROBE, WEATHERPROOF AUDIBLE STROBE, WE ... 0 Yes MTWP-2475W-FW
3112 Yes MTWP-2475W-NW Horns/Audibles AH-24WP-R MT-12/24-R Back Boxes
WPSBB-R **WPBB-R** IOB-R 9744 Yes 7416 5023 9751 9014 5046 Yes Yes Use With
RSSWP ASWP MTWP MT-12/24-R WBB...

lang:en score:23 filesize: 449.47 K page count: 6 document date: 2011-07-20

[\[pdf\]](#) Accessories

S7000C pmd jtownshe Accessory Drawings Matrix Mounting Heights can wedophones Manuals Wleelock
res fault codes Electronics ICs WLEELOCK

INC. Helping People Take ActionSM MOUNTING ACCESSORIES AND MOUNTING
HEIGHTS A UNIVERSAL MOUNTING ... X G 2-GANG X 1.75 DEEP - SURFACE BO
NOTE 5 X X X X H NATP TRIM PLATE X X X X I **WPBB-R** WEATHERPROOF
BACKBOX FOR ASWP 2 J BB SURFACE WSI NOTE 9 XX X X X X X K WBB WEA...
lang:en score:23 filesize: 178.21 K page count: 4 document date: 2005-11-10

[\[pdf\]](#) User Manual Instructions

3 fdr5fp Bosch Group FMM-7045 Manual stations MUX red Multiplex manual station single FMM 7045

CSFM Listing Documen Certificate US enUS 243194396625406987 resources boschsecurity cdn
azureedge net public certificates |||

CSFM Listings Instructions To obtain a PDF of a required CSFM Listing: Locate the product in the t ... Listings Ceiling-mount, multi-candela: W-HSRC and W-HSWC Wall-mount, multi-candela: W-HSR and W-HSW **WPBB-R** Bosch Security Systems 2021. CSFM Listing number 7300-0785:0177 CSFM Listing number 7135-05... lang:en score:23 filesize: 393.12 K page count: 37 document date: 2021-02-04



[pdf] Specifications Datasheet

Wheelock weatherproof appliances data sheet Specification on ASWP AH ET70WP ET 1010 MT MTWP RSSWP 2475W FR silmarelectronics

Technical Data TD450112EN Effective February 2019 Supersedes September 2017 Wheelock AH, AS, MT, RS ... formation Model Number Backboxes IOB-R a IOB-W a Finish Red White WPSBB-R a WPSBB-W a Red White **WPBB-R** a WPBB-W a Red White Order Code 5046 5047 9751 3033 9014 4692 Model Number Gasket kit WP-K...

lang:en **score:21** filesize: 1.42 M page_count: 6 document date: 2019-02-05



[pdf] Specifications Datasheet

Wheelock weatherproof appliances data sheet Specification on ASWP AH ET70WP ET 1010 MT MTWP RSSWP 2475W FR silmarelectronics

Technical Data TD450112EN Effective February 2020 Supersedes February 2019 Wheelock AH, AS, MT, RS ... formation Model Number Backboxes IOB-R a IOB-W a Finish Red White WPSBB-R a WPSBB-W a Red White **WPBB-R** a WPBB-W a Red White Order Code 5046 5047 9751 3033 9014 4692 Model Number Gasket kit WP-K...

lang:en **score:21** filesize: 1.42 M page_count: 6 document date: 2020-01-15



[pdf] Specifications Datasheet

Wheelock weatherproof appliances data sheet Specification on ASWP AH ET70WP ET 1010 MT MTWP RSSWP Eaton Jan 12 2022 — All strobe models are UL dual listed—meeting both UL1638 and UL1971 requirements As listed these strobes wheelock TD450112EN eaton ae content dam products safety security emergency communications Ismns ahwp aswp |||

Technical Data TD450112EN Effective January 2022 Supersedes September 2021 Wheelock AH, AS, MT, RSS ... formation Model Number Backboxes IOB-R a IOB-W a Finish Red White WPSBB-R a WPSBB-W a Red White **WPBB-R** a WPBB-W a Red White Order Code 5046 5047 9751 3033 9014 4692 Model Number Gasket kit WP-K...

lang:en **score:21** filesize: 1.44 M page_count: 6 document date: 2022-01-11




[pdf] Accessories

Cut Sheet Wheelock WBB W Weatherproof Back Box White For Fire Alarm Devices Steel Rexel USA wheiob r i 591DE07A 5258 47AF 9929 FC794F175580 rexel cdn products |||

Notification Weatherproof Appliances - Series AH Audibles, AS Audible Strobes, MT Multitone Strobes, ... Gasket Kit WP-KIT Flush Plates WFFA-R WFFA-W WFP-R WFP-W Backboxes IOB-R* IOB-W* WPSBB-R* WPSBB-W* **WPBB-R*** WPBB-W* WBB-R WBB-W Order Code 4486 Red White Red White 4698 4701 4696 4697 Red White Re...

lang:en **score:21** filesize: 451.11 K page_count: 4 document date: 2016-05-17




[pdf] Instructions

fdf5fp Instructions resources boschsecurity cdn azureedge net To obtain a of required CSFM Listing Locate the product in tables below to find its number s For example The D7412GV4 has 7165 1615 0242 Since some products are listed as components system also look under Control Panel you using Bosch 2015 List Certificate US enUS 36028814440661387 Documen all 99079208549551115 90072009294810123 public certificates resource 80

CSFM Listings Instructions To obtain a PDF of a required CSFM Listing: Locate the product in the t ... HSWC Wall-mount, multi-candela: W-HSR and W-HSW CSFM Listing number 7125-0785:0168 7125-0785:0168 **WPBB-R** As used Wheelock Listings WPBB CSFM Listing number 7300-0785:0177 WPSBB-R/-W As used Wheelo...


lang:en score:20 filesize: 575.68 K page_count: 39 document date: 2016-07-18



[pdf] Accessories

dbb r wheelock products lanotattachments file id 453 store 2 Mounting Accessories a universal mounting plate AS Mounting b single-gang, flush bo See No ... X XX XX X G 2-Gang x 1.75 Deep - Surface BO Note 5 X X H NATP Trim Plate X X I **WPBB-R** Weatherproof Backbox for ASWP 2 J BB Surface WSI Note 9 X X X X X K WBB Weather...

lang:en score:20 filesize: 895.93 K page_count: 8 document date: 2012-07-30




[pdf] Instructions

3 Bosch Group fdr5fp Instructions resources boschsecurity cdn azureedge net To obtain a of required CSFM Listing Locate the product in tables below to find its number s ♦ For example The D7412GV4 has 7165 1615 0242 Since some products are listed as components system also look under Control Panel you using Documen Certificate US enUS 225179998115925003 public certificates ♦ 216172798861184011 tvx mx media 10071

CSFM Listings Instructions To obtain a PDF of a required CSFM Listing: Locate the product in the t ... Listings Ceiling-mount, multi-candela: W-HSRC and W-HSWC Wall-mount, multi-candela: W-HSR and W-HSW **WPBB-R** As used Wheelock Listings WPBB WPSBB-R/-W As used Wheelock Listings WPSBB W-ST Strobes Exced...


lang:en score:20 filesize: 494.64 K page_count: 37 document date: 2019-02-06



[pdf] Instructions

3 fdr5fp Bosch Group en US Remote fire annunciator red grey D1257RB CSFM Listing Document Certificate enUS 261208795134888971 resources boschsecurity cdn azureedge net public certificates |||

||| CSFM Listings Instructions To obtain a PDF of a required CSFM Listing: Locate the product in the tables below to find its CSFM Listing number s . For example: The D7412GV4 has a CSFM Listing number of 7165-1615:0242. Since some products are CSFM Listings Instructions To obtain a PDF of a required CSFM Listing: Locate the product in the t ... Listings Ceiling-mount, multi-candela: W-HSRC and W-HSWC Wall-mount, multi-candela: W-HSR and W-HSW **WPBB-R** As used Wheelock Listings WPBB WPSBB-R/-W As used Wheelock Listings WPSBB W-ST Strobes Exced... lang:en score:20 filesize: 472.56 K page_count: 37 document date: 2021-10-15



[pdf] Instructions

3 fdr5fp Bosch Group Instructions To obtain a of required CSFM Listing Locate the product in tables below to find its number s ♦ For example The D7412GV4 has 7165 1615 0242 Since some products are listed as components system also look under Control Panel you using Document Certificate US all 117093607059033099 resources boschsecurity cdn azureedge net public certificates Listings V1617 resource 80 1170936074059033099 tvc mx media 35325


CSFM Listings Instructions To obtain a PDF of a required CSFM Listing: Locate the product in the t ... Listings Ceiling-mount, multi-candela: W-HSRC and W-HSWC Wall-mount, multi-candela: W-HSR and W-HSW **WPBB-R** As used Wheelock Listings WPBB CSFM Listing number 7315-1335:0100 7300-1615:0226 CSFM Listin... lang:en score:20 filesize: 410.5 K page_count: 40 document date: 2017-03-07



[pdf] Specifications Datasheet


Wheelock weatherproof appliances data sheet Specification on ASWP AH ET70WP ET 1010 MT MTWP RSSWP Silmar All strobe models are UL dual listed—meeting both UL1638 and UL1971 requirements As listed these strobes 2 Technical Data TD450112EN September 2020 EATON eaton AS RSS ET70 Features benefits Weatherproof with extended temperature range of 40°F to 150°F 40°C 66°C * Dual 1638 1971 Industry s highest candela options Strobes Code 3 horn synchronize using the Sync WBB R wheelock silmarelectronics content dam products safety security emergency communications lsmns ahwp aswp

Technical Data TD450112EN Effective September 2020 Supersedes August 2020 Wheelock AH, AS, MT, RSS ... formation Model Number Backboxes IOB-R a IOB-W a Finish Red White WPSBB-R a WPSBB-W a Red White **WPBB-R** a WPBB-W a Red White Order Code 5046 5047 9751 3033 9014 4692 Model Number Gasket kit WP-K... lang:en score:20 filesize: 1.42 M page_count: 6 document date: 2020-09-30



[pdf] User Manual Specifications Datasheet Accessories Borchure

Wheelock mounting accessories Specifications for backboxes and Eaton Stamped aluminum adapter plate designed applications where semi flush installations cannot be used The can mountedWHL MIZ24SR Product Manualsesonline media wysiwyg products WHL Manual Additional ResourcesStamped mountedEaton AMT 12 24 R Multitone Horn Wall V RedWHL ManualUpload WH 125887 EducationalBrochuresesonline Manualcdn adiglobaldistribution us pim Original 10056 Upload EducationalBrochure ResourcesProduct Data SheetStamped RedEaton SBB Backbox Surface EducationalBrochureUpload 103204 ProductManualsesonline EducationalBrochurecdn ProductManual ||| ||| Wheelock Mounting Accessories B Single-Gang, Flush BO Used with Series MIZ, RSS See Notes 1 8 Effective August 2020 Supersedes July 2017 F Double-Gang, Flush BO See Note 4 Maximum Number of Conductors AWG. #18 4 AWG. #16 4 AWG. #14 4 AWG. # ||| Wheelock Mounting Accessories B Single-Gang, Flush BO Used with Series MIZ, RSS See Notes 1 8 Effective August 2020 Supersedes July 2017 F Double-Gang, Flush BO See Note 4 Maximum Number of Conductors AWG. #18 4 AWG. #16 4 AWG. #14 4 AWG. # Wheelock Mounting Accessories B Single-Gang, Flush BO Used with Series MIZ, RSS See Notes 1 8 Effective August 2020 Supersedes July 2017 F Double-Gang, Flush BO See Note 4 Maximum Number of Conductors AWG. #18 4 AWG. #16 4 AWG. #14 4 AWG. # Wheelock Mounting Accessories B Single-Gang, Flush BO Used with Series MIZ, RSS See Notes 1 8 ... Deep - Flush BO Note 4 8 G 2-Gang x 1.75 Deep - Surface BO Note 5 H NATP Trim Plate I **WPBB-R** Weatherproof Backbox for ASWP J BB Surface WSI Note 9 K WBB Weatherproof WSI L ISP ... lang:en **score:19** filesize: 1.38 M page_count: 9 document date: 2020-08-17



[pdf] Specifications

TD450112EN Weatherproof appliances 2 Technical Data TD450041EN Effective September 2017 EATON eaton Wheelock AH AS MT RSS ET70 Features benefits with extended temperature range of 40°F to 150°F 40°C 66°C * Dual Listed strobe models UL 1638 and 1971 Industry s highest candela options Synchronize using the Sync Modules or panels 12 24 R sdilink SpecsSheet ||| Technical Data TD450112EN Effective September 2017 Supersedes September 2016 Wheelock AH, AS, MT, R ... formation Model Number Backboxes IOB-R a IOB-W a Finish Red White WPSBB-R a WPSBB-W a Red White **WPBB-R** a WPBB-W a Red White Order Code 5046 5047 9751 3033 9014 4692 Model Number Gasket kit WP-K... lang:en **score:19** filesize: 1.4 M page_count: 6 document date: 2017-09-13



[pdf] Specifications Accessories

Weatherproof Appliances Series AH Audibles AS Audible description the cityof new york depa rtment of buildings ul e5946 151 92 e s5391 s2652 7125 0785 131 aswp 146 et70wp 156 mtwp ASWP 2475W FR sdilink SpecsSheet General Notes * Description Designed for life safety performance and reliability Cooper Notification s Wheelock cost effective weatherproof notification appliances include View ||| Notification Weatherproof Appliances - Series AH Audibles, AS Audible Strobes, MT Multitone Strobes, ... Gasket Kit WP-KIT Flush Plates WFPA-R WFPA-W WFP-R WFP-W Backboxes IOB-R* IOB-W* WPSBB-R* WPSBB-W* **WPBB-R*** WPBB-W* WBB-R WBB-W Order Code 4486 Red White Red White 4698 4701 4696 4697 Red White Re... lang:en **score:19** filesize: 1.39 M page_count: 4 document date: 2011-07-26




[pdf] Datasheet

ASWP Weatherproof Horn Strobes Data sheet enUS 2710992523 resource boschsecurity us 80 documents

Fire Alarm Systems ASWP Weatherproof Horn Strobes ASWP Weatherproof Horn Strobes www.boschsecurity ... oof Back Box in outdoor and extreme environment applications Order number ASWP-2475C-FR Accessories **WPBB-R** Weatherproof backbox, red Used to surface mount the ASWP Series Weatherproof Horn-strobes for...

lang:en score:19 filesize: 305.2 K page_count: 2 document date: 2019-05-06




[pdf] Accessories Catalog

Wheelock Inc Mounting Accessories and Heights Catalog Page AP R S IOB W ISP2 ISP NATP SBB SBL2 SER SFP SHBB SHMP WBB WPBB DBB WPSBB JTOWNSHEND I WEATHERPROOF BACKBOX FOR ASWP 2 J BB SURFACE WSI NOTE 9 X K WEATHER PROOF 3 L SURFACE S7000lit stromquist docs EXCALIBUR CAT S7000 |||

A UNIVERSAL MOUNTING PLATE MOUNTING ACCESSORIES AND MOUNTING HEIGHTS B SINGLE-GANG, FLUSH BO ... X G 2-GANG X 1.75 DEEP - SURFACE BO NOTE 5 X X X X H NATP TRIM PLATE X X X X I **WPBB-R** WEATHERPROOF BACKBOX FOR ASWP 2 J BB SURFACE WSI NOTE 9 XXX X X X X K WBB WEATH...


lang:en score:18 filesize: 266.48 K page_count: 4 document date: 2004-04-29



[pdf] Specifications Accessories

Wheelock mounting accessories Specifications for backboxes and Eaton FireAlarm Mounting Accessories J BB Backbox Order Codes Red 2830 Gray 2349 Used with Series 31T 43T AH MB MT4 RSS See Note 9 K WBB Weather Resistant 2959 White 2411 TD450028EN firealarm 2018 11 ||| Wheelock Mounting Accessories B Single-Gang, Flush BO Used with Series MIZ, RSS See Notes 1 8 ... Deep - Flush BO Note 4 8 G 2-Gang x 1.75 Deep - Surface BO Note 5 H NATP Trim Plate I **WPBB-R** Weatherproof Backbox for ASWP J BB Surface WSI Note 9 K WBB Weatherproof WSI L ISP ...


lang:en score:17 filesize: 1.38 M page_count: 9 document date: 2020-08-17



[\[pdf\]](#) Accessories Catalog

Ismns wheelock life safety notification catalog CA450001EN eaton content dam products security emergency communications accessories


Life safety mass notification solutions Product Catalog We make safe and sound work. We make saf ... 1 4486 Backboxes IOB-R Red 5046 IOB-W White 5047 WPSBB-R Red 9751 WPSBB-W White 3033 **WPBB-R** Red 9014 WPBB-W White 4692 WBB-R Red 2959 WBB-W White 2960 1WP-KIT: Allows for su...
lang:en **score:17** filesize: 10.97 M page_count: 116 document date: 2020-09-02



[\[pdf\]](#) Specifications Accessories

Dn 6111a jlaudano Specification Sheets Outdoor Backbox Red WHL WBBR sesonline media wysiwyg products |||

March 30, 2004 DN-6111 J-120A Wheelock Products Mounting Options Accessories Section: Audio/Vi ... T-W See Notes 4 MAXIMUM NUMBER OF CONDUCTORS AWG. #18 AWG. #16 AWG. #14 AWG. #12 4 4 4 4 I **WPBB-R** For surface mounting AS outdoor products. 5.25 1-11/16 5 21/32 3-3/8 TOP 5.25 Thicknes...
lang:en **score:17** filesize: 220.08 K page_count: 5 document date: 2004-04-08




[\[pdf\]](#) Specifications Accessories

PD494960 objects eanixter

Wheelock AH, AS, MT, RSS, ET70 Wall or ceiling mount models Table 7.

Specification and ordering inf ... formation Model Number Backboxes IOB-R a IOB-W a Finish Red White WPSBB-R a WPSBB-W a Red White **WPBB-R** a WPBB-W a Red White Order Code 5046 5047 9751 3033 9014 4692 Model Number Gasket kit WP-K...

lang:en **score:16** filesize: 127.5 K page_count: 1 document date: 2017-07-03



[pdf] User Manual Dimension Guide Catalog

Untitled Notification CABLE JOINTS Audible Warning 5 DB12 Sounder Asserta Mini Standard Version
Code Main options available Key features Compact sounder 7061154FUL 0105 Output 107 dB A Ingress protection IP66 The range of manual call points includes push button break These are designed to meet European or North American industrial and fire application standards MEDC Fire Signal Alarm Manual Call Points Breakglass Catalogue cablejoints co uk upload
Notification Industrial Signals Alarms WWW.CABLEJOINTS.CO.UK THORNE DERRICK UK TEL 0044 191 490 ... ush mounting plate WPBB surface-mount back box 9012-0000 4698-0000 9014-0000 ASWP-2475W-FR WFPA-R **WPBB-R** Note: unless otherwise stated, all beacons in the AV range are xenon. 24 Volt dc, 3 stage, ...
lang:en score:16 filesize: 3.33 M page_count: 44 document date: 2010-04-20



[pdf] Instructions Specifications Accessories

S9004 WP indd Weatherproof Appliances Series AH Audibles AS Audible NOTE All CAUTIONS and WARNINGS are identified by the symbol warnings printed in bold capital letters WARNING PLEASE READ THESE SPECIFICATIONS AND ASSOCIATED INSTALLATION INSTRUCTIONS CAREFULLY BEFORE USING SPECIFYING OR Title Created Date 3 19 2007 9 03 35 AM MTWP 24MCCH spec 2475 AHWP ASWP 24MCWH ET70WP 24177C B or A RSSWP WFP WFPA Kit 24185W wedophones
Manuals Wleelock res fault codes Electronics ICs WLEELOCK
Weatherproof Appliances - Series AH Audibles, AS Audible Strobes, MT Multitone Strobes, RSS Strobes ... FPA Gasket Kit WP-KIT Flush Plates WFPA-R WFPA-W WFP-R WFP-W Backboxes IOB-R IOB-W WPSBB-R WPSBB-W **WPBB-R** WPBB-W WBB-R WBB-W Order Code 4486 Red White Red White 4698 4701 4696 4697 Red White Red ...
lang:en score:16 filesize: 575.21 K page_count: 4 document date: 2007-03-19




[pdf] Accessories

S9004 Rev2 WP indd MTWP 2475W FR Index of worldeyecam |||
Weatherproof Appliances - Series AH Audibles, AS Audible Strobes, MT Multitone Strobes, RSS Strobes ... FPA Gasket Kit WP-KIT Flush Plates WFPA-R WFPA-W WFP-R WFP-W Backboxes IOB-R IOB-W WPSBB-R WPSBB-W **WPBB-R** WPBB-W WBB-R WBB-W Order Code 4486 Red White Red White 4698 4701 4696 4697 Red White Red ...
lang:en score:16 filesize: 574.35 K page_count: 4 document date: 2006-10-06



lang:en score:16 filesize: 584.95 K page_count: 4 document date: 2012-11-16

lang:en score:16 filesize: 811.98 K page count: 4 document date: 2010-07-04




[\[pdf\]](#) Catalog

Wheelock life safety notification appliances catalog CA450001EN Product for and mass solutions Eaton EATON Audible Visual Appliances eaton massnotification Designed high fidelity sound output s Exceder LED3 firealarm 2020 04 |||

Life safety mass notification solutions Product Catalog Protect. Alert. Inform. Leading the indust ... 1 4486 Backboxes IOB-R Red 5046 IOB-W White 5047 WPSBB-R Red 9751 WPSBB-W White 3033 **WPBB-R** Red 9014 WPBB-W White 4692 WBB-R Red 2959 WBB-W White 2960 1WP-KIT: Allows for su...

lang:en **score:15** filesize: 12.49 M page_count: 132 document date: 2018-09-10




[\[pdf\]](#) Specifications Datasheet Accessories

Data Sheet Manufacturers SAF COM Supply Inc WheelockMountingAccessories cooperindustries content dam public safety notification Resources SpecificationSheets 80 |||

Wheelock Mounting Accessories B Single-Gang, Flush BO Used with Series MIZ, RSS See Notes 1 8 ... Deep - Flush BO Note 4 8 G 2-Gang x 1.75 Deep - Surface BO Note 5 H NATP Trim Plate I **WPBB-R** Weatherproof Backbox for ASWP J BB Surface WSI Note 9 K WBB Weatherproof WSI L ISP ...

lang:en **score:14** filesize: 1.52 M page_count: 8 document date: 2014-08-01

User ManualEaton MT Multitone Horn Strobe Xenon Wall FIRE Clear Lens 115 cd 120V AC Indoor
Outdoor RedUpload WH 126224 UserManualcdn adiglobaldistribution us pim Original 10056 Upload
UserManual We make safe and sound work All Data ResourceUser ManualASWP 24MCCH FR Red 5149
ASWP FW White 5157 12 24 R 5023 Audible or Ceiling AH 24WP 7416 12WP RedEaton Redwheelock
STH 15SR ManufacturerBrochureUpload UserManualalldataresource assets wheelock
ManufacturerBrochure srsId AfmBOordQQZR
5bEcNjcahLy6t89lCPy2CCcXWzUSmxpeO3EuldZXyB4cdn ResourceWe RedASWP




lang:en score:13 filesize: 10.97 M page count: 116 document date: 2020-09-02



[\[pdf\]](#) Instructions

2 Bosch Group fdrfp CSFM Listing Documen Certificate US enUS 198158400351702027 tv c mx media
8561 |||


CSFM Listings Instructions To obtain a PDF of a required CSFM Listing: Locate the product in the t ... Listings Ceiling-mount, multi-candela: W-HSRC and W-HSWC Wall-mount, multi-candela: W-HSR and W-HSW **WPBB-R** As used Wheelock Listings WPBB WPSBB-R/-W As used Wheelock Listings WPSBB W-ST Strobes Exced... lang:en **score:13** filesize: 491 K page count: 36 document date: 2018-10-09



[pdf] Instructions

4 Bosch Group fdr5fp CSFM Listing Documen Certificate US all 135108005568515083 resource
boschsecurity us 80 certificates

CSFM Listings Instructions To obtain a PDF of a required CSFM Listing: Locate the product in the t ... Listings Ceiling-mount, multi-candela: W-HSRC and W-HSWC Wall-mount, multi-candela: W-HSR and W-HSW **WPBB-R** As used Wheelock Listings WPBB WPSBB-R/-W As used Wheelock Listings WPSBB W-ST Strobes Exced...
lang:en score:13 filesize: 516.62 K page_count: 38 document date: 2017-06-30



[pdf] Instructions

31 Bosch Group fdr5fp CSFM Listing Documen Certificate US all 108086407804292107 resource
boschsecurity 80 certificates

CSFM Listings Instructions To obtain a PDF of a required CSFM Listing: Locate the product in the t ... HSWC Wall-mount, multi-candela: W-HSR and W-HSW CSFM Listing number 7125-0785:0168 7125-0785:0168 **WPBB-R** As used Wheelock Listings WPBB CSFM Listing number 7300-0785:0177 WPSBB-R/-W As used Wheelo...


lang:en score:13 filesize: 521.06 K page_count: 40 document date: 2017-02-16



[pdf] Accessories Catalog

Cooper Notification F S Catalog 11 09 FireAlarm FS 1109 firealarm 2021 04 |||
Wheelock 2009/2010 Product Catalog Fire Security Notification Appliance and Devices Explosion Pr ... nd Surface Mount Mounting screw supplied Order Codes/Model Numbers 2 Backboxes 5046 IOB-R 9014 **WPBB-R** 5047 IOB-W 4692 **WPBB-R** 9751 WPSBB-R 2959 WBB-R 3033 WPSBB-W 2960 WBB-W Mounting Option...

lang:en score:12 filesize: 5.66 M page_count: 56 document date: 2009-11-13



[\[pdf\]](#) Catalog

RSS 24MCC ALW dwgdistribution reference Manufacturers CooperWheelock |||

Life safety mass notification solutions Canadian Product Catalog Protect. Alert.

Inform. The per ... a 4486 Backboxes IOB-R Red 5046 IOB-W White 5047 WPSBB-R

Red 9751 WPSBB-W White 3033 **WPBB-R** Red 9014 WPBB-W White 4692 WBB-R

Red 2959 WBB-W White 2960 a WP-KIT: Allows for s...

lang:en **score:12** filesize: 8.15 M page_count: 76 document date: 2016-03-18