

[Manuals.plus](#) /

› [Berker](#) /

› BERKER Socket m.erh.BS Q.1/Q.3 pws 47236089 Instruction Manual

Berker 47236089

BERKER Socket m.erh.BS Q.1/Q.3 pws

Model: 47236089

INTRODUCTION

This manual provides essential information for the safe and proper installation, operation, and maintenance of your Berker Socket, model 47236089. Please read this manual thoroughly before installation and keep it for future reference.

SAFETY INFORMATION

WARNING: Electrical shock hazard. Installation should only be performed by a qualified electrician in accordance with all local and national electrical codes.

- Always disconnect power at the circuit breaker or fuse box before installing or servicing the socket.
- Ensure all wiring connections are secure and properly insulated.
- Do not install in wet or damp locations unless specifically rated for such environments.
- Verify the voltage rating of the socket matches your electrical supply (250 Volts).
- Do not overload the socket.

PRODUCT OVERVIEW

The Berker Socket model 47236089 is a durable and robust electrical wall outlet designed for reliable power connection. It features a standard Type B plug configuration with two ports, suitable for various electrical applications.



Figure 1: Front view of the Berker Socket 47236089. This image displays the white faceplate of the socket, clearly showing the two circular openings for power pins and a central opening for the grounding pin. The metal mounting frame is visible around the perimeter of the white faceplate.

SETUP AND INSTALLATION

Follow these steps for proper installation:

1. **Preparation:** Ensure power is OFF at the main circuit breaker. Use a voltage tester to confirm no power is present at the installation site.
2. **Mounting:** Secure the metal mounting frame of the socket to the electrical box using appropriate screws. Ensure it is flush with the wall surface.
3. **Wiring:** Connect the electrical wires to the corresponding terminals on the back of the socket.
 - Connect the *live (hot)* wire to the designated live terminal.
 - Connect the *neutral* wire to the designated neutral terminal.
 - Connect the *ground* wire to the designated ground terminal.

Ensure all connections are tight and no bare wire is exposed.

4. **Faceplate Installation:** Carefully attach the white faceplate to the socket mechanism, ensuring it clicks securely into place.
5. **Testing:** Restore power at the circuit breaker. Test the socket with a known working appliance to confirm proper operation.

OPERATING

The Berker Socket 47236089 functions as a standard electrical outlet. Once properly installed and powered, it provides a connection point for electrical appliances and devices. Simply insert the plug of your device into the socket's ports. Ensure the plug is fully inserted for a secure connection.

MAINTENANCE

The Berker Socket requires minimal maintenance. Follow these guidelines:

- **Cleaning:** Disconnect power before cleaning. Wipe the surface with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- **Inspection:** Periodically inspect the socket for any signs of damage, such as cracks, discoloration, or loose connections. If damage is observed, disconnect power and have it inspected by a qualified electrician.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No power from socket	Circuit breaker tripped or fuse blown	Check and reset the circuit breaker or replace the fuse.
No power from socket	Loose wiring connection	<i>(WARNING: Disconnect power first)</i> Have a qualified electrician inspect and tighten connections.
Socket feels hot	Overload or faulty wiring	Unplug devices. <i>(WARNING: Disconnect power first)</i> Have a qualified electrician inspect the circuit and wiring.

If problems persist after attempting these solutions, contact a qualified electrician.

SPECIFICATIONS

Attribute	Detail
Brand	Berker
Model Number	47236089
Colour	White/Opulent Garden
Voltage	250 Volts
Plug Type	Type B
Number of Ports	2
Product Dimensions	1 x 1 x 1 cm
Item Weight	9 g
Special Features	Durable (Langlebig)
Manufacturer	BERKER
Date First Available	5 February 2024

WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the official Berker website or contact your local distributor. Keep your purchase receipt as proof of purchase.

Note: This product is designed for professional installation. Any unauthorized modifications or improper installation may void the warranty and pose safety risks.

