

Traxxas TRAC7026

Traxxas 7026 Battery Compartment Door Instruction Manual

Model: TRAC7026

[Product](#)

[Overview](#)

[Installation](#)

[Maintenance](#)

[Specifications](#)

[Support](#)

1. PRODUCT OVERVIEW

The Traxxas 7026 Battery Compartment Door and Vents set is a genuine replacement part designed for Traxxas Remote Control (RC) vehicles. This set includes one battery compartment door and a pair of battery compartment vents, suitable for either the right or left side of your vehicle. Constructed from durable plastic and finished in black, these components ensure proper fit and long-lasting performance, maintaining the integrity of your vehicle's battery compartment.

1.1 Package Contents

- One (1) Battery Compartment Door
- One (1) Pair of Battery Compartment Vents (for right or left side)



Figure 1.1: The Traxxas 7026 set, showing the battery compartment door and two separate vents. The door features the Traxxas logo and attachment points, while the vents are designed for airflow and secure fitting.

2. INSTALLATION

This section provides general guidance for installing the Traxxas 7026 Battery Compartment Door and Vents. For specific instructions tailored to your Traxxas vehicle model, always refer to your vehicle's original user manual.

2.1 Required Tools

- Small Phillips head screwdriver (if applicable for your model)
- Pliers or tweezers (optional, for vent removal/installation)

2.2 Battery Compartment Door Installation

1. **Remove Old Door:** Carefully detach the existing battery compartment door from your Traxxas vehicle. This may involve unlatching it or removing small screws, depending on your model.
2. **Inspect Area:** Clean any debris from the battery compartment opening and hinge points.
3. **Attach New Door:** Align the new Traxxas 7026 battery compartment door with the hinge points on your vehicle. Secure it in place. Ensure it latches correctly and provides a snug fit for the battery.

2.3 Battery Compartment Vent Installation

1. **Remove Old Vents:** If replacing existing vents, gently pry them out from their slots on the battery compartment door or chassis.
2. **Insert New Vents:** Press the new Traxxas 7026 vents into the designated slots. Ensure they are fully seated and secure to prevent them from falling out during operation. The vents are designed to fit either the right or left side.

3. OPERATION (FUNCTION)

The Traxxas 7026 Battery Compartment Door and Vents serve critical functions for your RC vehicle:

- **Battery Retention:** The compartment door securely holds the battery in place, preventing it from dislodging during vehicle operation, impacts, or jumps.
- **Protection:** It protects the battery from external elements such as dirt, dust, and minor splashes, contributing to the longevity and safety of the battery.
- **Ventilation:** The included vents facilitate airflow, which can help in dissipating heat generated by the battery during use, especially important for high-performance setups.

Always ensure the battery compartment door is properly closed and latched before operating your vehicle.

4. MAINTENANCE

Proper maintenance of your battery compartment door and vents will ensure their continued functionality and extend their lifespan.

- **Regular Inspection:** Periodically check the door and vents for any signs of damage, cracks, or wear, especially around the hinge points and latches.
- **Cleaning:** After use, especially in dusty or dirty conditions, clean the door and vents with a soft brush or cloth to remove accumulated dirt. Avoid harsh chemicals that could damage the plastic.
- **Secure Fit:** Ensure the door latches securely and the vents remain firmly in place. If the door becomes loose or the vents fall out, inspect for damage and replace if necessary.

5. TROUBLESHOOTING

Problem	Possible Cause	Solution
Battery door does not close securely.	Damaged latch or hinge on the door or vehicle chassis.	Inspect the door and chassis for damage. Replace the door if the latch or hinge is broken. Consult your vehicle's manual for chassis repair.
Vents fall out easily.	Worn or damaged vent clips; incorrect installation.	Ensure vents are pressed firmly into place. If clips are worn, replace the vent pair.
Battery is loose inside compartment.	Door not fully closed; incorrect battery size; internal battery straps missing/damaged.	Ensure door is latched. Verify battery compatibility. Check internal battery straps (if applicable to your model).

6. SPECIFICATIONS

Feature	Detail
Part Number	7026
Model Number	TRAC7026

Feature	Detail
Material	Plastic
Color	Black
Includes	1 Battery Compartment Door, 1 Pair of Vents
Compatibility	Designed for various Traxxas RTR vehicles (consult your vehicle's manual)
Product Dimensions	3.13 x 0.25 x 7.5 inches
Item Weight	0.01 ounces

7. WARRANTY AND SUPPORT

Traxxas products are known for their quality and durability. For information regarding warranty coverage, replacement parts, or technical support, please refer to the official Traxxas website or contact their customer service directly.

Official Traxxas Website: [traxxas.com](https://www.traxxas.com)

When contacting support, please have your vehicle model and the part number (7026) available for quicker assistance.

