

Cadco XAF-193

Cadco XAF-193 Full-Size Heavy Duty Countertop Convection Oven with Humidity Control User Manual

Model: XAF-193

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation of your Cadco XAF-193 Full-Size Heavy Duty Countertop Convection Oven. Please read all instructions carefully before installation, operation, or maintenance to ensure proper use and to prevent injury or damage.

The Cadco XAF-193 is a robust commercial convection oven designed for demanding kitchen environments, featuring humidity control and a capacity for four full-size sheet pans.

2. IMPORTANT SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or injury, read and understand all instructions before using this appliance.

- **Electrical Safety:** This appliance requires a 208-240V/60/1-ph electrical supply with a 5.9kW power rating and 24.6 Amps. It uses a NEMA L6-30P plug. Ensure proper grounding and connection by a qualified electrician.
- **Hot Surfaces:** The oven interior and exterior surfaces can become extremely hot during operation. Always use heat-resistant gloves or mitts when handling hot items or touching oven surfaces.
- **Cool-Touch Door:** The oven features a double-wall cool-touch glass door designed to minimize external heat, but caution should still be exercised.
- **Ventilation:** Ensure adequate ventilation around the oven to prevent overheating and maintain safe operating temperatures.
- **Water Connection:** For humidity control, the oven includes an electro valve for direct water connection. Ensure proper plumbing installation to prevent leaks.
- **California Proposition 65 Warning:** This product can expose you to chemicals which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

3. SETUP AND INSTALLATION

1. **Unpacking:** Carefully remove the oven from its packaging. Inspect for any shipping damage. Retain packaging for future transport if needed.
2. **Placement:** Place the oven on a stable, level, heat-resistant countertop. Ensure sufficient clearance (at least 4 inches) from walls and other equipment for proper ventilation.
3. **Electrical Connection:** Connect the NEMA L6-30P plug to a dedicated 208-240V/60/1-ph, 24.6 Amp electrical outlet. This connection should be performed by a qualified electrician.
4. **Water Connection (for Humidity):** If using the humidity feature, connect the oven's electro valve to a potable water supply. A qualified plumber should perform this connection. Ensure water pressure is within the recommended range (check manufacturer specifications for exact range).
5. **Initial Cleaning:** Before first use, wipe down the interior and exterior surfaces with a damp cloth and mild detergent. Rinse thoroughly and dry. Run the oven empty at a high temperature for approximately 30 minutes to burn off any manufacturing residues. Ensure the area is well-ventilated during this process.
6. **Shelf Installation:** Insert the four wire shelves into the desired rack positions within the oven cavity.



Image 1: Front view of the Cadco XAF-193 Convection Oven, showing the double-wall glass door, control knobs, and interior racks.

4. OPERATING INSTRUCTIONS

The Cadco XAF-193 features manual controls for precise cooking adjustments.

4.1 Control Panel Overview

The control panel is located at the bottom front of the oven and includes knobs for time, temperature, and humidity settings.

- **Temperature Control Knob:** Adjusts the oven temperature from 175°F to 500°F (80°C to 260°C).
- **Timer Knob:** Sets the cooking time up to 60 minutes or to a continuous "ON" setting for extended cooking.

- **Humidity Control Knob:** Adjusts the level of humidity introduced into the oven cavity.
- **LED Door Light:** Provides interior illumination for monitoring cooking progress.

4.2 Basic Operation

1. **Preheating:** Turn the Temperature Control Knob to the desired cooking temperature. Allow the oven to preheat for approximately 15-20 minutes, or until the indicator light (if present) signals the set temperature has been reached.
2. **Loading Food:** Open the cool-touch glass door. Carefully place up to four full-size sheet pans onto the wire shelves. The advanced airflow design with an automatically reversible fan ensures even heat distribution.
3. **Setting Time:** Turn the Timer Knob to the desired cooking duration. For continuous operation, set the knob to the "ON" position.
4. **Using Humidity:** If your recipe requires humidity, adjust the Humidity Control Knob to the desired level. This feature is beneficial for baking delicate items or preventing drying.
5. **Monitoring:** Use the LED door light to observe the cooking process without opening the door, which helps maintain consistent oven temperature.
6. **Completion:** When the timer expires, the oven will typically signal completion and may shut off heating elements. Carefully remove cooked items using heat-resistant gloves.

5. MAINTENANCE AND CLEANING

Regular cleaning and maintenance will extend the life of your Cadco XAF-193 oven and ensure optimal performance.

1. **Daily Cleaning:**
 - Allow the oven to cool completely before cleaning.
 - Wipe down the interior and exterior stainless steel surfaces with a damp cloth and a mild, non-abrasive detergent.
 - Remove and clean the wire shelves separately in a sink with warm, soapy water.
 - Clean the cool-touch glass door with a glass cleaner or mild detergent. Avoid abrasive cleaners that could scratch the glass.
 - Ensure all surfaces are thoroughly rinsed and dried to prevent water spots or corrosion.
2. **Deep Cleaning:** Periodically, a more thorough cleaning may be required, especially for baked-on food residues. Use commercial oven cleaners specifically designed for stainless steel, following the product's instructions carefully. Ensure adequate ventilation during deep cleaning.
3. **Water System Maintenance:** If using the humidity feature, regularly check the water connection and electro valve for mineral buildup or leaks. Descale as necessary according to local water hardness and manufacturer recommendations.
4. **Inspection:** Regularly inspect the door gasket for wear and tear. A damaged gasket can lead to heat loss and inefficient operation.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your Cadco XAF-193 oven. For problems not listed here, contact qualified service personnel.

Problem	Possible Cause	Solution
Oven does not heat up.	No power supply; circuit breaker tripped; faulty heating element.	Check power cord and outlet. Reset circuit breaker. If problem persists, contact service.
Uneven cooking.	Overloading oven; blocked air vents; fan malfunction.	Reduce load. Ensure proper pan spacing. Check for obstructions. Contact service if fan is not operating.
Humidity feature not working.	Water supply off; clogged water line; faulty electro valve.	Check water supply. Inspect water lines for kinks or blockages. Contact service for valve issues.
Excessive smoke or odor during initial use.	Manufacturing residues burning off.	This is normal for first use. Ensure good ventilation. If it persists after initial burn-off, contact service.

7. SPECIFICATIONS

- Model:** XAF-193
- Brand:** Cadco
- Type:** Full-Size Heavy Duty Countertop Convection Oven
- Capacity:** (4) Full-Size Sheet Pans (pans not included)
- Cooking Chamber Dimensions:** 13" H x 27-1/4" W x 18-3/4" D (3.85 cu. ft.)
- Temperature Range:** 175°F - 500°F (80°C - 260°C)
- Controls:** Manual Time, Temperature, and Humidity Controls
- Timer:** 60 Minute or Continuous On
- Electrical:** 208-240V/60/1-ph, 5.9kW, 24.6 Amps
- Plug Type:** NEMA L6-30P
- Construction:** Heavy Duty Stainless Steel
- Door:** Double Wall Cool-Touch Glass Door with LED Light
- Special Features:** Advanced Airflow Design, Automatically Reversible Fan, Humidity Feature (Electro Valve for Direct Water Connection), High "R" Value Insulation
- Product Dimensions:** 32 inches (W) x 31.5 inches (D) x 23 inches (H)
- Weight:** 134 Pounds
- Certifications:** NSF, cMETus (UL and CSA equivalent)




Image 2: Cadco XAF-193 Convection Oven with key dimensions (height, width, depth) indicated.

8. WARRANTY AND SUPPORT

For specific warranty information, please refer to the documentation provided with your purchase or visit the official Cadco website. Warranty terms typically cover manufacturing defects for a specified period from the date of purchase.


For technical support, service inquiries, or to purchase replacement parts, please contact Cadco customer service directly. Contact information can usually be found on the manufacturer's website or in the original product packaging.

Manufacturer: Cadco Ltd.


© 2023 Cadco Ltd. All rights reserved. Information in this manual is subject to change without notice.

Related Documents - XAF-193

	Cadco-Unox Electric Convection Ovens Instruction Manual This manual provides comprehensive instructions for the installation, use, and maintenance of Cadco-Unox Electric Convection Ovens, including models OV-250, OV-350, OV-400, OV-500, and OV-600. It covers features, controls, cooking principles, and technical data.
---	--

	Cadco LineChef Combination Oven Instructions Manual Comprehensive installation, operation, and maintenance manual for Cadco LineChef Combination Ovens, detailing features, controls, cooking modes, and cleaning procedures.
	BAKERLUX STATION Installation Guide and Safety Manual Comprehensive installation guide and safety regulations for the BAKERLUX STATION ventilation system by Cadco, including stacking kit instructions and warranty information.
	Cadco Hot Plates: Comprehensive Use, Care, and Warranty Guide This guide provides essential information on the safe operation, proper care, and warranty details for Cadco Hot Plates, including models CDR-1T, CDR-2C, LKR-220, CSR-1CH, CSR-1T, CSR-2C, and CSR-3T.
	Cadco Mobile Demo / Sampling Cart: Use & Care Manual Comprehensive use and care manual for the Cadco Mobile Demo / Sampling Cart, detailing product features, materials, safety guidelines, warranty information, cleaning procedures, and optional accessories.
	Cadco Large Mobile Demo / Sampling Cart - Use & Care Manual Comprehensive guide for the Cadco Large Mobile Demo / Sampling Cart, covering features, assembly, operation, care, cleaning, safety, and warranty information for models CBC-DC-L series.

Documents - Cadco – XAF-193




[\[pdf\]](#) User Manual Instructions

Provided by ManualsAndMore Download User Manual Cadco XAF 103 Instruction XAF103 manualsandmore |||

MANUAL Convection Ovens Instruction Manual Quarter Size Model Model XAF-103: Quarter Size/3 Shelves 120 Volt Half Size Models Model XAF-113: Half Size/3 Shelves 120 Volt Model XAF-133: Half Size/4 Shelves 208-240 Volt Full Size Models Model XAF-183: Full Size/3 Shelves 208-240 Volt Model XAF-19...

lang:en score:52 filesize: 779.86 K page_count: 14 document date: 2019-07-23




[\[pdf\]](#) User Manual Instructions

Provided by ManualsAndMore Download User Manual Cadco LINE CHEF XAF 103 Instruction XAF103 manualsandmore |||

MANUAL Convection Ovens Instruction Manual Quarter Size Model Model XAF-103: Quarter Size/3 Shelves 120 Volt Half Size Models Model XAF-113: Half Size/3 Shelves 120 Volt Model XAF-133: Half Size/4 Shelves 208-240 Volt Full Size Models Model XAF-183: Full Size/3 Shelves 208-240 Volt Model XAF-19...

lang:en score:52 filesize: 771.2 K page_count: 15 document date: 2019-07-23




[\[pdf\]](#) User Manual Instructions Declaration of Conformity

Microsoft Word Manual Heavy Duty Convection Oven InstructionsRv14 doc rose Instructions Rv14 cadco ltd |||

MANUAL Heavy-Duty Convection Ovens Instruction Manual Quarter Size Model Model XAF-103: Quarter Size ... ze/4 Shelves 208-240 Volt Full Size Models Model XAF-183: Full Size/3 Shelves 208-240 Volt Model **XAF-193**: Full Size/4 Shelves 208-240 Volt INDEX: I. Instructions For The Installer


lang:en score:51 filesize: 479.52 K page_count: 15 document date: 2013-07-25



[\[pdf\]](#) User Manual Instructions Declaration of Conformity

Microsoft Word XAF Manual Heavy Duty Convection Oven Instructions Rv21 doc rose MANUAL Ovens Instruction You have just purchased a new Cadco refers to listing including series oven models under UNOX SPA for NSF ANSI 516 XAF183 manual assets katomcdn raw upload v1616697014 products MANUAL Heavy-Duty Convection Ovens Instruction Manual Half Size Models Model XAF-113: Half Size/3 Shelves 120 Volt Model XAF-133: Half Size/4 Shelves 208-240 Volt Full Size Models Model XAF-183: Full Size/3 Shelves 208-240 Volt Model **XAF-193**: Full Size/4 Shelves 208-240 Volt INDEX: I. Instruc...

lang:en score:50 filesize: 643.61 K page_count: 20 document date: 2020-12-30




[\[pdf\]](#) User Manual Instructions Decleration of Conformity

Microsoft Word XAF Manual Heavy Duty Convection Oven InstructionsRv17 doc rose MANUAL Ovens Instruction 2 The NSF mark refers to listing including series oven models under UNOX SPA for ANSI STANDARD 4 Commercial Cooking Rethermalization and xaf manual heavy duty convection instructions rv17 cadco ltd edit resources manuals |||

MANUAL Heavy-Duty Convection Ovens Instruction Manual Half Size Models Model XAF-113: Half Size/3 Shelves 120 Volt Model XAF-133: Half Size/4 Shelves 208-240 Volt Full Size Models Model XAF-183: Full Size/3 Shelves 208-240 Volt Model **XAF-193**: Full Size/4 Shelves 208-240 Volt INDEX: I. Instruc...

lang:en score:50 filesize: 550.71 K page_count: 19 document date: 2016-07-28




[\[pdf\]](#) User Manual Instructions Decleration of Conformity

Microsoft Word XAF Manual Heavy Duty Convection Oven Instructions Rv21 doc rose MANUAL Ovens516 XAF193 manualres katom products 516 manual |||

MANUAL Heavy-Duty Convection Ovens Instruction Manual Half Size Models Model XAF-113: Half Size/3 Shelves 120 Volt Model XAF-133: Half Size/4 Shelves 208-240 Volt Full Size Models Model XAF-183: Full Size/3 Shelves 208-240 Volt Model **XAF-193**: Full Size/4 Shelves 208-240 Volt INDEX: I. Instruc...

lang:en score:47 filesize: 643.61 K page_count: 20 document date: 2020-12-30




[\[pdf\]](#) User Manual Instructions Decleration of Conformity

Microsoft Word Manual Heavy Duty Convection Oven InstructionsRv16 doc rose MANUAL Ovens Instruction 9 for Canada 2 The NSF mark refers to listing including XAF series oven models under UNOX SPA ANSI STANDARD 4 Commercial Cooking xaf manual heavy duty convection instructionsrv16 cadco ltd edit resources manuals |||


MANUAL Heavy-Duty Convection Ovens Instruction Manual Half Size Models Model XAF-113: Half Size/3 Shelves 120 Volt Model XAF-133: Half Size/4 Shelves 208-240 Volt Full Size Models Model XAF-183: Full Size/3 Shelves 208-240 Volt Model **XAF-193**: Full Size/4 Shelves 208-240 Volt INDEX: I. Instruc...

lang:en score:45 filesize: 550.46 K page_count: 19 document date: 2016-04-04




[pdf] User Manual Instructions

ManualsLib Makes it easy to find manuals online! Search through 700 000 online and instruction user service guides owners installation Provided By MANUALSLIB COM manualslib DIGITAL Convection Ovens Instruction Manual Digital Classic Control Panel Models Model XAFT 111 Half Size 3 Shelves 120 Volt 130 4 66b1a8dc 634c 40be 8886 be0e996d4a18 xaft111 f01 justanswer medtech254 DIGITAL Convection Ovens Instruction Manual Digital Classic Control Panel Models Model XAFT-111: Ha ... n feet must be used when placing oven on this stand. Accommodates oven models: XAF-183, XAFT-188, **XAF-193** XAFT-195 18 Downloaded from www.Manualslib.com manuals search engine OST-34 Oven Stand ... lang:en score:44 filesize: 989.87 K page_count: 25 document date: 2017-03-26




[pdf] User Manual Specifications

XAF 193 spec RV03 FH10 rose dvorsons Cadco ||| Cadco, Ltd. Manual Countertop Convection Oven - 4 full size sheet pan capacity Model # **XAF-193** Item # _____ Project _____ Model # **XAF-193** Product Name: Countertop Convection Oven- Manual 4 Full Size Sheet Pan Capacity Manual Countertop Convection Ove... lang:en score:43 filesize: 82.97 K page_count: 1 document date: 2008-06-16



[pdf] User Manual Dimension Guide

XAFS 193 XAF STATIONS Cadco LtdThe Station is a heavy duty manual control oven features one convection SPEC FOR Handles 10 full size sheetpans not includedxafs 193cadco ltd edit resources spec sheets xafs ||| XAF STATIONS MODEL: XAFS-193 The XAF Station is a heavy duty, manual control oven features one XAF c ... nts requiring high-volume cooking with minimal space. 32.1344 31.7450 53.9114 2.3750 X9 SPEC FOR **XAF-193** Unit Dimensions W x H x D : 31 1/2 x 23 x 32 Cavity Size W x H x D : 27 1/4 x 13 x 1... lang:en score:43 filesize: 3.52 M page_count: 1 document date: 2025-01-06



[\[pdf\]](#) User Manual Specifications Catalog

XAF 193 spec RV06 FH10 rose CADCO SPECH SHEET wasserstrom 80 wcsstore

WasserstromCatalogAssetStore Attachment |||


Cadco, Ltd. Manual Countertop Convection Oven - 4 full size sheet pan capacity

Model # **XAF-193** Item # _____

Project _____ Model # **XAF-193** Product

Name: Countertop Convection Oven- Manual 4 Full Size Sheet Pan Capacity Manual Countertop Convection Ove...

lang:en **score:40** filesize: 72.14 K page_count: 1 document date: 2010-01-18



[\[pdf\]](#) User Manual Specifications

Spec Sheet Cadco XAF 193 Full Size Counter Convection Oven eTundra spec 274034 etundra |||


Cadco, Ltd. Manual Countertop Convection Oven - 4 full size sheet pan capacity

Model # **XAF-193** Item # _____

Project _____ Model # **XAF-193** Product

Name: Countertop Convection Oven- Manual 4 Full Size Sheet Pan Capacity Manual Countertop Convection Ove...

lang:en **score:40** filesize: 70.01 K page_count: 1 document date: 0000-00-00




[\[pdf\]](#) User Manual Specifications Dimension Guide Warranty

XAF 193 spec RV15 ai rose xaf rv15 cadco ltd edit resources sheets |||

Heavy-Duty Digital Countertop Convection Oven Mobility, Versatility, Flexibility 208-240 Volt Full Size 4 Shelves NEMA L6-30 Plug **XAF-193**: Heavy-Duty Countertop Convection Oven with Manual Controls Humidity Made to Cadco Ltd. specifications by UNOX S.p.A., Italy NSF, MET to UL CSA Standard...

lang:en **score:40** filesize: 117.12 K page_count: 1 document date: 2018-11-01



[\[pdf\]](#) User Manual Dimension Guide Warranty


tmp4DF5 tmp blakins Heavy Duty Digital Full Size Countertop Convection Oven 4 Shelves XAF 193 with

Manual Controls Humidity Made to Cadco Ltd specifications by UNOX S.p.A. Italy NSF MET UL CSA

Standards Model XAFT193 516 XAF193 assets katomcdn raw upload v1679685307 products |||

Heavy-Duty Digital Countertop Convection Oven Mobility, Versatility, Flexibility 208-240 Volt Full Size 4 Shelves NEMA L6-30 Plug **XAF-193**: Heavy-Duty Countertop Convection Oven with Manual Controls Humidity Made to Cadco Ltd. specifications by UNOX S.p.A., Italy NSF, MET to UL CSA Standards ...

lang:en **score:40** filesize: 194.66 K page_count: 1 document date: 2023-03-24



[\[pdf\]](#) User Manual Specifications Catalog

XAF 193 spec RV06 FH10 rose CADCO SPECH SHEETwasserstrom wcsstore

WasserstromCatalogAssetStore Attachment SHEET srsItd

AfmBOook6AVGKJbRChgESD6yA7aHUObCgHv8rqtYCRg5Yp xVGfr3PI |||

Cadco, Ltd. Manual Countertop Convection Oven - 4 full size sheet pan capacity

Model # **XAF-193** Item # _____

Project _____ Model # **XAF-193** Product

Name: Countertop Convection Oven- Manual 4 Full Size Sheet Pan Capacity Manual

Countertop Convection Ove...

lang:en **score:40** filesize: 72.14 K page_count: 1 document date: 2010-01-18



[\[pdf\]](#) User Manual Specifications Dimension Guide Warranty

XAF 193 spec RV14 ai rose Global Restaurant Equipment xaf rv14 cadco ltd edit resources sheets |||


Heavy-Duty Digital Countertop Convection Oven Mobility, Versatility, Flexibility 208-

240 Volt Full Size 4 Shelves NEMA L6-30 Plug **XAF-193**: Heavy-Duty Countertop

Convection Oven with Manual Controls Humidity Made to Cadco Ltd. specifications by

UNOX S.p.A., Italy NSF, MET to UL CSA Standard...

lang:en **score:39** filesize: 117.28 K page_count: 1 document date: 2017-06-19



[\[pdf\]](#) User Manual Instructions

untitled DIGITAL Convection Ovens Instruction Manual Digital 5719785 archive org manualzilla id


DIGITAL Convection Ovens Instruction Manual Digital Classic Control Panel Models

Model XAFT-111: Ha ... n feet must be used when placing oven on this stand.

Accommodates oven models: XAF-183, XAFT-188, **XAF-193** XAFT-195 OST-34

Oven Stand with Wheels half size Accommodates oven models: XAFT-111, X...

lang:it **score:39** filesize: 490.26 K page_count: 22 document date: 2014-07-15



[\[pdf\]](#) User Manual Specifications Guide Warranty

Cadco Ovens Lineup 2008 FH10 rose Convection Oven COL08 User Guide 7d240c3d 7206 4a6f 8978

67e494c76c47 archive org manualsonline id

All these models: 90 day warranty on lights and gaskets; all single phase electrical.

CONVECTION O ... l models sold after XAF-183 3 Shelves Full Size / 208-240V May 31, 2008 due to product upgrades **XAF-193** 4 Shelves Full Size / 208-240V For more information, please contact Cadco, Ltd, 145 Colebr...

lang:en score:38 filesize: 137.92 K page_count: 2 document date: 2008-06-26



[\[pdf\]](#) User Manual Specifications Dimension Guide Warranty

XAF 193 spec RV14 ai rose Spec Sheet Cadco XAF193 Electric Countertop Convection Oven Full Size

CADXAF193 C centralrestaurant pub media |||


Heavy-Duty Digital Countertop Convection Oven Mobility, Versatility, Flexibility 208-

240 Volt Full Size 4 Shelves NEMA L6-30 Plug **XAF-193**: Heavy-Duty Countertop

Convection Oven with Manual Controls Humidity Made to Cadco Ltd. specifications by

UNOX S.p.A., Italy NSF, MET to UL CSA Standard...

lang:en score:38 filesize: 117.18 K page_count: 1 document date: 2017-06-20



[\[pdf\]](#) User Manual Instructions

Cadco LINE CHEF XAF 103 user manual 89438 archive org manualsbase id

MANUAL Convection Ovens Instruction Manual Quarter Size Model Model XAF-103:

Quarter Size/3 Shelves 120 Volt Half Size Models Model XAF-113: Half Size/3

Shelves 120 Volt Model XAF-133: Half Size/4 Shelves 208-240 Volt Full Size Models


Model XAF-183: Full Size/3 Shelves 208-240 Volt Model XAF-19...

lang:en score:37 filesize: 670.49 K page_count: 0 document date: 0000-00-00



[pdf] User Manual Specifications Dimension Guide

XAF 193 spec RV12 FH10 rose Cadco Ltd Volts Watts Amps Unit Dimensions Wt lbs Ship Shipping UPC
Stainless 208 240 5 600 23 3 w 311 2 h l 32 xaf rv12 cadco ltd edit resources sheets |||
Cadco, Ltd. Heavy-Duty Manual Countertop Convection Oven - 4 full size sheet pan capacity Model # **XAF-193** Item # _____
Project _____ Model # **XAF-193** Product Name: Heavy-Duty Countertop Convection Oven Manual Controls / 4 Full Size Sheet Pan Capacity ...
lang:en score:37 filesize: 81.97 K page_count: 1 document date: 2016-04-01




[pdf] User Manual Instructions

untitled LineChef XAF Digital Convection Ovens Instructions RV12 cadco ltd 80 |||
DIGITAL Convection Ovens Instruction Manual Digital Classic Control Panel Models
Model XAF-111: Hal ... en feet must be used when placing oven on this stand.
Accommodates oven models: XAF-183, XAF-188, **XAF-193** XAF-195 OST-34 Oven
Stand with Wheels half size Accommodates oven models: XAF-111, XAF...
lang:it score:36 filesize: 314.78 K page_count: 20 document date: 2012-06-07

[pdf] User Manual Instructions Decleration of Conformity Label

Microsoft Word LineChef Manual Convection Oven InstructionsRv12 doc rose MANUAL Ovens
Instruction Everything KitchensOne of the most common items baked in your Cadco will be cookies There
are dozens cookie manufacturers and their products all have XAF 113everythingkitchens media manual
XAF 113 srsltid AfmBOOpWnUrjWSsMuurOQB0rS1MI8wThlUKyK128r6GUUv667 OLA5Kx
KitchensMANUAL have 2 1 The CSA mark on our data labels user ◇ After loading product remember to
reset oven desired baking temperatureeverythingkitchens OLA5Kxeverythingkitchens
AfmBOoq2FRPVrOozq16qss7jVcrEwAtwTRzstadTMNKUreykBld8B5NJ temperatureCadco suggests you
leave a minimum distance 4 between back wall allow for escape moisture must placed upon
a everythingkitchens
AfmBOoq2FRPVrOozq16qss7jVcrEwAtwTRzstadTMNKUreykBld8B5NJeverythingkitchens
AfmBOopb7zm93UwOUTPLQBIB EM4O ntrT8jGJ9sQLXID5yhDRGRlfq q a ◇ If new convection cooking
setting LineChefTM It takes as little 5 minutes bake fresh Pizza on everythingkitchens
ntrT8jGJ9sQLXID5yhDRGRlfqqeverythingkitchens AfmBOoq29bqmjaVceJ71yPx9DDEyD
KPSYc0Gk60duhSFZMjNz XUy1q XUy1qeverythingkitchens
AfmBOooz3dW5ktwyJVXJdrko0VnplgtfLeJFecOgQmbwwq0f9W7ubzBG
AfmBOooz3dW5ktwyJVXJdrko0VnplgtfLeJFecOgQmbwwq0f9W7ubzBGeverythingkitchens
AfmBOooV9q6e6FVMS jkZzYJypEZ2X8n IgQfP1e4 ssvVPve hF7FDg
AfmBOoqJaraHQLscEWwrSZK4viIQE4sz7Dkeu8B8 IRe3YmZ1fXzE1Kneverythingkitchens |||
MANUAL Convection Ovens Instruction Manual Quarter Size Model Model XAF-103:
Quarter Size/3 Shelves 120 Volt Half Size Models Model XAF-113: Half Size/3
Shelves 120 Volt Model XAF-133: Half Size/4 Shelves 208-240 Volt Full Size Models
Model XAF-183: Full Size/3 Shelves 208-240 Volt Model XAF-19...
lang:en score:36 filesize: 746.15 K page_count: 15 document date: 2010-01-20



[illegible][illegible][illegible]

[\[pdf\]](#) User Manual Specifications Dimension Guide Warranty

XAF 193 spec RV14 ai rose Manufacturer Spec Sheet Restaurant Equipment Supplies Cadco Full Size

208 240V Electric Countertop Convection Oven 31 1 2 W equipers mw link id 143318 |||

Heavy-Duty Digital Countertop Convection Oven Mobility, Versatility, Flexibility 208-240 Volt Full Size 4 Shelves NEMA L6-30 Plug **XAF-193**: Heavy-Duty Countertop Convection Oven with Manual Controls Humidity Made to Cadco Ltd. specifications by UNOX S.p.A., Italy NSF, MET to UL CSA Standard...

lang:en score:36 filesize: 111.22 K page_count: 1 document date: 2020-02-05

[\[pdf\]](#) User Manual Dimension Guide Warranty

XAFS 193 2 XAF STATIONS Cadco LtdSPEC FOR EACH SPEC CXC 646 Stacking Kit Unit Dimensions

W x H D 31 5 4 Stainless front piece with integral columns heat bafflexafs 2cadco ltd edit resources spec

sheets xafs |||

XAF STATIONS MODEL: XAFS-193-2 The XAF Station is a heavy duty, manual control oven featuring two XA ... inimal space. 32.1344 31.7450 63.6443 2.3750 X4 CASTERS 2 LOCKING 2 TOTAL LOCKING SPEC FOR EACH **XAF-193** Unit

Dimensions W x H x D : 31 1/2 x 23 x 32 Cavity Size W x H x D : 27 1/4 x 13 x 1...

lang:en score:34 filesize: 5.08 M page_count: 1 document date: 2024-12-30

[\[pdf\]](#) User Manual Specifications Dimension Guide Warranty

XAF 193 spec RV15 ai rose 516 XAF193 assets katomcdn raw upload v1616697013 products |||

Heavy-Duty Digital Countertop Convection Oven Mobility, Versatility, Flexibility 208-

240 Volt Full Size 4 Shelves NEMA L6-30 Plug **XAF-193**: Heavy-Duty Countertop Convection Oven with Manual Controls Humidity Made to Cadco Ltd. specifications by UNOX S.p.A., Italy NSF, MET to UL CSA Standard...

lang:en score:34 filesize: 117.02 K page count: 1 document date: 2020-12-30



Stacking Kits for XAF Convection Ovens

Accessory for Line Chef™ XAF Series
Digital & Manual Convection Ovens

(Maximize floor and counterpace; for LineChef™ XAF Series Ovens only)
Designed for LineChef™ XAF series ovens only. Everything needed to securely
stack one XAF oven on top of another and protect the top oven's control panel
from heat rising from bottom oven.



Stacking Kits contain:

- 4 Special size oven legs (2-3/4" high) for the top oven
- Brackets
- Heat Baffle (protects top oven's control panel from heat generated by lower oven)
- Bottom oven vent extension
- All needed screws & clamps

Model XC646
Full Size Stacking Kit
for Oven models:
XAF-183, XAF-186,
XAF-188, XAF-195
UPC: 654796-52646-8



Model XC651
Half Size Stacking Kit
for Oven models:
XAF-111, XAF-113, XAF-115,
XAF-181, XAF-183, XAF-135
UPC: 654796-62651-2



For more information, please contact Cadco, Ltd. 145 Coldbrook Road, Windsor, CT 06095
Tel: (860) 738-5200 • Fax: (860) 738-6772 • E-mail: info@cadco.com • Web: www.cadco.com

Due to continual product improvement, product specifications, designs and pricing are subject to change without notice.

6/18/2008 RV03

[pdf] User Manual Specifications Accessories Catalog

XC646 XC651 Spec RV03 FH10 rose CADCO MANUALwasserstrom wcsstore

WasserstromCatalogAssetStore Attachment MANUAL srsItdid

AfmBOorDZVGp77gFKFYk67Bgg5sY6pOIOrI7a47oWWzP5IjyW4NJXtL1 MANUALCADCO

AfmBOorDZVGp77gFKFYk67Bgg5sY6pOIOrI7a47oWWzP5IjyW4NJXtL1wasserstrom

AfmBOornwRko2L0vd0IyeGXJ DMeymroharBYm7gX5n9UY0MXwMXeAU4

AfmBOordm05ozWsp6QEGQNdT8MljG7q2U0RF6Mo8by3ZSClCQJnCm054wasserstrom |||

Stacking Kits for XAF Convection Ovens Accessory for Line Chef™ XAF Series

Digital Manual Convect ... screws clamps FRONT BACK Model XC646 Full Size

Stacking Kit for Oven models: XAF-183, XAF-188, **XAF-193**, XAF-195 UPC: 654796-

52646-8 Model XC651 Half Size Stacking Kit for Oven models: XAF-111, XA...

lang:en **score:34** filesize: 97.45 K page_count: 1 document date: 2008-06-17

[pdf] User Manual Documentation Warranty

Cadco Warranty RV25 FH10 rose OV 013 Compact Half Size Convection Oven with Manual Controls 120

Volt 1450 Watt Stainless Black Product Documentation 51CS0ScJdWL m media amazon images I |||

WARRANTY SERVICE INFORMATION Unless otherwise noted, Cadco, Ltd.

warrants all products in the U. ... X X XAF-113 / XAFT113 X X X X XAF-133 /

XAFT133 X X X X XAF-183 / XAFT183 X X X X **XAF-193** / XAFT193 X X X X OV-003

/ XAF003 X X X X OV-013 / XAF013 X X X X OV-023 / XA...

lang:en **score:32** filesize: 46.87 K page_count: 1 document date: 2020-05-07



WARRANTY & SERVICE INFORMATION

Unless otherwise noted, Cadco, Ltd. warrants all products in the U.S. only to be free from defects in material and workmanship for a period of one year from date of purchase. (See product descriptions and warranty table for other warranty periods on specific models.) (p.2) Warranty does not apply in case of misuse, abuse or damage from outside of service or repair attempts by unauthorized personnel.

NOTE: Using a Cadco oven without a gasket or with one in disrepair may cause the hinges to seize, as well as limit the oven's ability to maintain the proper temperature. Doing so will void the warranty on the hinges. Please inspect and check the door gasket daily.

Cadco national service number 877-680-7380 is valid free for collection of any warranty service at any service location.

Service centers available throughout the U.S. can be found by visiting www.cadco.com

*NACFSA: Cadco is an Associate Member, Commercial Food Equipment Service Association

Copy of original receipt is required for proof of purchase date for warranty coverage (no registration required).

If returning a unit directly to Cadco, Ltd. for warranty repair, please call us first for a Return Authorization Number, which MUST be received on the outside of the carton to track the unit and avoid service delays.

The customer is responsible to ship or deliver any service items to a Cadco authorized service center, or directly to Cadco. If shipping the unit, be sure to pack it securely and insure it for its original purchase price. Cadco is not responsible for damage or loss of unit in transit to us or a service center.

All units warranty applicable only in 48 contiguous U.S. States.

Please do not return units to the store where purchased for warranty repair.

Product/Model or Product Category	On-Site Service	Complete Service	Send to Cadco	1 year parts & labor	2 year parts & labor	30 days glass, 90 days light bulbs	30 days
XAF-111 / XAFT111	X			X	X	X	
XAF-113 / XAFT113	X			X	X	X	
XAF-181 / XAFT181	X			X	X	X	
XAF-183 / XAFT183	X			X	X	X	
XAF-186 / XAFT186	X			X	X	X	
XAF-188 / XAFT188	X			X	X	X	
XAF-193 / XAFT193	X			X	X	X	
XAF-195 / XAFT195	X			X	X	X	
XAF-111 / XAFT111	X			X	X	X	
XAF-113 / XAFT113	X			X	X	X	
XAF-181 / XAFT181	X			X	X	X	
XAF-183 / XAFT183	X			X	X	X	
XAF-186 / XAFT186	X			X	X	X	
XAF-188 / XAFT188	X			X	X	X	
XAF-193 / XAFT193	X			X	X	X	
XAF-195 / XAFT195	X			X	X	X	
OV-003 / XAF003	X			X	X	X	
OV-013 / XAF013	X			X	X	X	
OV-023 / XAF023	X			X	X	X	
OV-035 / XAF035	X			X	X	X	
OV-037 / XAF037	X			X	X	X	
OV-039 / XAF039	X			X	X	X	
Partners & Licensed Grills				X	X	X	
Griddles				X	X	X	
Hot Plates				X	X	X	
Receptacles				X	X	X	
Roasting Cabinets				X	X	X	
Electric Char-Broil Grills				X	X	X	
Roasting Ovens				X	X	X	
Mobile Food Carts				X	X	X	
Mobile Beverage Carts	X			X	X	X	
Mobile Service Units	X			X	X	X	
Mobile Grill & Go Carts	X			X	X	X	

Cadco, Ltd. is 200 International Way, Windsor, CT 06095 (860) 738-5200
Phone: (860) 738-5200 • Fax: (860) 738-6772 • E-mail: info@cadco.com • Web: www.cadco.com



WARRANTY & SERVICE INFORMATION

Unless otherwise noted, Cadco, Ltd. warrants all products in the U.S. only to be free from defects in material and workmanship for a period of one year from date of purchase. (See product descriptions and warranty table for other warranty periods on specific models.) (p.2) Warranty does not apply in case of misuse, abuse or damage from outside of service or repair attempts by unauthorized personnel.

NOTE: Using a Cadco oven without a gasket or with one in disrepair may cause the hinges to seize, as well as limit the oven's ability to maintain the proper temperature. Doing so will void the warranty on the hinges. Please inspect and check the door gasket daily.

Cadco national service number 877-680-7380 is valid free for collection of any warranty service at any service location.

Service centers available throughout the U.S. can be found by visiting www.cadco.com

*NACFSA: Cadco is an Associate Member, Commercial Food Equipment Service Association

Copy of original receipt is required for proof of purchase date for warranty coverage (no registration required).

If returning a unit directly to Cadco, Ltd. for warranty repair, please call us first for a Return Authorization Number, which MUST be received on the outside of the carton to track the unit and avoid service delays.


The customer is responsible to ship or deliver any service items to a Cadco authorized service center, or directly to Cadco. If shipping the unit, be sure to pack it securely and insure it for its original purchase price. Cadco is not responsible for damage or loss of unit in transit to us or a service center.

All units warranty applicable only in 48 contiguous U.S. States.

Please do not return units to the store where purchased for warranty repair.

Product/Model or Product Category	On-Site Service	Complete Service	Send to Cadco	1 year parts & labor	2 year parts & labor	30 days glass, 90 days light bulbs	30 days
XAF-111 / XAFT111	X			X	X	X	
XAF-113 / XAFT113	X			X	X	X	
XAF-181 / XAFT181	X			X	X	X	
XAF-183 / XAFT183	X			X	X	X	
XAF-186 / XAFT186	X			X	X	X	
XAF-188 / XAFT188	X			X	X	X	
XAF-193 / XAFT193	X			X	X	X	
XAF-195 / XAFT195	X			X	X	X	
XAF-111 / XAFT111	X			X	X	X	
XAF-113 / XAFT113	X			X	X	X	
XAF-181 / XAFT181	X			X	X	X	
XAF-183 / XAFT183	X			X	X	X	
XAF-186 / XAFT186	X			X	X	X	
XAF-188 / XAFT188	X			X	X	X	
XAF-193 / XAFT193	X			X	X	X	
XAF-195 / XAFT195	X			X	X	X	
OV-003 / XAF003	X			X	X	X	
OV-013 / XAF013	X			X	X	X	
OV-023 / XAF023	X			X	X	X	
OV-035 / XAF035	X			X	X	X	
OV-037 / XAF037	X			X	X	X	
OV-039 / XAF039	X			X	X	X	
Partners & Licensed Grills				X	X	X	
Griddles				X	X	X	
Hot Plates				X	X	X	
Receptacles				X	X	X	
Roasting Cabinets				X	X	X	
Electric Char-Broil Grills				X	X	X	
Roasting Ovens				X	X	X	
Mobile Food Carts				X	X	X	
Mobile Beverage Carts	X			X	X	X	
Mobile Service Units	X			X	X	X	
Mobile Grill & Go Carts	X			X	X	X	

Cadco, Ltd. is 200 International Way, Windsor, CT 06095 (860) 738-5200
Phone: (860) 738-5200 • Fax: (860) 738-6772 • E-mail: info@cadco.com • Web: www.cadco.com



[\[pdf\]](#) User Manual Instructions

Cadco LINE CHEF XAF 111 user manual 89441 archive.org manualsbase id

DIGITAL Convection Ovens Instruction Manual Digital Classic Control Panel Models

Model XAF-111: Hal ... en feet must be used when placing oven on this stand.

Accommodates oven models: XAF-183, XAF-188, **XAF-193** XAF-195 XR130 Oven

Stand half size Accommodates oven models: XAF-111, XAF-113, XAF-115...

lang:it **score:31** filesize: 951.91 K page_count: 0 document date: 0000-00-00



[\[pdf\]](#) User Manual Catalog

untitled cadco 2016 catalog rv03 300dpi 1 ltd edit resources media YOUR CATALOG OF INNOVATIVE

FOODSERVICE Cadco Heavy Duty Manual Countertop Convection Ovens perform similarly to CBC

HHHH SG L1 8 half size 2 deep steam pans 4 Hot 120 1200 |||


20 Years of Foodservice Est. 1996 MobileServ Temperature Ready Serving Center

YOUR 2016 CATALOG OF ... ruck, not UPS *Ship weights include shipping skid

approx. 18 lbs. NEMA L6-30 Plug Model XAF-183 **XAF-193** Description Cavity size:

W x H x D 271/4 x 10 x 183/4; 3 cft. One fan. NEMA L6-30 plug. F...

lang:en **score:31** filesize: 1.29 M page_count: 32 document date: 2016-06-06



[\[pdf\]](#) User Manual Instructions Declaration of Conformity

Microsoft Word XAF Manual Heavy Duty Convection Oven InstructionsRv19 doc rose CADC 113 iom v

1532002611526 static pt modelManual |||

MANUAL Heavy-Duty Convection Ovens Instruction Manual Half Size Models Model

XAF-113: Half Size/3 Shelves 120 Volt Model XAF-133: Half Size/4 Shelves 208-240

Volt Full Size Models Model XAF-183: Full Size/3 Shelves 208-240 Volt Model **XAF-**

193: Full Size/4 Shelves 208-240 Volt INDEX: I. Instruc...


lang:en **score:30** filesize: 617.8 K page_count: 19 document date: 2016-10-28



[\[pdf\]](#) User Manual Warranty Accessories Catalog

Cadco 2019 Catalog for RV FH10 rose cadco catalog 600dpi ltd 80 edit resources media XAKPT 08FS C Handles 8 full size sheet pans Full 208 240 1300 CXC651 Stacking Kit Half Size XAF Manual Ovens thermic shocks CERAMIC |||

Behind the scenes Cadco products - or out in front serve you well - YOUR 2019 CATALOG OF INNOVAT ... OTE: These models must ship by truck, not UPS *Ship weights include shipping skid approx. 40 lbs. **XAF-193** shown NEMA L6-30 Plug Model XAF-183 Description Cavity size: W x H x D 27 1/4 x 10 x 18 3/4... lang:en score:30 filesize: 2.6 M page_count: 36 document date: 2019-01-14



[\[pdf\]](#) User Manual Warranty Accessories Catalog

untitled YOUR 2017 CATALOG OF INNOVATIVE FOODSERVICE Pilot Flying J Travel Centers Cadco Heavy Duty Manual Countertop Convection Ovens perform similarly to I Light enough carry catering sites cadco catalog rv01 300dpi ltd edit resources media |||

Behind the scenes Cadco products - or out in front serve you well - MobileServ Temperature Read ... OTE: These models must ship by truck, not UPS *Ship weights include shipping skid approx. 40 lbs. **XAF-193** shown NEMA L6-30 Plug Model Description Cavity size: W x H x D Shelves Volts Watts Amps ... lang:en score:29 filesize: 1.5 M page_count: 40 document date: 2017-01-17

[\[pdf\]](#) User Manual Instructions Declaration of Conformity

Microsoft Word LineChef Manual Convection Oven InstructionsRv10 doc rose MANUAL Ovens Instruction Everything Kitchensback of the oven by unscrewing it counterclockwise push reset button under cap and replace black If safety thermostat shuts your XC655everythingkitchens media manual XC655 srsItd AfmBOoqmUojUTk9Hjc ndjNtn2I m0Quhicgl4A6ihGRGeGSbn3yioyq KitchensMANUAL your cook a little faster 2 COOKING VARIABLES TEMPERATURE ◇ The exact setting your temperature assures proper cooking food both inside and everythingkitchens m0Quhicgl4A6ihGRGeGSbn3yioyqeverythingkitchens AfmBOoCXanhAdpCTASDIFqgEbNkZcsacoL2smwGkEA59JvL0In0Z6eu and Convection is fantastic but s NOT magic Overloading Cadco Certified Executive Chef 877 603 7393 or Ltd website everythingkitchens AfmBOoCXanhAdpCTASDIFqgEbNkZcsacoL2smwGkEA59JvL0In0Z6eueverythingkitchens AfmBOoru6jIPzoU9 UR5NCRS2S1ZHBcrnpKASGmezg5niXQwyenNFPaL website One most common items baked in will be cookies Overnight roasting requires roast that 7 pounds largereverythingkitchens UR5NCRS2S1ZHBcrnpKASGmezg5niXQwyenNFPaLeverythingkitchens AfmBOooiIMM2dqvTR8btYtSxOHD g uuejelSGdultzTwe4o2R q4s7s largerMANUAL Quarter Size Model

XAF 103 You find important information about maintaining operating new everythingkitchens q4s7severythingkitchens AfmBOOqxA7rMIEiwN527kTz Wp4a44dTsocm Yj lu LBHq6BbWHARNc new Use for Baking all types bread pastry fresh For my crust I usually spray springform pan with everythingkitchens LBHq6BbWHARNceverythingkitchens AfmBOOq4zsCLQB99TxKU47YwEwc6c qQenUCRLD86CWKLRSbyGmCeW new MANUAL AfmBOOqt yO6dLqH1I4B9rbSzv0M x04DlejvfmuerUusi f H8uCjlzeverythingkitchens with Convection fans reverse direction approximately every minutes even baking 5 CLEANING THE OVEN WARNING Before starting any maintenance or everythingkitchens qQenUCRLD86CWKLRSbyGmCeWeverythingkitchens AfmBOOql ga8ALb1a0DHKAYj93ZqxpVJbkoe36LuulxU0yd9v89b9zQS or ◇ you are new to convection suggests LineChefTM 30°F 50°F lower than what you everythingkitchens ga8ALb1a0DHKAYj93ZqxpVJbkoe36LuulxU0yd9v89b9zQSeverythingkitchens AfmBOOqWXFjL3u 33UO6bpMLgDHA6K5BraUaxabGzN1A9pQgGBn4N691 you You have just purchased Let go over some basics before start using 1 DATA PLATEeverythingkitchens 33UO6bpMLgDHA6K5BraUaxabGzN1A9pQgGBn4N691everythingkitchens AfmBOOpDjzdxTiI7BQ9ZeixYDecxTE HEW65jkQbHeRsLaRPU0pRAIle HEW65jkQbHeRsLaRPU0pRAIleeverythingkitchens AfmBOOouJq3ON Z3hCubHz4KAyv3Njz2A7IHVHjS9LGhfyT eU1 VT6b AfmBOOos9dFZCLIXQZWLk3Lsv2qAj304YIXeCD4yL18hASRmlUMIQweverythingkitchens VT6beverythingkitchens AfmBOOr7cEHdpnWBGkp6wxtlgMIKSIAZN2a4hkJ9CWxsvdflVbVI7hO AfmBOOpTXrBNG1ulHrSCVwBwDuTWH17zOpWbWjFnR8BL3ckXtVUeB4beverythingkitchens PLATE ◇ AfmBOOqd6MRE7FWprHwZ3e9 3QDUATHmUJfyyhXy adpce1SnEZiunJUeverythingkitchens AfmBOOr7cEHdpnWBGkp6wxtlgMIKSIAZN2a4hkJ9CWxsvdflVbVI7hOeverythingkitchens AfmBOOpIOlzwAXreFWMn5UfmNE6BxEzJ5RIhV7Nq83Mvy7xiPzWpGzJ3 AfmBOOpIOlzwAXreFWMn5UfmNE6BxEzJ5RIhV7Nq83Mvy7xiPzWpGzJ3everythingkitchens AfmBOOr6rAqu6ccABhLxp5oWEpFE n9Hi6j4VtqBdVI9EIX2W8U4Oa6X AfmBOOq0elpi9ANY agGTHicV37x1oz5tYNhVqFrykZA9CG5K Libxueverythingkitchens AfmBOOoWsjlEV3JDuU020TI3DZQOJqlv21x2OE6tNigMrP78AnLDvgUkeverythingkitchens you 5 3 OUTSIDE OF YOUR Wipe up spills as they occur with damp cloth Never use water clean outside oveneverythingkitchens AfmBOOoqGmP9y5p92KPE8E6R6z2jQK 7KJC5RpGEdPLnRgniUaTbezOveverythingkitchens ovenUse LineChefTM everythingkitchens AfmBOOoSqdBp83U rM3Jbu7GOQpCJ2bZ3n43wXEX5Ihw3aANzpaRZqR9everythingkitchens LineChefTM Use AfmBOOpE6iM8xH0bmhrZAWrWGALAAxOQVnneHjjZu1h5OQ2v74HqNvleverythingkitchens AfmBOOqJErbrLFtYEX5zmMQDUK1fWSlySvCt5ohkfmn0pWMHGAsHL7geverythingkitchens LineChefTM Have fun experiment Your times temperatures vary different products prepare Refer this everythingkitchens AfmBOOrBeM7r hF3AWPt r7TUvWiKYHEFoJnQrhSffAF16Ks7M5T fp8everythingkitchens n9Hi6j4VtqBdVI9EIX2W8U4Oa6Xeverythingkitchens AfmBOOr3zxnEhwYfpWqfW6xa1t2Awl7n5k50i6awwkGle0Mu3y9V9WeC |||

MANUAL Convection Ovens Instruction Manual

Quarter Size Model

Model XAF-103:
Quarter Size/3 Shelves
120 Volt

Half Size Models

Model XAF-113:
Half Size/3 Shelves
120 Volt

Model XAF-133:
Half Size/4 Shelves
208-240 Volt


Full Size Models


Model XAF-183:
Full Size/3 Shelves
208-240 Volt

Model XAF-193:
Full Size/4 Shelves
208-240 Volt

MANUAL Convection Ovens Instruction Manual Quarter Size Model Model XAF-103: Quarter Size/3 Shelves 120 Volt Half Size Models Model XAF-113: Half Size/3 Shelves 120 Volt Model XAF-133: Half Size/4 Shelves 208-240 Volt Full Size Models Model XAF-183: Full Size/3 Shelves 208-240 Volt Model XAF-19...

lang:en score:29 filesize: 755.67 K page_count: 14 document date: 2008-10-30






[pdf] User Manual Warranty

Cadco Ovens Lineup 2013 rv06 FH10 rose RV06 cadco ltd |||

All these models: single phase electrical; NSF; MET to UL CSA Standards. HEAVY-DUTY CONVECTION O ... helves All models: 90 day warranty on lights gaskets; 30 days on glass; one year on motor/fan **XAF-193** 4 Shelves Full Size / 208-240V Full Size / 208-240V For more information, please contact ...

lang:en score:28 filesize: 168.62 K page_count: 2 document date: 2013-09-23



[pdf] User Manual Warranty

Cadco Ovens Lineup 2016 rv08 FH10 rose cadco ovens lineup ltd edit resources media |||

All these models: single phase electrical; NSF; MET to UL CSA Standards. HEAVY-DUTY CONVECTION O ... helves All models: 90 day warranty on lights gaskets; 30 days on glass; one year on motor/fan **XAF-193** 4 Shelves Full Size / 208-240V Full Size / 208-240V For more information, please contact ...

lang:en score:28 filesize: 95 K page_count: 2 document date: 2016-09-23



FULL SIZE HEAVY DUTY MANUAL



Model: XAF-183
Full Size, 3 Shelf, Manual Control, 220v (With Humidity)
Unit Dimensions (W" x H" x D"); 31 1/2 x 19 7/8 x 32
Cavity Size (W" x H" x D"); 27 1/4 x 10 x 18 3/4; 3 cft.
One fan, NEMA LP-30 plug
Volts: 208-240 Watts: 4600 Amps: 20
Shipping Weight (lbs.): 190
Stainless available: 201-18-C, 201-18-CT
Stackable with CAD98 Stacking Kit

Model	Color	Volts	Temp.	Amps	Unit Dimensions (W" x H" x D")	Net Wt. (lbs.)	Shipping Dimensions (W" x H" x D")	Code	UPX
183-18	Stainless	208-240	200F	20	31 1/2" x 19 7/8" x 32"	190 lbs.	42 1/2" x 22 1/2" x 34 1/2"	24.36*	654796-52183-8

Model: XAF-193
Full Size, 4 Shelf, Manual Control, 220v (With Humidity)
Unit Dimensions (W" x H" x D"); 31 1/2 x 23 x 32
Cavity Size (W" x H" x D"); 27 1/4 x 13 x 18 3/4; 3.85 cft.
Two fans, NEMA LP-30 plug
Volts: 208-240 Watts: 5600 Amps: 23.3
Shipping Weight (lbs.): 190

Model	Color	Volts	Temp.	Amps	Unit Dimensions (W" x H" x D")	Net Wt. (lbs.)	Shipping Dimensions (W" x H" x D")	Code	UPX
193-18	Stainless	208-240	200F	23.3	31 1/2" x 23" x 32"	190 lbs.	42 1/2" x 24 1/2" x 34 1/2"	24.36*	654796-52193-7

We recommend that the end user have a standard ice-machine filter when using a humidity hookup.

2" stainless brackets
"Cool touch" double wall glass door
Over-unity is engaged in high "H" value insulation
60 minute timer or continuous on
Front doors all of glass
Heat settings from 175°-500° F
Heavy duty stainless steel construction
High temperature motor bearings
Heavy duty door hinge construction
LED light in door
Dimensions are designed to accommodate modular stacking for customized configuration
2 year Limited Warranty (one year On-site service & parts, 2nd year parts only)
90 day warranty on light bulbs & gasket and service center repairs, 30 days on glass, one year on motor
Freight class 200. NOTE: This model must ship by truck, not UPS.



www.cadco-usa.com



860.735.2022



info@cadco.com

[pdf] User Manual Dimension Guide

HEAVY DUTY FULL SIZE ai MANUALModel XAF 193 *includes dimensions weight approx 40 lbs of

Stainless 208 240 5900 24 6 w 311 2 h 23 d 32 134 190* lbs 516 XAF193res katom products 516 XAF193

|||

FULL SIZE HEAVY DUTY MANUAL Model: XAF-183 Full Size, 3 Shelf, Manual Control, 220v With Humidity ... * 24.36* 654796-52183-8 *includes dimensions weight approx. 40 lbs. of shipping skid Model: **XAF-193** Full Size, 4 Shelf, Manual Control, 220v With Humidity Unit Dimensions W x H x D : 3...

lang:en score:27 filesize: 4.75 M page_count: 1 document date: 2025-07-24

