

[Manuals.plus](#) /

› [Blue Wave](#) /

› Blue Wave HEATWAVE Low Mount Spa Cover Lift (Model NP5022) - Instruction Manual

## Blue Wave NP5022

# Blue Wave HEATWAVE Low Mount Spa Cover Lift

Model: NP5022

Brand: Blue Wave

## INTRODUCTION

The Blue Wave HEATWAVE Low Mount Spa Cover Lift (Model NP5022) provides an efficient and convenient solution for managing your spa cover. Designed for ease of use, this lifter minimizes the effort required to open and close heavy hot tub covers, enhancing your spa experience. Its robust construction ensures durability and long-lasting performance in various outdoor environments.

## SAFETY INFORMATION

- Always ensure the spa cover lift is securely installed according to the instructions before use.
- Exercise caution when operating the lift to prevent injury. Keep hands and fingers clear of moving parts.
- Do not allow children to operate the spa cover lift unsupervised.
- Regularly inspect the lift for any signs of wear, damage, or loose components. Discontinue use if damage is found and contact support.
- This lift is designed for spa covers up to 8 feet wide. Do not attempt to use it with covers exceeding this size or weight.

## PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Main support arms (powder-coated steel)
- Mounting brackets

- Adjustable spacers
- Hardware kit (screws, bolts, washers)
- Instruction manual

## SETUP AND INSTALLATION

---

The HEATWAVE Low Mount Spa Cover Lift is designed for straightforward installation. Follow these general steps:

1. **Choose Location:** Select a suitable side of your spa for installation, ensuring adequate clearance for the cover to fold and rest. The lift requires space for the cover to fold neatly when not in use.
2. **Attach Mounting Brackets:** Secure the mounting brackets to the side of your spa using the provided hardware. Ensure they are level and firmly attached. Drilling into the spa cabinet may be required.
3. **Assemble Support Arms:** Connect the main support arms and cross-bar. The arms are designed to accommodate square or rectangular spas up to 8 feet wide.
4. **Mount Support Arms:** Insert the assembled support arms into the mounting brackets.
5. **Adjust and Secure:** Adjust the position of the arms and spacers to ensure the spa cover rests securely and operates smoothly. Tighten all fasteners.

# Low Mount Spa Cover Lift

Spa Cover Lifting for Any Hot Tub



**Low-Mount  
Design**



**Quick and  
Simple Assembly**



**Universal  
Compatibility**

Image: The HEATWAVE Low Mount Spa Cover Lift securely installed on a hot tub, demonstrating its low-profile design and readiness for use.

# Ergonomic Operation

Sturdy build ensures secure handling of the spa cover



Image: A diagram highlighting the ergonomic operation, powder-coated finish, adjustable spacers, corrosion-proof features, low-profile build, and durable aluminum construction of the spa cover lift.

## OPERATING INSTRUCTIONS

Operating your HEATWAVE Low Mount Spa Cover Lift is designed to be effortless:

1. **Unlatch Cover:** Release any latches or straps securing your spa cover to the spa.
2. **Fold Cover:** Fold one half of your spa cover over onto the other half.
3. **Lift and Slide:** Gently lift the folded cover using the support arm. The low-mount mechanism allows you to slide the cover off the spa and into its resting position beside the spa with minimal effort.
4. **Secure Position:** Ensure the cover is fully retracted and stable in its open position, allowing full access to the spa.
5. **Closing the Cover:** To close, reverse the process. Gently pull the cover back over the spa and unfold it, then secure any latches.

# Space-Saving Solution

Folds down neatly when not in use, saving space around the spa



**Fits Spas Up to  
8 Feet Wide**  
Accommodates a  
wide range of spa  
sizes, ensuring  
versatility.

Image: The spa cover lift shown in its space-saving folded position, neatly storing the cover beside the hot tub and maintaining an unobstructed view.

# Convenient Cover Storage



## **EFFORTLESS COVER LIFTING**

Reduces strain and effort when managing heavy spa covers



## **SINGLE-HAND OPERATION**

Easy-to-use mechanism allows lifting the spa cover with minimal effort



## **ENHANCED SPA ACCESSIBILITY**

Makes spa access faster and easier, enhancing the overall experience

Image: An illustration detailing the convenient cover storage, effortless lifting, single-hand operation, and enhanced spa accessibility provided by the lift.

## **MAINTENANCE**

To ensure the longevity and optimal performance of your spa cover lift:

- **Regular Cleaning:** Clean the metal components with a mild soap and water solution. Rinse thoroughly and dry to prevent water spots.
- **Lubrication:** Periodically apply a silicone-based lubricant to the pivot points and moving parts to ensure smooth operation.
- **Hardware Check:** Annually check all screws, bolts, and fasteners to ensure they are tight. Re-tighten as necessary.
- **Rust Prevention:** The powder-coated steel is rust-resistant, but inspect for any scratches or chips in the coating that could expose the metal to moisture. Touch up with appropriate rust-inhibiting paint if needed.



## Weather-Resistant Design

Built to withstand outdoor elements, maintaining performance and appearance over time

Image: The spa cover lift positioned outdoors, emphasizing its weather-resistant design and ability to maintain performance and appearance over time.

### TROUBLESHOOTING

If you encounter issues with your spa cover lift, consider the following:

- **Difficulty Lifting/Lowering:** Check for obstructions around the lift mechanism or the spa cover. Ensure all pivot points are clean and lubricated. Verify that the cover is not exceeding the maximum size/weight capacity.
- **Loose Components:** Inspect all nuts, bolts, and screws. Tighten any loose hardware.
- **Unstable Cover:** Ensure the cover is properly centered on the lift arms and that the adjustable spacers are correctly positioned to support the cover.
- **Rust or Corrosion:** While designed to be rust-resistant, prolonged exposure to harsh conditions or damage to the coating can lead to rust. Clean affected areas and apply rust-inhibiting paint.

### SPECIFICATIONS

| Feature                        | Detail                                                 |
|--------------------------------|--------------------------------------------------------|
| Model Name                     | Low Mount Spa Cover Lift                               |
| Model Number                   | NP5022                                                 |
| Brand                          | Blue Wave                                              |
| Material                       | Powder-Coated Steel                                    |
| Color                          | Black                                                  |
| Product Dimensions (L x W x H) | 102 inches x 69 inches x 1 inch                        |
| Compatibility                  | Fits most square or rectangular spas up to 8 feet wide |
| Installation Type              | Low-Mount, Lock-In                                     |

## WARRANTY AND SUPPORT

The Blue Wave HEATWAVE Low Mount Spa Cover Lift is backed by a **1-year limited warranty**. This warranty covers manufacturing defects and ensures quality assurance for missing parts or defects. For warranty claims, technical assistance, or to report missing parts, please contact Blue Wave customer support. Keep your proof of purchase and model number (NP5022) readily available.



## Wide Range of Applications

Suitable for personal hot tubs, spas in resorts, or rental properties needing efficient cover solutions



Enhanced  
Stability



Rust-Resistant  
Powder Coating



Unobstructed  
View

Image: The spa cover lift demonstrating its wide range of applications, suitable for personal hot tubs, resorts, and rental properties, offering enhanced stability, rust-resistant powder coating, and an unobstructed view.