

Brady 65966

Brady 480/600V Clamp-On Breaker Lockout Instruction Manual

Model: 65966

1. PRODUCT OVERVIEW

The Brady 480/600V Clamp-On Breaker Lockout (Model 65966) is a critical safety device designed to prevent accidental energization of electrical circuits during maintenance or service. This lockout device ensures compliance with OSHA 1910.147 standards for lockout/tagout procedures, providing a secure method to isolate energy sources. It features a new blade design for a tighter grip and includes detachable cleats to expand its compatibility with various circuit breakers. Made of rugged polypropylene and impact-modified nylon, it is built for durability in industrial environments.



Image 1: The Brady 480/600V Clamp-On Breaker Lockout device, showing its red body and black thumb screw mechanism.

2. SAFETY INFORMATION

WARNING: Always follow established Lockout/Tagout (LOTO) procedures as per OSHA 1910.147 standards. This device is intended to supplement, not replace, proper energy isolation procedures. Ensure all energy sources are de-energized and verified before applying this lockout device.

- Verify the circuit breaker is in the "OFF" position before applying the lockout device.
- Always attach a padlock and a worker's protective tag (e.g., "DANGER DO NOT OPERATE") to the lockout device.
- Ensure the lockout device is securely fastened and cannot be easily removed without the key to the padlock.
- Only authorized personnel should apply and remove lockout devices.

3. SETUP AND INSTALLATION

Follow these steps to properly install the Brady Clamp-On Breaker Lockout:

1. **De-energize the Circuit:** Ensure the circuit breaker is in the "OFF" position and the circuit is completely de-energized. Verify zero energy state using appropriate testing equipment.
2. **Position the Lockout Device:** Place the clamp-on lockout device over the circuit breaker switch tongue. The device is designed to fit snugly over the breaker handle.
3. **Secure the Device:** Rotate the black thumb wheel clockwise to tighten the device onto the circuit breaker switch. Continue turning until the lockout device is securely fastened and cannot be moved from the "OFF" position.
4. **Attach Padlock and Tag:** Once the lockout device is secure, attach a padlock through the designated hole on the device. Then, attach a worker's protective tag (e.g., "DANGER DO NOT OPERATE") to the padlock or the device itself.



Image 2: The Brady Clamp-On Breaker Lockout securely installed on a circuit breaker, with a padlock and a "DANGER LOCKED OUT" tag attached.

Using Detachable Cleats: The lockout device includes detachable cleats that can be used to accommodate a wider range of circuit breaker sizes and types. If the standard fit is not secure, attach the appropriate cleats to the device before installation as described above.

Installation Video Guide

Your browser does not support the video tag.

Video 1: An animated demonstration of how to install the Brady Clamp-On Breaker Lockout on a circuit breaker, showing the steps of positioning, tightening the thumbwheel, and attaching a padlock and tag. This video is provided by the seller.

4. OPERATING INSTRUCTIONS

The primary operation of this device is to facilitate safe lockout/tagout procedures.

4.1. Applying Lockout

1. Ensure the equipment is shut down and the circuit breaker is in the "OFF" position.
2. Follow the installation steps outlined in Section 3 to securely attach the lockout device.
3. Attach your personal padlock and a "DANGER DO NOT OPERATE" tag.
4. Verify that the circuit breaker cannot be moved to the "ON" position with the lockout device and padlock in place.

4.2. Removing Lockout

1. Only the authorized person who applied the lockout device should remove it.
2. Remove the padlock and the protective tag.
3. Rotate the thumb wheel counter-clockwise to loosen the lockout device.
4. Carefully remove the lockout device from the circuit breaker.
5. Before re-energizing, ensure all personnel are clear and the equipment is safe to operate.

5. MAINTENANCE

To ensure the longevity and effectiveness of your Brady Clamp-On Breaker Lockout, follow these maintenance guidelines:

- **Regular Inspection:** Before each use, visually inspect the device for any signs of wear, cracks, damage, or deformation. Check the thumb wheel for smooth operation and ensure it tightens securely.
- **Cleaning:** Clean the device with a mild soap and water solution if necessary. Avoid harsh chemicals or abrasive cleaners that could damage the polypropylene and nylon materials.
- **Storage:** Store the lockout device in a clean, dry place away from direct sunlight and extreme temperatures when not in use.
- **Replacement:** If any damage is observed, or if the device no longer secures properly, replace it immediately to maintain safety standards.

6. TROUBLESHOOTING

If you encounter issues with your Brady Clamp-On Breaker Lockout, consider the following:

- **Device Does Not Fit:** Ensure you are using the correct size lockout device for your circuit breaker. This model (65966) is designed for 480/600V breakers. Utilize the included detachable cleats if the standard fit is loose or unstable.
- **Thumb Wheel Not Tightening:** Check for any debris or obstruction in the thumb wheel mechanism. Ensure the device is correctly aligned over the breaker switch tongue. If the thumb wheel spins freely without tightening, the device may be damaged and should be replaced.
- **Padlock Does Not Fit:** This device accepts lock shackles up to 9/32 inches (approximately 7.14 mm) in diameter.

Ensure your padlock shackle meets this specification.

For further assistance, please contact Brady customer support.

7. SPECIFICATIONS

Feature	Detail
Brand	Brady
Model Number	65966
Circuit Breaker Voltage	480/600V
Mounting Type	Clamp-On Mount
Number of Poles	1
Material	Polypropylene and Nylon
Max. Padlock Shackle Diameter	9/32 inches (7.14 mm)
Dimensions (L x W x H)	1.59 x 1.59 x 3.25 inches
Item Weight	8 ounces
Standards	OSHA 1910.147
Package Quantity	6

8. WARRANTY AND SUPPORT

For specific warranty information regarding your Brady 480/600V Clamp-On Breaker Lockout, please refer to the documentation included with your purchase or visit the official Brady website. Brady products are designed for durability and compliance with safety standards.

If you require technical support, have questions about product application, or need to report an issue, please contact Brady customer service:

Brady Official Website: www.bradyid.com

Refer to the website for contact numbers and support resources in your region.

Related Documents

	Brady First Aid Signs, Posters, Vests, and Hard Hats - Safety Essentials A comprehensive catalog of Brady safety products, including first aid signs, resuscitation and safety posters, high-visibility safety vests, and protective hard hats. Details product specifications, compliance standards, and emergency preparedness guidance.
	Brady M611 Label Printer User Manual - Features, Setup, and Support Explore the Brady M611 Label Printer with this comprehensive user manual. Learn about its rugged design, wireless connectivity (Bluetooth, Wi-Fi), touchscreen interface, and software integration for creating professional labels. Find setup guides, maintenance tips, and technical support resources.
	Brady M511 Label Printer: Work Smarter, Label Larger Explore the Brady M511 label printer, designed for larger labels and smarter work. This robust printer offers versatile labeling solutions for wire, asset, component ID, labs, and safety applications, featuring up to 38mm wide labels, 300 dpi resolution, and enhanced durability.
	Brady Selectiegids: Draagbare Labelprinters Ontdek de Brady selectiegids voor draagbare labelprinters, die een gedetailleerde vergelijking biedt van modellen zoals de M210/M210-LAB, M211, M410, M510, M511, M610, M611 en M710. Deze gids helpt bij het kiezen van de juiste printer voor elektrische, datacom, laboratorium en algemene industriële identificatietoepassingen.



[pdf] Borchure Catalog

Brady lockout tagout brochure Catalogues Manuals Royce Cross Group loto 2011 online update d1a1
roycecrossgroup documents manuals |||

Your Key To Effective Energy Isolation Programs LOCKOUT TAGOUT IS YOUR KEY TO SAFETY Effective loc ... mm thick 277 volt device and 41mm wide by 14mm thick 480/600 volt device . Part No. 65965 65396 **65966** 65397 Description Small Device Small Device Large Device Large Device Pack Size 6 1 6 1 YOU...

lang:en score:28 filesize: 3.02 M page_count: 8 document date: 2013-04-15




[pdf] Guide Borchure Catalog Label

DOWNLOAD BROCHURE Brady can guide you everywhere go with Lockout Tagout LOTO Catalog High Res d37iyw84027v1q cloudfront net india |||

Lockout / Tagout At Brady Corporation, we identify and protect your premises, products and people ... f applicable breakers Accepts locks shackles up to 9/ 32 in diameter Catalog # 65396 65965 65397 **65966** Description 120/277V Clamp-On Breaker Lockout 120/277V Clamp-On Breaker Lockout 480/600V Clam...

lang:en score:26 filesize: 58.07 M page_count: 60 document date: 2012-05-21




[pdf] Installation Guide Specifications

Cut Sheet Brady 65966 Breaker Lock Out Clamp On 2 3P Red 480 600VAC Thumbscrew PLATT ELECTRIC SUPPLY bra65966 i 4C91F969 6FA1 4EDD 82B9 250F7BF8C4D8 rexel cdn products |||


Welcome to Brady 18553955693 All Categories Products Standards and Compliance Customer Support Tec ... Lockout Systems Circuit Breaker Switch Lockouts 480/600V ClampOn Breaker Lockouts Part Number: **65966** Product Number: **65966** UPC Code: 754473**65966** Material Description: Rugged Polypropylene and Imp...

lang:en score:26 filesize: 210.15 K page_count: 1 document date: 2016-05-18




[\[pdf\]](#) User Manual Instructions Catalog Label

Visual Safety Productivity Solutions cloudfront net training and experience as they navigate pipes vessels instruments The lack of visual information instructions in a production unit puts all individuals Secure manual plug valves to OSHA compliant standards Four sizes fit most 1 8 diameter manually actuated Chemical Oil Gas Catalog d37iyw84027v1q Common
www.BradyID.com/PetroChem Visual Safety Productivity Solutions For The Chemical, Oil Gas Industr ... Breaker Lockout 6 65406 Cleats For 480/600V Lockout 6 65397 480/600V Clamp-On Breaker Lockout 1 **65966** 480/600V Clamp-On Breaker Lockout 6 Universal Multi-Pole Breaker Lockout Oversized Clamp On ...
lang:en **score:25** filesize: 39.95 M page_count: 60 document date: 2013-10-21




[\[pdf\]](#) Guide Borchure

untitled brady s buildings id Brady Sign Material Selection Guide Commercial Grade Signs ► Admittance FREE hardware supplied for quick installation Recycled Plastic 133685 Brochure cesco resources 3ED WELCOME TO BRADY S BUILDINGS I.D. IDENTIFICATION, SAFETY SECURITY PRODUCTS DESIGNED FOR BUILDINGS ... mp lockout securely onto switch, then pull cover over thumbscrew and lock in place Catalog # 65965 **65966** Description 120/277V Clamp-On Lockout, 6/pkg. 480/600V Clamp-On Lockout, 6/pkg. Catalog # 66...
lang:en **score:25** filesize: 15.02 M page_count: 48 document date: 2007-03-09



[\[pdf\]](#) Instructions Documentation Guide Catalog

A Complete Lockout Tagout Solution cloudfront net Expanded Guide to 1 Setup regularly scheduled audit processes and reminders Quick release internal slide button allows lockbox be Catalog d37iyw84027v1q Common 2 tagout critical safety regulation is an important component that safeguarding workers around the machinery Lock box accommodates up 6 locks provides rail for storing Includes two SHOCK STOP™ hasps mounting hardware instructions
A Complete Lockout Tagout Solution Lockout Tagout Catalog Lockout Tagout Lockout Tagout Lockout ... Clamp-On w/ Cleat 1 65965 120 / 277V Clamp-On w/ Cleat 6 65397 480 / 600V Clamp-On w/ Cleat 1 **65966** 480 / 600V Clamp-On w/ Cleat 6 Catalog # Description 65329 Oversized Breaker Lockout 65321 O...
lang:en **score:22** filesize: 9.79 M page_count: 72 document date: 2020-12-04



[\[pdf\]](#) Reference Guide Guide Borchure

CircBreakerxref FINAL v2 indd Allan Amadio Circuit Breaker Lockout Reference Guide Devices Works on wide range of breakers How EZ Panel Loc System including single and multi pole configurations Makes use unique lock rail system providing the following benefits Allows panel door to be closed even when lockouts are in place Breakout Brochure d37iyw84027v1q cloudfront net Common
Circuit Breaker Lockout Reference Guide WWW.BRADYID.COM/LOCKOUT Circuit Breaker Lockout Devices E ... ccepts locks shackles up to 9/32 in diameter Patent No. 5,500,495 Catalog No. 65396 65965 65397 **65966** Description 120/277V Clamp-On Breaker Lockout 120/277V Clamp-On Breaker Lockout 480/600V Clam...
lang:en **score:18** filesize: 867.47 K page_count: 16 document date: 2007-03-08



[\[pdf\]](#) Instructions Catalog

Download our Catalog Solis Safety Glasses Misuse or failure to follow warnings and instructions may result splash see supervisor read User Instructions on the CompleteSafety2020 hosepower 2020 11
Untitled

ELEVENTH EDITION TABLE OF CONTENTS Eye Protection

otect employees against electrical accidents during equipment maintenance ITEM #

65396 65397 65965 **65966** 73744 65321 ORDER # J05200441 J05200451

J05200975 J05200985 J05200591 J05201075 DESCRIPTION ...

lang:en **score:18** filesize: 30.34 M page_count: 305 document date: 2020-11-19



[\[pdf\]](#)

TAGLOCK Circuit Breaker Devices Informational Sheet Cleats for Clamp On Lockouts Brady Part 65404

BradyID d37iyw84027v1q cloudfront net Common |||

TAGLOCK™ Circuit Breaker Securing Devices BradyID.com/taglock Step up safety and compliance with ... Extra Cleats for 120/277V Lockout 6 148701 65937 480/600V Breakers Each 1 480/600V 148687 **65966** 480/600V Breakers Pack 6 Breaker Lockouts 148686 480/600V Breakers Bulk 25 65406 654...

lang:en **score:18** filesize: 941.07 K page_count: 2 document date: 2017-01-13



[\[pdf\]](#) Catalog

Brady® 65401 Turtle Hughes Brady 65672 Catalog turtle ASSETS DOCUMENTS ITEMS EN |||

YOUR KEY TO EFFECTIVE ENERGY ISOLATION PROGRAMS Brady s selection of Lockout products help to facili ... m thick 480/600 volt device Part No. Description Qty.


L 65965 Small Device 6 65396 Small Device 1 **65966** Large Device 6 65397 Large Device 1 LOCKOUT CLEATS Used with small and large No Hole breaker...

lang:en **score:17** filesize: 5.29 M page_count: 46 document date: 2015-07-22



[\[pdf\]](#) Catalog Label

Brady® 118956 Turtle Hughes Brady 99504 Catalog turtle ASSETS DOCUMENTS ITEMS EN ||| Lockout / Tagout At Brady Corporation, we identify and protect your premises, products and people ... f applicable breakers Accepts locks shackles up to 9/ 32 in diameter Catalog # 65396 65965 65397 **65966** Description 120/277V Clamp-On Breaker Lockout 120/277V Clamp-On Breaker Lockout 480/600V Clam... lang:en score:15 filesize: 4.13 M page_count: 60 document date: 2015-02-12



[\[pdf\]](#) Catalog

7fa6573b 2f37 423a 99cf b07541c7b4aa taylorg Cut Sheet Brady 65561 Gate Valve Lockout 5 3 4 x 1 Diameter Range 2 to Rexel USA i D880F5F8 A95A 4CD0 8F6B 65304B1B1782 rexel cdn products ||| Lockout Tagout Catalog A Complete Lockout Tagout Solution Valve Lockouts Electrical Lockouts Locko ... ull cover over thumbscrew and lock in place to prevent clamp from being loosened Part Number 65965 **65966** 65329 65688 Description 120/277V Clamp-On Breaker Lockout 480/600V Clamp-On Breaker Lockout O... lang:en score:14 filesize: 1.31 M page_count: 8 document date: 2011-12-02



[\[pdf\]](#) Decleration of Conformity Catalog

Brady® 118945 Turtle Hughes Brady 123351 Catalog assets unilogcorp 2 ITEM DOC ||| Lockout Tagout Catalog For A Complete Lockout Tagout Solution BradyID.com/lockouttagout Overview ... 0/277V Clamp-On Lockout 1 65965 120/277V Clamp-On Lockout 6 65397 480/600V Clamp-On Lockout 1 **65966** 480/600V Clamp-On Lockout 6 65404 Extra Cleats For 120/277V Lockout 6 65406 Extra Cleats Fo... lang:en score:14 filesize: 4.75 M page_count: 44 document date: 2016-03-31

BRADY

TAGLOCK™ CIRCUIT BREAKER SECURING DEVICES



TAGLOCK™
Circuit Breaker Securing Device

With Brady's TAGLOCK™ circuit breaker securing devices, your maintenance team members can individually tag and secure each circuit breaker for improved safety and compliance. These devices are secured to circuit breakers with standard non-removable 22-lb minimum strength nylon cables ties.

TAGLOCK securing devices feature:

- **Easy installation** onto the breaker with nylon cable tie
- **Multiple worker tagging capabilities** for up to 4 workers to apply any-on cable tie and their ID tag
- **Secure installation** that will not remove security features to the breaker switches until each person has removed their nylon cable tie and tag
- **Pre-installed tie tags** enable users to connect ID tags in advance and then quickly secure them to the designated energy control lockout points
- **More convenient lockout/tagout options** eliminates the need to cut cables
- **Cost savings** as ties come to tag preparation and reducing equipment downtime



Brady Australia Pty Ltd | 1800 620 816 | bradyid.com.au

[pdf]

TAGLOCK info sheet bradyid au pub media related links lockout tagout |||

TAGLOCK™ CIRCUIT BREAKER SECURING DEVICES With Brady's TAGLOCK™ circuit breaker securing devices, ... 277V Clamp-On LO Part No. 65396 120/277V Clamp-On LO Part No. 65937 480/600V Clamp-On LO EA Part No. **65966** 480/600V Clamp-On LO PK6 Part No. 65397 480/600V Clamp-On LO Part No. 65397 480/600V Clamp-On ...

lang:en score:14 filesize: 1 M page_count: 2 document date: 2017-02-02

LOCKOUTS AND TAGS



Brady® 13 Lock Box
Up to 13 individual locks can be applied to the outside of the lock box. Heavy duty construction. Size: 10" x 4" x 6".

Ordering Information

Part No.	Description
65897	13 lock group lock box, color red
65898	13 lock group lock box, color blue

*Also available in Spanish



Brady® Group Lock Box
For securing each main locked stop. After electronic process is initiated, all keys are placed in lock box and leader place lock on lock box until group complete and all group members are cleared from work area. Heavy duty construction. Size: 10" x 4" x 6".

Ordering Information

Part No.	Description
65872	Group lock box, color yellow

Circular 7-Position Lockout Device
Permits activation of equipment until all padlocks (not included) have been removed. Made of metal-plated steel.



Ordering Information

Part No.	Description
15072-00	Seven hole circular lockout, size 3/8" x 1 1/2" x 1 1/2"

Brady® Do Not Operate Tags
Ordering Information: Std. Pkg. 25/Pkg.

Part No.	Description
65387	Heavy duty vinyl tag, 5-9/16" x 3", tie wrap hole included

Call Us For All Your Lockout and Accident Prevention Tags

DOOLEY TACKABERRY
Fire and Safety Equipment - Sales/Systems
-423

[pdf]

General Industrial xpx karend gen II safetyfire industrial

LOCKOUTS AND TAGS GENERAL INDUSTRIAL Brady 13 Lock Lock Box Up to 13 individual locks can be appl ... ck, 480/600 1-5/8 wide by .55 thick. Part No. Description Qty. 65965 277 Volt Device 6/Pkg. **65966** 480/600 Volt Device 6/Pkg. Single Pole Circuit Breaker Lockout Device locks out most major ...

lang:en score:14 filesize: 388.59 K page_count: 8 document date: 2005-06-20

Circuit Breaker Lockout

www.BradyID.com/lockouttagout



120V Snap-On Breaker Lockout
• Designed for 120V breakers that have lugs on the switch trigger
• Quick and easy - just snap in place and rotate lock
• Clear markings accommodate different circuit breaker types
• Available in plastic or up to 1000V in stainless steel

Ordering Information

Part No.	Description
65396	120V Snap-On Breaker Lockout, 1/2" x 1 1/2" x 1 1/2"



Clamp-On Breaker Lockout
• Designed for breakers that have large on/off handles and internal trip mechanism
• Use thumb screws to clamp lockout onto switch handle. This will ensure your lockout stays in place and does not come loose from being loosened
• Includes descriptive labels for the range of applications breakers

Ordering Information

Part No.	Description
65397	Clamp-On Breaker Lockout, 1/2" x 1 1/2" x 1 1/2"



Universal Fuse Lockout
• Designed to prevent the accidental re-energization of energy sources through fuses
• Easy to use device that fits most fuse holders between 0.5 and 0.625 inches
• Made of nylon plastic with 2" metal rollers and handle
• Clamping pins have holes and a small ballhead screwdriver to tighten fit and secure in the device. This is a patented and patented through the hole to prevent removal of the ball head screwdriver

Ordering Information

Part No.	Description
65398	Universal Fuse Lockout, 1/2" x 1 1/2" x 1 1/2"



Universal Multi-Pole Breaker Lockout
• Designed for breakers with multiple on/off handles that employ a lever or button to operate the breaker
• Compatible with GE, ITC, Siemens, Challenger, Breaker, Westinghouse, General Switch Co., and more
• Use thumb screws to clamp lockout onto handle. This will ensure your lockout stays in place and does not come loose from being loosened

Ordering Information

Part No.	Description
65399	Universal Multi-Pole Breaker Lockout, 1/2" x 1 1/2" x 1 1/2"



Oversized Clamp-On Breaker Lockout
• Designed for breakers with multiple on/off handles that employ a lever or button to operate the breaker
• Compatible with GE, ITC, Siemens, Challenger, Breaker, Westinghouse, General Switch Co., and more
• Use thumb screws to clamp lockout onto handle. This will ensure your lockout stays in place and does not come loose from being loosened

Ordering Information

Part No.	Description
65400	Oversized Clamp-On Breaker Lockout, 1/2" x 1 1/2" x 1 1/2"



480-600V Breaker Blocker
• Designed to prevent the accidental re-energization of energy sources through breakers
• Self-aligning lockout into the breaker's internal trip mechanism
• Self-aligning lockout into the breaker's internal trip mechanism
• Blocking lever with 1 1/2" long
• Has locking bar, includes lockout off, on, and reset buttons

Ordering Information

Part No.	Description
65401	480-600V Breaker Blocker, 1/2" x 1 1/2" x 1 1/2"

1-800-275-2946 | www.BradyID.com

[pdf] Dimension Guide Catalog

Catalog Page Brady 65688 Single Pole Circuit Breaker Lockout Rexel USA brady catalog page i 40B4A877 0128 4478 A791 FF6825A8A04A rexel cdn products |||

Lockout Tagout Circuit Breaker Lockout www.BradyID.com/lockouttagout NEW 120V Snap-On Breaker Lo ... 0/277V Clamp-On Lockout 1 65965 120/277V Clamp-On Lockout 6 65397 480/600V Clamp-On Lockout 1 **65966** 480/600V Clamp-On Lockout 6 65404 Extra Cleats For 120/277V Lockout 6 65406 Extra Cleats Fo...

lang:en score:13 filesize: 882.96 K page_count: 1 document date: 2013-08-29




[\[pdf\]](#) Declaration of Conformity Catalog Label

Brady 93275 Catalog assets unilogcorp 2 ITEM DOC |||

PRINTERS LOCKOUT/TAGOUT MARINE OFFSHORE SAFETY, FACILITY AND IDENTIFICATION SOLUTIONS VISUAL WARN ... Accepts locks shackles up to 9/32 in diameter Patent No. 5,500,495 Catalog No. 65396 65965 65397 **65966** Description 120/277V Clamp-On Breaker Lockout 120/277V Clamp-On Breaker Lockout 480/600V Clam...

lang:en **score:13** filesize: 5.59 M page_count: 76 document date: 2015-02-16



[\[pdf\]](#) Catalog

Lockout Tagout Catalog alanderos BradyID lockouttagout Brady store hipco images additional |||

BradyID.com/lockouttagout Overview ... 0/277V Clamp-On Lockout 1 65965 120/277V Clamp-On Lockout 6 65397 480/600V Clamp-On Lockout 1 **65966** 480/600V Clamp-On Lockout 6 65404 Extra Cleats For 120/277V Lockout 6 65406 Extra Cleats Fo...

lang:en **score:13** filesize: 16.99 M page_count: 44 document date: 2017-06-07




[\[pdf\]](#) Dimension Guide Catalog

Catalog Page 65387 Brady Lockouts 65 cp pim galco Manufacturer TechDocument |||

Lockout Tagout Circuit Breaker Lockout NEW 120V Snap-On Breaker Lockout Designed for 120V brea ... 0/277V Clamp-On Lockout 1 65965 120/277V Clamp-On Lockout 6 65397 480/600V Clamp-On Lockout 1 **65966** 480/600V Clamp-On Lockout 6 65404 Extra Cleats For 120/277V Lockout 6 65406 Extra Cleats Fo...

lang:en **score:13** filesize: 807.75 K page_count: 1 document date: 2018-06-20



[\[pdf\]](#) Dimension Guide Catalog Label

S25 LOTO v3 Allan Amadio 12877660 cdn e soneparcanada io PIM Docs STEP ASSETS |||

Circuit Breaker Lockouts Lockout / Tagout 120V Snap-On Breaker Lockout Designed for 120V breaker ... Accepts locks shackles up to 9/32 in diameter Patent No. 5,500,495 Catalog No. 65396 65965 65397 **65966** Description 120/277V Clamp-On Breaker Lockout 120/277V Clamp-On Breaker Lockout 480/600V Clam...


lang:en **score:13** filesize: 386.29 K page_count: 1 document date: 2008-11-17



[pdf]

20 R3SafetyLOTO us evocdn io dealer 1255 content media Content Pages product categories s |||
Lockout/Tagout LOCKOUT/TAGOUT 50943 Brady All Purpose Cable Lockout Device
with 8 Cable Compact, ... otect employees against electrical accidents during
equipment maintenance ITEM # 65396 65397 65965 **65966** 73744 65321 ORDER #
J05200441 J05200451 J05200975 J05200985 J05200591 J05201075
DESCRIPTION ...


lang:en score:12 filesize: 1.01 M page_count: 7 document date: 2020-02-24



[pdf] Guide Warranty Catalog

GUIDE Full Line of PPE Plant and Safety Products Class AL Test compatible with 3M™ E A Rfit™
Validation System is IP67 » 2 year warranty never pro rated Can be calibrated if it fails a
R3SafetyFULLCatalog2020 LR us evocdn io dealer 1255 content media Draeger |||
BUYER S GUIDE Full Line of PPE, Plant and Safety Products Respiratory Hand
Protection Head Face Pr ... otect employees against electrical accidents during
equipment maintenance ITEM # 65396 65397 65965 **65966** 73744 65321 ORDER #
J05200441 J05200451 J05200975 J05200985 J05200591 J05201075
DESCRIPTION ...

lang:en score:12 filesize: 12.22 M page_count: 306 document date: 2024-05-07




[pdf] Catalog

Catalog Page Brady 65815 ASSY SINGLE POLE SNAP ON BREAKER LOCKOUT Rexel USA
out1379518 i 1FF7A2B7 1E35 4628 8019 6ABD4908FA74 rexel cdn products |||
SAFETY, FACILITY EQUIPMENT IDENTIFICATION BradyID.com/s35 Your experts
for safety, facility and eq ... 77V Clamp-On w/ Cleat 1 65965 120/277V Clamp-On w/
Cleat 6 65397 480/600V Clamp-On w/ Cleat 1 **65966** 480/600V Clamp-On w/ Cleat 6
Oversized 480/600V Clamp On Breaker Lockout Oversized 480/600V...
lang:en score:12 filesize: 754.62 K page_count: 3 document date: 2018-04-10



[pdf] Specifications Label

Layout 1 SPECIFICATION Brady Worldwide 100 ft x 2 4 in Vinyl Cartridge Green Ferguson 3808754
5084425 specification fergusonprod a bigcontent io v1 static |||
S-26 BRADYID.COM SAFETY, FACILITY AND EQUIPMENT IDENTIFICATION
Safety Signs Visual Warnings Disp ... s Accepts locks shackles up to 9/32 in diameter
Patent No. 5,500,495 Cat. No. 65396 65965 65397 **65966** Description 120/277V
Clamp-On 120/277V Clamp-On 480/600V Clamp-On 480/600V Clamp-On Qty 1/pk...
lang:en score:11 filesize: 10.33 M page_count: 59 document date: 2008-08-27



[\[pdf\]](#) Catalog

Lockout Tagout publication bradyid au catalogues loto files assets common |||

Lockout Tagout PRODUCT CATALOGUE PADLOCKS DEVICES KITS TAGS Brady is an expert in safety and i ... x 11mm thick 277 volt device , 41mm wide by 14mm thick 480/600 volt device PART NO. 65965 65396 **65966** 65397 DESCRIPTION Small Device Small Device Large Device Large Device QTY 6 1 6 1 Original ...
lang:en score:11 filesize: 21.12 M page_count: 88 document date: 2020-04-03




[\[pdf\]](#) Catalog Label

MRO 4 color change cover indd BRADY U S Electrical Services Inc Check out some of Brady s NEW products and services! BBP@31 Sign Label Printer Fast Simple Powerful Versatile! page 132

ToughStripe® Floor USESI 260688 catalog assets usesi product media catalogs |||

Safety, facility and equipment Identiflcation www.BradyID.com S-31 priced catalog SaFETy, FacILiTy ... of applicable breakers Accepts locks shackles up to 9/32 in diameter Catalog # 65396 65965 65397 **65966** Description 120/277V Clamp-On Breaker Lockout 120/277V Clamp-On Breaker Lockout 480/600V Clam...
lang:en score:11 filesize: 21.94 M page_count: 260 document date: 2011-10-27



[\[pdf\]](#)

BRD lockout tagout TDS cdn2 rexel au medias sys Aurexel sheets hca hac 9079501389854 |||

LOCKOUT TAGOUT YOUR KEY TO EFFECTIVE ENERGY ISOLATION PROGRAMS Brady s selection of Lockout products ... 11mm thick 277 volt device , 41mm wide by 14mm thick 480/600 volt device . Part No. 65965 65396 **65966** 65397 Description Small Device Small Device Large Device Large Device Qty. B 6 1 6 1 Call f...
lang:en score:11 filesize: 25.05 M page_count: 42 document date: 2010-12-17



[\[pdf\]](#) Catalog

safety catalog res cloudinary wernerelectric image upload commerce resources |||

SAFETY SOLUTIONS WERNERELECTRIC.COM 866-4-WERNER SAFETY SOLUTIONS Products and Services to Keep ... Medium Breaker Lockout - 480/600V Breaker Lockout 6pk No-Tool Catalog # Panduit PSL-CBNT Brady **65966** Medium Breaker Lockout - 480/600V Breaker Lockout 6pk Catalog # Brady **65966** Circuit Breaker ...

lang:en score:11 filesize: 3.56 M page_count: 36 document date: 2019-10-31




[\[pdf\]](#) Catalog

Catalogo Seguridad 05 16 Rev5 cdn2 hubspot net hubfs 1842664 Catálogos actualizados |||

1 CORTINAS DE SEGURIDAD CORTINAS DE SEGURIDAD MICRO 400 POC Tipo 4 para IEC-61496, PLe para IS ... 70 51339 121514 65375 65699 50943 51392 51394 64057 BS07A-RD BS08A-RD 66320 66321 65688 65396 65965 **65966** 65329 99296 PBL6 Dispositivos de bloqueo y etiquetado Descripción Candado de seguridad plástico...

lang:es score:10 filesize: 11.24 M page_count: 20 document date: 2016-07-01




[\[pdf\]](#) Documentation Catalog

A Complete Lockout Tagout Solution x 18 in 2 holds 32 locks Padlock and Tag Carrier Convenient Red Key retaining Steel 143126 1 Micro Board LC226A 6 Brady 150820 Catalog externalassets unilogcorp ASSETS DOCUMENTS ITEMS EN |||

A Complete Lockout Tagout Solution Lockout Tagout Catalog Lockout Tagout Lockout Tagout Lockout ... Clamp-On w/ Cleat 1 65965 120 / 277V Clamp-On w/ Cleat 6 65397 480 / 600V Clamp-On w/ Cleat 1 **65966** 480 / 600V Clamp-On w/ Cleat 6 Catalog # Description 65329 Oversized Breaker Lockout 65321 O...

lang:en score:10 filesize: 11.21 M page_count: 72 document date: 2020-01-21




[\[pdf\]](#) Reference Guide Guide

CircBreakerxref FINAL v2 indd Allan Amadio PD539273 objects eanixter


Circuit Breaker Lockout Reference Guide WWW.BRADYID.COM/LOCKOUT Circuit Breaker Lockout Devices E ... ccepts locks shackles up to 9/32 in diameter Patent No. 5,500,495 Catalog No. 65396 65965 65397 **65966** Description 120/277V Clamp-On Breaker Lockout 120/277V Clamp-On Breaker Lockout 480/600V Clam...

lang:en score:10 filesize: 713.25 K page_count: 16 document date: 2018-09-28



[\[pdf\]](#) Borchure Catalog Label

Brady 65525 B 837 Polyester Laminated Lockout Tag 3 in W x 5 75 H 0 025 T Matte 25 pack Safeware
 65454 Brochure Catalog safewareinc ASSETS DOCUMENTS ITEMS EN |||
 SAFETY, FACILITY EQUIPMENT IDENTIFICATION BradyID.com/s35 Your experts
 for safety, facility and eq ... 77V Clamp-On w/ Cleat 1 65965 120/277V Clamp-On w/
 Cleat 6 65397 480/600V Clamp-On w/ Cleat 1 **65966** 480/600V Clamp-On w/ Cleat 6
 Oversized 480/600V Clamp On Breaker Lockout Oversized 480/600V...
 lang:en score:9 filesize: 66.9 M page_count: 628 document date: 2017-11-30



[\[pdf\]](#) Accessories Catalog

LOTO Catalog Allan Amadio Cable Lockouts 406 407 Chain Circuit Breaker 410 414 Electrical 415 416
 Testers 609074 cesco resources 6C8
 Lockout / Tagout Solutions TRAINING PROCEDURES IDENTIFICATION LOCKOUT
 DEVICES ACCESSORIES WWW.BRAD ... ccepts locks shackles up to 9/32 in
 diameter Patent No. 5,500,495 Catalog No. 65396 65965 65397 **65966** Description
 120/277V Clamp-On Breaker Lockout 120/277V Clamp-On Breaker Lockout 480/600V
 Clam...
 lang:en score:9 filesize: 14.69 M page_count: 64 document date: 2006-09-27