

Rust-Oleum 334066

Rust-Oleum Painter's Touch 2X Ultra Cover Spray Paint User Manual

Model: 334066 | Brand: Rust-Oleum

1. PRODUCT OVERVIEW

Rust-Oleum Painter's Touch 2X Ultra Cover spray paints offer superior coverage for faster project completion. They provide a tough, attractive finish on almost any interior/exterior surface.

Designed with a comfort spray tip with a wider finger pad to reduce fatigue caused by continuous spraying. Convenient any angle spray applies easily leaving a rich, deep color that brings out the beauty in your project.





Figure 1.1: Rust-Oleum Painter's Touch 2X Ultra Cover Spray Paint, Satin Espresso.

Key Features:

- Ideal for use on interior/exterior surfaces including wood, plastic, plaster, metal, masonry and unglazed ceramic.
- Oil-based formula is low odor, resists chips and provides long-lasting protection.
- Dries to touch in 20 minutes and covers up to 12 sq. ft. per can.
- Durable formula provides excellent hide and goes on smoothly.
- Satin finish minimizes surface imperfections and provides excellent hide.
- Any angle spray with comfort spray tip.
- Fast Drying.
- Popular Colors.

2. SAFETY INFORMATION

Always read and follow all instructions and warnings on the product label before use. Ensure adequate ventilation during application and drying. Use outdoors or in a well-ventilated area. Avoid breathing vapors. Wear appropriate personal protective equipment, including safety glasses, gloves, and a respirator if necessary.

This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.p65warnings.ca.gov.

First Aid:

- **Eye Contact:** Flush immediately with plenty of water for at least 15 minutes. Get medical attention.
- **Skin Contact:** Wash thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation develops.
- **Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
- **Ingestion:** Do NOT induce vomiting. Get medical attention immediately.

KEEP OUT OF REACH OF CHILDREN.

3. PREPARATION

Proper surface preparation is crucial for optimal adhesion and finish quality.

Surface Preparation:

- Ensure the surface is clean, dry, and free of loose paint, rust, wax, oil, and grease.
- Lightly sand glossy surfaces to create a dull finish for better adhesion.
- For best results, use a primer on bare wood or metal, although Painter's Touch 2X Ultra Cover has built-in primer.

Environmental Conditions:

- Apply when temperature is between 50-90°F (10-32°C) and humidity is below 85% to ensure proper drying.
- Avoid spraying in windy conditions to prevent overspray.

Can Preparation:

- Shake can vigorously for one minute after the mixing ball begins to rattle. Continue to shake occasionally during use.

ADHERES TO



Figure 3.1: Rust-Oleum Painter's Touch 2X Ultra Cover adheres to various surfaces.



Figure 3.2: Essential tools for a successful spray painting project.

4. APPLICATION (SETUP & OPERATING)

Achieve a smooth, even finish by following these application guidelines.

Spraying Technique:

- Hold can upright 10-12 inches from surface.
- Spray in a steady back-and-forth motion, slightly overlapping each stroke.
- Apply two or more light coats a few minutes apart rather than one heavy coat to avoid drips and ensure even coverage.
- The comfort spray tip allows for easy application at any angle.



Figure 4.1: Demonstrating proper spray technique for even coverage.

spray at any angle with **COMFORT TIP**



Figure 4.2: The comfort spray tip allows for easy, any-angle application.

Video 4.1: Rust-Oleum Painter's Touch 2X Creative Sizzle - Demonstrates various creative projects using the spray paint, highlighting its ease of use and vibrant results.

5. DRYING & CURING

Allow adequate time for the paint to dry and fully cure for maximum durability.

- **Touch Dry:** 20 minutes.
- **Handle:** 1 hour.
- **Full Cure:** 24 hours.

Drying times may be affected by temperature, humidity, and film thickness.

6. MAINTENANCE (CLEANUP & STORAGE)

Proper cleanup and storage will extend the life of your spray paint can.

Nozzle Cleaning:

- To clear the spray valve, invert can and spray for 5 seconds or until only clear gas is emitted.

Storage:

- Store in a cool, dry place away from heat, sparks, and open flame.
- Do not store in direct sunlight.

7. TROUBLESHOOTING

If you encounter issues during application, consider the following common solutions:

- **Uneven Spray/Sputtering:** Ensure the can is thoroughly shaken before and during use. Maintain a consistent distance from the surface.
- **Drips or Runs:** Apply multiple thin coats instead of one thick coat. Ensure proper distance from the surface (10-12 inches).
- **Poor Adhesion/Cracking:** Verify that the surface was properly cleaned, dried, and prepared (e.g., sanded glossy surfaces). Ensure application in recommended temperature and humidity conditions.
- **Color Discrepancy:** Always shake the can well to ensure pigments are fully mixed. The color of the cap is a good indicator of the final color.

8. SPECIFICATIONS

Attribute	Value
Brand	Rust-Oleum
Color	Satin Espresso
Finish Type	Satin
Size	12 Ounce (Pack of 1)
Item Volume	12 Liters
Special Feature	Low Odor, Chip Resistant
Paint Type	Spray
Specific Uses For Product	Interior/Exterior
Surface Recommendation	Wood
Item Weight	7.1 ounces
Product Dimensions	2.63 x 2.63 x 7.88 inches

Date Printed: 10/17/2018 Page: 1 / 6

Safety Data Sheet



RUST-OLEUM CORPORATION
Trusted Quality Since 1921
www.rustoleum.com

1. Identification

Product Name: R-O 6PK SSPR CRAFT CHALKED MATTE CLEAR
Revision Date: 10/17/2018

Product Identifier: 124271
Supersedes Date: None

Recommended Use: Topcoat

Supplier: Rust-Oleum Corporation
11 Hawthorn Parkway
Vernon Hills, IL 60055
USA

Manufacturer: Rust-Oleum Corporation
11 Hawthorn Parkway
Vernon Hills, IL 60055
USA

Preparer: Regulatory Department

Emergency Telephone: 24 Hour Hotline: 847-387-7700

2. Hazard Identification

Classification:

Signal Word: Caution

Possible Hazards:
41% of the mixture consists of ingredients of unknown acute toxicity.

3. GHS Hazard Statements:

Flammable Aerosol, category 2 H222 Extremely flammable aerosol.

Compressed Gas H280 Contains gas under pressure; may explode if heated.

Corrosive to Metals, category 2 H314 Corrosive to metals.

STOT, eye exposure, category 3, NE H336 May cause drowsiness or dizziness.

Eye Irritant, category 2 H332 Causes serious eye irritation.

4. GHS Label/Precautinary Statements:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

[pdf] Datasheet Safety Datasheet Catalog Label

Rust Oleum GHS 16 Section SDS 12 oz Satin Espresso General Purpose Spray Paint 6 Pack Painter s Touch 2X 334066 320066120703 0320066120703 1003798461 286edd4c dd78 4d88 972b

6ca7dcaee071 images thdstatic catalog Images 28 |||

Date Printed: 10/17/2018 Page 1 / 6 Safety Data Sheet * Trusted Quality Since 1921 *

www.rustoleum.com 1. Identification Product Name: Product Identifier:

Recommended Use: Supplier: R-O 6PK SSPR CRAFT CHALKED MATTE CLEAR

342477 Topcoat Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL...

lang:en score:21 filesize: 137.97 K page_count: 6 document date: 2018-10-17

TECHNICAL DATA PT2X-02

PAINTER'S TOUCH® 2X ULTRA COVER® SATIN SPRAYS

DESCRIPTION AND USES

Painter's Touch® 2X Ultra Cover® Satin Sprays contain technology that provides faster film formation and faster drying times, faster and more uniform coverage. Unlike other leading brands, 2X Ultra Cover® Satin Sprays are formulated with a special formula that allows for faster drying times. They are formulated to be compatible with most primers. Any non-compatible primer should be tested for compatibility before use.

PRODUCTS

SKU	DESCRIPTION (Name)
249066	Satin Espresso
249067	Satin Espresso
249068	Satin Espresso
249069	Satin Espresso
249070	Satin Espresso
249071	Satin Espresso
249072	Satin Espresso
249073	Satin Espresso
249074	Satin Espresso
249075	Satin Espresso
249076	Satin Espresso
249077	Satin Espresso
249078	Satin Espresso
249079	Satin Espresso
249080	Satin Espresso
249081	Satin Espresso
249082	Satin Espresso
249083	Satin Espresso
249084	Satin Espresso
249085	Satin Espresso
249086	Satin Espresso
249087	Satin Espresso
249088	Satin Espresso
249089	Satin Espresso
249090	Satin Espresso
249091	Satin Espresso
249092	Satin Espresso
249093	Satin Espresso
249094	Satin Espresso
249095	Satin Espresso
249096	Satin Espresso
249097	Satin Espresso
249098	Satin Espresso
249099	Satin Espresso
249100	Satin Espresso
249101	Satin Espresso
249102	Satin Espresso
249103	Satin Espresso
249104	Satin Espresso
249105	Satin Espresso
249106	Satin Espresso
249107	Satin Espresso
249108	Satin Espresso
249109	Satin Espresso
249110	Satin Espresso
249111	Satin Espresso
249112	Satin Espresso
249113	Satin Espresso
249114	Satin Espresso
249115	Satin Espresso
249116	Satin Espresso
249117	Satin Espresso
249118	Satin Espresso
249119	Satin Espresso
249120	Satin Espresso
249121	Satin Espresso
249122	Satin Espresso
249123	Satin Espresso
249124	Satin Espresso
249125	Satin Espresso
249126	Satin Espresso
249127	Satin Espresso
249128	Satin Espresso
249129	Satin Espresso
249130	Satin Espresso
249131	Satin Espresso
249132	Satin Espresso
249133	Satin Espresso
249134	Satin Espresso
249135	Satin Espresso
249136	Satin Espresso
249137	Satin Espresso
249138	Satin Espresso
249139	Satin Espresso
249140	Satin Espresso
249141	Satin Espresso
249142	Satin Espresso
249143	Satin Espresso
249144	Satin Espresso
249145	Satin Espresso
249146	Satin Espresso
249147	Satin Espresso
249148	Satin Espresso
249149	Satin Espresso
249150	Satin Espresso
249151	Satin Espresso
249152	Satin Espresso
249153	Satin Espresso
249154	Satin Espresso
249155	Satin Espresso
249156	Satin Espresso
249157	Satin Espresso
249158	Satin Espresso
249159	Satin Espresso
249160	Satin Espresso
249161	Satin Espresso
249162	Satin Espresso
249163	Satin Espresso
249164	Satin Espresso
249165	Satin Espresso
249166	Satin Espresso
249167	Satin Espresso
249168	Satin Espresso
249169	Satin Espresso
249170	Satin Espresso
249171	Satin Espresso
249172	Satin Espresso
249173	Satin Espresso
249174	Satin Espresso
249175	Satin Espresso
249176	Satin Espresso
249177	Satin Espresso
249178	Satin Espresso
249179	Satin Espresso
249180	Satin Espresso
249181	Satin Espresso
249182	Satin Espresso
249183	Satin Espresso
249184	Satin Espresso
249185	Satin Espresso
249186	Satin Espresso
249187	Satin Espresso
249188	Satin Espresso
249189	Satin Espresso
249190	Satin Espresso
249191	Satin Espresso
249192	Satin Espresso
249193	Satin Espresso
249194	Satin Espresso
249195	Satin Espresso
249196	Satin Espresso
249197	Satin Espresso
249198	Satin Espresso
249199	Satin Espresso
249200	Satin Espresso

Form 1009-009 Rev. 10/03

[pdf] Specifications

arodrigu Painter s Touch 103675016 Specification Sheet supplyhog nyc3 cdn digitaloceanspaces orgll docs |||

TECHNICAL DATA PT2X-02 PAINTER S TOUCH 2X ULTRA COVER SATIN SPRAYS DESCRIPTION AND USES Rust-Oleu ... 9 249065 249066 249068 334077

334076 334075 249072 334073 334072 334071 334070 334069 334068 334067
334066 334063 334062 334061 334059 346950 346951 334091 334086 346953
 334065 257419 334074 DESCRIPT...

lang:en score:18 filesize: 219.52 K page_count: 3 document date: 2023-10-18

TECHNICAL DATA PT2X-02

PAINTER'S TOUCH® 2X ULTRA COVER® SATIN SPRAYS

DESCRIPTION AND USES

Painter's Touch® 2X Ultra Cover® Satin Sprays contain technology that provides faster film formation and faster drying times, faster and more uniform coverage. Unlike other leading brands, 2X Ultra Cover® Satin Sprays are formulated with a special formula that allows for faster drying times. They are formulated to be compatible with most primers. Any non-compatible primer should be tested for compatibility before use.

PRODUCTS

SKU	DESCRIPTION (Name)
249066	Satin Espresso
249067	Satin Espresso
249068	Satin Espresso
249069	Satin Espresso
249070	Satin Espresso
249071	Satin Espresso
249072	Satin Espresso
249073	Satin Espresso
249074	Satin Espresso
249075	Satin Espresso
249076	Satin Espresso
249077	Satin Espresso
249078	Satin Espresso
249079	Satin Espresso
249080	Satin Espresso
249081	Satin Espresso
249082	Satin Espresso
249083	Satin Espresso
249084	Satin Espresso
249085	Satin Espresso
249086	Satin Espresso
249087	Satin Espresso
249088	Satin Espresso
249089	Satin Espresso
249090	Satin Espresso
249091	Satin Espresso
249092	Satin Espresso
249093	Satin Espresso
249094	Satin Espresso
249095	Satin Espresso
249096	Satin Espresso
249097	Satin Espresso
249098	Satin Espresso
249099	Satin Espresso
249100	Satin Espresso
249101	Satin Espresso
249102	Satin Espresso
249103	Satin Espresso
249104	Satin Espresso
249105	Satin Espresso
249106	Satin Espresso
249107	Satin Espresso
249108	Satin Espresso
249109	Satin Espresso
249110	Satin Espresso
249111	Satin Espresso
249112	Satin Espresso
249113	Satin Espresso
249114	Satin Espresso
249115	Satin Espresso
249116	Satin Espresso
249117	Satin Espresso
249118	Satin Espresso
249119	Satin Espresso
249120	Satin Espresso
249121	Satin Espresso
249122	Satin Espresso
249123	Satin Espresso
249124	Satin Espresso
249125	Satin Espresso
249126	Satin Espresso
249127	Satin Espresso
249128	Satin Espresso
249129	Satin Espresso
249130	Satin Espresso
249131	Satin Espresso
249132	Satin Espresso
249133	Satin Espresso
249134	Satin Espresso
249135	Satin Espresso
249136	Satin Espresso
249137	Satin Espresso
249138	Satin Espresso
249139	Satin Espresso
249140	Satin Espresso
249141	Satin Espresso
249142	Satin Espresso
249143	Satin Espresso
249144	Satin Espresso
249145	Satin Espresso
249146	Satin Espresso
249147	Satin Espresso
249148	Satin Espresso
249149	Satin Espresso
249150	Satin Espresso
249151	Satin Espresso
249152	Satin Espresso
249153	Satin Espresso
249154	Satin Espresso
249155	Satin Espresso
249156	Satin Espresso
249157	Satin Espresso
249158	Satin Espresso
249159	Satin Espresso
249160	Satin Espresso
249161	Satin Espresso
249162	Satin Espresso
249163	Satin Espresso
249164	Satin Espresso
249165	Satin Espresso
249166	Satin Espresso
249167	Satin Espresso
249168	Satin Espresso
249169	Satin Espresso
249170	Satin Espresso
249171	Satin Espresso
249172	Satin Espresso
249173	Satin Espresso
249174	Satin Espresso
249175	Satin Espresso
249176	Satin Espresso
249177	Satin Espresso
249178	Satin Espresso
249179	Satin Espresso
249180	Satin Espresso
249181	Satin Espresso
249182	Satin Espresso
249183	Satin Espresso
249184	Satin Espresso
249185	Satin Espresso
249186	Satin Espresso
249187	Satin Espresso
249188	Satin Espresso
249189	Satin Espresso
249190	Satin Espresso
249191	Satin Espresso
249192	Satin Espresso
249193	Satin Espresso
249194	Satin Espresso
249195	Satin Espresso
249196	Satin Espresso
249197	Satin Espresso
249198	Satin Espresso
249199	Satin Espresso
249200	Satin Espresso

Form 1009-009 Rev. 10/03

[pdf]

arodrigu PAINTER S TOUCH@ 2X ULTRA COVER@ SATIN SPRAYS Satin Moss Green 249072 Leafy 334073 Ivory Silk 334072 Sating Stone Gray 346953 London 334065 Eden 257419 Satin PT2X02

PaintersTouch2XUltraCoverSatinSpraysTDS100623 rustoleum media 726988D868204D2997A6F1F7BDE61FA5 |||

TECHNICAL DATA PT2X-02 PAINTER S TOUCH 2X ULTRA COVER SATIN SPRAYS DESCRIPTION AND USES Rust-Oleu ... 9 249065 249066 249068 334077

334076 334075 249072 334073 334072 334071 334070 334069 334068 334067
334066 334063 334062 334061 334059 346950 346951 334091 334086 346953
 334065 257419 334074 DESCRIPT...

lang:en score:18 filesize: 214.04 K page_count: 3 document date: 2023-10-17