

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Fossil](#) /

› [Fossil JR9883 16mm Brown Leather Watch Band Instruction Manual](#)

Fossil JR9883

Fossil JR9883 16mm Brown Leather Watch Band Instruction Manual

Model: JR9883

INTRODUCTION

This manual provides detailed instructions for the proper installation, use, and maintenance of your Fossil JR9883 16mm Brown Leather Watch Band. Please read this manual thoroughly before attempting installation to ensure correct usage and to prolong the life of your watch band.

SAFETY INFORMATION

- **Small Parts Warning:** This product contains small parts which may pose a choking hazard to young children. Keep out of reach of children.
- **Material Sensitivity:** While genuine leather is generally safe, discontinue use if you experience skin irritation or allergic reaction. Consult a medical professional if symptoms persist.
- **Water Exposure:** Although the watch it attaches to might be water-resistant, the leather band itself is not designed for prolonged water submersion. Avoid excessive exposure to water to prevent damage and discoloration.

PACKAGE CONTENTS

Your Fossil JR9883 16mm Brown Leather Watch Band package should contain the following:

- 1 x Fossil JR9883 16mm Brown Leather Watch Band (Two Piece Strap)

SETUP AND INSTALLATION

Follow these steps to properly install your new watch band:

1. **Prepare Your Watch:** If replacing an old band, carefully remove the existing watch band by compressing the spring bars with a spring bar tool or a small, flat object. Set aside the old band and spring bars if you intend to reuse them.
2. **Identify Band Pieces:** The Fossil JR9883 watch band consists of two pieces: a shorter piece with the buckle and a longer piece with adjustment holes.
3. **Insert Spring Bars:** Insert a spring bar into the channels at each end of both watch band pieces. Ensure

the spring bar is securely seated within the band.

4. **Attach Buckle Piece:** Take the shorter band piece (with the buckle). Insert one end of the spring bar into one of the lug holes on your watch case. While holding it in place, use your finger or a spring bar tool to compress the other end of the spring bar. Carefully guide it into the opposite lug hole. Release the spring bar, ensuring it clicks securely into place. Gently tug on the band to confirm it is firmly attached.
5. **Attach Longer Piece:** Repeat the process for the longer band piece, attaching it to the remaining set of lug holes on your watch case.
6. **Final Check:** Once both pieces are attached, gently pull on each side of the band to ensure both spring bars are fully engaged and the band is secure.



This image displays the two parts of the Fossil JR9883 watch band, including the buckle and the spring bar attachment points, which are essential for installation onto a watch case.

OPERATING INSTRUCTIONS

Once installed, wear the watch band comfortably on your wrist. Adjust the tang buckle to achieve a secure fit that is neither too tight nor too loose. A proper fit ensures comfort and allows for adequate air circulation.

MAINTENANCE AND CARE

To ensure the longevity and appearance of your Fossil JR9883 leather watch band, follow these care guidelines:

- **Cleaning:** Wipe the leather gently with a soft, dry cloth. For light stains, a slightly damp cloth can be used, but ensure the band is dried immediately and thoroughly. Avoid harsh chemicals or abrasive cleaners.
- **Water Exposure:** Minimize exposure to water, sweat, and direct sunlight. If the band gets wet, dry it naturally away from direct heat. Do not use hair dryers or other heat sources.
- **Conditioning:** Periodically apply a small amount of leather conditioner to keep the leather supple and prevent cracking. Follow the conditioner manufacturer's instructions.
- **Storage:** When not in use, store the watch band in a cool, dry place, away from direct sunlight and extreme temperatures.

TROUBLESHOOTING

- **Difficulty Attaching Band:** Ensure you are using the correct spring bar size (16mm) and that the spring bar ends are properly aligned with the lug holes on your watch case. Apply gentle pressure to compress the spring bar.
- **Leather Discoloration/Stiffness:** This can occur due to excessive moisture or lack of conditioning. Refer to the "Maintenance and Care" section for proper care instructions. Discoloration from prolonged sun exposure is often irreversible.
- **Band Feels Uncomfortable:** Ensure the band is not too tight. Leather bands may require a short break-in period to conform to your wrist shape. If discomfort persists, check for any sharp edges or manufacturing defects.

SPECIFICATIONS

Feature	Detail
Brand	Fossil
Model Number	JR9883 (Watchbar)
Band Material Type	Leather
Band Width	16 Millimeters
Band Color	Brown
Clasp Type	Tang Buckle
Strap Type	Two Piece Strap

Feature	Detail
Item Weight	0.18 Pounds (approx. 2.88 ounces)
Included Components	1 x Leather Strap

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the official Fossil website or contact their customer service directly. Keep your proof of purchase for any warranty claims.

[Visit the Official Fossil Website](#)