

[Manuals.plus](#) /

› [Moen](#) /

› Moen S7208C Woodmere Kitchen Faucet User Manual

## Moen S7208C

# Moen S7208C Woodmere One-Handle High Arc Pulldown Kitchen Faucet

User Manual

## PRODUCT OVERVIEW

The Moen Woodmere S7208C kitchen faucet features a high arc design with a convenient pulldown spout, offering both elegant aesthetics and practical functionality for your kitchen. This model is finished in chrome, providing a bright, reflective look. It incorporates the Reflex pulldown system for smooth operation and a patented pause button for enhanced control.



Image: Front view of the Moen S7208C Woodmere One-Handle High Arc Pulldown Kitchen Faucet in Chrome finish.

## PACKAGE CONTENTS

Before beginning installation, ensure all components are present:

- Moen S7208 Woodmere one-handle high arc pulldown kitchen faucet
- Installation instructions

Additional tools and supplies may be required for installation, as detailed in the included instructions.

## SETUP AND INSTALLATION

The Moen S7208C faucet is designed for easy installation using the Hydrolock quick connect system. It is intended for single-hole mounting on a kitchen deck.

## Installation Steps:

1. **Preparation:** Turn off the water supply to the sink. Clear the area under the sink for access.
2. **Mounting:** Insert the faucet body into the single hole on your countertop. Secure it from underneath using the provided mounting hardware.
3. **Water Connections:** Connect the hot and cold water supply lines to your existing water stops. The Hydrolock system facilitates a quick and secure connection.
4. **Sprayer Hose Connection:** Connect the pulldown sprayer hose to the main faucet body. Ensure a secure fit to prevent leaks.
5. **Testing:** Slowly turn on the water supply and check for any leaks. Operate the faucet to ensure proper water flow and sprayer function.

*Refer to the detailed installation instructions included in your package for specific diagrams and safety information.*

## OPERATING INSTRUCTIONS

The Moen Woodmere faucet offers intuitive control for various kitchen tasks.

### Handle Operation:

- The single lever handle controls both water flow and temperature.
- Move the handle up to increase water flow and down to decrease it.
- Rotate the handle left for hot water and right for cold water. The temperature is controlled by a 100-degree arc of handle travel.

### Pulldown Sprayer Functionality:

The high arc spout and pulldown sprayer provide extended reach and maneuverability.

## Kitchen faucets with Reflex® make everyday tasks a little easier.

Don't you wish everything could put itself away like Reflex®?



**reflex**   
Self-Retracts. Securely Docks.

Image: Diagram highlighting the features of the Moen Reflex Pull-down System, including easy undocking, self-retracting action, engineered movement, and easy spray setting changes.

- **Reflex System:** The sprayer wand features the Reflex system, ensuring smooth operation, easy movement, and secure docking back into the spout after use. The hose is ultraflexible for maximum range of motion.
- **Spray Modes:** A single button on the sprayer head allows you to switch between a steady stream and a powerful spray mode.
- **Pause Button:** An exclusive patented pause button on the sprayer head allows you to temporarily suspend water flow. This is particularly useful when moving the wand outside the sink basin to prevent splashing.

The faucet has a maximum water flow rate of 1.5 gallons per minute (GPM).

### MAINTENANCE AND CARE

To maintain the appearance and functionality of your Moen Woodmere faucet, follow these care guidelines:

- **Cleaning:** Clean the chrome finish regularly with a soft, damp cloth and mild soap. Avoid abrasive cleaners,

harsh chemicals, or scouring pads, as these can damage the finish.

- **Water Spots:** The highly reflective chrome finish may show water spots. Wipe the faucet dry after each use to minimize spotting.
- **Sprayer Maintenance:** Periodically check the sprayer head for mineral buildup, especially if water flow seems reduced. Clean the aerator screen as needed.
- **General Inspection:** Regularly inspect connections for any signs of leaks or looseness. Address any issues promptly to prevent further damage.

This faucet is designed for durability and long-lasting performance, with many users reporting no issues with leaking or sprayer function even after many years of use.

## TROUBLESHOOTING

If you encounter issues with your Moen Woodmere faucet, consider the following common solutions:

| Problem                      | Possible Cause                                                               | Solution                                                                                                                                                                          |
|------------------------------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Low Water Flow               | Aerator clogged with debris or mineral buildup; faucet designed for 1.5 GPM. | Remove and clean the aerator. If a higher flow rate is desired, contact Moen customer service for information on available flow restrictor removal kits or higher GPM components. |
| Sprayer Not Docking Properly | New faucet stiffness; internal weight or hose obstruction.                   | Operate the pulldown sprayer multiple times to break in the Reflex system. Ensure the hose and weight under the sink are not obstructed.                                          |
| Leaks or Looseness at Base   | Mounting nut loose; worn O-rings or cartridge.                               | Tighten the mounting nut from underneath the sink. If leaking persists, the internal cartridge or O-rings may need replacement. Contact Moen support for parts or service.        |

For issues not listed here or if solutions do not resolve the problem, please contact Moen customer support.

## SPECIFICATIONS

| Feature           | Detail                                                        |
|-------------------|---------------------------------------------------------------|
| Brand             | Moen                                                          |
| Model Number      | S7208C                                                        |
| Recommended Uses  | Kitchen                                                       |
| Mounting Type     | Tabletop / Deck Mounted                                       |
| Finish Type       | Chrome                                                        |
| Material          | Metal                                                         |
| Number of Handles | 1                                                             |
| Hole Count        | 1                                                             |
| Special Features  | Pull Down Sprayer, Dual Function (Stream/Spray), Pause Button |

| Feature            | Detail                     |
|--------------------|----------------------------|
| Handle Type        | Lever / Push Button        |
| Style              | Traditional                |
| Maximum Flow Rate  | 1.5 Gallons Per Minute     |
| Valve Type         | Cartridge Valve            |
| Item Weight        | 6.85 Pounds                |
| Spout Design       | High-arc                   |
| Hose Length        | 68 Inches                  |
| Product Dimensions | 24.75 x 12.25 x 3.5 inches |
| ADA Compliant      | Yes (Lever Handle)         |

## WARRANTY INFORMATION

Moen products, including the S7208C Woodmere Kitchen Faucet, come with a **Limited Lifetime Warranty** against leaks, drips, and finish defects. This warranty provides assurance of the product's quality and durability. For detailed terms and conditions of the warranty, please refer to the documentation included with your product or visit the official Moen website.

## SUPPORT

For further assistance, technical support, or to order replacement parts, please contact Moen customer service directly. You can typically find contact information on the Moen website or within the product packaging. When contacting support, please have your product model number (S7208C) and purchase date available to expedite service.