

Polycom 2200-12365-025

Polycom SoundPoint IP 331 Phone User Manual

Model: 2200-12365-025

1. INTRODUCTION

The Polycom SoundPoint IP 331 is an enterprise-grade IP desk phone designed for clear communication and reliable performance. It offers excellent sound quality and essential features for small to medium-sized businesses and enterprises. This manual provides comprehensive instructions for setting up, operating, and maintaining your SoundPoint IP 331 phone.

Key features include:

- Full-Duplex IEEE 1329 Type 1-Compliant Speakerphone for natural conversations.
- 102 x 331-pixel Graphical LCD Display for clear information display.
- 3-way Conferencing capability for efficient group calls.
- Single 10/100 Ethernet Port and Built-in XML Microbrowser.
- Dedicated Feature Keys and a 4-way Navigation Key Cluster for easy operation.
- Supports 802.3af POE (Power Over Ethernet); **note that the power supply is not included.**

2. PACKAGE CONTENTS

Before proceeding with the setup, please ensure all components are present in the package:

- Polycom SoundPoint IP 331 Phone Unit
- Handset
- Handset Cord
- Ethernet Cable
- Desk Stand/Wall Mount Bracket



Figure 2.1: Contents of the Polycom SoundPoint IP 331 package, including the phone unit, handset, cords, and stand.

3. SETUP

3.1 Connecting the Phone

1. **Attach the Desk Stand:** Align the desk stand with the slots on the back of the phone unit and snap it into place. The stand allows for two viewing angles.
2. **Connect the Handset:** Plug one end of the coiled handset cord into the handset and the other end into the handset port on the back of the phone unit.
3. **Connect to Network and Power:**
 - **Using Power over Ethernet (PoE):** Connect one end of the Ethernet cable to the LAN port on the back of the phone and the other end to a PoE-enabled network switch or router. The phone will receive power and network connectivity through this single cable.
 - **Using an External Power Supply (Not Included):** If PoE is not available, connect an appropriate 24V DC power adapter (sold separately) to the 24V DC port on the back of the phone. Then, connect one end of the Ethernet cable to the LAN port on the phone and the other end to your network router or switch.

4. **Connect a PC (Optional):** If you wish to connect a computer through the phone, connect an Ethernet cable from your PC to the PC port on the back of the phone.



Figure 3.1: Rear view of the phone displaying the 24V DC power input, LAN port, PC port, and Handset port.

3.2 Initial Boot-up and Configuration

Upon successful connection, the phone will power on and begin its boot-up sequence. The display will show various messages as it connects to the network and attempts to provision. Depending on your VoIP service provider, the phone may automatically download firmware updates and configuration settings. If manual configuration is required, please refer to your VoIP service provider's specific instructions.

4. OPERATING THE PHONE

4.1 Basic Call Functions

- **Making a Call:**
 - a. Pick up the handset or press the **Speakerphone** button.
 - b. Dial the desired number using the keypad.
 - c. Press the **Dial** soft key or wait for the call to connect automatically.
- **Answering a Call:** When the phone rings, pick up the handset or press the **Speakerphone** button.
- **Ending a Call:** Hang up the handset or press the **End Call** soft key (if displayed) or the **Speakerphone** button.
- **Placing a Call on Hold:** During an active call, press the **Hold** button. To resume the call, press the **Hold** button again or the corresponding line key.
- **3-Way Conferencing:**
 - a. While on an active call, press the **Conf** soft key. The active call is placed on hold.
 - b. Dial the number of the third party.
 - c. Once the third party answers, press the **Conf** soft key again to join all parties.

4.2 Display and Navigation

The graphical LCD display shows call information, menu options, and status indicators. Use the 4-way navigation cluster and the central **Select** button to navigate through menus and select options. The soft keys located directly below the display change their function based on the current context.



Figure 4.1: Front view of the Polycom SoundPoint IP 331, highlighting the display, navigation keys, and keypad.

5. MAINTENANCE

To ensure the longevity and optimal performance of your Polycom SoundPoint IP 331 phone, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry, lint-free cloth to clean the phone's surface and display. For stubborn marks, slightly dampen the cloth with water. Avoid using harsh chemicals, abrasive cleaners, or aerosol sprays, as these can damage the phone.
- **Environment:** Keep the phone away from direct sunlight, excessive heat sources, and areas with high humidity.

Ensure proper ventilation around the device.

- **Handling:** Handle the phone and its components with care. Avoid dropping the handset or phone unit.
- **Cables:** Periodically check all connected cables for any signs of wear or damage. Replace damaged cables immediately.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your Polycom SoundPoint IP 331 phone. For more complex problems, contact your IT administrator or VoIP service provider.

Problem	Possible Cause	Solution
Phone does not power on.	No power from PoE switch or external power supply.	Ensure Ethernet cable is securely connected to a PoE-enabled port. If using external power, verify the power adapter is correctly connected and plugged into a working outlet. Confirm the power adapter is the correct 24V DC type (if applicable).
No dial tone or cannot make calls.	Network connectivity issue; phone not registered with VoIP server.	Check Ethernet cable connection. Verify network status on the phone's display. Contact your VoIP service provider to confirm account status and registration.
Poor audio quality (echo, static).	Network congestion; faulty handset/speakerphone; environmental interference.	Ensure stable network connection. Try adjusting volume levels. Test with another handset or use speakerphone to isolate the issue.

7. SPECIFICATIONS

Feature	Detail
Model Number	2200-12365-025
Brand	Polycom
Display	102 x 331-pixel Graphical LCD
Ethernet Ports	Single 10/100 Ethernet Port (LAN), PC Port
Power Source	Power over Ethernet (PoE) 802.3af or 24V DC external power supply (not included)
Conferencing	3-way conferencing
Speakerphone	Full-Duplex IEEE 1329 Type 1-Compliant
Product Dimensions (L x W x H)	66.93 x 57.09 x 13.78 inches
Item Weight	1.38 pounds (0.63 Kilograms)

Feature	Detail
Color	Black
Compatible Devices	VoIP services

8. WARRANTY AND SUPPORT


For information regarding the warranty of your Polycom SoundPoint IP 331 phone, please refer to the warranty card included with your purchase or visit the official Polycom website. Technical support and further assistance can typically be obtained through your VoIP service provider or Polycom's customer support channels. Ensure you have your product model number (2200-12365-025) and serial number ready when contacting support.


For additional resources and software updates, it is recommended to visit the [Polycom official website](#).



© 2024 Polycom. All rights reserved. Polycom and the Polycom logo are trademarks of Polycom Inc.
This manual is for informational purposes only. Specifications are subject to change without notice.

Related Documents - 2200-12365-025

	Polycom Desktop Phone Guide: VVX and SoundPoint Series A comprehensive guide to Polycom's VVX and SoundPoint series desktop IP phones, detailing features, specifications, and target applications for various business environments.
	Polycom SoundPoint IP 670 Quick User Guide for 8x8 Virtual Office A comprehensive quick user guide for the Polycom SoundPoint IP 670 phone, detailing features for 8x8 Virtual Office, including call handling, directories, voicemail, and customization options.
	Polycom Trio 8500 Set Up Guide A guide to setting up the Polycom Trio 8500 conference phone, including minimum and optional configurations with PoE and USB connections.
	Polycom SoundPoint IP 450 Phone: Quick User Guide for Basic and Advanced Features A quick user guide for the Polycom SoundPoint IP 450 Phone, covering basic call handling, customization, and advanced features like call forwarding and conferencing.

	Polycom UC Software 4.0.15 Release Notes Release notes for Polycom UC Software version 4.0.15, detailing software updates, new features, resolved issues, known issues, installation instructions, and compatibility information for various Polycom IP phones and devices.
	Polycom SoundStructure System Accessory Guide A comprehensive guide to accessories compatible with the Polycom SoundStructure system, detailing product part numbers, compatibility, descriptions, and photos.

Documents - Polycom – 2200-12365-025




[pdf] Reference Guide Guide

polycom soundpoint ip product reference guide ru moscow 80
IP- Polycom SoundPoint IP- Polycom SoundPoint IP- Polycom SoundPoint VoIP SIP ... net 10/100 SoundPoint IP 321 SoundPoint IP 321 -- PoE SoundPoint IP 331 -- PoE 2200-12360-025 **2200-12365-025** SoundPoint IP 335 -- , Polycom HD Voice™ : -- , . 2 PoE IEEE 802,3af ...
lang:i-klngon score:42 filesize: 2.73 M page_count: 4 document date: 2011-12-08



[pdf] Reference Guide Guide

Polycom SoundPoint IP Phones for SIP based VoIP Networks Product Reference Guide Inc soundpoint ip phones product reference guide polycom 80 global documents support sales marketing products voice Polycom SoundPoint IP Phones Product Reference Guide Polycom SoundPoint IP Phones Product Referen ... port SoundPoint IP 321 SoundPoint IP 321 - PoE Only SoundPoint IP 331 - PoE Only 2200-12360-025 **2200-12365-025** SoundPoint IP 335 Two-line, entry-level phone providing unparalleled Polycom HD Voic...
lang:en score:40 filesize: 2.47 M page_count: 4 document date: 2010-02-26



[\[pdf\]](#) Reference Guide Guide

Polycom SoundPoint IP Phones Product Reference Guide ws fusionconnect archive vlc |||

PRODUCT REFERENCE GUIDE Polycom SoundPoint IP Phones The Polycom

family of SoundPoint IP phones leve ... SoundPoint IP 321 -- SoundPoint IP 321 -

PoE Only, 2200-12360-025 -- SoundPoint IP 331 - PoE Only, **2200-12365-025**

SoundPoint IP 335 Two-line, entry-level phone providing unparalleled Polycom HD Voice...

lang:en **score:40** filesize: 1.29 M page_count: 5 document date: 2018-06-28




[\[pdf\]](#) User Manual Quick Start Guide Datasheet Guide

Polycom® SoundPoint IP® 321 and 331 Cheap Voip Phones The IP phones deliver through an intuitive user Efficient installation provisioning Quick start guide 1 giorno fa — Manual or dynamic host configuration protocol DHCP network setup polycom ip331 datasheet internetvoipphone co uk pub media product data |||

Polycom SoundPoint IP 321 and 331 Enterprise-grade SIP phones for remarkable value Entry-level IP p ... 5 cm x 3.5 cm Weight Phone weight: 1.37 lb 0.625 kg Part Numbers / UPC Codes SoundPoint IP 331 **2200-12365-025**/610807694694 for all markets SoundPoint IP 321 2200-12360-025/610807690276 for all ...

lang:en **score:39** filesize: 366.52 K page_count: 2 document date: 2009-06-24



[\[pdf\]](#) Reference Guide Guide

Polycom Solution Brief InDesign Template IP Desktop Phone Guide atlasgentech co nz media wysiwyg


PRODUCT REFERENCE GUIDE Polycom SoundPoint IP Phones The Polycom

family of SoundPoint IP phones leve ... SoundPoint IP 321 -- SoundPoint IP 321 -

PoE Only, 2200-12360-025 -- SoundPoint IP 331 - PoE Only, **2200-12365-025**

SoundPoint IP 335 Two-line, entry-level phone providing unparalleled Polycom HD Voice...

lang:en **score:39** filesize: 820.32 K page_count: 5 document date: 2014-11-06



[\[pdf\]](#) Reference Guide Guide Borchure

Polycom Solution Brief InDesign Template SoundPoint IP Phones TeleDynamics Polycom® SoundPoint® Phone Comparison Positioning 321 331 335 450 550 560 650 670 LCD Display 102 x 33 pixel 36f7f25a2399 4241 acfe b6d71f554c04 4d5bf3ce d539 4d4f 8284 6045a3917265 soundpoint ip phones qrg enus product reference guide teledynamics tdresources 80 polycom content dam common documents guides www global products voice brochures

PRODUCT REFERENCE GUIDE Polycom SoundPoint IP Phones The Polycom family of SoundPoint IP phones leve ... SoundPoint IP 321 -- SoundPoint IP 321 - PoE Only, 2200-12360-025 -- SoundPoint IP 331 - PoE Only, **2200-12365-025** SoundPoint IP 335 Two-line, entry-level phone providing unparalleled Polycom HD Voice...

lang:en **score:36** filesize: 820.39 K page_count: 5 document date: 2012-08-01



[\[pdf\]](#) Instructions Reference Guide Guide

Polycom Reference Guide mounting instructions 2200 31506 001 USB A to B Cable for CX600 CX700 IP Phone connection PC 5 pack 44329 Replacement Handset and Cord CX500 600 44330 Stand Support 44331 Wallmount Kit Includes bracket screws anchors mmo 60147924 1533306537 6057 25167 s eet eu icmedia

VVX Systems Handsets VVX 1500 VVX 1500 Dual Polycom Reference Guide Handsets VVX 600 VVX 500 VV ... Ethernet port and PoE support. Compatible Partner platform: 20. Does not include AC power supply. **2200-12365-025** SoundPoint IP 331, 2-line SIP desktop phone with integrated 2-port 10/100 Ethernet SW...

lang:en **score:35** filesize: 1.9 M page_count: 2 document date: 2014-07-22



[\[pdf\]](#) Reference Guide Guide

soundpoint ip phones product reference guide ipphone warehouse v vspfiles assets images Polycom SoundPoint IP Phones Product Reference Guide Polycom SoundPoint IP Phones Product Referenc ... port SoundPoint IP 321 SoundPoint IP 321 - PoE Only SoundPoint IP 331 - PoE Only 2200-12360-025 **2200-12365-025** SoundPoint IP 335 Two-line, entry-level phone providing unparalleled Polycom HD Voic...

lang:en **score:35** filesize: 1.86 M page_count: 4 document date: 2010-07-21



[\[pdf\]](#) Reference Guide Guide

spip product reference guide hr es 192 10 charmex net Telfonos IP SoundPoint de Polycom Gua de referencia del producto Telfonos IP SoundPoint de Polycom ... o 10/100 SoundPoint IP 321 SoundPoint IP 321: slo PoE SoundPoint IP 331: slo PoE 2200-12360-025 **2200-12365-025** SoundPoint IP 335 Telefono bsico de dos lneas con una calidad de voz incomparable gra...

lang:es **score:35** filesize: 2.56 M page_count: 4 document date: 2010-04-09



[\[pdf\]](#) User Manual

Provided by ManualsAndMore Download User Manual Polycom SoundPoint IP 321 Training

manualsandmore |||

SoundPoint IP 321/331 Training June 2009 Agenda Why Introduce the SoundPoint IP

321/331 Features a ... 1/09 3/25/2010 10 10 Part Numbers SoundPoint IP Part

Numbers - PoE 2200-12360-025 IP 321 **2200-12365-025** IP 331 5-Pack Power

Supply Numbers 2200-17877-001 2200-17877-002 for NA, CALA, ...

lang:en **score:34** filesize: 1.52 M page_count: 13 document date: 2019-07-23



[\[pdf\]](#) User Manual Specifications

Provided by ManualsAndMore Download User Manual Polycom SoundPoint IP 321 Specifications

manualsandmore |||

Polycom SoundPoint IP 321 and 331 Enterprise-grade SIP phones for remarkable

value Entry-level IP p5 cm x 3.5 cm Weight Phone weight: 1.37 lb 0.625 kg Part

Numbers / UPC Codes SoundPoint IP 331 **2200-12365-025**/610807694694 for all

markets SoundPoint IP 321 2200-12360-025/610807690276 for all m...

lang:en **score:34** filesize: 485.57 K page_count: 2 document date: 2019-07-23



[\[pdf\]](#) User Manual Datasheet

Polycom SoundPoint IP 321 and 331 Factory Outlet Store Manual or dynamic host configuration protocol

DHCP network setup Time date synchronization using SNTP FTP TFTP HTTP HTTPS server based

central provisioning for mass deployments Provisioning call redundancy supported Web portal individual

unit soundpoint ip321 datasheet poly factoryoutletstore content polycom 80

Polycom SoundPoint IP 321 and 331 Enterprise-grade SIP phones for remarkable

value Entry-level IP p5 cm x 3.5 cm Weight Phone weight: 1.37 lb 0.625 kg Part

Numbers / UPC Codes SoundPoint IP 331 **2200-12365-025**/610807694694 for all

markets SoundPoint IP 321 2200-12360-025/610807690276 for all m...

lang:en **score:29** filesize: 530.64 K page_count: 2 document date: 2009-10-09

[illegible]

Polycom® SoundPoint IP® 321 and 331 VoIP Supply Polycom IP @ Manual or dynamic host configuration
 protocol DHCP network setup Time date synchronization using SNTP FTP TFTP HTTP Enterprise grade
 SIP phones for remarkable value Benefits Excellent Sound Quality Acoustic Clarity Technology enables
 crystal Network Provisioning two port 10 100 Mbps Ethernet switch single soundpoint ip321 datasheet
 poly factoryoutletstore content polycom ep yimg ty cdn yhst 30126737064557

[\[pdf\]](#) User Manual Specifications Datasheet

DATA SHEET Polycom SoundPoint IP 321 and 331 Enterprise-grade SIP phones for
remarkable value The Po ... cm x 3.5 cm Weight Phone weight: 1.37 lb 0.625 kg Part
numbers/UPC codes SoundPoint IP 331 -- **2200-12365-025**/610807694694 for all
markets SoundPoint IP 321 -- 2200-12360-025/610807690276 for al...
lang:en **score:27** filesize: 296.03 K page_count: 3 document date: 2013-02-27

Polycom SoundPoint IP 321 and 331 DS Data Sheet Sound Point GPhone The are two line SIP phones that deliver superb sound quality as well a wide range of supported business telephony features Polycom® IP® Enterprise grade for remarkable value Benefits Excellent Sound Quality Acoustic Clarity Technology enables crystal Manual or dynamic host configuration protocol DHCP network setup Time date synchronization using SNTP FTP TFTP HTTP HTTPS server based central provisioning mass deployments Provisioning call redundancy Web portal individual unit ds soundpoint ip321 polycom datasheet ip enus Soundpoint IP321 headsetexperts documents unifiedcommunications headsetplus logmeincdn azureedge net jivemedia library includes voipsupply dl file id 6481 faratelecom product catalog www porium 80 Business mynetfone au media support

[illegible]



[\[pdf\]](#) Reference Guide Guide

Polycom Inc Final VoIP PRG polycom 80 common documents support sales marketing products voice global

Polycom SoundPoint IP Phones Product Reference Guide Polycom SoundPoint IP Phones Product Referenc ... port SoundPoint IP 321 SoundPoint IP 321 - PoE Only SoundPoint IP 331 - PoE Only 2200-12360-025 **2200-12365-025** SoundPoint IP 335 Two-line, entry-level phone providing unparalleled Polycom HD Voic...

lang:en **score:25** filesize: 1.14 M page_count: 4 document date: 2012-01-04

Technical Bulletin 64654

Security Slots on Polycom® SoundPoint® IP, SoundStation® IP, SoundStation Duo™ and VVX® Series Phones

Have you ever needed to lock a phone down so it couldn't be removed? On certain Polycom phone models, you can use a secure, tether-style slot to prevent the phone from being stolen. This feature is similar to the secure cable method available on most notebook computers.

This technical bulletin applies to select SoundPoint® IP 321, 322, 325, 330, and 331 phones as well as all SoundStation Duo™, SoundStation® IP and VVX® series phones. This technical bulletin will be updated when an end-of-life becomes available on future phone models.

Using Universal Security Cables with Polycom Phones

By tethering one end of a universal security cable to a stationary object such as a desk or table, and the other end to the security slot available on certain Polycom phones, you can prevent your phone from being stolen or otherwise removed.

Released:	October 2011	Interoperability Issues:	None
Applies to models:	SoundPoint IP 321, 322, 325, and 331; SoundStation Duo; SoundStation IP Series; VVX Series	Dependencies:	None
Software version:	N/A	Limitations:	None
How to install:	Any	Hardware:	One-time setup
Primary user:	System administrator	Available documentation:	N/A
License Required:	None	Resources Required:	Universal security cable
Supported power sources:	N/A	Security:	N/A

The security slot is located on the left or right side of the phone and is indicated by a padlock-style symbol.

Order: 80-111-070-0100-000-0

[\[pdf\]](#) Technical Bulletin

Security Slots Available on Polycom Phones TB 64654 Polycom® SoundPoint® IP SoundStation® SoundStation Duo™ and VVX® Series Inc securityslot tb64654 support polycom content dam products voice uc other documents en

Technical Bulletin 64654 Security Slots on Polycom SoundPoint IP, SoundStation IP, SoundStation DuoT ... vs 2200-12360-225 All Revs 2200-12365-001 Rev. N 2200-12365-015 Rev. N 2200-12365-022 All Revs **2200-12365-025** All Revs 2200-12365-222 All Revs 2200-12365-225 All Revs 2200-12375-001 Rev. E ...

lang:en **score:25** filesize: 676.25 K page_count: 6 document date: 2011-10-21

Polycom® SoundPoint IP® 321 and 331

Enterprise-grade SIP phones for remarkable value

Entry-level IP phones with excellent sound quality, an enterprise-grade feature set and business telephony features.

The SoundPoint IP 321 and 331 are business SIP phones that deliver superb sound quality as well as a wide range of sophisticated business telephony features. The SoundPoint IP 321 phone has a single 10/100 Ethernet port and is designed for common areas such as offices, lobbies and break rooms, as well as for use in smaller offices. The SoundPoint IP 331 phone, with its dual-port 10/100 Ethernet switch for LAN and PC connection, provides a cost-effective solution for cable workers or service call center operators who use a "hot" phone in conjunction with a "hot" client running on the PC.

Supports Grand Unified

The SoundPoint IP 321 and 331 phones feature a full-featured IEEE 1394a FireWire interface that delivers excellent sound quality and enables real-time and on-the-fly conferencing and more advanced capabilities such as stream-optimized live streaming, look-ahead, DTMF, microphone and playback call treatment.

Enterprise-Grade Feature Set

The SoundPoint IP 321 and 331 phones allow through-to-receiver user interface a full feature set encompassing both traditional business telephony features such as call hold, park, pickup, transfer and three-way call, conferencing, and more advanced capabilities such as stream-optimized live streaming, look-ahead, DTMF, microphone and playback call treatment.

Efficient installation and provisioning

The SoundPoint IP 321 and 331 phones are designed for easy installation, configuration and upgrades as simple as possible. The phones' dedicated base unit can be mounted to a wall or desk, providing the need for a separate accessory. Both the IEEE 802.3af PoE (Power over Ethernet) and a dual-port 10/100 Ethernet switch (SoundPoint IP 331) provide and enable flexible deployment options and savings on cabling expenses.

Make Great Things Happen with Polycom SoundPoint IP 321 and 331

In today's Internet-based world, the ability to conduct real-time communication and collaboration has become critical to an organization's success. As the market leader in voice, video, IM, and Web solutions, our next-generation IP telephony and collaboration technology makes it easy for people to connect and increase productivity over any network, anywhere, anytime. Explore our products and solutions. They're why more organizations worldwide use and prefer Polycom IP telephony and collaboration solutions. Because when everyone works together, great things happen. See how you can achieve great things with the Polycom SoundPoint IP 321 and 331 meeting phones.

Benefits

- Excellent Sound Quality**
Polycom Acoustic Clearly Technology enables crystal-clear audio between multiple conversations so nobody is being drowned out.
- Enterprise-Grade Feature Set**
Two lines, support of shared line, personal, three-party conferencing and built-in XML integration.
- Efficient Installation and Provisioning**
Benefits streamlines provisioning with support of a variety of servers.
- Broad and Robust Interoperability**
Certified to integrate with a broad array of IP telephony platforms to enable open choices and maximum online conferencing, provisioning, management and support.

[\[pdf\]](#) Datasheet

datasheet polycom so Index of Polycom soundpoint ip321 ip331 en voxsys pt ||| Polycom SoundPoint IP 321 and 331 Enterprise-grade SIP phones for remarkable value Entry-level IP p ... 5 cm x 3.5 cm Weight Phone weight: 1.37 lb 0.625 kg Part Numbers / UPC Codes SoundPoint IP 331 **2200-12365-025**/610807694694 for all markets SoundPoint IP 321 2200-12360-025/610807690276 for all ...

lang:en **score:25** filesize: 489.27 K page_count: 2 document date: 2009-06-22




[pdf] Technical Bulletin

Device Certificates on Phones TB 37148 Polycom TB37148 support polycom 80 global documents

technical products voice

Technical Bulletin 37148 Device Certificates on Polycom SoundPoint IP, SoundStation IP, and VVX 1500 ... number: Box Part Number Not applicable 2200-12360-001 2200-12360-025 Not applicable 2200-12365-001 **2200-12365-025** 2200-12375-001 2200-12375-025 Not applicable Revision B B B B A C Date May 2009 May...

lang:en **score:24** filesize: 270.98 K page_count: 8 document date: 2010-10-13




[pdf] User Manual Specifications

polycom soundpoint 331 321 specs telefon de datenblaetter |||

Referenzhandbuch zum Produkt Polycom SoundPoint IP-Telefone Die Polycom Produktfamilie der SoundPoin ... rt SoundPoint IP 321 -- SoundPoint IP 321 Nur PoE, 2200-12360-025 -- SoundPoint IP 331 Nur PoE, **2200-12365-025** SoundPoint IP 335 Einstiegstelefon mit zwei Leitungen und unvergleichlichem Polycom H...

lang:de **score:24** filesize: 1.12 M page_count: 5 document date: 2013-10-11



[pdf] Datasheet

polycom data sheet template POLYCOM 2200 12360 025 12365 Polycom SoundPoint IP 321 and 331

Data Sheet none SOFTWARE 397916 S H BX 397917 U 1029141 A DEMO VZ 332327 US Spec 06 21

2012 inc PD332327 objects eanixter

A POLYCOM DATA SHEET Polycom SoundPoint IP 321 and 331 Enterprise-grade SIP phones for remarkable v5 cm x 3.5 cm Weight Phone weight: 1.37 lb 0.625 kg Part Numbers / UPC Codes SoundPoint IP 331 **2200-12365-025**/610807694694 for all markets SoundPoint IP 321 2200-12360-025/610807690276 for all m...

lang:en **score:24** filesize: 348.94 K page_count: 2 document date: 2012-07-12



[\[pdf\]](#) User Manual

Polycom® SoundPoint® IP Telephone Referenzhandbuch zum ProduktAnwendungsbereiche Gemeinsame Bereiche Schlafsäle wandmontierte Vorrichtung SoundPoint 321 Arbeitsplatz Call Center 331Polycom Katalogansicht 8e2dd4cdn billiger dynimg AXLs56nXB1n gLwLDOO6Pjt4H9rycHjeBa9LTdXG2DA6cdwvN p6rTmVf5ZyKcsoB exi7t3yI5oJt5e1tb3EQ Polycom 8e2dd4 |||


Polycom SoundPoint IP-Telephone Referenzhandbuch zum Produkt Polycom SoundPoint IP-Telephone Produk ... net-Port SoundPoint IP 321 SoundPoint IP 321 Nur PoE SoundPoint IP 331 Nur PoE 2200-12360-025 **2200-12365-025** SoundPoint IP 335 Einstiegstelefon mit zwei Leitungen und unvergleichlichem Polycom ... lang:de **score:24** filesize: 2.56 M page_count: 4 document date: 2010-04-09



[\[pdf\]](#) Guide

Polycom SoundPoint Bro FR best4systems

Tlphones IP SoundPoint Polycom Guide de rfrence produit Tlphones IP SoundPoint Polycom Guide de r ... P 321 : alimentation PoE uniquement SoundPoint IP 331 : alimentation PoE uniquement 2200-12360-025 **2200-12365-025** SoundPoint IP 335 Tlphone deux lignes d entre de gamme quip de la technologie exclu... lang:fr **score:24** filesize: 2.55 M page_count: 4 document date: 2010-04-09




[\[pdf\]](#) Reference Guide Guide

Polycom Solution Brief InDesign Template SoundPoint IP Phones Comparison Atlas soundpoint 17146057180630500445 cdn shopify s files 1 2470 6910 |||

PRODUCT REFERENCE GUIDE Polycom SoundPoint IP Phones The Polycom family of SoundPoint IP phones leve ... SoundPoint IP 321 -- SoundPoint IP 321 - PoE Only, 2200-12360-025 -- SoundPoint IP 331 - PoE Only, **2200-12365-025** SoundPoint IP 335 Two-line, entry-level phone providing unparalleled Polycom HD Voice...

lang:en **score:24** filesize: 934.96 K page_count: 4 document date: 2018-06-20



[\[pdf\]](#) Technical Bulletin

64309 Product Shipping Configuration Change Notice Polycom Inc ShippingConfigurationChange TB64309 support polycom 80 global documents technical products voice


Technical Bulletin 64309 Product Shipping Configuration Change Notice This technical bulletin provid ... Shipping Box Part Number 2200-12360-001 2200-12360-022 2200-12360-025 2200-12365-001 2200-12365-022 **2200-12365-025** 2200-12375-001 2200-12375-022 2200-12375-025 G2200-12375-025 Date Code Coming soon C...

lang:en **score:23** filesize: 344.76 K page_count: 12 document date: 2011-04-21

lang:en score:23 filesize: 883.19 K page_count: 5 document date: 2014-06-26

lang:en score:22 filesize: 652.77 K page_count: 13 document date: 2015-10-09


lang:en score:22 filesize: 413.06 K page count: 15 document date: 2012-03-28



[pdf]

Engineering Advisory 75429 November 2014 Product Shipping Configuration Change Notice Polycom Inc
ea75429 november2014 shipping cfg notice support polycom global documents technical products voice
November 2014 Product Shipping Configuration Change Notice Engineering Advisory
75429 This engineeri ... 35005-101 2200-12360-001 2200-12360-022 2200-12360-
025 2200-12360-114 2200-12365-001 2200-12365-022 **2200-12365-025** 2200-
12365-114 2200-12375-001 2200-12375-022 2200-12375-025 2200-12375-114
G2200-1237...

lang:en score:21 filesize: 537.68 K page_count: 16 document date: 2015-02-17



[pdf]


Engineering Advisory 75429 November 2014 Product Shipping Configuration Change Notice Polycom Inc
ea75429 november2014 shipping cfg notice support polycom content dam products voice uc other
documents en
November 2014 Product Shipping Configuration Change Notice Engineering Advisory
75429 This engineeri ... 35005-101 2200-12360-001 2200-12360-022 2200-12360-
025 2200-12360-114 2200-12365-001 2200-12365-022 **2200-12365-025** 2200-
12365-114 2200-12375-001 2200-12375-022 2200-12375-025 2200-12375-114
G2200-1237...

lang:en score:21 filesize: 713.44 K page_count: 16 document date: 2015-02-17



[pdf] Installation Guide Troubleshooting Guide Warranty

Device Certificates on Polycom Phones FP 37148 cwoods Go Now Warranty Check Install Url support
polycom content dam products voice uc other documents en device certificates phones tb37148 |||
Device Certificates on Polycom Phones Feature Profile 37148 Device Certificates are
an important ele ... 1 SoundPoint IP 335 SoundPoint IP 450 Box Part Number 2200-
12360-001 2200-12360-025 2200-12365-001 **2200-12365-025** 2200-12375-001
2200-12375-025 2200-12450-001 2200-12450-002 2200-12450-012 2200-12450...
lang:en score:21 filesize: 1.09 M page_count: 19 document date: 2013-07-24




[pdf]

April 2016 Product Shipping Configuration Change Notice EA106961 Information Technology eng advise ea106961 support polycom content dam products voice uc other documents en

April 2016 Product Shipping Configuration Change Notice Engineering Advisory 106961 This engineering ... rt Number 2200-12360-001 2200-12360-022 2200-12360-025 2200-12360-114 2200-12365-001 2200-12365-022 **2200-12365-025** 2200-12365-114 2200-12375-001 2200-12375-022 2200-12375-025 2200-12375-114 G2200-1237...

lang:en **score:20** filesize: 689.07 K page_count: 15 document date: 2016-04-30



[pdf]

Microsoft Word EA75429 May2015 Shipping Cfg Notice us 003 source docx wmarkant ea75429 may2015 shipping cfg notice support polycom content dam products voice uc other documents en 2015

May 2015 Product Shipping Configuration Change Notice Engineering Advisory 75429 This engineering ad ... -001 2200-12360-022 2200-12360-025 2200-12360-114 SoundPoint IP 331 2200-12365-001 2200-12365-022 **2200-12365-025** 2200-12365-114 SoundPoint IP 335 2200-12375-001 2200-12375-022 2200-12375-025 2200-...

lang:en **score:20** filesize: 592.67 K page_count: 15 document date: 2015-06-10



[pdf] Troubleshooting Guide

Feature Profile Template 37148 cwoods device certificates on phones tb37148 support polycom content dam products voice uc other documents en 2012

Device Certificates on Polycom Phones Feature Profile 37148 Device Certificates are an important ele ... 1 SoundPoint IP 335 SoundPoint IP 450 Box Part Number 2200-12360-001 2200-12360-025 2200-12365-001 **2200-12365-025** 2200-12375-001 2200-12375-025 2200-12450-001 2200-12450-002 2200-12450-012 2200-12450...

lang:en **score:20** filesize: 1.09 M page_count: 19 document date: 2013-07-24



[pdf] Troubleshooting Guide

Feature Profile Template 37148 cwoods device certificates on phones tb37148 support polycom content dam products voice uc other documents en 2010

Device Certificates on Polycom Phones Feature Profile 37148 Device Certificates are an important ele ... 1 SoundPoint IP 335 SoundPoint IP 450 Box Part Number 2200-12360-001 2200-12360-025 2200-12365-001 **2200-12365-025** 2200-12375-001 2200-12375-025 2200-12450-001 2200-12450-002 2200-12450-012 2200-12450... lang:en score:20 filesize: 1.09 M page_count: 19 document date: 2013-07-24



[pdf] Troubleshooting Guide

Feature Profile Template 37148 cwoods Device Certificates on Polycom HPThe following table shows the revisions based shipping box part number Platform Box Part Number Revision Date SoundPoint IP 321 2200 12360 0019138710 en US 1kaas hpcloud hp public 9138710 1 |||

Device Certificates on Polycom Phones Feature Profile 37148 Device Certificates are an important ele ... 1 SoundPoint IP 335 SoundPoint IP 450 Box Part Number 2200-12360-001 2200-12360-025 2200-12365-001 **2200-12365-025** 2200-12375-001 2200-12375-025 2200-12450-001 2200-12450-002 2200-12450-012 2200-12450... lang:en score:19 filesize: 1.09 M page_count: 19 document date: 2013-07-24

[pdf] Price List

010114 Polycom State of Florida Product Offerings xls bmarshall florida state contract price list polycom 80 content dam common documents program details federal government

POLYCOM, INC. STATE OF FLORIDA PRODUCT OFFERING PRICE LIST Contract Number 800.000-09-1 Part Numbe ... Ethernet port and PoE support. Compatible Partner platform: 20. Does not include AC power supply. **2200-12365-025** SoundPoint IP 331, 2-line SIP desktop phone with integrated 2-port 10/100 Ethernet S... lang:en score:19 filesize: 126.54 K page_count: 28 document date: 2014-01-08

POLYCOM, INC. STATE OF FLORIDA PRODUCT OFFERING PRICE LIST									
Contract Number 800.000-09-1									
Product Description	Part Number	Platform	Revision	Box Part Number	Platform	Revision	Box Part Number	Platform	Revision
SoundPoint IP 331, 2-line SIP desktop phone with integrated 2-port 10/100 Ethernet port and PoE support. Compatible Partner platform: 20. Does not include AC power supply.	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001
SoundPoint IP 331, 2-line SIP desktop phone with integrated 2-port 10/100 Ethernet port and PoE support. Compatible Partner platform: 20. Does not include AC power supply.	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001
SoundPoint IP 331, 2-line SIP desktop phone with integrated 2-port 10/100 Ethernet port and PoE support. Compatible Partner platform: 20. Does not include AC power supply.	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001
SoundPoint IP 331, 2-line SIP desktop phone with integrated 2-port 10/100 Ethernet port and PoE support. Compatible Partner platform: 20. Does not include AC power supply.	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001
SoundPoint IP 331, 2-line SIP desktop phone with integrated 2-port 10/100 Ethernet port and PoE support. Compatible Partner platform: 20. Does not include AC power supply.	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001
SoundPoint IP 331, 2-line SIP desktop phone with integrated 2-port 10/100 Ethernet port and PoE support. Compatible Partner platform: 20. Does not include AC power supply.	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001
SoundPoint IP 331, 2-line SIP desktop phone with integrated 2-port 10/100 Ethernet port and PoE support. Compatible Partner platform: 20. Does not include AC power supply.	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001
SoundPoint IP 331, 2-line SIP desktop phone with integrated 2-port 10/100 Ethernet port and PoE support. Compatible Partner platform: 20. Does not include AC power supply.	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001	2200-12365-025	POLYCOM	001

lang:en score:11 filesize: 662.42 K page_count: 182 document date: 2013-06-05