

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Greenlee](#) /

› [Greenlee Wire Duct Brush User Manual](#)

Greenlee 39278

Greenlee Wire Duct Brush User Manual

Model: 39278

PRODUCT OVERVIEW

The Greenlee Wire Duct Brush is designed for efficient cleaning of various duct sizes. This specific model, the 3-Inch Duct Size brush, features durable steel bristles and a robust design for clearing sand, grit, and light obstructions from conduits and ducts. It is equipped with a pulling eye on one end and a smaller twisted eye on the other for easy attachment to cable pullers.



Figure 1: Greenlee 3-Inch Wire Duct Brush. This image shows the brush with its flat steel bristles and the pulling eye at one end, designed for effective duct cleaning.

SPECIFICATIONS

Attribute	Detail
Model Number	39278
Duct Size	3-Inch
Bristle Material	Steel
Bristle Type	Twisted Knotted, Flat
Recommended Uses	Cleaning, Deburring (of sand, grit, light obstruction from duct)
Maximum Diameter	2.87 inches
Max. Pulling Force	200 pounds
Item Weight	4.8 ounces
Product Dimensions	10 x 10 x 12 inches (approximate package dimensions)
Country of Origin	China

SETUP

The Greenlee Wire Duct Brush is designed for straightforward integration into duct cleaning operations. No complex assembly is required.

- Inspection:** Before each use, visually inspect the brush for any signs of damage, excessive wear on the bristles, or deformation of the pulling eyes. Ensure the bristles are intact and securely attached.
- Duct Compatibility:** Verify that the 3-inch duct brush is appropriate for the diameter of the duct or conduit you intend to clean. Using a brush that is too large or too small can reduce effectiveness or cause damage.
- Attachment:** Securely attach the pulling eye of the brush to your cable puller or fish tape. Ensure the connection is robust enough to withstand the pulling force required to move the brush through the duct. The smaller twisted eye can be used for tailing or attaching a guide wire.

OPERATING INSTRUCTIONS

Follow these steps for effective cleaning of ducts and conduits using the Greenlee Wire Duct Brush:

- Prepare the Duct:** If possible, remove any large, loose debris from the duct opening before inserting the brush.
- Insert the Brush:** Carefully feed the brush into one end of the duct.
- Pull Through:** Using the attached cable puller, slowly and steadily pull the brush through the entire length of the duct. Maintain a consistent pulling force, up to 200 pounds, to ensure thorough cleaning.
- Observe Resistance:** Pay attention to any significant increase in resistance, which may indicate a major obstruction. Do not force the brush if it encounters severe blockage, as this could damage the brush or the duct.
- Repeat if Necessary:** For heavily soiled ducts, it may be beneficial to pull the brush through multiple times or to use a smaller brush first to clear larger debris before using the 3-inch brush for finer cleaning.
- Remove and Inspect:** Once the brush has passed through, remove it from the duct. Inspect the duct for cleanliness and the brush for collected debris.

Note: This brush is specifically designed for cleaning sand, grit, and light obstructions. It is not intended for clearing solid

blockages or for heavy-duty reaming operations.

MAINTENANCE

Proper maintenance will extend the lifespan and effectiveness of your Greenlee Wire Duct Brush:

- **Cleaning:** After each use, thoroughly clean the bristles to remove any accumulated dirt, sand, grit, or debris. A stiff brush or compressed air can be used.
- **Drying:** Ensure the brush is completely dry before storage to prevent rust on the steel bristles.
- **Storage:** Store the brush in a dry environment, away from corrosive materials or extreme temperatures. Avoid storing it in a way that could bend or deform the bristles.
- **Inspection:** Regularly inspect the pulling eyes for wear or damage. If the eyes show signs of weakening or cracking, the brush should be replaced to prevent failure during operation.

TROUBLESHOOTING

This section addresses common issues you might encounter when using the wire duct brush.

Brush gets stuck in duct:

- **Possible Cause:** Duct is severely obstructed with large debris or a solid blockage.
- **Solution:** Do not force the brush. Attempt to pull it back out. If it cannot be retrieved, consider using a smaller brush first to clear the path, or investigate the duct for the nature of the obstruction. This brush is for light obstructions, not solid blockages.
- **Possible Cause:** Incorrect brush size for the duct.
- **Solution:** Ensure the 3-inch brush is suitable for your duct's internal diameter.

Duct not clean after use:

- **Possible Cause:** Insufficient passes through the duct.
- **Solution:** Pull the brush through the duct multiple times to ensure all loose debris is cleared.
- **Possible Cause:** Type of debris is too stubborn for the brush.
- **Solution:** This brush is designed for sand, grit, and light obstructions. For hardened or sticky residues, a different cleaning method or tool may be required.

Pulling eye breaks:

- **Possible Cause:** Excessive pulling force applied, exceeding the 200-pound limit.
- **Solution:** Ensure pulling force is within specified limits. Do not use the brush for clearing heavy, immovable obstructions.
- **Possible Cause:** Wear and tear or manufacturing defect.
- **Solution:** If the brush is within its warranty period and the failure is due to a defect, contact Greenlee customer support for assistance.

WARRANTY INFORMATION

Greenlee Textron provides a warranty for this product:

Goods manufactured by Greenlee Textron will be free from defects in workmanship and material for a period of **one year** from the date of user purchase, provided such goods are installed, operated, used and maintained in accordance with Greenlee's written instructions.

This warranty covers defects in materials and workmanship under normal use and service. It does not cover damage resulting from misuse, abuse, neglect, alteration, accident, or unauthorized repair.

SUPPORT


For technical assistance, warranty claims, or further information regarding your Greenlee Wire Duct Brush, please contact Greenlee customer support.

- **Manufacturer:** Greenlee
- **Website:** www.greenlee.com (Please visit the official Greenlee website for the most current contact information and support resources.)
- When contacting support, please have your product model number (39278) and purchase date available.

© 2024 Greenlee. All rights reserved.


This manual is for informational purposes only. Specifications are subject to change without notice.

Related Documents - 39278

	<p>Greenlee 777 Segment Bender Instruction Manual</p> <p>Instruction manual for the Greenlee 777 Segment Bender, providing detailed guidance on safe operation, setup, bending techniques, maintenance, and parts identification for this conduit bending tool.</p>
	<p>Greenlee Professional Tools Catalog: Electrical, Utility & Communications</p> <p>Explore Greenlee's comprehensive catalog of professional tools for electrical, utility, and communications trades. Discover hand tools, knockout systems, wire termination, and more, designed for speed, safety, and efficiency.</p>
	<p>Greenlee TG-1000 Infrared Thermometer Instruction Manual</p> <p>Comprehensive instruction manual for the Greenlee TG-1000 Infrared Thermometer. Learn about its features, safe operation, maintenance, and troubleshooting for accurate non-contact temperature measurements in various applications.</p>

 <p>INSTRUCTION MANUAL MANUAL DE INSTRUCCIONES MANUEL D'INSTRUCTIONS</p> <p>GREENLEE.</p> <p>TG-2000 Infrared and Contact Thermometer Termómetro infrarrojo y de contacto Thermomètre infrarouge et à contact</p> <p>Read or download at: www.IBM.com or www.IBM.com</p> <p>1-800-551-8187 01/08 Information@ibm.com A1</p>	<p><u>Greenlee TG-2000 Infrared and Contact Thermometer Instruction Manual</u></p> <p>Instruction manual for the Greenlee TG-2000 Infrared and Contact Thermometer, detailing its features, safety precautions, operation, troubleshooting, emissivity, accuracy, specifications, and maintenance.</p>
 <p>SERVICE MANUAL</p> <p>GREENLEE.</p> <p>555* Deluxe Electric Bender Serial Code ADV</p> <p>Read or download at: www.IBM.com or www.IBM.com</p> <p>01/08 Information@ibm.com</p>	<p><u>Greenlee 555 Deluxe Electric Bender Service Manual</u></p> <p>Comprehensive service manual for the Greenlee 555 Deluxe Electric Bender (Serial Code ADV), covering safety, operation, maintenance, troubleshooting, exploded views, parts lists, and electrical schematics.</p>
 <p>INSTRUCTION MANUAL MANUAL DE INSTRUCCIONES MANUEL D'INSTRUCTIONS</p> <p>GREENLEE.</p> <p>CS-5000 Circuit Seeker™</p> <p>CS-5000 Circuit Tracer Rastreador de Circuito Détecteur de circuit</p> <p>Read or download at: www.IBM.com or www.IBM.com</p> <p>01/08 Information@ibm.com</p>	<p><u>Greenlee CS-5000 Circuit Seeker Instruction Manual</u></p> <p>Official instruction manual for the Greenlee CS-5000 Circuit Seeker, detailing its use for tracing live/unenergized circuits, locating faults, and identifying circuit breakers. Includes safety guidelines and operating procedures.</p>

Documents - Greenlee – 39278



[pdf] Specifications


Greenlee® 39278 Electrozad Greenlee Specification Sheet electrozad ASSETS DOCUMENTS ITEMS

EN |||

BRUSH-WIRE 3 39278 Wire Duct Brush Cat No: 50392786 UPC No: 783310392781

Description Flat steel bristles for maximum cleaning of sand, grit and light obstructions from duct Pulling eye on one end and smaller twisted eye on the other end for tailing line allows bidirectional use Can be pulled t...

lang:de score:23 filesize: 49.6 K page_count: 1 document date: 2017-01-11




[pdf] User Manual

Cable Pulling CABLE JOINTS manual cable lubrication Applicators clean easily with water Power unit and hose do not require cleaning between jobs 3 pump speeds make it easy to match the lube rate needs of pull Greenlee Equipment cablejoints co uk upload

Cable Pulling FEATURED Products Cable Pulling Greenlee offers high-quality and durable cable pullin ... n dried material before using mandrels or spreader swabs. cat. no. UPC No. 39274 39274 39276 39276 **39278 39278 39280 39280 39282 39282 39284 39284 39286 39286** Maximum minimumRated Duct Size Diameter...


lang:en score:20 filesize: 4.28 M page_count: 34 document date: 2009-02-04



[Greenlee Professional Tools Catalog: Electrical, Utility & Communications](#)

Explore Greenlee's comprehensive catalog of professional tools for electrical, utility, and communications trades. Discover hand tools, knockout systems, wire termination, and more, designed for speed, safety, and efficiency.

lang:en score:18 filesize: 48.31 M page_count: 484 document date: 2015-06-11



[\[pdf\] Accessories Catalog](#)

Catalog Page 39284 GREENLEE BRUSH WIRE 5^ Kendall Electric Inc EmersonElectric Greenlee 00024

215 CAT images tradeservice 67RP0R567XIGR4O8 ATTACHMENTS DIR100462 |||

= NEW PRODUCT = REPLACEMENT PART = ACCESSORY B = BARE TOOL Wire Duct Brush Flat steel bristles KG 39274 39276 39274 2 50.8 1.87 47.5 200 .89 .83 .38 39276 2.5 63.5 2.38 60.5 200 .89 .83 .38 **39278** 39280 39282 39284 39286 **39278** 3 76.2 2.87 72.9 200 .89 .83 .38 39280 3.5 88.9 3.38 85.9 200


lang:en score:15 filesize: 102.14 K page_count: 1 document date: 2024-02-16



[\[pdf\] User Manual Specifications Catalog](#)

Greenlee Hand Tools Catalog hand tools scissors pliers tweezers cutters axes taps dies hooks files clamps sets hammers brushes wrenches trays rollers ratchets concrete sockets picks benders organizers anvils screwdrivers punches measuring chisels tile masonry utility knives vises scrapers saws grease guns cable staple pry bars extractors rivet drain cleaning equipment caulk pickup marking flaring wire torx hex TOOLSiD CARiD Use with manual hydraulic and battery knockout drivers Oiltight SPEED PUNCH® units SDK2021GL Cable Cutter 3 8 Male Coupler 7475H 975 greenlee 2015 full line catalog card images FOR OVER 150 YEARS THE GREENLEE HAS STOOD AS A SIGN OF QUALITY, INNOVATION, AND WORKFORCE EFFICIENC KG 39274 39276 39274 2 50.8 1.87 47.5 200 .89 .83 .38 39276 2.5 63.5 2.38 60.5 200 .89 .83 .38 **39278** 39280 39282 39284 39286 **39278** 3 76.2 2.87 72.9 200 .89 .83 .38 39280 3.5 88.9 3.38 85.9 200


lang:en score:15 filesize: 43.78 M page_count: 470 document date: 2018-09-27



[NCHS Instruction Manual Part 8A: Vital Records Geographic Classification, 2004](#)

This instruction manual, Part 8A, details the geographic classification standards for vital records, referencing the 2004 Federal Information Processing Standards (FIPS). Developed by the National Center for Health Statistics (NCHS), it provides essential guidance for preparing and processing vital statistics data, covering coding rules for occurrence, birthplace, and residence.

lang:en score:15 filesize: 3.26 M page_count: 1326 document date: 2006-11-27



[\[pdf\] Accessories](#)

Manufacturer Spec Sheet GREENLEE 39280 3 5 WIR BRSH Gordon Electric Supply Inc EmersonElectric

Greenlee 00001 215 CAT images tradeservice 9ETBOIYK8205G6UU ATTACHMENTS DIR100261 |||

= NEW PRODUCT = REPLACEMENT PART = ACCESSORY B = BARE TOOL Wire Duct Brush Flat steel bristles . . KG 39274 39276 39274 2 50.8 1.87 47.5 200 .89 .83 .38 39276 2.5 63.5 2.38 60.5 200 .89 .83 .38 **39278** 39280 39282 39284 39286 39278 3 76.2 2.87 72.9 200 .89 .83 .38 39280 3.5 88.9 3.38 85.9 200

lang:en score:15 filesize: 102.14 K page_count: 1 document date: 2019-09-09

Cat. No.	Material Description	MSRP
00031	JUMPER (REVERSE)	\$9.04
00032	SCREWDRIVER (1/4" DR. 6" BLADE)	\$10.00
00042	SCREWDRIVER (1/4" DR. 8" BLADE)	\$10.04
00047	COV. PLATE (1/4" DR. 10" BLADE)	\$10.04
00048	LOAD COIL DELETOR (80)	\$10.04
00049	LOAD COIL DELETOR (160)	\$10.04
00050	LOAD COIL DELETOR (320)	\$10.04
00051	PLATE (1/4" DR. 10" BLADE)	\$10.04
00052	PLATE (1/4" DR. 16" BLADE)	\$10.04
00053	PLATE (1/4" DR. 32" BLADE)	\$10.04
00054	PLATE (1/4" DR. 64" BLADE)	\$10.04
00055	PLATE (1/4" DR. 128" BLADE)	\$10.04
00056	PLATE (1/4" DR. 256" BLADE)	\$10.04
00057	PLATE (1/4" DR. 512" BLADE)	\$10.04
00058	PLATE (1/4" DR. 1024" BLADE)	\$10.04
00059	PLATE (1/4" DR. 2048" BLADE)	\$10.04
00060	PLATE (1/4" DR. 4096" BLADE)	\$10.04
00061	PLATE (1/4" DR. 8192" BLADE)	\$10.04
00062	SPACER, BLADE	\$40.04
00063	BLADE, 1/4" DR.	\$10.00
00064	SPRING	\$1.00
00065	SPRING, PACKAGED (100)	\$1.00
00066	SPRING, PACKAGED (1000)	\$1.00
00067	SPRING, WIRE PLATE	\$0.54
00068	PLATE, WIRE PLATE	\$0.52
00069	PLATE, LOCKING	\$1.00
00070	HUB, SPINL	\$0.56
00071	BLADE, SPINL	\$0.54
00072	JON TEE (16#)	\$0.64
00073	JON TEE (32#)	\$0.60
00074	SPRING-JON TEE	\$0.78
00075	SPRING-JON TEE (16#)	\$0.78
00076	SCREW 80-01 (10#)	\$0.50
00077	SCREW 80-01 (32#)	\$0.52
00078	PIN, COTTER (10#)	\$0.50
00079	SCREW 80-01 (64#)	\$0.50
00080	SCREW 80-01 (96#)	\$0.50
00081	PIN, COTTER (96#)	\$0.50
00082	SCREW 80-01 (128#)	\$0.50
00083	SCREW 80-01 (160#)	\$0.50
00084	SCREW 80-01 (192#)	\$0.50
00085	SCREW 80-01 (256#)	\$0.50
00086	SCREW 80-01 (320#)	\$0.50
00087	SCREW 80-01 (512#)	\$0.50
00088	SCREW 80-01 (1024#)	\$0.50
00089	SCREW 80-01 (2048#)	\$0.50
00090	SCREW 80-01 (4096#)	\$0.50
00091	SCREW 80-01 (8192#)	\$0.50
00092	SCREW 80-01 (16384#)	\$0.50
00093	SCREW 80-01 (32768#)	\$0.50
00094	SCREW 80-01 (65536#)	\$0.50
00095	SCREW 80-01 (131072#)	\$0.50
00096	SCREW 80-01 (262144#)	\$0.50
00097	SCREW 80-01 (524288#)	\$0.50
00098	SCREW 80-01 (1048576#)	\$0.50
00099	SCREW 80-01 (2097152#)	\$0.50
00100	SCREW 80-01 (4194304#)	\$0.50
00101	SCREW 80-01 (8388608#)	\$0.50
00102	SCREW 80-01 (16777216#)	\$0.50
00103	SCREW 80-01 (33554432#)	\$0.50
00104	SCREW 80-01 (67108864#)	\$0.50
00105	SCREW 80-01 (134217728#)	\$0.50
00106	SCREW 80-01 (268435456#)	\$0.50
00107	SCREW 80-01 (536870912#)	\$0.50
00108	SCREW 80-01 (1073741824#)	\$0.50
00109	SCREW 80-01 (2147483648#)	\$0.50
00110	SCREW 80-01 (4294967296#)	\$0.50
00111	SCREW 80-01 (8589934592#)	\$0.50
00112	SCREW 80-01 (17179869184#)	\$0.50
00113	SCREW 80-01 (34359738368#)	\$0.50
00114	SCREW 80-01 (68719476736#)	\$0.50
00115	SCREW 80-01 (137438953472#)	\$0.50
00116	SCREW 80-01 (274877856944#)	\$0.50
00117	SCREW 80-01 (549755713888#)	\$0.50
00118	SCREW 80-01 (1099511427776#)	\$0.50
00119	SCREW 80-01 (2199022855552#)	\$0.50
00120	SCREW 80-01 (4398045711104#)	\$0.50
00121	SCREW 80-01 (8796091422208#)	\$0.50
00122	SCREW 80-01 (17592182844416#)	\$0.50
00123	SCREW 80-01 (35184365688832#)	\$0.50
00124	SCREW 80-01 (70368731377664#)	\$0.50
00125	SCREW 80-01 (14073746275532#)	\$0.50
00126	SCREW 80-01 (28147492551064#)	\$0.50
00127	SCREW 80-01 (56294985102128#)	\$0.50
00128	SCREW 80-01 (11258997020456#)	\$0.50
00129	SCREW 80-01 (22517994040912#)	\$0.50
00130	SCREW 80-01 (45035988081824#)	\$0.50
00131	SCREW 80-01 (90071976163648#)	\$0.50
00132	SCREW 80-01 (180143952327296#)	\$0.50
00133	SCREW 80-01 (360287904654592#)	\$0.50
00134	SCREW 80-01 (720575809309184#)	\$0.50
00135	SCREW 80-01 (144115161861832#)	\$0.50
00136	SCREW 80-01 (288230323723664#)	\$0.50
00137	SCREW 80-01 (57646064744732#)	\$0.50
00138	SCREW 80-01 (115292129889464#)	\$0.50
00139	SCREW 80-01 (230584259778928#)	\$0.50
00140	SCREW 80-01 (461168519557856#)	\$0.50
00141	SCREW 80-01 (922337039115712#)	\$0.50
00142	SCREW 80-01 (184467407823144#)	\$0.50
00143	SCREW 80-01 (368934815646288#)	\$0.50
00144	SCREW 80-01 (737869631292576#)	\$0.50
00145	SCREW 80-01 (147573926259512#)	\$0.50
00146	SCREW 80-01 (295147852518024#)	\$0.50
00147	SCREW 80-01 (590295705036048#)	\$0.50
00148	SCREW 80-01 (118059141007296#)	\$0.50
00149	SCREW 80-01 (236118282014592#)	\$0.50
00150	SCREW 80-01 (472236564029184#)	\$0.50
00151	SCREW 80-01 (944473128058368#)	\$0.50
00152	SCREW 80-01 (188894625611672#)	\$0.50
00153	SCREW 80-01 (377789251223344#)	\$0.50
00154	SCREW 80-01 (755578502446688#)	\$0.50
00155	SCREW 80-01 (151115700489336#)	\$0.50
00156	SCREW 80-01 (302231400978672#)	\$0.50
00157	SCREW 80-01 (604462801957344#)	\$0.50
00158	SCREW 80-01 (120892560385468#)	\$0.50
00159	SCREW 80-01 (241785120770936#)	\$0.50
00160	SCREW 80-01 (483570241541872#)	\$0.50
00161	SCREW 80-01 (967140483083744#)	\$0.50
00162	SCREW 80-01 (193428096616748#)	\$0.50
00163	SCREW 80-01 (386856193233496#)	\$0.50
00164	SCREW 80-01 (773712386466992#)	\$0.50
00165	SCREW 80-01 (154742477293396#)	\$0.50
00166	SCREW 80-01 (309484954586792#)	\$0.50
00167	SCREW 80-01 (618969909173584#)	\$0.50
00168	SCREW 80-01 (1237939818347168#)	\$0.50
00169	SCREW 80-01 (2475879636694336#)	\$0.50
00170	SCREW 80-01 (4951759273388672#)	\$0.50
00171	SCREW 80-01 (9903518546777344#)	\$0.50
00172	SCREW 80-01 (1980703689355468#)	\$0.50
00173	SCREW 80-01 (3961407378710936#)	\$0.50
00174	SCREW 80-01 (7922814757421872#)	\$0.50
00175	SCREW 80-01 (1584562951484376#)	\$0.50
00176	SCREW 80-01 (3169125902968752#)	\$0.50
00177	SCREW 80-01 (6338251805937504#)	\$0.50
00178	SCREW 80-01 (1267650361187508#)	\$0.50
00179	SCREW 80-01 (2535300722375016#)	\$0.50
00180	SCREW 80-01 (5070601444750032#)	\$0.50
00181	SCREW 80-01 (1014120288950064#)	\$0.50
00182	SCREW 80-01 (2028240577900128#)	\$0.50
00183	SCREW 80-01 (4056481155800256#)	\$0.50
00184	SCREW 80-01 (8112962311600512#)	\$0.50
00185	SCREW 80-01 (1622592462320024#)	\$0.50
00186	SCREW 80-01 (3245184924640048#)	\$0.50
00187	SCREW 80-01 (6490369849280096#)	\$0.50
00188	SCREW 80-01 (12980739698560192#)	\$0.50
00189	SCREW 80-01 (25961479397120384#)	\$0.50
00190	SCREW 80-01 (51922958794240768#)	\$0.50
00191	SCREW 80-01 (10384591798448136#)	\$0.50
00192	SCREW 80-01 (20769183596896272#)	\$0.50
00193	SCREW 80-01 (41538367193792544#)	\$0.50
00194	SCREW 80-01 (83076734387585088#)	\$0.50
00195	SCREW 80-01 (16615346877517016#)	\$0.50
00196	SCREW 80-01 (33230693755034032#)	\$0.50
00197	SCREW 80-01 (66461387510068064#)	\$0.50
00198	SCREW 80-01 (13292277520013612#)	\$0.50
00199	SCREW 80-01 (26584555040027224#)	\$0.50
00200	SCREW 80-01 (53169110080054448#)	\$0.50
00201	SCREW 80-01 (10633822016010889#)	\$0.50
00202	SCREW 80-01 (21267644032021778#)	\$0.50
00203	SCREW 80-01 (42535288064043556#)	\$0.50
00204	SCREW 80-01 (85070576128087112#)	\$0.50
00205	SCREW 80-01 (17014115225617424#)	\$0.50
00206	SCREW 80-01 (34028230451234848#)	\$0.50
00207	SCREW 80-01 (68056460902469696#)	\$0.50
00208	SCREW 80-01 (13611292180499392#)	\$0.50
00209	SCREW 80-01 (27222584360998784#)	\$0.50
00210	SCREW 80-01 (54445168721997568#)	\$0.50
00211	SCREW 80-01 (10889033744395136#)	\$0.50
00212	SCREW 80-01 (21778067488790272#)	\$0.50
00213	SCREW 80-01 (43556134977580544#)	\$0.50
00214	SCREW 80-01 (87112269955161088#)	\$0.50
00215	SCREW 80-01 (17422453991032216#)	\$0.50
00216	SCREW 80-01 (34844907982064432#)	\$0.50
00217	SCREW 80-01 (69689815964128864#)	\$0.50
00218	SCREW 80-01 (13937963192825776#)	\$0.50
00219	SCREW 80-01 (27875926385651552#)	\$0.50
00220	SCREW 80-01 (55751852771303104#)	\$0.50
00221	SCREW 80-01 (11150370554260624#)	\$0.50
00222	SCREW 80-01 (22300741108521248#)	\$0.50
00223	SCREW 80-01 (44601482217042496#)	\$0.50
00224	SCREW 80-01 (89202964434084992#)	\$0.50
00225	SCREW 80-01 (17840592868816992#)	\$0.50
00226	SCREW 80-01 (35681185737633984#)	\$0.50
00227	SCREW 80-01 (71362371475267968#)	\$0.50
00228	SCREW 80-01 (14272474295054592#)	\$0.50
00229	SCREW 80-01 (28544948590109184#)	\$0.50
00230	SCREW 80-01 (57089897180218368#)	\$0.50
00231	SCREW 80-01 (11417979436043672#)	\$0.50
00232	SCREW 80-01 (22835958872087344#)	\$0.50
00233	SCREW 80-01 (45671917744174688#)	\$0.50
00234	SCREW 80-01 (91343835488349376#)	\$0.50
00235	SCREW 80-01 (18268767597669872#)	\$0.50
00236	SCREW 80-01 (36537535195339744#)	\$0.50
00237	SCREW 80-01 (73075070390679488#)	\$0.50
00238	SCREW 80-01 (14615014078135896#)	\$0.50
00239	SCREW 80-01 (29230028156271792#)	\$0.50
00240	SCREW 80-01 (58460056312543784#)	\$0.50
00241	SCREW 80-01 (11692011224487576#)	\$0.50
00242	SCREW 80-01 (23384022448975152#)	\$0.50
00243	SCREW 80-01 (46768044897950304#)	\$0.50
00244	SCREW 80-01 (93536089795900608#)	\$0.50
00245	SCREW 80-01 (187072179991801216#)	\$0.50</




[pdf] User Manual Specifications Accessories

Specification Sheet Greenlee 6801 1 2 Hp 120VAC 8000 lb Double Braided Polyester Composite Cable Puller Irby ID SPE v1 otkczrqqi3hhvwlqkaf ideadigitalcontent files 11142 |||

www.greenlee.com CABLE PULLING FROM SIMPLE, STRAIGHT SHOTS TO PULLS WITH MULTIPLE BENDS AND OFFSETS, GREENLEE CABLE PULLING EQUIPMENT SAVES TIME, INCREASES YOUR EFFICIENCY AND SAFELY PULLS CABLE WHERE YOU NEED IT TO BE.

50.8 1.87 47.5 200 .89 .83 .38 39276 2.5 63.5 2.38 60.5 200 .89 .83 .38 **39278** 39280 39282 39284 39286 **39278** 3 76.2 2.87 72.9 200 .89 .83 .38 39280 3.5 88.9 3.38 85.9 200

lang:en score:14 filesize: 3.4 M page_count: 32 document date: 2015-06-11



[pdf] User Manual Catalog

Administrator April 1 2009 Greenlee Pricing USD 4 SDK2021G 03137 50031376 HYD CUTTER HEAD 30

05 50068946 CRIMPER MANUAL 1981 6 9 555C 06900 111284 AttachmentURL cesco resources 9AA

April 1, 2009 Greenlee Pricing USD Prices shown are effective 4/1/09 for Greenlee.

Should any discre ... 4/1/2009 39259 4/1/2009 39261 4/1/2009 39263 4/1/2009 39265

4/1/2009 39274 4/1/2009 39276 4/1/2009 **39278** 4/1/2009 39280 4/1/2009 39282

4/1/2009 39284 4/1/2009 39286 4/1/2009 39288 4/1/2009 39290 4/1/...

lang:it score:14 filesize: 2.08 M page_count: 328 document date: 2009-07-30



[pdf] Catalog

Download Catalog Request Greenlee 2019 Full Line Sections French cdn greenlee Media Default |||

Professional. Nothing Less.TM Catalogue complet GREENLEE.COM Construire l avenir, dvelopper nos co ... oger des matires sches avant d utiliser des mandrins ou des tampons pandeurs N DE CAT. 39274 39276 **39278** 39280 39282 39284 39286 DIMENSION DE CONDUITE N CUP PO mm 783310392743 2 50,8 783310392...

lang:fr score:13 filesize: 35.35 M page_count: 549 document date: 2023-02-07



[pdf] Catalog

2019 Spanish Greenlee Catalog LR cdn greenlee Media Default Request |||

NDICE Herramientas manuales 6 53 Sacabocados 54 103 Accesorios para herramientas elctricas 1 ... aflojar los materiales secos antes de utilizar los mandriles o esparcidores N. DE CAT. 39274 39276 **39278** 39280 39282 39284 39286 TAMAOS DEL DUCTO N. DE UPC PULG 783310392743 2 783310392767 2,5 783...

lang:es score:13 filesize: 32 M page_count: 544 document date: 2020-09-03

[pdf] Accessories Catalog



2013 UtilityCatCover 8 355X10 875 NEW indd greenlee utility catalog cityelectricsupply ces catalogs ||| TRUSTED SINCE 1862 UTILITY CATALOG www.greenleutility.com MADE FOR THE TRADE TM TABLE OF CONTENTS ... n be pulled to loosen dried material before using mandrels or spreader swabs. CAT. NO. 39274 39276 **39278** 39280 39282 39284 39286 DUCT SIZE INCH MM ...

lang:en score:13 filesize: 24.3 M page_count: 260 document date: 2013-10-08



[pdf] Datasheet Catalog

Greenlee 04256 586 Datasheet 2015 Full Line Catalog 1862204 mouser datasheet 2 175 ||| WWW.GREENLEE.COM MISSION STATEMENT To be the global leader in the professional tool category by de KG 39274 39276 39274 2 50.8 1.87 47.5 200 .89 .83 .38 39276 2.5 63.5 2.38 60.5 200 .89 .83 .38 **39278** 39280 39282 39284 39286 **39278** 3 76.2 2.87 72.9 200 .89 .83 .38 39280 3.5 88.9 3.38 85.9 200

lang:en score:13 filesize: 46.07 M page_count: 485 document date: 2015-06-11



[pdf] Warranty Catalog

Catalog Page Greenlee 0254 13 5 Piece Hex Key Set Rexel USA page 24 greenlee i DF2DB0E7 B048 4CFD A9E3 94C7BEE171A3 rexel cdn products |||

www.greenlee.com HAND TOOLS From safe, insulated tools to screw-holding drivers, hex keys and pliers ... n be pulled to loosen dried material before using mandrels or spreader swabs. Cat. No. 39274 39276 **39278** 39280 39282 39284 39286 UPC No. 39274 39276 **39278** 39280 39282 39284 39286 Duct Size inCH mm ...

lang:en score:13 filesize: 40.65 M page_count: 466 document date: 2013-08-12



[pdf] Warranty

HAND TOOLS Rexel USA Hex keyS AND pLierS greeNLee Are DeSigNeD by Serrated nose pliers for bending pulling and shaping wire 755 975 980 or 960SAPS Textron UT158 30 PAGE 41 GREENLEE media rexelusa medias sys Rexelusa sheets hee h7f 8846896660510 |||

www.greenlee.com HAND TOOLS From safe, insulated tools to screw-holding drivers, hex keys and pliers ... n be pulled to loosen dried material before using mandrels or spreader swabs. Cat. No. 39274 39276 **39278** 39280 39282 39284 39286 UPC No. 39274 39276 **39278** 39280 39282 39284 39286 Duct Size inCH mm ...

lang:en score:12 filesize: 40.65 M page_count: 466 document date: 2013-08-12



[pdf] User Manual Specifications Accessories Borchure Catalog

Catalog URL Greenlee GG1 1 0S Brochure URLGreenlee® Gator® Grips™ GG2 4 Crimp On Short

Cable Pulling Grip 2 to AWG 20 in L 2000 lb Load Steiner Electrdocs steinerelectric


URL139382237Greenlee® ElectrEMERSON PROFESSIONAL TOOLS 8024 Hook Sheave Unit

Aluminum Alloy Forged Steel 9 7 8 ID x 24 OD139382237docs Brochurecat eleknet PIM Docs STEP

ASSETS 139382237 |||

www.greenlee.com CABLE PULLING FROM SIMPLE, STRAIGHT SHOTS TO
PULLS WITH MULTIPLE BENDS AND OFFSETS, KG 39274 39276 39274 2
50.8 1.87 47.5 200 .89 .83 .38 39276 2.5 63.5 2.38 60.5 200 .89 .83 .38 **39278** 39280
39282 39284 39286 **39278** 3 76.2 2.87 72.9 200 .89 .83 .38 39280 3.5 88.9 3.38 85.9
200

lang:en score:12 filesize: 3.4 M page_count: 32 document date: 2015-06-11



[pdf] User Manual Accessories Catalog


FULL LINE PRODUCT CATALOG US Electrical ServicesReacher Glo Stix® 140 139 ® Registered The
color green for manual and power Guy Strand 5 8 20 mm 840 Service Entrance Connectors 1 4
AWGUSES1 912147 catalogassets usesi product media catalogs USESI catalog ServicesFULL
AWGCutter 25 Straight Claw Hammer 54B 38093 06 03 54C 38118 Black 72 1828 3 16 72A 38069
72BUSES1 catalogUSES1 97436 |||

www.greenlee.com FULL LINE PRODUCT CATALOG HAND TOOLS HOLEMAKING
BENDING FISHING CABLE PULLING WIRE175

39274.....175 39276.....175


39278.....175 39280.....175 39282.....175

lang:en score:12 filesize: 26.84 M page_count: 444 document date: 2015-01-16



[pdf] Accessories Catalog

Full Line Catalog Divergent Alliance 31 ago 2020 — 555®CX Is a completely re engineered 555®C with
more rugged exterior Productive Decrease down time solid state electronics 555CX BENDING RADII
Greenlee divergentalliance clic aquí! Download Ridgid Colombia ¡El especialista del 'acero inoxidable'!
Descargue nuestro catálogo de productos dando Request 2019 LR cdn greenlee Media Default |||
Professional. Nothing Less.TM Full Line Catalog GREENLEE.COM Building the
Future, Developing our C ... or spreader swabs DUCT SIZE CAT. NO. UPC NO. IN
39274 783310392743 2 39276 783310392767 2.5 **39278** 783310**392781** 3 39280
783310392804 3.5 39282 783310392828 4 39284 39286 783310392842 5 7...
lang:en score:11 filesize: 44.16 M page_count: 548 document date: 2019-09-11



Fishing & Cable Pulling

You can count on Greenlee to continue developing breakthrough products designed to make your job easier. No matter how far you need to fish and pull cable on the job site, Greenlee has the tools, training and material handling tools to get the job done when it comes to commercial, industrial and utility applications.

130 131 **N** 145 **153**

FEATURE Products

NEW
FP

3' Fish Pole

CR120 Cable Roller Guide

NEW
FP

Ultra Ringer 2
Cable Puller

NEW
Light Base Sheave

Fishing & Cable Pulling

[pdf] User Manual Datasheet Guide

Fishing Cable Pulling 5 feb 2021 — Kwik Silver® plated fish tape wire is corrosion resistant Same strength as conventional steel Smooth plating makes it easier to with 208215 farnell datasheets |||

Fishing Cable Pulling FEATURE Products Fishing Cable Pulling You can count on Greenlee to conti ... n dried material before using mandrels or spreader swabs. cat. no. UPC No. 39274 39274 39276 39276 **39278** 39278 39280 39280 39282 39282 39284 39284 39286 39286 Maximum minimumRated Duct Size Diameter...

lang:en **score:10** filesize: 4.72 M page_count: 48 document date: 2007-01-08



[pdf] User Manual Specifications Accessories

PD550162 objects eanixter

www.greenlee.com CABLE PULLING FROM SIMPLE, STRAIGHT SHOTS TO PULLS WITH MULTIPLE BENDS AND OFFSETS, KG 39274 39276 39274 2 50.8 1.87 47.5 200 .89 .83 .38 39276 2.5 63.5 2.38 60.5 200 .89 .83 .38 **39278** 39280 39282 39284 39286 **39278** 3 76.2 2.87 72.9 200 .89 .83 .38 39280 3.5 88.9 3.38 85.9 200

lang:en **score:10** filesize: 3.1 M page_count: 32 document date: 2018-12-11