

Pelco CM9700-VPP

Pelco CM9700-VPP 32 Channel Video Patch Panel User Manual

Model: CM9700-VPP

1. PRODUCT OVERVIEW

The Pelco CM9700-VPP is a 32-channel video patch panel designed to expand and manage video systems. It features 32 BNC connections, allowing for flexible video input and looping capabilities within a surveillance or video distribution setup. This unit is engineered for efficient integration into existing rack systems, occupying 2/3 of a standard rack unit space.

Included with the CM9700-VPP are two 16-channel coaxial ribbon cables, facilitating direct connection to compatible video equipment.



Figure 1: Front view of the Pelco CM9700-VPP 32 Channel Video Patch Panel. The panel is black with two rows of 16 BNC connectors each, totaling 32 connectors. Rack mounting ears are visible on both sides.

2. SETUP AND INSTALLATION

Proper installation ensures optimal performance and longevity of the CM9700-VPP. Follow these steps for setup:

- 1. Rack Mounting:** The CM9700-VPP is designed to fit into a standard 19-inch equipment rack. It occupies 2/3 of a rack unit (RU) height. Secure the panel to the rack using appropriate rack screws through the mounting ears on both sides of the unit. Ensure the panel is level and securely fastened to prevent movement.
- 2. Cable Connections:**
 - Identify the 32 BNC input/output ports on the front of the panel.
 - Connect the provided two 16-channel coaxial ribbon cables to the corresponding ports on the rear of the patch panel and to your video system's input/output modules or DVR/NVR.
 - Connect individual BNC cables from your video sources (e.g., cameras, video recorders) to the desired BNC input ports on the front of the CM9700-VPP.
 - Connect BNC cables from the output ports of the CM9700-VPP to your video monitors, recording devices, or other distribution equipment as required.

- 3. **Cable Management:** Organize and secure all connected cables using cable ties or other management solutions to prevent strain on connectors and maintain a tidy installation.

3. OPERATING INSTRUCTIONS

The CM9700-VPP is a passive video patch panel, meaning it does not require external power for its primary function. Its operation is straightforward:

- **Video Input:** To route a video signal into your system, connect the video source (e.g., a camera's BNC output) directly to one of the 32 BNC input ports on the front of the CM9700-VPP. The signal will then be passed through the internal ribbon cable connection to your connected video equipment.
- **Video Looping/Output:** To loop video out of your system or route it to a display, connect a BNC cable from the desired output port on the CM9700-VPP to the receiving device (e.g., a monitor, another recording device). The panel facilitates the distribution of video signals without degradation.
- **Patching:** The panel allows for quick and easy re-routing of video signals by simply moving BNC cables between different ports on the front of the unit. This flexibility is useful for testing, maintenance, or reconfiguring video paths.

4. MAINTENANCE

The Pelco CM9700-VPP is designed for minimal maintenance. Regular checks can help ensure continued reliable performance:

- **Cleaning:** Periodically clean the exterior of the panel with a soft, dry cloth. Avoid using abrasive cleaners or solvents. Ensure BNC connectors are free of dust and debris.
- **Connection Integrity:** Routinely inspect all BNC connections for tightness and proper seating. Loose connections can lead to signal loss or degradation.
- **Cable Condition:** Check the condition of all connected coaxial cables, including the ribbon cables. Look for any signs of wear, kinks, or damage that could affect signal quality.

5. TROUBLESHOOTING

If you encounter issues with your CM9700-VPP, consider the following:

- **No Video Signal:**
 - Verify that the video source (e.g., camera) is powered on and functioning correctly.
 - Check all BNC cable connections at the patch panel, the source, and the receiving device. Ensure they are securely fastened.
 - Test the BNC cables for continuity and damage. Try swapping cables with known good ones.
 - Ensure the correct input/output ports are being used on the patch panel and connected equipment.
- **Poor Video Quality (Flickering, Noise, Distortion):**
 - Inspect BNC connectors for corrosion or damage.
 - Ensure all cable connections are tight and properly seated.
 - Check for electromagnetic interference (EMI) from nearby electrical equipment. Re-route cables if necessary.
 - Verify that the video source is providing a clean signal.

6. SPECIFICATIONS

Feature	Detail
Model Number	CM9700-VPP
Channels	32 (BNC inputs/outputs)
Included Cables	2 x 16-channel coaxial ribbon cables
Rack Unit Occupancy	2/3 RU
Product Dimensions (L x W x H)	6 x 16 x 2 inches (approximately)
Item Weight	4.09 pounds
Manufacturer	Pelco
Date First Available	March 9, 2010



7. WARRANTY AND SUPPORT





For information regarding warranty coverage, technical support, or service for your Pelco CM9700-VPP, please refer to the official Pelco website or contact Pelco customer service directly. Keep your purchase receipt and product serial number (if applicable) handy when seeking support.

Official Pelco Website: www.pelco.com


© 2023 Pelco. All rights reserved. Information in this manual is subject to change without notice.

Related Documents - CM9700-VPP

 <p>USB3.0 HD Video Camera User Manual</p> <p>Version V1.1 (English)</p> <p>J-BC-0205.0084</p>	<p>USB3.0 HD Video Camera User Manual - Features, Specs, and Operation</p> <p>Comprehensive user manual for the USB3.0 HD Video Camera (Model J.BC.0205.0084), covering safety guidelines, accessories, quick start, product highlights, specifications, camera interface, remote control, learning function, VISCA and PELCO protocols, OSD menu, and UVC control.</p>
 <p>Angekis® FHD PTZ Camera Saber Light</p> <p>User Manual V1.1 (EN)</p>	<p>Angekis Saber Light FHD PTZ Camera User Manual</p> <p>Comprehensive user manual for the Angekis Saber Light FHD PTZ Camera, detailing safety guidelines, product specifications, interface descriptions, remote controller functions, VISCA and PELCO protocols, OSD menu settings, and UVC control.</p>

<div>视频会议高清设备</div> <div>用户使用说明书</div> <div>(V1.0)</div> <div></div>	<div>User Manual for High-Definition Video Conferencing Equipment</div> <div>This user manual provides comprehensive instructions for the high-definition video conferencing equipment, covering installation, operation, settings, and troubleshooting.</div>
<div></div> <div>UltraKey Touch HJC4000</div>	<div>Honeywell UltraKey Touch HJC4000 PTZ and DVR Control Panel</div> <div>Detailed technical overview of the Honeywell UltraKey Touch HJC4000, a versatile control panel for PTZ cameras and DVRs, offering integrated management for security and video surveillance systems.</div>
<div></div>	<div>Tenveo HD Conference Camera User Manual</div> <div>User manual for the Tenveo HD Conference Camera, covering product description, performance characteristics, quick start guide, remote control operations, troubleshooting, maintenance services, and warranty information.</div>
<div>HD Conference Camera</div> <div>User Manual</div> <div></div> <div>Version V5.32</div>	<div>TONGVEO HD Conference Camera User Manual - Setup, Operation, and Troubleshooting</div> <div>Comprehensive user manual for the TONGVEO HD Conference Camera (Version V5.32). Covers product description, specifications, remote control, menu setup, network function, installation, troubleshooting, and maintenance.</div>

Documents - Pelco – CM9700-VPP



[pdf] User Manual Quick Start Guide Instructions Guide

C1567M PEL CM9780MXB Quick Start Guide s3 absupply net amazonaws Pelco |||

CM9780-MXB Quick Start Guide Legend 481 POWER CORD POWER SWITCH


MONITOR 1 DATA MONITOR 32 VIDEO PTZ CAMERA Basic CM9780-MXB

Installation 1 CAMERA 1 POWER 481 **CM9700-VPP** 512 1 **CM9700-VPP** 512

CAMERA 512 VIDEO RIBBON CABLE CONNECTOR A A Typical connections for a

512 x 32 configuration a...

lang:en score:41 filesize: 341.17 K page_count: 1 document date: 2005-04-11



[\[pdf\]](#) Specifications Accessories

Pelco CM9770 Series HD Matrix 2048x512 spec C1555 Control Site Equipment Switchers CM9700 VPP

Index of worldeyecam |||

PRODUCT SPECIFICATION control site CM9770 Series Matrix


MICROPROCESSOR-BASED SWITCHER/CONTROLLER, ... 9700-SER-32 MATRIX

BAY CM9770-MXB CM9700-MPS CM9770-DFC CM9770-VCC CM9770-RPC

CM9770-VMC CM9770-RPM **CM9700-VPP** CM9700-CBL-06FT CM9700-CBL-10FT

CPU controller. Operates on 120 VAC, 60 Hz or 230 VAC, 5...

lang:en **score:38** filesize: 179.64 K page_count: 4 document date: 2007-08-17



[\[pdf\]](#) User Manual

Pelco System 9770 manual C1555MG CM9770L Series Manual 960X16 High Density Looping

surveillance video media lanot attachments customimport |||


INSTALLATION/OPERATION System 9770 C1555M-G 12/07 2 C1555M-G 12/07

Contents Contents. 52 How to Install

Video Patch Panels **CM9700-VPP**

.

lang:tl **score:37** filesize: 17.89 M page_count: 66 document date: 2008-02-01



[\[pdf\]](#) User Manual

Pelco System 9780 manual surveillance video equipment generates uses and can radiate radio frequency

energy and if not installed used in accordance with the instruction may cause harmful interference to

communications Operation of this is a residential area likely CM9780 Series Manual media lanot


attachments customimport

INSTALLATION/OPERATION System 9780 C1566M-D 11/07 Contents Regulatory

Notices 11 4

CM9700-VPP Horizontal Mount

lang:tl **score:35** filesize: 4.33 M page_count: 66 document date: 2008-01-18




[\[pdf\]](#) User Manual

untitled Download Pelco Universal Keyboard KBD300A User Manual CM9765 Series surveillance video media lanot attachments customimport |||

INSTALLATION/OPERATION System 9765 C1593M 9/09 Contents Description
 52 How to Install Video Patch

Panels **CM9700-VPP**

lang:tl **score:34** filesize: 3.79 M page_count: 66 document date: 2009-11-30



[\[pdf\]](#) User Manual Accessories

Pelco CM9700MDD EVS Matrix Digital Decoder manual Control Site Equipment Switchers CM9700

Series gmatthews Marine Radio User Manual 7269332 archive org manualzilla id

INSTALLATION/OPERATION CM9700MDD-EVS Matrix Digital Decoder C1570M-C
 5/06 Contents Regulatory N ... CM9770-MXB rear panel, as shown in Figure 14. In a
 System 9780, video input connectors are on the **CM9700-VPP** panel, as shown in
 Figure 15. NOTE: The distance from the CM9700MDD-EVS to the matrix bay...

lang:fr **score:30** filesize: 4.46 M page_count: 54 document date: 2006-05-25



[\[pdf\]](#) Specifications Accessories

Pelco CM9780 Series Matrix 4096x512 spec C1566 Control Site Equipment Switchers CM9700 PEL
 CM9700VPPRK Index of worldeyecam |||

PRODUCT SPECIFICATION control site CM9780 Series Matrix
 MICROPROCESSOR-BASED SWITCHER/CONTROLLER, ... d will support modules
 for up to 512 camera inputs and 32 monitor outputs. Cameras are connected to
CM9700-VPP patch panels, which are then connected to the matrix bay with video
 ribbon cables. Monito...

lang:en **score:27** filesize: 192.42 K page_count: 4 document date: 2007-08-17



[\[pdf\]](#) Specifications Accessories

Pelco CM9770 Series HD Matrix 2048x512 spec C1593 CM9765 113009 fm PELCO VMC en c1593
cm9765 r113009 none CARD 429341 349439 US Spec Sheet 07 24 2012 llinarez CM9765L 192X16
Specsheet 9765 Looping 192 Camera cm9765l 192x16 surveillance video media lanot attachments c m |||
PRODUCT SPECIFICATION analog systems and controls CM9765 Series Matrix
MICROPROCESSOR-BASED SWITCH ... MATRIX BAY CM9765-MXB CM9700-
MPS CM9765-DFC CM9765-VCC CM9765-RPC CM9765-VMC CM9765-RPM
CM9765-RPS **CM9700-VPP** CM9700-CBL-06FT CM9700-CBL-10FT CPU controller;
operates on 120 VAC, 60 Hz or 230 VAC, 5...
lang:en **score:24** filesize: 156.52 K page_count: 4 document date: 2012-08-02



[\[pdf\]](#) Specifications Accessories

CM9770 Series Matrix C1555 spec110210 fm llinarez lane CM9770L Spechsheets Pelco 192X48 High
Density System Looping surveillance video media lanot attachments customimport |||
PRODUCT SPECIFICATION analog systems and controls CM9770 Series Matrix
MICROPROCESSOR-BASED SWITCH ... 9700-SER-32 MATRIX BAY CM9770-MXB
CM9700-MPS CM9770-DFC CM9770-VCC CM9770-RPC CM9770-VMC CM9770-
RPM **CM9700-VPP** CM9700-CBL-06FT CM9700-CBL-10FT CPU controller. Operates
on 120 VAC, 60 Hz or 230 VAC, 5...
lang:en **score:24** filesize: 200.53 K page_count: 4 document date: 2015-09-03



[\[pdf\]](#) Specifications Accessories

CM9770 Series Matrix C1555 spec110210 fm llinarez lane CM9770L Specsheets Pelco 960X16 High
Density System Looping surveillance video media lanot attachments customimport |||
PRODUCT SPECIFICATION analog systems and controls CM9770 Series Matrix
MICROPROCESSOR-BASED SWITCH ... 9700-SER-32 MATRIX BAY CM9770-MXB
CM9700-MPS CM9770-DFC CM9770-VCC CM9770-RPC CM9770-VMC CM9770-
RPM **CM9700-VPP** CM9700-CBL-06FT CM9700-CBL-10FT CPU controller. Operates
on 120 VAC, 60 Hz or 230 VAC, 5...
lang:en **score:24** filesize: 194.25 K page_count: 4 document date: 2014-12-30




[pdf] Specifications Accessories

Pelco CM9770 Series HD Matrix 2048x512 spec C1593 CM9765 113009 fm llinarez Specs sheet VCC 32

Input Video Camera Card surveillance video media lanot attachments customimport |||

PRODUCT SPECIFICATION analog systems and controls CM9765 Series Matrix MICROPROCESSOR-BASED SWITCH ... MATRIX BAY CM9765-MXB CM9700-MPS CM9765-DFC CM9765-VCC CM9765-RPC CM9765-VMC CM9765-RPM CM9765-RPS **CM9700-VPP** CM9700-CBL-06FT CM9700-CBL-10FT CPU controller; operates on 120 VAC, 60 Hz or 230 VAC, 5...

lang:en score:24 filesize: 166.66 K page_count: 4 document date: 2014-12-30



[pdf] Accessories

SYSTEM COMPONENTS AND ACCESSORIES The CM9760 keyboard controller allows the user to control system includes a variable speed vector solving joystick with zoom knob for PD521375 objects eanixter |||

SYSTEM COMPONENTS AND ACCESSORIES MODELS CONTROLLER CM9700-CC1 CM9700-SER CM9700-SER-32 MATRIX BAY CM9780-MXB CM9700-MPS CM9780-DFC CM9780-VCC CM9780-RPC CM9780-VMC CM9780-RPM **CM9700-VPP CM9700-VPP-RK** CM9700-CBL-06FT CM9700-CBL-10FT CPU controller. Operates on 120 VAC, 60 Hz or 230 VAC, 50 Hz. 4 ...

lang:en score:21 filesize: 27.13 K page_count: 1 document date: 2018-02-14




[pdf] Specifications Guide

analogcomparisonguide pelco 80 documents product en shared

Pelco Product Comparison Analog Video Solutions Table of Contents As the global leader in the desi ... 5 MHz -70.5 dB -60.9 dB at 3.58 MHz 0.51 0.38 0.40 / 0.59 Switcher / Matrix Bay Mounting Baffle **CM9700-VPP CM9700-VPP-RK** Rack Mountable CERTIFICATIONS/RATINGS 21.70 D x 19.00 W x 10.50 H 55.1...

lang:en score:20 filesize: 4.89 M page_count: 20 document date: 2011-03-18



[pdf] Decleration of Conformity Price List

Microsoft Word Textfile ShortenedCopy doc KOverturf pelco gsa mod po59 123securityproducts media images |||

FEDERAL SUPPLY SERVICE AUTHORIZED FEDERAL SUPPLY SERVICE PRICE LIST On-line access to contract orde ... US 246-42 1 M CM9700UTP32A-US 32 Channel Active Hub, 1 output, 1 RIB 5,636.07 US 246-42 1 M **CM9700-VPP** 32 channel video patch panel 226.70 US 246-42 1 M **CM9700-VPP-RK** Rack for Mounting 1...

lang:en **score:14** filesize: 858.59 K page_count: 178 document date: 2013-09-04



[pdf] Decleration of Conformity Price List

Microsoft Word Textfile ShortenedCopy doc KOverturf CONTRACT NUMBER GS 07F 9323S 123 Security ProductsWS5200 SW US PWR Cord \$3 974 21 246 42 1 WS5200 2ND GEN WS5000 SEAT LIC \$1 424 28 10 WS5000 pelco gsa mod po59123securityproducts media images pelco po59 srsltid AfmBOooZfoFFQO3ZvwwMbN 51RW4w8djzXvPYCYGe G5dIT vPnFtR ProductsCONTRACT WS5000 6X 6 48mm Al DC Drive \$371 18 AGG 1C CH Pelco VSSL MD Vari Speed Pan Tilt up to 52lb 36 Deg 12VDC \$2 442 32 42 pelco po59pelco vPnFtR123securityproducts AfmBOopnDJXers1FSQ85C Q2Raa VvwOaZ4t5Nhapl33CiUej1znPOiR |||

FEDERAL SUPPLY SERVICE AUTHORIZED FEDERAL SUPPLY SERVICE PRICE LIST On-line access to contract orde ... US 246-42 1 M CM9700UTP32A-US 32 Channel Active Hub, 1 output, 1 RIB 5,636.07 US 246-42 1 M **CM9700-VPP** 32 channel video patch panel 226.70 US 246-42 1 M **CM9700-VPP-RK** Rack for Mounting 1...

lang:en **score:14** filesize: 858.6 K page_count: 178 document date: 2013-09-04

Insight PUBLIC SECTOR		State of Texas DIR - Hardware, Software Related Services for Surveillance, Security Monitoring # DIR-SDD-1876		DIR DEFENSE INFORMATION REPORT	
Pelco MSRP Price List					
Part Number	Description	MSRP	Discount	Net Price	
10000-01	LENS 1/2 INCH, 1/2 INCH, 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-02	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-03	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-04	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-05	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-06	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-07	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-08	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-09	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-10	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-11	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-12	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-13	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-14	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-15	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-16	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-17	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-18	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-19	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-20	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-21	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-22	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-23	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-24	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-25	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-26	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-27	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-28	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-29	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-30	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-31	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-32	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-33	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-34	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-35	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-36	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-37	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-38	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-39	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-40	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-41	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-42	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-43	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-44	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-45	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-46	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-47	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-48	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-49	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-50	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-51	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-52	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-53	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-54	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-55	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-56	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-57	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-58	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-59	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-60	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-61	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-62	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-63	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-64	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-65	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-66	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-67	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-68	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-69	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-70	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-71	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-72	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-73	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-74	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	
10000-75	LENS 1/2 INCH, 1/2 INCH, 2.0 INCH 1/2 INCH	\$200.00	45.00%	\$109.00	

This Pricing is for Informational Review Only. Prices May Vary by the Transaction Amount. Please Contact dir@pelco.com for Additional Information.

