

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Lee Precision](#) /
- › [Lee Precision 90207#7 Auto Prime Hand Priming Tool Shellholder User Manual](#)

## Lee Precision 90207#7

# Lee Precision 90207#7 Auto Prime Hand Priming Tool Shellholder User Manual

Model: 90207#7 | Brand: Lee Precision

### SAFETY INFORMATION

---

**WARNING:** This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. Always handle with care and follow all safety guidelines for reloading.

Always wear appropriate personal protective equipment, including eye protection, when handling reloading components and operating reloading tools. Keep out of reach of children.

### PRODUCT OVERVIEW

---

The Lee Precision 90207#7 Auto Prime Hand Priming Tool Shellholder is designed for use with the Lee Auto Prime Hand Priming Tool. This specific shellholder is compatible with .30 M1 Carbine and .32 ACP cartridges, allowing for precise and consistent primer seating by hand. It is engineered to securely hold the brass case during the priming process, ensuring proper alignment and preventing damage to the case or primer.



An image showing the Lee Precision 90207#7 Auto Prime Hand Priming Tool Shellholder, designed for .30 M1 Carbine and .32 ACP cartridges.

### What's in the Box

- 1 x Lee Precision 90207#7 Shellholder

### SETUP

---

1. **Inspect Components:** Before assembly, ensure all parts of the shellholder and your Lee Auto Prime Hand Priming Tool are clean and free from debris or damage.
2. **Insert Shellholder:** Align the 90207#7 shellholder with the slot in the Lee Auto Prime Hand Priming Tool. Slide the shellholder into place until it is fully seated and secure. The shellholder should fit snugly and not wobble.
3. **Verify Compatibility:** Confirm that the shellholder is correctly installed and that it is the appropriate size for the .30 M1 Carbine or .32 ACP cases you intend to prime.

*Note: This shellholder is specifically designed for the Lee Auto Prime Hand Priming Tool and is not compatible with standard reloading presses or other priming tools.*

### OPERATING INSTRUCTIONS

---

Follow these steps to prime your cases using the Lee Auto Prime Hand Priming Tool with the 90207#7 shellholder:

1. **Prepare Primers:** Load the appropriate size primers (small or large, depending on your cartridge) into the primer tray of your Lee Auto Prime Hand Priming Tool. Ensure primers are oriented correctly (anvil up).
2. **Insert Case:** Place a clean, de-primed .30 M1 Carbine or .32 ACP brass case into the 90207#7 shellholder. Ensure the case rim is fully seated in the shellholder.
3. **Prime Case:** Squeeze the handles of the Auto Prime Hand Priming Tool firmly and smoothly. This action will push a primer from the tray into the primer pocket of the case.
4. **Check Primer Seating:** Release the handles and remove the primed case. Visually inspect the primer to ensure it is seated flush with or slightly below the case head. The primer should not protrude.
5. **Repeat:** Continue this process for all cases, ensuring consistent primer seating for reliable ammunition.

*Always refer to your reloading manual for specific primer types and seating depths recommended for your cartridges.*

## MAINTENANCE

---

Proper maintenance ensures the longevity and reliable performance of your shellholder:

- **Cleaning:** After each use, wipe the shellholder clean with a dry cloth to remove any primer residue, brass shavings, or dust.
- **Inspection:** Periodically inspect the shellholder for any signs of wear, deformation, or damage. A damaged shellholder can lead to improper primer seating or case damage.
- **Storage:** Store the shellholder in a clean, dry environment, preferably in its original packaging or a dedicated storage container, to prevent corrosion and physical damage.
- **Lubrication:** No lubrication is typically required for the shellholder itself. Keep it free of oils or greases that could contaminate primers.

## TROUBLESHOOTING

---

If you encounter issues while using your 90207#7 shellholder, consider the following:

- **Case Not Seating Properly:**
  - Ensure the case is clean and free of burrs.
  - Verify you are using the correct shellholder (90207#7) for .30 M1 Carbine or .32 ACP cases.
  - Check the shellholder for any obstructions or damage.
- **Primer Not Seating Flush:**
  - Ensure the primer pocket of the case is clean and free of old primer residue.
  - Confirm you are using the correct size primer for the case.
  - Apply firm, consistent pressure when squeezing the priming tool handles.
  - Inspect the priming tool's ram and seating punch for damage or misalignment.
- **Shellholder Difficult to Insert/Remove:**
  - Ensure the slot in the Auto Prime Hand Priming Tool is clean.
  - Check the shellholder for any burrs or physical damage that might impede smooth insertion.

## SPECIFICATIONS

---

<b>Brand Name</b>	Lee Precision
<b>Model Name</b>	90207
<b>Part Number</b>	90207
<b>Compatible Cartridges</b>	.30 M1 Carbine, .32 ACP
<b>Item Package Dimensions L x W x H</b>	2.1 x 2 x 0.3 inches
<b>Package Weight</b>	0.05 Pounds
<b>Item Weight</b>	0.01 Ounces
<b>Material</b>	Other
<b>Country Of Origin</b>	United States

## WARRANTY INFORMATION

---

Lee Precision products are known for their quality and durability. This shellholder is covered by the manufacturer's standard limited warranty against defects in materials and workmanship. For specific details regarding warranty coverage, duration, and claims procedures, please refer to the official Lee Precision website or contact their customer service directly. Keep your purchase receipt as proof of purchase.

## CUSTOMER SUPPORT

---

Should you require assistance, have questions about the use of your Lee Precision 90207#7 shellholder, or need to report an issue, please contact Lee Precision customer support. Their knowledgeable team can provide guidance and support for all your reloading needs.

**Lee Precision Official Website:** [leeprecision.com](http://leeprecision.com)

Please have your product model number (90207#7) and any relevant purchase information ready when contacting support.