

[Manuals.plus](#) /

› [RV Designer](#) /

› RV Designer H527 Universal Sliding Mirrored Door Latch Instruction Manual

RV Designer H527

RV Designer H527 Universal Sliding Mirrored Door Latch Instruction Manual

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of the RV Designer H527 Universal Sliding Mirrored Door Latch. This product is designed to secure sliding mirrored doors in recreational vehicles (RVs) during travel, preventing movement and potential damage. It is a universal replacement part, compatible with various RV sliding mirrored door systems.




Image 1.1: The RV Designer H527 Universal Sliding Mirrored Door Latch, showing the main latch body and the smaller catch component.

Key Features:

- Universal replacement design for RV sliding mirrored doors.
- Secures doors effectively for travel.
- Constructed from durable plastic.
- Fasteners are included for installation.
- Comes as a set of two latches.

2. SAFETY INFORMATION

WARNING: This product is intended for securing mirrored doors. Mirrored products may have sharp edges and potential breakage hazards. Exercise caution during handling and installation. Proper mounting techniques are essential for safe use and to prevent injury or damage.

Always ensure the latch is securely installed and regularly inspected for wear or damage. Replace worn or broken latches immediately to maintain safety and functionality.

3. SETUP AND INSTALLATION

The RV Designer H527 latch is designed for straightforward installation. Fasteners are included with the product.

Ensure you have basic tools such as a screwdriver and a measuring tape before beginning.




Image 3.1: Example of an RV interior with mirrored sliding doors where the latch would be installed.

Installation Steps:

1. **Identify Mounting Location:** Determine the optimal position on your RV's mirrored sliding door frame and the door itself where the latch will engage securely. The latch should be positioned to hold the door firmly in place when closed.
2. **Mark Screw Holes:** Hold the main latch component against the door frame and the smaller catch component against the door. Use a pencil or marker to accurately mark the screw hole locations for both parts.
3. **Pre-Drill Pilot Holes (Optional but Recommended):** For easier installation and to prevent cracking, especially in wood or plastic, carefully pre-drill small pilot holes at the marked locations. Ensure the drill bit size is smaller than the screw diameter.
4. **Attach Latch Components:** Using the included fasteners, securely attach the main latch component to the door frame and the smaller catch component to the sliding door. Ensure both parts are aligned correctly for proper engagement.
5. **Test Engagement:** Close the mirrored sliding door and ensure the latch engages smoothly and holds the door securely. The door should not rattle or slide open during travel. Adjust positioning if necessary.

4. OPERATING THE LATCH

To secure the mirrored sliding door, simply close the door until the latch engages with the catch. A slight push may be required to ensure full engagement. The latch is designed to hold the door firmly, preventing it from opening during vehicle movement.

To open the door, gently disengage the latch by pulling the door away from the latch mechanism. Avoid excessive force, as this can damage the latch or the door.

5. MAINTENANCE

Regular maintenance ensures the longevity and reliable operation of your RV Designer H527 latch.

- **Cleaning:** Periodically wipe the latch components with a soft, damp cloth to remove dust and grime. Avoid harsh chemicals that could degrade the plastic material.
- **Inspection:** Regularly inspect the latch for any signs of wear, cracks, or damage, especially after extended periods of travel. Check that the fasteners remain tight.
- **Lubrication (Optional):** If the latch action becomes stiff, a small amount of silicone-based lubricant can be applied to the engaging surfaces to ensure smooth operation. Avoid oil-based lubricants, which can attract dirt.

6. TROUBLESHOOTING

If you encounter issues with your RV Designer H527 latch, consider the following:

- **Latch Not Holding Door:**
 - Ensure both latch components are securely fastened and properly aligned.
 - Check for any obstructions preventing full engagement.
 - Inspect the latch for wear or damage; if the plastic is worn or cracked, replacement may be necessary.
- **Latch Breaks Easily:**
 - This product is made of plastic. While durable, excessive force during opening or closing can cause breakage. Always disengage the latch gently.
 - Extreme temperatures, especially prolonged heat exposure, can affect plastic durability over time.
 - Consider replacing both latches if one breaks, as the other may also be nearing the end of its service life.
- **Door Rattles Despite Latch Engagement:**
 - Verify that the latch components are installed tightly and that there is no excessive play in the door's sliding mechanism.
 - Ensure the latch is fully engaged and providing sufficient pressure to hold the door.

7. SPECIFICATIONS

Attribute	Detail
Brand	RV Designer
Model Number	H527
Material	Plastic
Color	Clear
Product Dimensions	Approximately 5"L x 1"W
Item Weight	Approximately 0.96 ounces (27.22 g)
Number of Pieces	2 (per pack)
Mounting Type	Door Mount
Included Components	Sliding Door Latch components, Fasteners

8. WARRANTY AND SUPPORT

For specific warranty information regarding the RV Designer H527 Universal Sliding Mirrored Door Latch, please refer to the product packaging or contact RV Designer directly. RV Designer is known for creating durable hardware and replacement parts for RVs.

If you require further assistance or have questions not covered in this manual, please visit the official RV Designer website or contact their customer support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Details

Submit question