

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [SKROSS](#) /

› [SKROSS World Travel Adapter PRO+ \(Model 1.103110\) Instruction Manual](#)

SKROSS 1.103110

SKROSS World Travel Adapter PRO+ (Model 1.103110) Instruction Manual

Designed in Switzerland

1. PRODUCT OVERVIEW

The SKROSS World Travel Adapter PRO+ is engineered to provide a simple and safe connection for both 2-pole and 3-pole devices across more than 150 countries globally. This adapter features a patented all-in-one country slider system, offering unparalleled flexibility for various international power outlets.



SKROSS World Travel Adapter PRO+ front view. This image displays the main unit of the adapter from the front, showcasing its compact design.

2. KEY FEATURES

- Suitable for equipment with both earthed and unearthed plugs.
- Provides connection in over 150 countries worldwide.
- Features receptacles for Switzerland, Italy, Australia/China, UK, USA, and Europe (Schuko & 2-pole Euro).
- Includes retractable plugs for Switzerland, Italy, Australia/China, UK, USA, and Europe (Schuko).
- Supports an input voltage range of 100V – 250V.
- Maximum load capacity: 2.5A.
- Equipped with an integrated fuse for safety.

- Capable of powering devices such as laptops, hairdryers, MP3 players, and razors within its specified load limits.

3. SETUP AND FIRST USE

The SKROSS World Travel Adapter PRO+ is designed for intuitive and straightforward use.

3.1 Identifying Components

The adapter comprises a main unit with retractable pins and a detachable top section for specific plug types.



SKROSS World Travel Adapter PRO+ side view. This image shows the adapter's side, highlighting the various retractable pins for different regional outlets.



SKROSS World Travel Adapter PRO+ rear view. This image displays the rear of the adapter, illustrating the universal input sockets where your device's plug will be inserted.

4. OPERATING INSTRUCTIONS

4.1 Connecting Your Device

1. **Identify Plug Type:** Determine the correct plug configuration required for your destination country's wall outlet.
2. **Extend Pins:** Slide the corresponding mechanism on the adapter to extend the necessary pins for the region. For example, for the UK, extend the three rectangular pins; for the USA, extend the two flat pins and the round grounding pin.
3. **Insert Device Plug:** Insert your device's plug into the appropriate input socket on the adapter. The adapter accepts 2-pole and 3-pole plugs from Europe, UK, USA/Japan, Australia/China, Italy, and Switzerland.
4. **Plug into Wall:** Securely plug the adapter into the wall outlet.

Important Safety Note:

This adapter facilitates plug shape conversion only; it does not convert voltage. Always ensure your electronic devices are compatible with the local voltage (100V-250V) before use. Refer to your device's power supply or manual for voltage compatibility information.



SKROSS World Travel Adapter PRO+ configured for UK use. This image shows the adapter with the three-pin UK plug extended, ready for use in the United Kingdom.



SKROSS World Travel Adapter PRO+ configured for USA use. This image illustrates the adapter set up for use in the USA, with the two flat pins and one round grounding pin extended.


5. WORLDWIDE COMPATIBILITY

The SKROSS World Travel Adapter PRO+ is designed for broad international compatibility. It accepts plugs from the following regions:

- Europe (2-pole & 3-pole)
- UK (2-pole)
- USA / Japan (2-pole & 3-pole)
- Australia / China (2-pole & 3-pole)
- Italy (3-pole)
- Switzerland (3-pole)

It provides output plugs compatible with wall outlets in:

- Australia / China
- Italy
- Switzerland
- UK
- USA
- Europe



SKROSS World Travel Adapter PRO+ packaging. This image shows the product packaging, which includes a detailed list of countries where the adapter can be used. For a comprehensive list, refer to the product packaging or the official SKROSS website.

6. SAFETY GUIDELINES

- Do not use with appliances that exceed the maximum load of 2.5A (625W at 250V).
- This adapter does not convert voltage. Always confirm your device's voltage compatibility with the local power supply before connecting.
- Keep the adapter out of reach of children.

- Avoid exposing the adapter to moisture, liquids, or extreme temperatures.
- Do not attempt to disassemble or modify the adapter.
- If the integrated fuse blows, replace it only with a fuse of the same rating (2.5A).

7. CARE AND MAINTENANCE

To ensure the longevity and optimal performance of your adapter:

- Clean the adapter exterior with a dry, soft cloth. Do not use liquid or abrasive cleaners.
- Store the adapter in a cool, dry place when not in use, away from direct sunlight.
- Avoid dropping the adapter or subjecting it to strong impacts.

8. TROUBLESHOOTING

8.1 Adapter Not Working

- **Check Power Outlet:** Verify that the wall outlet is functional by testing it with another known working device.
- **Check Adapter Pins:** Ensure that the correct pins for the destination country are fully extended and securely inserted into the wall outlet.
- **Check Device Plug:** Confirm that your device's plug is fully and correctly inserted into the adapter's input socket.
- **Check Fuse:** The adapter has an integrated 2.5A fuse. If the adapter ceases to function, the fuse may have blown. Replace it with a new 2.5A fuse.

8.2 Device Not Charging/Operating

- **Voltage Compatibility:** Reconfirm that your device is compatible with the local voltage. This adapter does not perform voltage conversion.
- **Device Functionality:** Test your device directly in a compatible wall outlet (if available) to rule out a malfunction with the device itself.

9. TECHNICAL SPECIFICATIONS

Property	Value
Model Number	1.103110
Input Voltage	100V – 250V AC
Max. Load	2.5A
Max. Power	625W at 250V (250W at 100V)
Integrated Fuse	Yes (2.5A)
Dimensions (L x W x H)	2.83 x 2.24 x 2.56 inches (approx. 7.2 x 5.7 x 6.5 cm)
Item Weight	6.6 ounces (approx. 0.19 kg)

Color	White
-------	-------

Note: While some product descriptions may mention "up to 2500W", the specified maximum load for this model is 2.5A. Please adhere to the 2.5A rating for safe operation.

10. WARRANTY AND SUPPORT

The SKROSS World Travel Adapter PRO+ is backed by a **1-Year Manufacturer's Warranty**.

For technical support, warranty claims, or further product information, please visit the official SKROSS website or contact their customer service department. You can also reference the product's UPC:

[7640112215058](#).