

InFocus IN102

InFocus IN102 Portable DLP Projector User Manual

1. INTRODUCTION

This manual provides essential information for the setup, operation, and maintenance of your InFocus IN102 Portable DLP Projector. The IN102 is designed for various presentation environments, including conference rooms and classrooms, offering a balance of performance and portability.

Key features include:

- SVGA (800 x 600) native resolution, supporting up to UXGA (1600 x 1200).
- 2700 ANSI Lumens brightness (2200 lumens in Eco Mode) for clear images in various lighting conditions.
- 1500:1 contrast ratio for distinct visuals.
- DLP® technology with InFocus BrilliantColor™ for accurate color reproduction.
- 3D-ready capability for displaying 3D content.
- Lightweight design (approximately 5 pounds / 2.3 kg) for portability.
- Long-lasting lamp and filter-free design for reduced maintenance.

2. WHAT'S IN THE BOX

Upon unpacking, please verify that all the following items are included with your InFocus IN102 projector:

- InFocus IN102 Projector
- Power Cord
- VGA Cable
- Carrying Case
- Remote Control
- Safety Instructions
- CD Quick Start/User Guide

3. PRODUCT OVERVIEW



Figure 3.1: Front View of the IN102 Projector. This image displays the projector's front, highlighting the projection lens and the primary ventilation grille.



Figure 3.2: Rear View of the IN102 Projector. This image illustrates the back panel, featuring the power input, two VGA ports, S-Video, and Composite video inputs.




Figure 3.3: Top View of the IN102 Projector. This image shows the top surface, including the integrated control panel buttons and the manual focus/zoom adjustment rings.



Figure 3.4: Bottom View of the IN102 Projector. This image displays the underside, revealing the mounting points for ceiling installation and the adjustable feet for leveling.

4. SETUP

4.1 Placement

Position the projector on a stable, flat surface or mount it securely. Ensure adequate ventilation around the projector, keeping clear of any obstructions to the air intake and exhaust vents. The distance from the screen will determine the image size. Adjust the projector's angle to minimize keystone distortion.

4.2 Connecting Power

1. Connect the power cord to the AC inlet on the rear of the projector.
2. Plug the other end of the power cord into a grounded electrical outlet.

4.3 Connecting Video Sources

The IN102 offers multiple input options:

- **VGA (Computer):** Use the supplied VGA cable to connect your computer's VGA output to one of the VGA input ports (VGA1 or VGA2) on the projector.
- **S-Video:** Connect devices with S-Video output (e.g., DVD players) to the S-Video port.
- **Composite Video:** Connect devices with Composite video output (e.g., VCRs, older game consoles) to the Composite video port.

Ensure all cables are securely connected before powering on the projector.

5. OPERATING INSTRUCTIONS

5.1 Power On/Off

1. To power on, press the **Power** button on the projector's control panel or the remote control. The power indicator light will illuminate.
2. To power off, press the **Power** button twice. The projector will enter a cooling cycle before shutting down completely. Do not unplug the projector during the cooling cycle.

5.2 Input Source Selection

Press the **Source** button on the projector or remote control to cycle through available input sources (VGA1, VGA2, S-Video, Composite) until your desired source is displayed.

5.3 Image Adjustment

- **Focus and Zoom:** Rotate the focus and zoom rings on the projector lens until the image is sharp and fills the screen as desired.
- **Keystone Correction:** If the projected image appears trapezoidal, use the keystone correction function (usually via buttons on the control panel or remote) to adjust the image geometry to a rectangular shape.
- **Brightness and Contrast:** Access the on-screen display (OSD) menu to fine-tune brightness, contrast, and other image settings.

5.4 Eco Mode

Activate Eco Mode to extend lamp life and reduce power consumption. This mode is ideal for presentations in dimly lit environments. Refer to the OSD menu for Eco Mode activation.

5.5 3D Functionality

The IN102 is 3D-ready. To project 3D content, ensure your source device is compatible and configured for 3D output, and use appropriate 3D glasses (sold separately). Consult your 3D source device's manual for specific setup instructions.

6. MAINTENANCE

6.1 Lamp Replacement

The projector lamp has a finite lifespan. When the lamp life indicator illuminates or the image brightness significantly decreases, the lamp needs replacement. The lamp door is conveniently located on the top of the projector for easy access, even when the unit is installed.

1. Power off the projector and allow it to cool completely for at least 30 minutes.
2. Unplug the power cord.
3. Locate and open the lamp cover on the top of the projector.
4. Carefully remove the old lamp module and replace it with a new InFocus-approved lamp (SP-LAMP-060).
5. Secure the lamp cover and plug in the power cord.
6. Reset the lamp timer in the projector's OSD menu.

6.2 Cleaning

The IN102 features a filter-free design, eliminating the need for filter cleaning or replacement. Periodically clean the projector's exterior with a soft, dry cloth. For the lens, use a lens cleaning cloth and solution

specifically designed for optical surfaces.

6.3 Storage

When not in use for extended periods, store the projector in its carrying case in a cool, dry environment, away from direct sunlight and extreme temperatures.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your InFocus IN102 projector.

7.1 No Image or Blank Screen

- **Check Connections:** Ensure all video cables (VGA, S-Video, Composite) are securely connected to both the projector and the source device.
- **Select Correct Input:** Use the **Source** button on the projector or remote to select the correct input channel corresponding to your connected device.
- **Computer Display Settings:** If connecting a laptop, ensure its display output is enabled. On many Windows laptops, pressing the **Fn** key simultaneously with a function key (often **F4**, **F5**, **F7**, or **F8**, indicated by a monitor icon) toggles between display modes (laptop only, projector only, or both).
- **Projector Lamp:** Verify the lamp indicator light. If it's red or blinking, the lamp may need replacement.

7.2 Projector Shuts Off Unexpectedly

- **Overheating:** Ensure the projector's ventilation vents are not blocked. Excessive heat can cause the projector to shut down automatically to prevent damage. Allow the unit to cool down in a well-ventilated area.
- **Lamp Issues:** An aging or faulty lamp can cause intermittent shutdowns. Consider replacing the lamp if it's nearing the end of its lifespan.
- **Power Supply:** Check the power cord connection and ensure the power outlet is functioning correctly.

7.3 Image Quality Issues

- **Blurry Image:** Adjust the focus ring on the projector lens.
- **Distorted Image (Trapezoid):** Use the keystone correction function to square the image.
- **Poor Color/Brightness:** Adjust brightness, contrast, and color settings via the OSD menu. Ensure the room lighting is appropriate for the selected display mode (e.g., Eco Mode for darker rooms).
- **Resolution Mismatch:** Ensure your source device's output resolution is compatible with the projector's native or supported resolutions.

7.4 Remote Control Not Working

- **Batteries:** Replace the batteries in the remote control.
- **Line of Sight:** Ensure there is a clear line of sight between the remote control and the projector's IR receiver.

8. SPECIFICATIONS

Feature	Specification
---------	---------------

Feature	Specification
Model Number	IN102
Display Technology	DLP
Native Resolution	SVGA (800 x 600)
Maximum Resolution	UXGA (1600 x 1200)
Brightness	2700 ANSI Lumens (2200 lumens Eco Mode)
Contrast Ratio	1500:1
Lamp Life (Average)	4,000 hours (Eco Mode), 3,000 hours (Normal Mode)
Connectivity Technology	Wired (VGA, S-Video, Composite), Wireless (with optional LiteShow™ adapter)
Special Features	3D-Ready, Filter-free design
Product Dimensions	8.8 x 10.4 x 3.7 inches
Item Weight	5.07 pounds (2.3 kg)
Manufacturer	Infocus
Date First Available	March 1, 2010

9. WARRANTY AND SUPPORT

9.1 Limited Warranty

All new DLP® projectors from InFocus, including the IN102, are backed by a comprehensive limited warranty:


- **Projector:** 5-year limited warranty
- **Parts & Labor:** 2-year coverage
- **Lamp:** 6-month limited warranty

Please retain your proof of purchase for warranty claims.

9.2 Customer Support




For further assistance, technical support, or warranty inquiries, please refer to the contact information provided in your product's quick start guide or visit the official InFocus support website.

Related Documents - IN102



[InFocus IN1110a/IN1112a Digital Projector User Guide](#)

This user guide provides comprehensive instructions for the InFocus IN1110a and IN1112a digital projectors. It covers setup, connection, operation, image adjustment, troubleshooting, and maintenance, ensuring users can maximize their presentation experience.

	InFocus Quantum Laser Projector User's Guide Comprehensive user's guide for the InFocus Quantum Laser projector series, covering setup, operation, safety instructions, specifications, and troubleshooting for models like IN1068SL and IN1069SL.
	InFocus IN2100 Series Projector Quick Start Guide Quick start guide for the InFocus IN2100 series projectors (models V2000, M2100, IN2112, IN2114, IN2116). Learn how to unpack, connect, set up, adjust, and troubleshoot your projector.
	InFocus LP225 Quick Start Guide Get started quickly with the InFocus LP225 multimedia projector. This guide provides essential setup, connection, safety, and usage information for optimal performance.
	InFocus Quantum Laser Simplified Users Guide A simplified user guide for InFocus Quantum Laser projectors, providing essential safety instructions, technical specifications, and basic operational information.
	InFocus Quantum Laser Nemesis I & II User Guide Comprehensive user guide for InFocus Quantum Laser Nemesis I (P141) and Nemesis II (P127, P128) projectors. Covers features like laser technology, 4K support, flexible installation, and operation.



[\[pdf\]](#) User Manual Installation Guide Dimension Guide Guide

InFocus IN100 Series QuickStart Guide Download Manual Infocus IN104 Projector Expert Advice

Exclusive Offers infocus in104 manual projectorpoint co uk pub media pp products projectors |||

IN102/IN104 Carry Case To use remote, remove plastic tab. RS-232 MONITOR OUT COMPUTER IN1 COMPUTER IN2 VIDEO S -VIDEO AUDIO IN AUDIO OUT Focus Zoom Press Press Projection dimensions Refer to the picture below for the center of lens dimensions of this projector before calculating th...

lang:en **score:43** filesize: 2.78 M page_count: 20 document date: 2010-02-25

IN100 (SERIES) Reference Guide



[\[pdf\]](#) User Manual Reference Guide Guide

InFocus IN104 DLP Projector User Guide Manual InFoucs IN104manual internal 2022 12 |||

100 Reference Guide Regulatory models T102, T104

Downlo5aBd.e1d32F0ro1.m00p1rojector-manual.com InFo ... ications are subject to

change without notice. General Product name Model name Digital Projector **IN102**

IN104 Optical Resolution Display system Lens F/Number Lamp 800 x 600 SVGA

1024 x 768 XGA ...

lang:en **score:43** filesize: 8.81 M page_count: 55 document date: 2015-04-07

IN100 (SERIES) Reference Guide



[\[pdf\]](#) User Manual Reference Guide Guide

InFocus IN100 Series Reference Guide for IN102 projector and IN104 Yvette Huang 7128415manual

internal 2022 11 7128415 |||

100 Reference Guide Regulatory models T102, T104 5B.13201.001 Table of contents

Introduction..... ... ications are subject to change without notice. General Product

name Model name Digital Projector **IN102** IN104 Optical Resolution Display system

Lens F/Number Lamp 800 x 600 SVGA 1024 x 768 XGA ...

lang:en **score:39** filesize: 6.06 M page_count: 55 document date: 2010-02-25

IN100 SERIES

InfFocus

Right Inside Made Brilliant

All the essentials

The Infocus IN100 series offers any of the essential functions and features presenters want in an affordable, reliable product. In easy to use and projects high quality images every time thanks to the true-to-life colour of True Infocus™ 3D LED technology with the true-to-life colour of True Infocus™ 3D LED technology with the Infocus BrilliantCore™ illumination.

- 2700 lumens and up to UMSA resolution for stunning presentations
- Multiple computer inputs provide easy ways to connect
- Free laser free design for less maintenance and 24/7 operation
- Compact size and light weight for easy mobility
- High quality design is backed by a 5-year limited warranty

Bright and Brilliant

A high brightness of 2700 lumens makes the IN100 series in bright enough to environments with high ambient light. The award winning Infocus BrilliantCore illumination brings life to any presentation.

FlashGo

The IN100 series offers multiple computer inputs for flexibility in your environment. Both models are compatible with USB 3.0 – wireless sharing, allowing global data presentation. The Infocus IN100 lets users connect presenters in presentations, and Twitter, email, and video over a PC in range.



Model
IN100

2700 LUMENS
1080P FULL HD
3000000:1 CONTRAST RATIO

Model
IN100

2700 LUMENS
1080P FULL HD
3000000:1 CONTRAST RATIO

Connect

The IN100 series is small and lightweight for easy portability from one room to another in the next. It is compact, weighs about 2.5 kg, and comes with a convenient carrying handle.

Resolution Options

Choose from native resolution of VGA for the best price or XGA for better image detail and clarity. Both models offer high resolution of XGA (1600 x 1200).



VGA
800 x 600 resolution

XGA
1600 x 1200 resolution

Connectivity options

1x VGA	1x DVI-D (16:10)
1x HDMI (1080P)	1x Audio in
1x USB 3.0	1x USB 3.0
1x RS-232C	

www.infocus.com

[\[pdf\]](#) Datasheet Warranty

InFocus IN100 Series Datasheet IN102 and IN104 Projectors Corp infocus in104 ivojo co uk |||

in100 All the essentials The InFocus IN100 series offers all of the essential functions and feature ... , resulting in less maintenance and hours of worry-free use. Optional Accessories Replacement Lamp **IN102** SP-LAMP-060 Replacement Lamp IN104 SP-LAMP-061 LiteShow III Wireless Adapter INLITESHOW3 ...

lang:en score:35 filesize: 280.88 K page_count: 2 document date: 2011-03-09

[illegible]

[\[pdf\]](#)

InFocus IN102 infocusin102 hc de hcinema |||

InFocus **IN102** INFOCUS **IN102** 90 cm Leinwand Projektor Kurzvorstellung Beta 2.5
Projektionssystem Der Standard-Portabel **IN102** 3D BrilliantColor DLP hat 2500 Ansi-
Lumen einen Kontrast von 1500:1 und eine SVGA 800 x 600 Auflösung. 435 cm
Bildbreite wird der Projektor gut ausleuchten können. Wenn Raumli...

lang:de score:35 filesize: 464.59 K page_count: 2 document date: 2024-09-18

IN100 (SERIE)

Todo lo esencial

La serie InFocus IN100 ofrece todas las funciones básicas y las características que los presentadores necesitan en un projector confiable y económico. Es fácil de instalar e instalarlo en cualquier lugar. La alta calidad asegura gracias a sus lentes ópticos de la tecnología de Tamao Industries JDP-0 un rendimiento de alta fidelidad InFocus BrilliantColor™.

- 2700 lúmenes y hasta una resolución ÚSTGA para proporcionar imágenes claras.
- Los múltiples modos de la herramienta (proyección frontal, retro, pantalla, etc.)
- Tiene un diseño sin fillos, lo que asegura menos ruido y un funcionamiento silencioso de 24/7.
- Tamao compacto y peso ligero para proporcionar una fácil instalación.
- Diseño de alta calidad respaldado por una garantía limitada de 3 años.

Brillante y respaldado

Los nuevos InFocus IN2700 lúmenes ofrecen una serie de características que lo hacen el mejor proyector de su categoría. La impresionante imagen BrillantColor™ ofrece un mundo nuevo de color real y claro para cualquier presentación.

Flexible

La serie IN100 ofrece múltiples opciones, lo ideal para elegir fácilmente la mejor opción adecuada. Ambos modelos son compatibles con un controlador inalámbrico opcional, la InFocus® iBeamer™ en su versión estándar que proporciona un enfoque y un zoom remoto, audio y vídeo en un rango de 31 m.

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

Compato

La serie IN100 es pequeña y ligera para llevar una fácil portabilidad de un lugar a otro. Es compacto, mide aproximadamente 2,1 kg viene con un diseño atractivo.

Opciones de resolución

Es posible cambiar la resolución de VGA para obtener un mejor precio VGA para obtener mejores detalles de colores y claridad. Ambos modelos ofrecen alta resolución de 1024 X 768 y 1080p.

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

IN2700

2700 LUMENS
1024 X 768 RESOLUTION
1000000:1 CONTRAST RATIO
1000000:1 CONTRAST RATIO

El mundo de InFocus

Infocus
Bright Color Made Possible

IN100

2700 LUM

[\[pdf\]](#) Datasheet Catalog

InFocus IN100 Series Datasheet Latin Spanish IN102 and IN104 projectors Corp Infocus onlinecomputer
co articulos activos catalogos

in100 Todo lo esencial La serie InFocus IN100 ofrece todas las funciones bsicas y las caracterstica ... menos mantenimiento y ms horas de uso sin preocupaciones.

Accesorios opcionales Lmpara de repuesto **IN102** SP-LAMP-060 Lmpara de repuesto
IN104 SP-LAMP-061 Adaptador inalmblico LiteShow III INLITE...

lang:es score:34 filesize: 283.37 K page count: 2 document date: 2011-04-21

[illegible]

IN100 SERIES

All the essentials

The Infocus IN100 series offers all of the essential functions and features presented in our affordable, reliable portfolio. It's easy to use and projects high-quality results you often think are the true life-size colors of Infocus' legendary DLP® technology with Infocus IntelliColor™ implementation.

- **2700 lumens and up to USA resolution** for stunning presentations
- **Multitouch capabilities** provide easy ways to change operation
- **Fiber optic cable** for less maintenance and 2x/7 speed operation
- **Connect ease and light weight** for easy mobility
- **High quality design** is backed by a 5-year limited warranty

Right & Beautiful

A high brightness of 2700 lumens, makes the IN100 series is bright enough to accommodate with high ambient light environments. The IN100 series also has a wide presentation range, which can take up to 16m.

Flexibility

The IN100 series offers multiple connection options for flexibility in your environment. Both models are compatible with HDMI™, wireless adapter, allowing various display presenters. The Infocus IN100 series switch presenter in seconds and transfer data files, and video over a IPX network (HDMI).

Resolution Options

Choose from native resolution of SXGA or the best price per pixel for better image detail and clarity. Both models offer HDX resolution of SXGA (1600 x 1200).

WIDEVIEW
Built-in 80° horizontal viewing angle
Supports 16:9 aspect ratio

NATIVE
Native 1600 x 1200 resolution
Supports 16:9 aspect ratio

SXGA
1600 x 1200 Resolution

WIDEVIEW
80° Horizontal Viewing Angle

Connectivity options:
HDMI™
DVI-D™
Audio In
Audio Out
USB

SVGA 1024 x 768 Resolution

XGA 1024 x 768 Resolution

www.infocus.com

IN100 SERIES

InFocus Brightest Made Brillant

All the essentials

The InFocus IN100 series offers all of the essential functions and features professionals need in an affordable, reliable package. It's yours to use and produce quality images every time thanks to the true-to-life colors of Texas Instruments LDP technology with InFocus BrilliantColor™ implementation.

- Up to 13000 lumens and up to USGA resolution for stunning projection
- Multiple compact inputs provide easy way to connect
- Filter-free design for less maintenance and 24/7 operation
- Compact size and light weight for any mobility
- High quality design is backed by a 5-year limited warranty

Bright and Brilliant

A high brightness of up to 13000 lumens makes the IN100 series a bright enough to environments with high ambient light. The sleek window measurement is the lightest weight. The sleek window measurement is the lightest weight. The sleek window measurement is the lightest weight.

Flexible

The IN100 series offers multiple compact inputs for the most convenient use. Most models are compatible with InFocus™ TV services offering, allowing easy presentation. The IN100 series offers multiple compact inputs for the most convenient use. Most models are compatible with InFocus™ TV services offering, allowing easy presentation. The IN100 series offers multiple compact inputs for the most convenient use. Most models are compatible with InFocus™ TV services offering, allowing easy presentation.

Resolution Options

Choose from native resolution of SXGA for the best price or XGA for better image detail and clarity. Both models offer high resolution of IN100 (1600 x 1200).

MODEL	11100	11100	11000
Resolution	1600 x 1200	1600 x 1200	1600 x 1200
Input	1000 x 1000	1000 x 1000	1000 x 1000
Weight	1000 x 1000	1000 x 1000	1000 x 1000



Connectivity options

4x DVI-D	5x Component Video
2x S-Video	2x Audio
2x Composite Video	2x Ethernet

800 x 600 Resolution
1.0 x 1.0 Resolution

www.infocus.com

IN100 (SERIES)

All the essentials

The Infocus IN100 series offers all of the essential features and features previously found in all affordable, reliable projectors. It's easy to use and provides high-quality images even in the darkest of rooms. The IN100 series features Infocus's DLP technology with Infocus BrilliantColor™ presentation.

- 2500 lumens and up to USA 1080 resolution for stunning presentations
- Multiple contrast modes provide easy ways to change contrast
- Filter-free design for less maintenance and 24/7 operation
- Compact size and light weight for easy mobility
- High quality design is backed by a 5-year limited warranty

Bright and Brilliant



A high brightness of 2500 lumens ensures the IN100 series is bright enough to complement with all ambient light. Infocus's DLP technology delivers brilliant presentation brings out, vibrant colors of any presentation.

Flexibility

The IN100 series offers multiple screen sizes for use in a variety of environments. Both models are compatible with 1080p HD screen sizes allowing offering clear, high presentations. The IN100 Series can switch processors in seconds and present data, audio, and video over a 200' range (80 ft. ri).

Resolution Options

Choose from multiple resolutions of 1080p the best option for your presentation. Both models offer:

- SVGA 800 x 600 resolution
- XGA 1024 x 768 resolution



MODEL

- IN100 2500 lumens brightness, 1080p resolution

MODEL


- IN100 2500 lumens brightness, 1080p resolution

Compact

The IN100 series is small and lightweight for easy portability from one room to the next. It's compact, weighs only 23.5 lbs., and comes with a convenient carrying case.

Resolution Options

Choose from multiple resolutions of 1080p the best option for your presentation. Both models offer:



SVGA
800 x 600 resolution

XGA
1024 x 768 resolution

Connectivity options

RS-232C RS-485 RS-485C RS-485C

www.infocus.com

[\[pdf\]](#) Datasheet Catalog

InFocus IN100 Series Datasheet Latin Spanish IN102 and IN104 projectors Corp Infocus onlinecomputer
co articulos activos catalogos

in100 Todo lo esencial La serie InFocus IN100 ofrece todas las funciones bsicas y las caracterstica ... menos mantenimiento y ms horas de uso sin preocupaciones.

Accesorios opcionales Lmpara de repuesto **IN102** SP-LAMP-060 Lmpara de repuesto
IN104 SP-LAMP-061 Adaptador inalmblico LiteShow III INLITE...

lang:es score:34 filesize: 281.87 K page_count: 2 document date: 2011-04-21

[\[pdf\]](#) Datasheet Warranty

InFocus IN100 Series Datasheet IN102 and IN104 Projectors Corp Product Sheet Sửa máy chiếu Infocus projector spec 5512 projectorcentral |||

in100 All the essentials The InFocus IN100 series offers all of the essential functions and feature ... , resulting in less maintenance and hours of worry-free use. Optional

Accessories Replacement Lamp **IN102** SP-LAMP-060 Replacement Lamp IN104 SP-LAMP-061 Projector Screen SC-PD-80, 100, 120 LiteS...

lang:en score:34 filesize: 281.47 K page_count: 2 document date: 2011-03-09

[\[pdf\]](#) Datasheet Warranty

InFocus IN100 Series Datasheet IN102 IN104 and IN105 projectors Corp projector spec 5923
projectorcentral 80 |||

in100 All the essentials The InFocus IN100 series offers all of the essential functions and features for easy portability from one room or building to the next. It is compact

and weighs about 2.3 kg. **IN102** and IN104 come with a convenient carrying case. Resolution Options Choose from native resoluti...

lang:en score:34 filesize: 284.53 K page_count: 2 document date: 2011-04-21

[\[pdf\]](#) Datasheet Warranty Borchure

InFocus IN100 Series Datasheet IN102 projector and IN104 Corp Brochure projectisle au Images
Products 24908 24909

in100 All the essentials The InFocus IN100 series offers all of the essential functions and feature ... , resulting in less maintenance and hours of worry-free use. Optional

Accessories Replacement Lamp **IN102** SP-LAMP-060 Replacement Lamp IN104 SP-LAMP-061 Projector Screen SC-PD-80, 100, 120 LiteS...

lang:en score:33 filesize: 280.8 K page_count: 2 document date: 2010-02-19



[\[pdf\]](#) User Manual Reference Guide Guide Warranty


InFocus IN100 Series Reference Guide for IN102 projector and IN104 Yvette Huang Pureland Supply

High quality manual zoom lens The apparent brightness of the projected image Manually corrects distorted images resulting from an angled projection Quick Start Warranty Booklet Safety Pull tab before using remote control Remote Control Battery Carry case Introduction 5 Projector exterior view 1 External panel See on page 6 details 2 Vent heated air exhaust 3 release button Display OSD menus Switchable normal economic modes to reduce power consumption Component HDTV compatibility YPbPr 2837 infocus in102 in104 en in100 series fobis ru files product audiogeneral projectisle au Images Products 24908 24909

100 Reference Guide Regulatory models T102, T104 5B.13201.001 Table of contents

Introduction..... ... ications are subject to change without notice. General Product name Model name Digital Projector **IN102** IN104 Optical Resolution Display system Lens F/Number Lamp 800 x 600 SVGA 1024 x 768 XGA ...

lang:en **score:31** filesize: 6.06 M page_count: 55 document date: 2010-02-25



[\[pdf\]](#) Instructions Warranty

InFocus Lamp Module Replacement Instructions SP LAMP 060 and 061 mkruieger To avoid burns allow the projector to cool for at least 60 minutes before you replace lamp Unplug power cord replacing Do not

IN100 Replacement1400249243317 images10 newegg UploadFilesForNewegg itemintelligence |||

Lamp Module Replacement Instructions: SP-LAMP-060 and SP-LAMP-061 NOTES:

Always use the correct lamp module for your particular projector model: SP-LAMP-060: Used in **IN102** SP-LAMP-061: Used in IN104 Use the InFocus lamp module designed for this projector. You can order new lamps from www.infocus.com...

lang:en **score:31** filesize: 141.44 K page_count: 2 document date: 2010-02-25



[\[pdf\]](#) Datasheet Warranty

InFocus IN100 Series Datasheet IN102 and IN104 Projectors Corp серия Брошюра и спецификация

eng 0 28 Mb Проекторы для офиса образования EU auxiv ru upload iblock b24 |||

in100 All the essentials The InFocus IN100 series offers all of the essential functions and feature ... , resulting in less maintenance and hours of worry-free use. Optional Accessories Replacement Lamp **IN102** SP-LAMP-060 Replacement Lamp IN104 SP-LAMP-061 LiteShow III Wireless Adapter INLITESHOW3 ...

lang:en **score:31** filesize: 279.08 K page_count: 2 document date: 2011-03-09

IN100 (SERIES) Reference Guide



Regulatory models T102, T104
58.13201.001

InFocus
Bright Ideas Made Brilliant

[\[pdf\]](#) Owner's Manual Reference Guide

INFOCUS IN102Infocus Projector Owners ManualINFOCUS IN102purelandsupply Images

OwnersManuals Infocus IN102 |||

100 Reference Guide Regulatory models T102, T104 5B.13201.001 Table of contents

Introduction..... ...ications are subject to change without notice. General Product

name Model name Digital Projector **IN102** IN104 Optical Resolution Display system

Lens F/Number Lamp 800 x 600 SVGA 1024 x 768 XGA ...

lang:en **score:27** filesize: 2.04 M page_count: 55 document date: 2018-03-07

IN100 (SERIES)

All the essentials

The InFocus IN100 series offers all of the essential functions and features presenters need in an affordable, reliable projector. It's easy to use and projects high-quality images every time thanks to the true-to-life colors of Focus Instruments DLP technology with InFocus BrilliantColor™ implementation.

- 2500 lumens and up to UHGA resolution for stunning presentations
- Multiple computer inputs provide easy ways to connect
- Filter-free design for less maintenance and 24/7 operation
- Compact size and light weight for easy mobility
- High quality design is backed by a 5-year limited warranty

Bright and Brilliant

A high brightness of 2500 lumens means the IN100 series is bright enough to overcome high ambient light. The award-winning InFocus BrilliantColor™ implementation brings rich, realistic color to any presentation.

Flexible

The IN100 series offers multiple computer inputs for flexibility in any environment. Both models are compatible with LiteShow™ wireless adapter, allowing cable-free presentations. The LiteShow II™ series switch presenters in seconds and transmit data, audio, and video over a 90' range (D1 vs).

Compact

The IN100 series is small and lightweight for easy portability from one room to the next. It is compact, weighs about 5 pounds (2.3 kg), and comes with a convenient carrying case.

Resolution Options

Choose from native resolution of SVGA for the best price or XGA for better image detail and clarity. Both models offer high resolution of UHGA (1600 x 1200).

Connectivity options

VGA
HDMI
DisplayPort
USB

5.1 mm audio in
Audio out
Composite video

SVGA
800 x 600 pixels
XGA
1024 x 768 pixels

www.infocus.com



[\[pdf\]](#) Warranty Borchure

InFocus IN100 DS EN LowRes 07JAN10 Download Brochure Infocus IN104 Projector Expert Advice

Exclusive Offers infocus in104 brochure projectorpoint co uk pub media pp products projectors |||

in100 All the essentials The InFocus IN100 series offers all of the essential functions and feature ... , resulting in less maintenance and hours of worry-free use. Optional Accessories Replacement Lamp **IN102** SP-LAMP-060 Replacement Lamp IN104 SP-LAMP-061 Projector Screen SC-PD-80, 100, 120 LiteS...

lang:en **score:26** filesize: 285.48 K page_count: 2 document date: 2010-01-07

IN100 (SERIES)

All the essentials

The InFocus IN100 series offers all of the essential functions and features presenters need in an affordable, reliable projector. It's easy to use and projects high-quality images every time thanks to the true-to-life colors of Focus Instruments DLP technology with InFocus BrilliantColor™ implementation.

- 2500 lumens and up to UHGA resolution for stunning presentations
- Multiple computer inputs provide easy ways to connect
- Filter-free design for less maintenance and 24/7 operation
- Compact size and light weight for easy mobility
- High quality design is backed by a 5-year limited warranty

Bright and Brilliant

A high brightness of 2500 lumens means the IN100 series is bright enough to overcome high ambient light. The award-winning InFocus BrilliantColor™ implementation brings rich, realistic color to any presentation.

Flexible

The IN100 series offers multiple computer inputs for flexibility in any environment. Both models are compatible with LiteShow™ wireless adapter, allowing cable-free presentations. The LiteShow II™ series switch presenters in seconds and transmit data, audio, and video over a 90' range.

Compact

The IN100 series is small and lightweight for easy portability from one room to the next. It is compact, weighs about 2.3 kg, and comes with a convenient carrying case.

Resolution Options

Choose from native resolution of SVGA for the best price or XGA for better image detail and clarity. Both models offer high resolution of UHGA (1600 x 1200).

Connectivity options

VGA
HDMI
DisplayPort
USB

5.1 mm audio in
Audio out
Composite video

SVGA
800 x 600 pixels
XGA
1024 x 768 pixels

www.infocus.com




[\[pdf\]](#) Warranty

InFocus IN100 DS EU LowRes 07JAN10 2748c470 589a 4a49 8d4f 16c80aac4db2 cdn cnetcontent 80 27 48

in100 All the essentials The InFocus IN100 series offers all of the essential functions and feature ... , resulting in less maintenance and hours of worry-free use. Optional Accessories Replacement Lamp **IN102** SP-LAMP-060 Replacement Lamp IN104 SP-LAMP-061 LiteShow II Wireless Adapter INLITESHOW2 ...

lang:en **score:25** filesize: 275.19 K page_count: 2 document date: 2010-01-11




[pdf]

Datenblatt en InFocus CA SOFTCASE MTG Projektortasche mit Schulterriemen @ playox de 2491519 1
cdn assets media 98 0e 2c |||

Produktdatenblatt InFocus Soft Carrying Case Projektortasche Produktbeschreibung:
InFocus Soft Ca ... elt fr InFocus Soft Carrying Case Projektortasche Projektortasche
Verstärktes Ripstop-Nylon InFocus **IN102**, IN104, IN105, IN112V, IN112xa, IN112xv,
IN114V, IN114xa, IN114xv, IN116V, IN116xa, IN116xv, I...

lang:de score:24 filesize: 235 K page_count: 2 document date: 2019-01-25



[pdf] Reference Guide Guide

Pureland Supply SP LAMP 060 purelandsupply images manuals |||

100 Reference Guide Regulatory models T102, T104 5B.13201.001 Table of contents
Introduction..... ... ications are subject to change without notice. General Product
name Model name Digital Projector **IN102** IN104 Optical Resolution Display system
Lens F/Number Lamp 800 x 600 SVGA 1024 x 768 XGA ...

lang:en score:21 filesize: 2.04 M page_count: 55 document date: 2018-03-07



[Multimedia Projectors and A/V Equipment Catalog](#)

Explore a comprehensive catalog of multimedia projectors, including DLP, LCD, and LED models, from leading brands like Epson, Optoma, BenQ, and ViewSonic. Find specifications, features, and model numbers for home, business, and educational use. Also features projection accessories, mounts, and wireless presenters.

lang:en score:21 filesize: 552.42 K page_count: 6 document date: 2013-10-24



[Comprehensive Guide to Multimedia Projectors and Accessories - BandH.com](#)

Explore a vast selection of multimedia projectors, projection lamps, screens, mounts, document cameras, and presentation accessories from leading brands like 3M, Optoma, Epson, BenQ, NEC, ViewSonic, Canon, Acer, and many more. Find detailed specifications, features, and model information for your AV needs.

lang:en **score:19** filesize: 1.21 M page_count: 6 document date: 2013-04-30



[Multimedia Projectors and A/V Accessories Catalog](#)

This catalog showcases a wide range of multimedia projectors and A/V accessories from top brands like Epson, BenQ, Acer, and Sony. Find detailed specifications, pricing, and essential equipment for presentations and entertainment.

lang:it **score:19** filesize: 720.63 K page_count: 6 document date: 2015-04-15



[Presentación Audiovisual: Proyector Multimedia y Accesorios](#)

Catálogo de proyectores multimedia de alta calidad y accesorios relacionados de marcas líderes como Epson, BenQ, Optoma, Canon, NEC, ViewSonic, 3M, Acer, Panasonic, Mitsubishi, Sharp, Sony, y más. Descubra proyectores portátiles, de instalación, y soluciones de visualización para entornos profesionales y de entretenimiento.

lang:es **score:18** filesize: 685.63 K page_count: 6 document date: 2013-01-17



[Audiovisual Presentation: Projectors and Accessories Catalog](#)

Comprehensive catalog of projectors, projector lamps, mounts, accessories, and monitors from leading brands like AAXA, Acer, Optoma, ASUS, CASIO, BenQ, EPSON, Vivitek, ViewSonic, NEC, Hitachi, InFocus, LG, Panasonic, Sharp, Sony, Da-Lite, Draper, Honeywell, Logitech, iOGEAR, Keyspan, Kensington, Smk-link, Targus, Chief, Luxor, Peerless, H. Wilson. Includes detailed specifications and pricing.

lang:es **score:18** filesize: 1.1 M page_count: 6 document date: 2014-05-29

IN100 (SERIES) Reference Guide



Regulatory models T102, T104
58.13201.001

InFocus
Bright Ideas. Made Brilliant.

[\[pdf\]](#) Owner's Manual Reference Guide

INFOCUS IN104Infocus Projector Owners ManualINFOCUS IN104purelandsupply Images

OwnersManuals Infocus IN104 |||

100 Reference Guide Regulatory models T102, T104 5B.13201.001 Table of contents

Introduction..... ... ications are subject to change without notice. General Product

name Model name Digital Projector **IN102** IN104 Optical Resolution Display system

Lens F/Number Lamp 800 x 600 SVGA 1024 x 768 XGA ...

lang:en **score:18** filesize: 2.04 M page_count: 55 document date: 2018-03-07



[A/V Presentation Equipment Catalog - Projectors, Speakers, Mixers & More](#)

Comprehensive catalog of A/V presentation equipment including projectors, speakers, mixers, amplifiers, microphones, screens, and accessories from various manufacturers. Find specifications and product details for business and entertainment use.

lang:en **score:18** filesize: 3.38 M page_count: 17 document date: 2010-10-14

IN100 (SERIES) Reference Guide



Regulatory models T102, T104
58.13201.001

InFocus
Bright Ideas. Made Brilliant.

[\[pdf\]](#) Owner's Manual Reference Guide

INFOCUS SP LAMP 061Infocus Projector Owners ManualINFOCUS 061purelandsupply Images

OwnersManuals Infocus 061 |||

100 Reference Guide Regulatory models T102, T104 5B.13201.001 Table of contents

Introduction..... ... ications are subject to change without notice. General Product

name Model name Digital Projector **IN102** IN104 Optical Resolution Display system

Lens F/Number Lamp 800 x 600 SVGA 1024 x 768 XGA ...

lang:en **score:18** filesize: 2.05 M page_count: 55 document date: 2018-03-07

IN100 (SERIES) Reference Guide



Regulatory models T102, T104
5B.13201.001



[\[pdf\]](#) Owner's Manual Reference Guide

INFOCUS SP LAMP 060 Infocus Projector Owners Manual INFOCUS 060 purelandsupply Images
OwnersManuals Infocus 060 |||

100 Reference Guide Regulatory models T102, T104 5B.13201.001 Table of contents
Introduction..... ..ications are subject to change without notice. General Product
name Model name Digital Projector **IN102** IN104 Optical Resolution Display system
Lens F/Number Lamp 800 x 600 SVGA 1024 x 768 XGA ...
lang:en **score:18** filesize: 2.05 M page_count: 55 document date: 2018-03-07



[B&H Photo Video Pro Audio Catalog - Winter 2013](#)

Explore the Winter 2013 catalog from B&H Photo Video Pro Audio, featuring a comprehensive selection of photography, video, pro audio, computer, and home entertainment equipment. Discover the latest products and expert solutions from B&H.

lang:en **score:17** filesize: 30.56 M page_count: 456 document date: 2012-10-26




Industry-Electronics
Preisliste vom 17.08.2022



[Lieske industryelectronics Preisliste 2022](#)

Aktuelle Preisliste von Lieske industryelectronics für Monitore, Projektoren und Zubehör. Finden Sie eine breite Auswahl an Marken und Modellen mit detaillierten Spezifikationen und Preisen.


lang:it **score:15** filesize: 13.84 M page_count: 2651 document date: 2022-08-17



[Color Brightness Test Data: Projector Performance Analysis by Intertek and Lumita](#)

A comprehensive report detailing color brightness test data for numerous projector models, compiled by Intertek and Lumita. Includes methodology and comparisons of manufacturer-specified versus tested values, referencing NIST and IDMS standards.

lang:en score:14 filesize: 623.21 K page_count: 19 document date: 2013-04-28



[\[pdf\] Guide](#)

Report1 revised FINAL Ir Epson au

Projector Buyer s Guide to Color Brightness by Model Projector buyers should proceed with caution. ... 00 Dell 1409X 1610HD 2400MP 4320 M110 M115HD M900HD S300wi S500wi Hitachi CP-DX250 CP-DX300 InFocus **IN102** IN1110 IN1110A IN1112 IN1112A IN112 IN112A IN114 IN114A IN114ST IN116 IN116A IN122 IN124 IN124...

lang:en score:11 filesize: 831.49 K page_count: 8 document date: 2015-07-16



[Multimedia Projectors Catalog - Brands, Specifications, and Models](#)

A comprehensive catalog featuring a wide range of multimedia projectors from leading manufacturers including 3M, Optoma, Epson, BenQ, NEC, and more. Details specifications, resolutions, brightness, lamp life, connectivity options, and model numbers for various projector types.

lang:en score:10 filesize: 1.38 M page_count: 6 document date: 2012-04-18

lang:sw score:10 filesize: 5.92 M page count: 2 document date: 2017-12-06



[pdf]

PresentacionAudiovisual cdn2 bhphotovideo FrameWork Product Resources spmonthly winter2013 Nov 282 PRESENTACIN AUDIOVISUAL Proyectoros multimedia www.BandH.com 0800-222-0045 Argentina001-866-806 ... INLX2 263.50 IN24/IN26 INLIN24 184.95 IN24 /IN26 INLIN24P 222.95 IN36/C310 INLIN36 234.00 **IN102** INSPLAMP060 158.00 IN104 INSPLAMP061 161.00 IN1501/1503 INLIN1503 294.95 IN2112/IN2114 ... lang:es **score:10** filesize: 640.68 K page_count: 6 document date: 2013-10-18



[pdf]

APRESENTAÇÃO A V 306 311 Apresentacao AV Primeira Edicao 2015 BR static bhphotovideo FrameWork Product Resources monthly pt winter2015 APRESENTAO A/V 306 Projetores Multimidia www.bhphotovideo.com Mundial: 212-444-6728 Projetor Pico213.04 IN36/C310 INLIN36238.13 **IN102** INSPLAMP060136.92 IN104 INSPLAMP061 lang:pt **score:10** filesize: 487.97 K page_count: 6 document date: 2014-10-28



[pdf]

PRESENTACIÓN AUDIOVISUAL 10 Presentacion Audiovisual static bhphotovideo FrameWork Product Resources spmonthly summer2015 326 PRESENTACIN AUDIOVISUAL Proyectoros multimedia www.BandH.com/espanol 0800-222-0045 Argentina 0w213.04 IN36/C310 INLIN36238.13 **IN102** INSPLAMP06099.00 IN104 INSPLAMP061 lang:es **score:10** filesize: 676.37 K page_count: 6 document date: 2015-05-22



[pdf] User Manual

300 305 Apresentacao AV Primeira Edicao 2014 BR cdn2 bhphotovideo FrameWork Product Resources monthly pt summer2014 APRESENTAO A/V 300 Projetores Multimidia www.bhphotovideo.com Mundial: 212-444-6728 Projetor Pico222.95 IN36/C310 INLIN36234.00 **IN102** INSPLAMP060158.00 IN104 INSPLAMP061 lang:pt **score:10** filesize: 581.96 K page_count: 6 document date: 2014-05-08



[pdf]

09 Presentacion Audiovisualcdn2 bhphotovideo 80 FrameWork Product Resources spmonthly
summer2014 Audiovisual |||

300 PRESENTACIN AUDIOVISUAL Proyector multimedia

www.BandH.com/espanol 0800-222-0045 Argentina 0w222.95

IN36/C310 INLIN36234.00 **IN102** INSPLAMP060

.....158.00 IN104 INSPLAMP061

lang:es **score:10** filesize: 1.1 M page_count: 6 document date: 2014-05-29