

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [Hudson Valley Lighting](#) /
- › [Hudson Valley Lighting 1868-PN Six Light Island Chandelier, Polished Nickel User Manual](#)

Hudson Valley Lighting 1868-PN

User Manual

HUDSON VALLEY LIGHTING 1868-PN SIX LIGHT ISLAND CHANDELIER

Model: 1868-PN | Brand: Hudson Valley Lighting

Introduction

Thank you for purchasing the Hudson Valley Lighting 1868-PN Six Light Island Chandelier. This manual provides essential information for the safe installation, operation, and maintenance of your new lighting fixture. Please read all instructions carefully before beginning installation and retain this manual for future reference.

The Jasper collection features slender arms that blossom into rose-shaped silhouettes, with botanically inspired bobeches revealing the candle cup's flowering figure. This particular model boasts a polished nickel finish, highlighting the metal's warm characteristics, and is complemented by black shades.

Important Safety Information

- **WARNING:** This product may expose you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.
- Always disconnect power at the main fuse or circuit breaker box before beginning installation or performing any maintenance.
- All electrical connections must be in accordance with local and National Electrical Code (NEC) standards. If you are unfamiliar with proper electrical wiring connections, obtain the services of a qualified electrician.
- This fixture is designed for 120 Volts AC supply.
- Ensure the mounting surface can support the weight of the fixture.
- This product is for indoor use only.
- Please check your local laws and building codes before purchasing and installing this product.

Package Contents and Components

Carefully unpack your fixture and identify all parts. Keep all packaging materials until installation is complete to prevent accidental disposal of small parts.

- 1 x 1868-PN Chandelier Fixture (Polished Nickel finish with black and silver foil lining parchment shades)
- 54 inches of chain for adjustable hanging height
- Mounting hardware (typically includes mounting plate, screws, wire nuts)

Note: Six E12 candelabra base bulbs (max 60 watts each) are required and sold separately.

Installation Instructions

Professional installation by a qualified electrician is highly recommended for this fixture to ensure safety and proper functionality.

1. **Prepare for Installation:** Turn off the electricity at the main fuse box or circuit breaker. Ensure the power is off before proceeding.
2. **Mounting Bracket Installation:** Secure the mounting bracket to the junction box in the ceiling. Ensure it is firmly attached and can support the fixture's weight (approximately 23 pounds). This fixture uses a protruding mounting type.
3. **Adjusting Hanging Height:** Determine the desired hanging height for your chandelier. Use the provided 54 inches of chain to adjust the length. You may need to remove links to achieve the correct height.
4. **Wiring Connections:** Carefully connect the fixture's wires to the corresponding wires from the junction box. Typically, black to black (live), white to white (neutral), and green/bare copper to green/bare copper (ground). Use appropriate wire nuts and ensure all connections are secure.
5. **Secure Fixture:** Carefully lift the fixture and secure it to the mounting bracket, ensuring all wires are tucked safely inside the junction box.
6. **Install Bulbs:** Screw six E12 candelabra base bulbs (max 60 watts each, sold separately) into the sockets. Do not overtighten.
7. **Restore Power:** Once installation is complete and all connections are secure, restore power at the main fuse box or circuit breaker.



Figure 1: Hudson Valley Lighting 1868-PN Island Chandelier. This image displays the chandelier with its polished nickel finish and six black, conical shades, suspended from a rectangular ceiling plate by two chains. This fixture is designed for island lighting applications.

Operating Instructions

The Hudson Valley Lighting 1868-PN Chandelier operates as a standard hardwired lighting fixture. Once properly installed and wired to a wall switch or dimmer (not included), you can control the light output.

- **Turning On/Off:** Use the wall switch connected to the fixture to turn the chandelier on or off.
- **Light Source:** This fixture is designed for incandescent light sources. Ensure you use E12 candelabra base bulbs with a maximum wattage of 60W per bulb.
- **Lighting Method:** The fixture provides an Up/Down Light effect, illuminating both upwards and downwards from the shades.

Care and Maintenance

Regular cleaning will help maintain the appearance and longevity of your chandelier.

- **Cleaning the Fixture:** Always turn off the power and allow the fixture to cool before cleaning. Use a soft, dry cloth to wipe down the polished nickel finish. Avoid abrasive cleaners, solvents, or polishes as they may damage the finish.
- **Cleaning the Shades:** The black parchment shades can be gently dusted with a soft, dry cloth or a feather duster. Do not use wet cloths or liquid cleaners on the shades.
- **Bulb Replacement:** Ensure the power is off and bulbs are cool before replacing. Use only E12 candelabra base bulbs, not exceeding 60 watts per bulb.
- **Periodic Inspection:** Periodically check all connections and mounting hardware to ensure they remain secure.

Troubleshooting

If your chandelier is not functioning correctly, refer to the following common issues and solutions:

Problem	Possible Cause	Solution
Light does not turn on	No power to fixture Loose wiring connection Faulty bulb	Check circuit breaker/fuse. Ensure all wire connections are secure (power off first). Replace bulb(s).
Flickering light	Loose bulb Incorrect dimmer switch Loose wiring	Tighten bulb(s). Ensure dimmer is compatible with incandescent bulbs. Check wiring connections (power off first).
Fixture hums	Incompatible dimmer Loose components	Replace dimmer with one designed for incandescent loads. Ensure all parts are securely fastened.

If the problem persists after attempting these solutions, please contact a qualified electrician or Hudson Valley Lighting customer support.

Product Specifications

Attribute	Detail
Brand	Hudson Valley Lighting
Model Name/Number	1868-PN
Fixture Type	Island Chandelier
Color/Finish	Polished Nickel
Material	Metal, Glass (Shade Material)
Style	Traditional
Product Dimensions	20 x 39 x 28.5 inches (Depth x Width x Height)
Item Weight	23 pounds
Number of Lights	6
Bulb Base	E12 Candelabra

Attribute	Detail
Max Wattage per Bulb	60 Watts (Incandescent)
Voltage	120 Volts
Power Source	Corded Electric
Included Components	1868-PN fixture, 54 in. chain
Mounting Type	Protruding
Shade Color	Black (with silver foil lining)
Certification	UL Listed
Special Features	Energy Star Lighting
UPC	806134105297

Warranty Information

This product is covered by a manufacturer's warranty. Specific details regarding the terms and duration of the warranty are not provided within this document. Please refer to the official documentation included with your purchase or visit the Hudson Valley Lighting website for comprehensive warranty information.

Customer Support




For technical assistance, replacement parts, or further inquiries regarding your Hudson Valley Lighting 1868-PN Chandelier, please contact Hudson Valley Lighting customer service directly.


You can often find support contact information, FAQs, and additional resources on the official Hudson Valley Lighting website:

[Visit the Hudson Valley Lighting Store on Amazon](#)

© 2023 Hudson Valley Lighting. All rights reserved.

Related Documents - 1868-PN

	<p>Crystorama HAY-1407-PN Hayes Chandelier Assembly Instructions</p> <p>Assembly instructions for the Crystorama HAY-1407-PN Hayes 16-light chandelier in polished nickel. Includes parts list, installation steps, and safety information.</p>
	<p>Assembly Instructions for Doraimi Light 3533D10 Lighting Fixture</p> <p>Detailed assembly instructions and safety warnings for the Doraimi Light 3533D10 lighting fixture, including part identification and step-by-step guidance.</p>
	<p>SHARP PN-KTRC3 Remote Control Kit Instruction Manual and Warranty</p> <p>Comprehensive guide and warranty information for the SHARP PN-KTRC3 Remote Control Kit, detailing installation, usage, and after-sales service for compatible SHARP displays.</p>
	<p>Corbett Lighting Aura 437-30 Wall Sconce Installation Instructions</p> <p>Detailed installation instructions for the Corbett Lighting Aura 437-30 wall sconce. Includes safety warnings, step-by-step guidance, and a parts list for this lighting fixture from Hudson Valley Lighting Group.</p>
	<p>Stellar 9000 Articulating Crane Owner's Manual</p> <p>This owner's manual provides essential information for the Stellar 9000 Articulating Crane, covering specifications, installation guidelines, and assembly drawings. It includes detailed part lists and diagrams for various components, ensuring proper setup and understanding of the equipment. Safety warnings and notices are also highlighted to ensure safe operation.</p>
	<p>Stellar EC3200 Telescopic Crane Owner's Manual</p> <p>This owner's manual provides essential information for the installation of the Stellar EC3200 Telescopic Crane. It includes specifications, installation overviews, torque data, and assembly drawings.</p>



[\[pdf\] Specifications](#)

Specifications Jasper 6 Light Kitchen Island Pendant Hudson Valley w001185455 GCVS1343Hudson Lighting 1868 OBgcvs1343 1 specifications 1secure img1 ag wfcdn dm document d849fd69 35b8 4bc5 b588 f00d7f67827b gcvs1343 |||

Jasper Product ID 1868-PN DIMENSIONAL INFORMATION SHADE INFORMATION SHIPPING INFORMATION Height Length ADA Compliant Chain Length Hanging Type Canopy/Backplate Width Shade 1 Top W/Dia Minimum Height Maximum Height Weight 28.50 39.00 No 54.00 Chain 5.25 W X 18.25 H 20.00 2.50 31.50 84.50 ...

lang:tl score:17 filesize: 178.32 K page_count: 1 document date: 2022-03-25