Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

CycleOps SSURC

CycleOps SSURC Spa Side Umbrella User Manual

Model: SSURC

1. Introduction

Thank you for choosing the CycleOps SSURC Spa Side Umbrella. This manual provides essential information for the safe and efficient use of your umbrella. Please read these instructions carefully before installation and operation, and retain them for future reference.

The CycleOps SSURC Spa Side Umbrella is designed to provide shade and protection from the elements for your spa area. It features a versatile design allowing for 360-degree rotation, a crank mechanism for easy opening and closing, and an adjustable tilt function.



Image 1.1: CycleOps SSURC Spa Side Umbrella, fully extended.

2. Important Safety Information

- **Wind Conditions:** Do not use the umbrella in strong winds. High winds can damage the umbrella and pose a safety risk. Always close and secure the umbrella during windy conditions.
- **Stability:** Ensure the umbrella base is properly installed and secured under the spa to prevent tipping.
- **Clearance:** Maintain adequate clearance around the umbrella when rotating or tilting to avoid contact with surrounding structures or objects.
- **Children and Pets:** Keep children and pets away from the umbrella during operation to prevent injury.
- **Maintenance:** Regularly inspect the umbrella for any signs of wear or damage. Do not operate if damaged.

3. Package Contents

Verify that all components are present before beginning installation:

- Spa Side Umbrella Canopy and Frame Assembly
- Under-Spa Base Plate
- Vertical Support Pole
- Mounting Bracket (for attaching vertical pole to base plate)

Note: While the product description states "no hardware or assembly," the installation process involves positioning the base and connecting the pole, which is considered assembly. No additional tools are typically required for the main assembly, but positioning the base may require draining your spa.

4. Setup and Installation

The CycleOps SSURC Spa Side Umbrella features an under-mount design for stability. Proper installation is crucial for safe operation.

1. **Prepare Spa Area:** To properly position the under-spa base plate, it is often necessary to drain your spa and lift it slightly to slide the base underneath. Ensure the spa is completely empty and disconnected from power before attempting to move it.
2. **Position Base Plate:** Slide the flat, rectangular base plate under your spa. Position it so that the vertical support pole attachment point is where you desire the umbrella to stand. The base should be fully underneath the spa for maximum stability.
3. **Attach Vertical Support Pole:** Insert the vertical support pole into the designated slot on the base plate. Secure it firmly. Some models may have a locking pin or screw; ensure it is engaged.
4. **Mount Umbrella Assembly:** Carefully lift the umbrella canopy and frame assembly and attach it to the top of the vertical support pole. Ensure it clicks into place or is secured according to the specific design.
5. **Check Stability:** Once assembled, gently test the umbrella's stability. The weight of the spa on the base plate provides the necessary counterweight.

Important: *If your spa is in a corner or against a wall, ensure there is enough clearance for the umbrella to open and rotate without hitting obstructions. In some cases, users have found it necessary to bolt the base to a deck if the spa cannot fully cover the base plate, which may require drilling into the base plate and deck.*

5. Operating Instructions

Your CycleOps SSURC Spa Side Umbrella is designed for ease of use.

1. **Opening the Umbrella:** Locate the crank handle on the vertical support pole. Turn the crank clockwise to extend the umbrella canopy. Continue turning until the canopy is fully open and taut.
2. **Closing the Umbrella:** Turn the crank handle counter-clockwise to retract the umbrella canopy. Ensure it is fully closed and secured when not in use or during windy conditions.
3. **Adjusting Tilt:** The umbrella features an adjustable angle tilt mechanism. Locate the tilt adjustment lever or button on the pole near the canopy. Engage the mechanism and adjust the canopy to your desired angle to block sun or rain. Release the lever/button to lock the tilt in place.
4. **Rotating the Umbrella:** The umbrella can rotate 360 degrees. To rotate, unlock the rotation mechanism (if present, often a foot pedal or lever at the base of the pole). Gently turn the umbrella to the desired position over or beside your spa. Lock the rotation mechanism to secure it.

6. Care and Maintenance

Regular maintenance will extend the life and appearance of your spa side umbrella.

- **Cleaning the Canopy:** The canopy is made of polyester/nylon. Clean with mild soap and water. Use a soft brush or cloth to gently scrub away dirt and stains. Rinse thoroughly with clean water and allow to air dry completely before closing or storing. Do not use harsh chemicals or abrasive cleaners.
- **Frame Maintenance:** Wipe down the aluminum frame with a damp cloth periodically to remove dirt and debris. Inspect for any signs of rust or corrosion, especially on moving parts.
- **Lubrication:** Periodically apply a silicone-based lubricant to the crank mechanism and rotation points to ensure smooth operation.
- **Seasonal Storage:** For prolonged periods of non-use or during harsh weather conditions (e.g., winter, strong storms), it is recommended to remove the umbrella canopy and store it in a dry, protected area. The vertical pole can often be detached from the base without moving the spa.



Image 6.1: Close-up of the umbrella fabric (Creme).

7. Troubleshooting

Problem	Possible Cause	Solution
Umbrella is unstable or tips easily.	Base plate not fully under the spa; spa not heavy enough on the base; improper installation.	Ensure the entire base plate is positioned under the spa. Verify the spa's weight is fully resting on the base. Re-evaluate installation steps. Consider bolting the base to a sturdy deck if spa placement is insufficient.
Crank mechanism is stiff or difficult to operate.	Lack of lubrication; dirt or debris in mechanism; damaged crank.	Clean the crank mechanism and apply a silicone-based lubricant. Inspect for any visible damage.

Problem	Possible Cause	Solution
Umbrella swings or moves excessively in light wind.	Rotation lock not engaged; strong gusts of wind.	Ensure the rotation lock is fully engaged. **Always close the umbrella in windy conditions.** Consider using a bungee cord or strap to secure the closed umbrella during moderate winds.
Umbrella canopy material appears worn or damaged prematurely.	Exposure to harsh weather; prolonged sun exposure; manufacturing defect.	Ensure proper seasonal storage. Close the umbrella when not in use. Contact customer support if damage appears to be a manufacturing defect.

8. Specifications

Model Name:	SSURC
Brand:	CycleOps
Color:	Creme
Canopy Diameter:	120 inches (10 feet)
Canopy Material:	Polyester, Nylon
Frame Material:	Aluminum
Opening Mechanism:	Crank Lift
Tilt Mechanism:	Rotational Tilt
Special Features:	Adjustable, 360-degree rotation
Item Weight:	45 pounds
UPC:	749932902319

9. Warranty Information

Specific warranty details for the CycleOps SSURC Spa Side Umbrella are not provided in this manual. Please refer to your purchase documentation or contact the retailer/manufacturer directly for warranty terms and conditions.

10. Customer Support

For technical assistance, replacement parts, or further inquiries, please contact your retailer or the manufacturer, CycleOps. Contact information may be available on the product packaging or the official CycleOps website.
Manufacturer: Keller Supply - Lawn & Garden

© 2023 CycleOps. All rights reserved. Information in this manual is subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0033C0SMM

More documents and user manuals: **https://manuals.plus/**