Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Liquid Wrench L711

Liquid Wrench L711 Chain & Cable Lube 11 oz. User Manual

Model: L711

1. Introduction

The Liquid Wrench L711 Chain & Cable Lube is an 11-ounce anti-sling penetrant designed to lubricate and protect chains and cables. This product features anti-wear additives and synthetic moly for premium performance, ensuring optimal lubrication and reduced friction. It is formulated to stay on moving parts, prevent corrosion, and extend the life of your equipment. This manual provides essential information for safe and effective use.

2. Safety Warnings and Precautions

Always read and understand all safety information before using this product. Failure to follow warnings may result in serious injury or property damage.

DANGER: Eye & skin irritant. Harmful or fatal if swallowed. Contents under pressure. Read precautions on back panel.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

- **FIRE AND EXPLOSION HAZARD:** Use only in a well-ventilated area away from heat, sparks, and flames. Do not place container in contact with hot surfaces, batteries or electrical current, because of risk of violent bursting and flash fire. Use added caution in confined areas such as basements and automobile compartments.
- **BREATHING & INGESTION HAZARDS:** INHALING CONCENTRATED VAPORS, INTENTIONALLY OR OTHERWISE MAY CAUSE DEATH WITHOUT WARNING. Harmful or fatal if swallowed.
- **CONTACT HAZARD:** Eye and skin irritant. Prolonged skin contact may cause dermatitis.
- **FIRST AID EYE CONTACT:** Flush thoroughly with water for 15 minutes while lifting eyelids and get prompt medical attention.
- **SKIN CONTACT:** Wash with soap and water. If irritation develops, get prompt medical attention.
- **INHALATION:** Move to fresh air. If breathing becomes difficult, get prompt medical attention.
- **INGESTION:** DO NOT INDUCE VOMITING. Call Poison Control Center, Physician or Hospital Emergency Room immediately.



Image: Back of the Liquid Wrench L711 can, detailing safety warnings, ingredients, and product features.

3. Product Features

The Liquid Wrench L711 Chain & Cable Lube offers several key benefits for optimal performance:

- Stays put on moving parts & reduces friction
- Anti-wear additives
- Synthetic moly for premium performance
- Optimized dry time for maximum protection
- Dries only after entering chain links or cable strands
- Quiets noise, extends life & prevents oxidation
- Use on any chain or wire cable, O-rings, standard chains, motorcycles, bikes, throttle cables, farm equipment, ATVs & garage door chains

4. Setup and Preparation

Proper preparation ensures effective lubrication and protection.

1. **Clean Surfaces:** Ensure the chain or cable is clean and free of dirt, grease, and old lubricant before application. Use a suitable cleaner if necessary.
2. **Shake Well:** Shake the can vigorously for several minutes before each use to ensure proper mixing of ingredients.
3. **Attach Extension Tube:** For precise application in hard-to-reach areas, attach the provided extension tube to the nozzle. Remove and place in the cap slot when not in use.



Image: Front view of the Liquid Wrench L711 Chain & Cable Lube aerosol can.

5. Operating Instructions

Follow these steps for effective application of the chain and cable lube:

1. **Apply Lube:** Spray the lubricant evenly onto the chain or cable. For best results, apply to a slowly moving chain or cable to ensure thorough coverage of all links and strands.
2. **Allow to Soak and Dry:** Allow the lube to soak in and dry for several minutes before using the equipment. The longer the drying time, the better the penetration and adhesion.
3. **High-Speed Chains:** For high-speed chains, wipe off any excess lubricant and allow it to dry completely prior to use. This typically takes 30 to 60 minutes.



Image: A person applying Liquid Wrench L711 Chain & Cable Lube to a motorcycle chain.

6. Maintenance

Regular lubrication is crucial for extending the life and maintaining the performance of your chains and cables. The frequency of application depends on usage conditions, environment, and type of equipment. Inspect chains and cables regularly for signs of wear or dryness and reapply as needed.

7. Storage and Disposal

- **Storage:** Do not expose to heat, sparks, or open flames. Store in a cool, dry area below 120°F (49°C).
- **Disposal:** Do not puncture, crush, or incinerate the can. Dispose of the product, container, and residue according to all local, state, and federal laws and regulations.
- **Keep Away From Children and Animals.**

8. Specifications

Attribute	Value
Brand	Liquid Wrench
Model	L711
Item Form	Liquid
Material	Blend
Liquid Volume	11 Fluid Ounces
Item Weight	11 Ounces
UPC	078698217345
Product Dimensions	2.7 x 2.7 x 7.88 inches
Manufacturer	Liquid Wrench (RSC Chemical Solutions)

9. Troubleshooting

- **Uneven Application:** Ensure the can is shaken well before use. Apply in a well-ventilated area and move the spray nozzle consistently along the chain or cable for even coverage.
- **Excess Residue:** If too much product is applied, especially on high-speed chains, wipe off excess with a clean rag before allowing it to dry completely. This prevents sling-off.
- **Nozzle Clogging:** If the nozzle clogs, remove it and clean it with a thin wire or by rinsing with a suitable solvent. Reattach securely before use.

10. Warranty and Support

For product support, safety data sheets, or inquiries, please contact the manufacturer:
RSC Chemical Solutions
A division of Radiator Specialty Company
Indian Trail, NC 28079-5225, U.S.A.
Phone: 1-866-WRENCH7
Website: www.liquidwrench.com
Please refer to the manufacturer's website or contact them directly for specific warranty information.

© 2024 Liquid Wrench. All rights reserved. Information subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B003542HE0

More documents and user manuals: **https://manuals.plus/**