

MARS 10589

MARS 10589 3/4 HP 115V 1075 RPM 3-Speed Reversible Rotation Motor User Manual

Model: 10589

1. INTRODUCTION

This manual provides essential information for the safe and efficient installation, operation, and maintenance of your MARS 10589 3/4 HP 115V 1075 RPM 3-Speed Reversible Rotation Motor. Please read this manual thoroughly before attempting to install or operate the motor. Retain this manual for future reference.



Image 1: The MARS 10589 motor, a 3/4 HP, 115V, 1075 RPM, 3-speed reversible rotation motor, shown from an angled perspective with its shaft extending.

2. SAFETY INFORMATION

Always observe the following safety precautions to reduce the risk of injury or damage to the motor.

2.1 General Safety

- Read and understand all instructions before installation or operation.
- Ensure the motor is disconnected from the power supply before performing any installation, maintenance, or troubleshooting.
- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves.
- Keep hands, hair, and clothing clear of moving parts.
- Do not operate the motor in wet or damp conditions unless specifically rated for such environments.

2.2 Electrical Safety

- All electrical wiring must be performed by a qualified electrician and comply with local and national electrical codes.
- Verify that the power supply voltage matches the motor's voltage rating (115V).
- Ensure proper grounding to prevent electrical shock.
- Do not bypass or modify any safety devices.

3. SETUP

3.1 Pre-Installation Checks

- Inspect the motor for any visible damage that may have occurred during shipping.
- Confirm that the motor specifications (voltage, horsepower, RPM) are suitable for your application.
- Ensure the mounting surface is stable and capable of supporting the motor's weight (approximately 17.95 pounds).

3.2 Mounting Instructions

The motor should be securely mounted to prevent vibration and ensure proper alignment with the driven component. Use appropriate fasteners for the mounting type.

- Mount the motor in a location that allows for adequate ventilation to prevent overheating.
- Ensure the motor shaft is properly aligned with the load to avoid excessive wear on bearings.

3.3 Wiring Instructions

Refer to the wiring diagram provided on the motor's nameplate or included documentation for specific connections. The MARS 10589 motor features 3 speeds and reversible rotation.

- Connect the motor to a 115V AC power supply.
- Identify the common, high, medium, and low speed wires.
- Identify the wires for reversing rotation. Typically, reversing involves switching connections of specific winding leads. Consult the motor's specific wiring diagram for precise instructions.
- Ensure all connections are secure and insulated.

4. OPERATING

4.1 Initial Startup

- Before applying power, double-check all electrical connections and mounting security.
- Apply power to the motor. Observe for any unusual noises, vibrations, or overheating.
- If any abnormalities are detected, immediately disconnect power and investigate the cause.

4.2 Speed Selection

The MARS 10589 motor offers three distinct speeds. Speed selection is typically controlled via external wiring or a switch connected to the motor's speed leads. Refer to your system's control diagram for proper speed selection.

4.3 Rotation Direction

This motor is designed for reversible rotation. The direction of rotation is determined by the specific wiring

configuration. To change the direction of rotation, follow the instructions on the motor's wiring diagram, which typically involves swapping specific winding leads. Always disconnect power before altering wiring.

5. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your motor. Always disconnect power before performing any maintenance.

5.1 Cleaning

- Periodically clean the exterior of the motor to remove dust, dirt, and debris. Use a soft brush or compressed air.
- Ensure ventilation openings are clear and unobstructed to allow for proper airflow.

5.2 Lubrication

This motor typically features sealed bearings that are permanently lubricated and do not require additional lubrication. Consult the motor's nameplate or manufacturer's specifications for specific lubrication requirements.

5.3 Inspection

- Regularly inspect the motor for signs of wear, damage, or loose connections.
- Check for excessive vibration or unusual noises during operation.
- Monitor motor temperature; excessive heat can indicate a problem.

6. TROUBLESHOOTING

If you encounter issues with your motor, refer to the following troubleshooting guide. Always disconnect power before attempting any repairs.

Problem	Possible Cause	Solution
Motor does not start	No power supply Incorrect wiring Overload protection tripped Faulty motor winding	Check power source and connections Verify wiring against diagram Reset circuit breaker/fuse Consult a qualified technician
Motor runs hot	Overload Insufficient ventilation High ambient temperature Bearing failure	Reduce load Clear obstructions from vents Ensure adequate cooling Consult a qualified technician
Excessive noise or vibration	Loose mounting Misalignment Worn bearings Damaged fan/load	Tighten mounting bolts Check and correct alignment Consult a qualified technician Inspect and replace damaged components
Motor runs at incorrect speed	Incorrect speed wiring Voltage fluctuations Motor fault	Verify speed wiring connections Check power supply voltage Consult a qualified technician

7. SPECIFICATIONS

Technical specifications for the MARS 10589 motor:

- **Model Number:** 10589
- **Manufacturer:** Mars
- **Horsepower (HP):** 0.75 HP (3/4 HP)
- **Voltage:** 115 Volts
- **Speed:** 1075 RPM (3-Speed)
- **Rotation:** Reversible
- **Material:** Copper windings
- **Item Weight:** Approximately 17.95 pounds
- **Package Dimensions:** Approximately 15 x 8 x 7 inches
- **Item Package Quantity:** 1

8. WARRANTY INFORMATION

MARS products are manufactured to high-quality standards. For specific warranty terms and conditions, please refer to the warranty card included with your product or contact MARS customer support. Keep your proof of purchase for warranty claims.




9. SUPPORT

If you require further assistance or have questions not covered in this manual, please contact MARS customer support. Provide your motor's model number (10589) and a detailed description of your inquiry for efficient service.

Contact information can typically be found on the manufacturer's website or product packaging.

Related Documents - 10589

	MARS Motors Catalog - High-Efficiency HVAC and Refrigeration Motors Explore the comprehensive MARS Motors catalog featuring a wide range of high-efficiency ECM and PSC motors for HVAC and refrigeration applications. Find detailed specifications, features, and replacement information for various motor types, including condenser fan motors, blower motors, and more.
---	---

	MARS Motors Catalog: Comprehensive Guide to HVAC and Refrigeration Motors Explore the extensive range of MARS motors, including HVAC and refrigeration fan motors, direct drive blower motors, and more. This catalog provides detailed specifications, features, and cross-references for various motor types.
	MARS Azure Bluetooth ECM Installation Guide for Motors 10858/10859 Comprehensive installation guide for MARS Azure Bluetooth ECM blower motors (models 10858 and 10859). Covers both Bluetooth and non-Bluetooth installation procedures, safety warnings, and setup instructions for HVAC professionals.
	Azure Bluetooth ECM Motor Installation Guide - MARS 10856/10857 Comprehensive installation guide for MARS Azure Bluetooth ECM motors (models 10856 and 10857), covering setup, configuration, and compatibility checks for various HVAC systems.
	MARS Motors, Components, Service & Installation, Parts & Accessories Catalog Comprehensive catalog from MARS featuring a wide range of motors, components, service and installation parts, and accessories for the HVAC/R industry. Includes detailed specifications and product information.
	MARS Azure Digi-Motor 10860/10861 Quick Reference Guide Quick reference guide for installing and setting up the MARS Azure Digi-Motor models 10860 and 10861. Provides instructions for PSC and X13 motor operation, wiring, voltage and rotation setup, and auto-sizing procedures.



[MARS 2025 Featured Products Guide: Motors, Components, Service & Installation](#)

Explore the comprehensive 2025 Featured Products Guide from MARS, offering a wide selection of HVAC/R motors, components, and accessories. Discover solutions for service and installation, backed by decades of industry experience.

lang:en score:20 filesize: 14.21 M page_count: 72 document date: 2025-01-31




[\[pdf\] Guide Accessories Catalog](#)

2024 Featured Product Guide 98606 MARS Document Library FPG f MOD AJPERES CONVERT TO url
CACHEID ROOTWORKSPACE e48cda2b 18ca 459f 9be6 7430773bd7ab oRCsIPY w marsdelivers wps
wcm connect |||

2024 Featured Products Guide Motors Components Service Installation NEW NEW
MARS Bulk Package8 10585 1/3 115 6.1 10586 1/3 208-230 2.7 10587 1/2 115
7.5 10588 1/2 208-230 3.2 **10589** 3/4 115 11.2 10590 3/4 208-230 4.5 10591 1 115
11.8 10592 1 208-230 5.6 CAP RE...

lang:en score:19 filesize: 19.31 M page_count: 68 document date: 2024-02-01



[pdf] Reference Guide Guide

Potential Relay Cross Reference Guide Xref 98853MARS Document LibraryPotential 98853marsdelivers wps wcm connect 0f4c2377 9b43 415c b2eb a89019251d2c 98853 MOD AJPERES CONVERT TO url CACHEID ROOTWORKSPACE pbU9Fhu Mars MotorsPotential 98853Locate in the following table and GROUP select correspond ing MARS Replacement from kit 19002 63 replaces GROUPS 2J MARS 98853Potential 68671cbe d448 4895 b1bc df0e342ac945 mltrAj0marsdelivers LibraryMARS pbU9Fhuww marsdelivers pbU9Fhucraigslst ||| ||| =IUi: IE i 98853 POTENTIAL RELAY CROSS REFERENCE GUIDE Listing 83 Original Equipment Manufacturers and Thousands of Replacement Part Numbers fi MARS 19001 6-pak potential type motor starting relay Quick reference relay selection chart for ||| =IUi: IE i 98853 POTENTIAL RELAY CROSS REFERENCE GUIDE Listing 83 Original Equipment Manufacturers and Thousands of Replacement Part Numbers fi MARS 19001 6-pak potential type motor starting relay Quick reference relay selection chart for ||| =IUi: IE i 98853 POTENTIAL RELAY CROSS REFERENCE GUIDE Listing 83 Original Equipment Manufacturers and Thousands of Replacement Part Numbers fi MARS 19001 6-pak potential type motor starting relay Quick reference relay selection chart for =IUi: IE i 98853 POTENTIAL RELAY CROSS REFERENCE GUIDE Listing 83 Original Equipment Manufactu ... 003 19006 YORK 20-3258 64 20-4195 68 20-4196 66 20-5547 65 24-10537 66 24-10538 66 24-10589 66 24-10908 64 24-10912 66 24-11020 66 24-11099 64 24-11467 64 24-11567 68 24-11... lang:en score:19 filesize: 619.88 K page_count: 24 document date: 2024-11-04


[pdf] Guide Accessories Catalog

2024 Featured Product Guide 98606 MARS Document Library FPG f MOD AJPERES CONVERT TO url CACHEID ROOTWORKSPACE e48cda2b 18ca 459f 9be6 7430773bd7ab p0d GbK w marsdelivers wps wcm connect ||| 2024 Featured Products Guide Motors Components Service Installation NEW NEW MARS Bulk Package8 10585 1/3 115 6.1 10586 1/3 208-230 2.7 10587 1/2 115 7.5 10588 1/2 208-230 3.2 10589 3/4 115 11.2 10590 3/4 208-230 4.5 105911 1 115 11.8 105921 1 208-230 5.6 1 Ba... lang:en score:19 filesize: 19.5 M page_count: 68 document date: 2024-06-12



[pdf] Guide Accessories Catalog

2023 Featured Product Guide 98606 MARS Document Library Products Guide23 f MOD AJPERES
CONVERT TO url CACHEID ROOTWORKSPACE e48cda2b 18ca 459f 9be6 7430773bd7ab owvDEv 65
51 196 243 wps wcm connect |||
2023 FEATURED PRODUCTS GUIDE Motors Components Service Installation NEW
New Compact Size New Si8 10585 1/3 115 6.1 10586 1/3 208-230 2.7 10587 1/2
115 7.5 10588 1/2 208-230 3.2 **10589** 3/4 115 11.2 10590 3/4 208-230 4.5 10591 1
115 11.8 10592 1 208-230 5.6 CAP RE...
lang:en score:19 filesize: 21.7 M page_count: 68 document date: 2023-03-17



[pdf] Specifications Dimension Guide Accessories

Layout 1 View Technical Specifications MARS 10589 3 4 HP FAN BLOWER MOTOR 115 V 11 2 FLA PH
60 HZ 1075 RPM » Cedars HVAC Mars Fan Blower Motors TS cedarshvac 2023 |||
MMAARRS MoOtToOrsRS Direct Drive Blower Motors Direct Drive Blower Motors
MARS direct drive furna ... Rev 115 7.5 10/370 OAO Slv 4.50 5.89 1/2 10588 1/2 Rev
208-230 3.2 7.5/370 OAO Slv 4.50 5.64 1/2 **10589** 3/4 Rev 115 11.2 15/370 OAO Slv
4.50 6.14 1/2 10590 3/4 Rev 208-230 4.5 10/370 OAO Slv 4.50 6...
lang:en score:18 filesize: 157.08 K page_count: 1 document date: 2023-11-25



[pdf] Guide Accessories Catalog

Featured Products Guide FPG 2025 vf MOD AJPERES CONVERT TO url CACHEID
ROOTWORKSPACE e48cda2b 18ca 459f 9be6 7430773bd7ab poRMcQn marsdelivers wps wcm
connect |||
2025 Featured Products Guide Motors Components Service Installation NEW
Expanded Product Offer8 10585 1/3 115 6.1 10586 1/3 208-230 2.7 10587 1/2 115
7.5 10588 1/2 208-230 3.2 **10589** 3/4 115 11.2 10590 3/4 208-230 4.5 10591 1 115
11.8 10592 1 208-230 5.6 1 Ba...
lang:en score:18 filesize: 26.17 M page_count: 72 document date: 2025-05-23



[pdf] Guide

G507 1653 03 indd About the IBM Rational Software Development Platform Mar 8 2024 — J2EE™ and
Portal applications with a comprehensive Eclipse based IDE that is optimized for WebSphere software
provides capabilities development 4 pages SDP Solution Sheet public dhe ibm rational web guide |||
The software development platform for an on demand world About the IBM Rational
Software Developmen ... yright IBM Corporation 2004 All Rights Reserved IBM
Corporation Software Group Route 100 Somers, NY **10589** U.S.A. Produced in the
United States of America 08-05 All Rights Reserved IBM, the IBM logo, t...
lang:en score:17 filesize: 158.33 K page_count: 4 document date: 2005-08-05



[pdf] Guide Accessories Catalog

Featured Products Guide FPG 2025 vf MOD AJPERES CONVERT TO url CACHEID

ROOTWORKSPACE bce91f32 e47f 43c6 aa32 8fb5070e4eef pfmDugL hcon aktion wps wcm connect |||

2025 Featured Products Guide Motors Components Service Installation NEW

Expanded Product Offer ... ble Rotation MARS NO. HP 10583 1/4 10584 1/4 10585

1/3 10586 1/3 10587 1/2 10588 1/2 **10589** 3/4 10590 3/4 105911 1 105921 1 1 Ball

Bearing VOLTS 115 208-230 115 208-230 115 208-...

lang:en score:17 filesize: 16.96 M page_count: 72 document date: 2024-12-10



[pdf] Guide Accessories Catalog

Featured Products Guide Mars MotorsCommon brands include AC Pro AirTemp Broan Frigidaire Gibson

motors found in Bohn Nutone Chandler Larkin Kramer Climate Control Featured Guide23 fmarsdelivers

wps wcm connect e48cda2b 18ca 459f 9be6 7430773bd7ab f MOD AJPERES CONVERT TO url

CACHEID ROOTWORKSPACE omDXMbM |||


2025 Featured Products Guide Motors Components Service Installation NEW

Expanded Product Offer8 10585 1/3 115 6.1 10586 1/3 208-230 2.7 10587 1/2 115

7.5 10588 1/2 208-230 3.2 **10589** 3/4 115 11.2 10590 3/4 208-230 4.5 105911 1 115

11.8 105921 1 208-230 5.6 1 Ba...

lang:en score:17 filesize: 18.79 M page_count: 72 document date: 2025-06-23



[pdf] Specifications Accessories

Layout 1 Direct Drive Blower Motors WinsupplyMARS direct drive furnace blower motors are three speed

standard efficiency models All electrically reversible and includeMOTORS ARMATURES 10589

MAR10589 CUTpimmedia winsupplyinc pim CUT 112017 MOTORS |||

MARS Direct Drive Blower Motors 51 2 inch dia. MARS SERIES 112 Direct Drive

Furnace Blower Motors ... ence MARS # GE AO Smith Emerson Fasco Marathon

Wagner Packard 10583 10584 10585 10586 10587 10588 **10589** 10590 3583 3584

3585 3586 3587 3588 3589 3590 DL1026 D1026 DL1036 D1036 DL1056 D1056

DL1076 ...

lang:en score:16 filesize: 200.53 K page_count: 1 document date: 2012-06-18



[MARS 2025 Featured Products Guide: Motors, Components, Service & Installation](#)

Explore the comprehensive MARS 2025 Featured Products Guide, showcasing a wide array of motors, components, and service & installation products for the HVAC/R market. Discover leading brands and innovative solutions.

lang:en score:15 filesize: 18.79 M page_count: 72 document date: 2025-06-23

[illegible]

[\[pdf\]](#) Specifications Accessories Catalog

Mars blowmoto p486 cp GALCO industrial electronics pim galco Manufacturer MARS TechDocument
Catalog Page |||

Direct Drive Blower Motors 5 / 1 2 inch dia. MARS SERIES 112 113 Direct Drive
Furnace Blower Mot ... ors/ Genteq AO Smith Emerson Fasco Marathon Wagner
Packard 10583 10584 10585 10586 10587 10588 **10589** 10590 10591 10592 3583
3584 3585 3586 3587 3588 3589 3590 3595 3596 DL1026 D1026 DL1036 D103...
lang:en score:15 filesize: 710.51 K page_count: 1 document date: 2016-01-14

[illegible]

[\[pdf\]](#) Specifications Accessories Catalog

Layout 1 Catalog Mars 10467 MARS10463 southernpipe ASSETS DOCUMENTS CMS EN |||
MARS Direct Drive Blower Motors 5 /1 2 inch dia. MARS SERIES 112 Direct Drive
Furnace Blower Moto ... rrier/Totaline Nordyne Protech RCD Partner s Choice
ROTOM 10583 10584 10585 10586 10587 10588 **10589** 10590 10591 10592 3583
3584 3585 3586 3587 3588 3589 3590 3595 3596 DL1026 D1026 DL1036 D103...
lang:en score:14 filesize: 882.44 K page count: 1 document date: 2014-10-23

[illegible]

MARS Direct Drive Furnace Blower Motors: Specifications and Cross-Reference

Comprehensive specifications and cross-reference guide for MARS Direct Drive Furnace Blower Motors, including 1075 RPM three-speed and multi-horsepower models. Features, dimensions, and part numbers.

lang:en score:14 filesize: 959.77 K page count: 1 document date: 2013-09-25



5" inch dia. M4MP Blower Motor





1075 RPM - Three Speed Voltage Regulation Rotation

TYPE	1/4" HP	1/2" HP	3/4" HP	1 HP	1 1/2" HP	2 HP	3 HP	4 HP	5 HP	6 HP	8 HP	10 HP	12 HP	15 HP	20 HP	25 HP	30 HP	35 HP	40 HP	45 HP	50 HP	55 HP	60 HP	65 HP	70 HP	75 HP	80 HP	85 HP	90 HP	95 HP	100 HP	105 HP	110 HP	115 HP	120 HP	125 HP	130 HP	135 HP	140 HP	145 HP	150 HP	155 HP	160 HP	165 HP	170 HP	175 HP	180 HP	185 HP	190 HP	195 HP	200 HP	205 HP	210 HP	215 HP	220 HP	225 HP	230 HP	235 HP	240 HP	245 HP	250 HP	255 HP	260 HP	265 HP	270 HP	275 HP	280 HP	285 HP	290 HP	295 HP	300 HP	305 HP	310 HP	315 HP	320 HP	325 HP	330 HP	335 HP	340 HP	345 HP	350 HP	355 HP	360 HP	365 HP	370 HP	375 HP	380 HP	385 HP	390 HP	395 HP	400 HP	405 HP	410 HP	415 HP	420 HP	425 HP	430 HP	435 HP	440 HP	445 HP	450 HP	455 HP	460 HP	465 HP	470 HP	475 HP	480 HP	485 HP	490 HP	495 HP	500 HP	505 HP	510 HP	515 HP	520 HP	525 HP	530 HP	535 HP	540 HP	545 HP	550 HP	555 HP	560 HP	565 HP	570 HP	575 HP	580 HP	585 HP	590 HP	595 HP	600 HP	605 HP	610 HP	615 HP	620 HP	625 HP	630 HP	635 HP	640 HP	645 HP	650 HP	655 HP	660 HP	665 HP	670 HP	675 HP	680 HP	685 HP	690 HP	695 HP	700 HP	705 HP	710 HP	715 HP	720 HP	725 HP	730 HP	735 HP	740 HP	745 HP	750 HP	755 HP	760 HP	765 HP	770 HP	775 HP	780 HP	785 HP	790 HP	795 HP	800 HP	805 HP	810 HP	815 HP	820 HP	825 HP	830 HP	835 HP	840 HP	845 HP	850 HP	855 HP	860 HP	865 HP	870 HP	875 HP	880 HP	885 HP	890 HP	895 HP	900 HP	905 HP	910 HP	915 HP	920 HP	925 HP	930 HP	935 HP	940 HP	945 HP	950 HP	955 HP	960 HP	965 HP	970 HP	975 HP	980 HP	985 HP	990 HP	995 HP	1000 HP
1000	1.4	1.8	2.2	2.6	3.0	3.4	3.8	4.2	4.6	5.0	5.4	5.8	6.2	6.6	7.0	7.4	7.8	8.2	8.6	9.0	9.4	9.8	10.2	10.6	11.0	11.4	11.8	12.2	12.6	13.0	13.4	13.8	14.2	14.6	15.0	15.4	15.8	16.2	16.6	17.0	17.4	17.8	18.2	18.6	19.0	19.4	19.8	20.2	20.6	21.0	21.4	21.8	22.2	22.6	23.0	23.4	23.8	24.2	24.6	25.0	25.4	25.8	26.2	26.6	27.0	27.4	27.8	28.2	28.6	29.0	29.4	29.8	30.2	30.6	31.0	31.4	31.8	32.2	32.6	33.0	33.4	33.8	34.2	34.6	35.0	35.4	35.8	36.2	36.6	37.0	37.4	37.8	38.2	38.6	39.0	39.4	39.8	40.2	40.6	41.0	41.4	41.8	42.2	42.6	43.0	43.4	43.8	44.2	44.6	45.0	45.4	45.8	46.2	46.6	47.0	47.4	47.8	48.2	48.6	49.0	49.4	49.8	50.2	50.6	51.0	51.4	51.8	52.2	52.6	53.0	53.4	53.8	54.2	54.6	55.0	55.4	55.8	56.2	56.6	57.0	57.4	57.8	58.2	58.6	59.0	59.4	59.8	60.2	60.6	61.0	61.4	61.8	62.2	62.6	63.0	63.4	63.8	64.2	64.6	65.0	65.4	65.8	66.2	66.6	67.0	67.4	67.8	68.2	68																																										

[illegible][illegible]

[\[pdf\]](#) Specifications Accessories Catalog

Layout 1 Direct Drive Furnace Blower Motors Winsupply MARS direct drive furnace blower motors are three speed standard efficiency models All electrically MOTORS ARMATURES 10587 MAR10587 SPEC pimmedia winsupplyinc pim 112017 |||

MARS Direct Drive Blower Motors 51 2 inch dia. MARS SERIES 112 Direct Drive
Furnace Blower Motors ... ors/ Genteq AO Smith Emerson Fasco Marathon Wagner
Packard 10583 10584 10585 10586 10587 10588 **10589** 10590 3583 3584 3585
3586 3587 3588 3589 3590 DL1026 D1026 DL1036 D1036 DL1056 D1056 DL1076

lang:en score:13 filesize: 867.02 K page_count: 1 document date: 2013-03-28

[\[pdf\]](#) Specifications Accessories

Layout 1 Direct Drive Furnace Blower Motors Winsupply MARS direct drive furnace blower motors are three speed standard efficiency models All electrically reversible and include MOTORS ARMATURES 10588 MAR10588 CUT pimmedia winsupplyinc pim 112017 |||

MARS Direct Drive Blower Motors 51 2 inch dia. MARS SERIES 112 Direct Drive
Furnace Blower Motors ... ence MARS # GE AO Smith Emerson Fasco Marathon
Wagner Packard 10583 10584 10585 10586 10587 10588 **10589** 10590 3583 3584
3585 3586 3587 3588 3589 3590 DL1026 D1026 DL1036 D1036 DL1056 D1056
DL1076 ...


lang:en score:13 filesize: 200.52 K page_count: 1 document date: 2012-06-18

[\[pdf\]](#) Specifications Dimension Guide Decleration of Conformity Accessories Catalog

Layout 1 Mars 10583 Catalog assets unilogcorp 2 ITEM DOC |||

MARS MOTORS Direct Drive Blower Motors Direct Drive Furnace Blower Motors
MARS direct drive furna ... 5 10/370 OAO Slv 4.50 5.89 1/2 29.33 10588 1/2 Rev 208-
230 3.2 7.5/370 OAO Slv 4.50 5.64 1/2 29 **10589** 3/4 Rev 115 11.2 15/370 OAO Slv
4.50 6.14 1/2 30.25 10590 3/4 Rev 208-230 4.5 10/370 OAO Slv...

lang:en score:13 filesize: 116.57 K page count: 1 document date: 2016-10-25



[\[pdf\]](#) Specifications Dimension Guide Accessories

Layout 1 mars 10591 article 1452245447375 en ss resource bakerdist is content Watscocom Gemaire ||| MARS MOTORS Direct Drive Blower Motors Direct Drive Furnace Blower Motors MARS direct drive furna ... Rev 115 7.5 10/370 OAO Slv 4.50 5.89 1/2 10588 1/2 Rev 208-230 3.2 7.5/370 OAO Slv 4.50 5.64 1/2 **10589** 3/4 Rev 115 11.2 15/370 OAO Slv 4.50 6.14 1/2 10590 3/4 Rev 208-230 4.5 10/370 OAO Slv 4.50 6... lang:en **score:13** filesize: 515.06 K page_count: 1 document date: 2017-10-13




[\[pdf\]](#) Specifications

Layout 1 Specification sheet Mars 10465 6 3 Multi Hp Cf PlumbersStock 7fc7c860aae74d08a3c04bb1f5abfc3d xrefs2 plumbersstock ||| MARS Brand Motors Replacement Fractional Horsepower Motors for the HVAC/R Industry Condenser Fan, Di ... hree Speed MARS NO. HP ROT Voltage Cap Amps Required Encl. 10583 10584 10585 10586 10587 10588 **10589** 10590 1/4 Rev 115 4.2 5/370 OAO 1/4 Rev 208-230 1.8 5/370 OAO 1/3 Rev 115 6.1 5/3... lang:en **score:13** filesize: 5.9 M page_count: 6 document date: 2011-05-03

[\[pdf\]](#) Specifications Datasheet Accessories

Layout 1 Direct Drive Blower MotorsM 16 MARS SERIES 112controlscentral Portals data sheets M 112 srsltid AfmBOopih7MiqI3Xofqxn96fJms fMBA JdO3644TTnzvO2WX3ek1Hz MotorsDirect 112M AfmBOOr05LTMZgyzewKBH5 9Srlnq27 UKIaUw3P8C7RdArsr4P0TbOrcontrolscentral JdO3644TTnzvO2WX3ek1Hzcontrolscentral AfmBOooWWO QK cf xeN7YLM8tJnLw7jKvwNiLUyEHdoT3Ttnz PvSi PvSicontrolscentral AfmBOopRG2Td52VmtELxYVTF9sCH1obVn5lcyrlB sljAffu4Vdus6m sljAffu4Vdus6mcontrolscentral AfmBOOr1dGXo0FSAUGtzNVQhSABdloRnLL2PHliTyWcc BZBK BqwD0E BqwD0Econtrolscentral AfmBOOrP5 ZVkJKjxibcS2UeH9GlpZn4 uV4NwskvnU7PMJ Sg8uDDQE ||| MARS Direct Drive Blower Motors 51 2 inch dia. MARS SERIES 112 Direct Drive Furnace Blower Motors ... ss Reference MARS # GE AO Smith Emerson Fasco Marathon Wagner 10583 10584 10585 10586 10587 10588 **10589** 10590 3583 3584 3585 3586 3587 3588 3589 3590 DL1026 D1026 DL1036 D1036 DL1056 D1056 DL1076 ... lang:en **score:13** filesize: 194 K page_count: 1 document date: 2011-09-13




[\[pdf\]](#) Specifications

Layout 1 MARS Brand Motors Southern Pipe SupplyAll brand multi horsepower motors feature Rheem shell mounting holes Motor 10466 10467 Direct Drive Blower 3 4 All Speeds 20 370MARS10587 1southernpipe ASSETS DOCUMENTS CMS EN MARS10587 srsLtd

AfmBOoq9sQujeMBOamtrwbHqycDL4sjihUQOFArt3R 5 bul81b gPe SupplyMARS 370All 1v1southernpipe gPesouthernpipe AfmBOooA9l6iixOpPqIZaJ8KE7G tsCRDcou7S uNgPaQXTOI6eONj4 370S1 FHM3727 51 24437 27 P257 8727 01 0160 10728 H P C ondenser Fan S1 FHM3589 24435 89 8589 0172 10590 D irect DriveMARS10587 1v1MARS10587 uNgPaQXTOI6eONj4southernpipe AfmBOop9 TfkPuBMjBJHVoUHZH JXkLSogm7hqQASo4q65tGmYXJEOu2 DriveS1 FHM3588 88 8588 0175 10589 115V 1075 RPM 3589 DL1076 8904 D728 X009 WG840589 43589 FHM3589MARS10587 1MARS10587 JXkLSogm7hqQASo4q65tGmYXJEOu2southernpipe AfmBOoo6C0Xv3DyXK8e15nl6ZnU3lOOsCOxqqVCBXmDH9YVbaKJf0i2A AfmBOoo6C0Xv3DyXK8e15nl6ZnU3lOOsCOxqqVCBXmDH9YVbaKJf0i2Asouthernpipe AfmBOopKcee6a5ScOHygXPkHxKshgdUzG 6luj7RVtS0kusYnjP2H7n7 6luj7RVtS0kusYnjP2H7n7southernpipe AfmBOoqgJ9a7 M7lEws835F2lNyOtlUzy3GGFJrtOFmwcjk5QSYJBZK5 M7lEws835F2lNyOtlUzy3GGFJrtOFmwcjk5QSYJBZK5southernpipe AfmBOor7rf3kZy9kWiOshCyHP Zfb4Lsl ORle1Yiu0G2AevR5joP0Mj ORle1Yiu0G2AevR5joP0Mjsouthernpipe AfmBOopyaxkxPVNOJsSKjtG JW9q1T OW0o0JreQEw10uOBcdVLdTUxU OW0o0JreQEw10uOBcdVLdTUxUsouthernpipe AfmBOoplnbWPoRVWCx91nca3DLshOZxJ0AEaAGVgflD8D3zW5cl3C8R FHM3589MARS condenser fan are ideal for truck stock Three models cover 208 230 volt applications from 6 to 2 HP Two 825 MARS10587 AfmBOopT8LmRxQec7CT6QFNLYzlgBw4q2ciErPBIOK5QqNbsGonqfG rsouthernpipe |||


MARS Brand Motors Replacement Fractional Horsepower Motors for the HVAC/R Industry Condenser Fan, Di ... hree Speed MARS NO. HP ROT Voltage Cap Amps Required Encl. 10583 10584 10585 10586 10587 10588 **10589** 10590 1/4 Rev 115 4.2 5/370 OAO 1/4 Rev 208-230 1.8 5/370 OAO 1/3 Rev 115 6.1 5/3... lang:en score:13 filesize: 435.12 K page_count: 6 document date: 2014-12-01




[\[pdf\]](#) User Manual Specifications Accessories Borchure

ELECTRONICALLY COMMUTATED MOTOR S Williston Sales Voltage Plugs One for 115vac white 230vac yellow Optional jumper wires and extra terminals Y adapter Installation manual EC Max Brochure airstarsupply content accessories in the box FEATURES High Efficiency ECM Up to 80% efficient Replaces either PSC or X13 model of equivalent HP Dual Design Replace 115 230V with one motor 100s different motors airflow test 75 000 BTU Furnace w 3 ton AC cooling heating continuous fan 105 4 5 R 0 G B 62 Direct Drive Blower Motors Optional

ELECTRONICALLY COMMUTATED FONT: Arial Bold MOTOR GREEN SPECS R: 0 BLACK SPECS R: 0 G: 105 G: ... EM3588 Wagner WG840587 Wagner WG840588 46034 3/4 horse power Mars 06107 Mars 06207 Mars **10589** Mars 10590 Mars 10861 genteq 3589 genteq 3590 Packard 43589 Packard 43590 Century... lang:en score:13 filesize: 3.15 M page_count: 8 document date: 2018-05-16





[pdf] Specifications Diagram

Layout 1 Source Mars Fan Motor 10468 Wiring Diagram 1997 oldsmobile 88 alternator wiring diagram for Schematics MARS10587 southernpipe ASSETS DOCUMENTS CMS EN |||

MARS Brand Motors Replacement Fractional Horsepower Motors for the HVAC/R Industry Condenser Fan, Di ... hree Speed MARS NO. HP ROT Voltage Cap Amps Required Encl. 10583 10584 10585 10586 10587 10588 **10589** 10590 1/4 Rev 115 4.2 5/370 OAO 1/4 Rev 208-230 1.8 5/370 OAO 1/3 Rev 115 6.1 5/3...

lang:en score:13 filesize: 435.12 K page_count: 6 document date: 2014-12-01

1. Name of Listed Entity: Pearl Polymers Limited
2. Scrip Code/Name of Scrip/Class of Security: PEARLPOLY
3. Shareholding Pattern: 100%
4. Shareholding Pattern as at: 30.06.2020
5. Declaration: The Listed entity is required to submit the following declaration in the interest of subscribers of information:

S. No.	Particulars	Yes/No
1	Whether the Listed Entity has issued any public debt	No
2	Whether the Listed Entity has issued any convertible securities	No
3	Whether the Listed Entity has issued any equity securities	No
4	Whether the Listed Entity has issued any preference shares	No
5	Whether the Listed Entity has issued any debentures	No
6	Whether the Listed Entity has issued any foreign currency convertible bonds	No
7	Whether the Listed Entity has issued any foreign currency convertible preference shares	No
8	Whether the Listed Entity has issued any foreign currency convertible debentures	No
9	Whether the Listed Entity has issued any foreign currency convertible preference shares	No
10	Whether the Listed Entity has issued any foreign currency convertible debentures	No

Table 1 - Summary Statement holding of specified securities


Sl. No.	Particulars	Yes/No
1	Whether the Listed Entity has issued any public debt	No
2	Whether the Listed Entity has issued any convertible securities	No
3	Whether the Listed Entity has issued any equity securities	No
4	Whether the Listed Entity has issued any preference shares	No
5	Whether the Listed Entity has issued any debentures	No
6	Whether the Listed Entity has issued any foreign currency convertible bonds	No
7	Whether the Listed Entity has issued any foreign currency convertible preference shares	No
8	Whether the Listed Entity has issued any foreign currency convertible debentures	No
9	Whether the Listed Entity has issued any foreign currency convertible preference shares	No
10	Whether the Listed Entity has issued any foreign currency convertible debentures	No

[pdf] Declaration of Conformity

Microsoft Word SHP MAR 2020 docx Harendra March 2020About Us PearlpetShareholding Pattern 2020cdn shopify s files 1 0681 7769 0843 Shareholding v 1720000140 |||

1. Name of Listed Entity: Pearl Polymers Limited 2. Scrip Code/Name of Scrip/Class of Security: PEARL ... 0 0 Corporate 9 SHREE AAF 1 32439 0 0 SURAJ CS98 0 RESOURCES 43R LIMITED Clearing 11 **10589** 0 0 Members Non-Resident 46 21047 0 0 Indian NRI Sub-Total 9918 70589 0 0 B 3 ...

lang:en score:12 filesize: 577.57 K page_count: 10 document date: 2020-05-25



[pdf] Specifications Dimension Guide Accessories

Layout 1 mars 10584 specification sheets1 img b build mediabase specifications 2003367 sheet 10583 sheetmars 2003366 ||| ||| MMAARRS MoOtToOrsRS Direct Drive Blower Motors Direct Drive Blower

Motors MARS direct drive furnace blower motors are three speed standard efficiency models. All models are electrically reversible and include phase 2-1/4 inch resilient rings for

MMAARRS MoOtToOrsRS Direct Drive Blower Motors Direct Drive Blower Motors MARS direct drive furna ... Rev 115 7.5 10/370 OAO Slv 4.50 5.89 1/2 10588 1/2 Rev 208-230 3.2 7.5/370 OAO Slv 4.50 5.64 1/2 **10589** 3/4 Rev 115 11.2 15/370 OAO Slv 4.50 6.14 1/2 10590 3/4 Rev 208-230 4.5 10/370 OAO Slv 4.50 6...

lang:en score:12 filesize: 171.68 K page_count: 1 document date: 2021-09-16

trusTec®

CROSS REFERENCE

BLOWER AND MOTOR SOLUTIONS

Source	Destination	Source	Destination	Source	Destination	Source	Destination	Source	Destination
10583	10584	10585	10586	10587	10588	10589	10590	10591	10592
10593	10594	10595	10596	10597	10598	10599	10600	10601	10602
10603	10604	10605	10606	10607	10608	10609	10610	10611	10612
10613	10614	10615	10616	10617	10618	10619	10620	10621	10622
10623	10624	10625	10626	10627	10628	10629	10630	10631	10632
10633	10634	10635	10636	10637	10638	10639	10640	10641	10642
10643	10644	10645	10646	10647	10648	10649	10650	10651	10652
10653	10654	10655	10656	10657	10658	10659	10660	10661	10662
10663	10664	10665	10666	10667	10668	10669	10670	10671	10672
10673	10674	10675	10676	10677	10678	10679	10680	10681	10682
10683	10684	10685	10686	10687	10688	10689	10690	10691	10692
10693	10694	10695	10696	10697	10698	10699	10700	10701	10702
10703	10704	10705	10706	10707	10708	10709	10710	10711	10712
10713	10714	10715	10716	10717	10718	10719	10720	10721	10722
10723	10724	10725	10726	10727	10728	10729	10730	10731	10732
10733	10734	10735	10736	10737	10738	10739	10740	10741	10742
10743	10744	10745	10746	10747	10748	10749	10750	10751	10752
10753	10754	10755	10756	10757	10758	10759	10760	10761	10762
10763	10764	10765	10766	10767	10768	10769	10770	10771	10772
10773	10774	10775	10776	10777	10778	10779	10780	10781	10782
10783	10784	10785	10786	10787	10788	10789	10790	10791	10792
10793	10794	10795	10796	10797	10798	10799	10800	10801	10802
10803	10804	10805	10806	10807	10808	10809	10810	10811	10812
10813	10814	10815	10816	10817	10818	10819	10820	10821	10822
10823	10824	10825	10826	10827	10828	10829	10830	10831	10832
10833	10834	10835	10836	10837	10838	10839	10840	10841	10842
10843	10844	10845	10846	10847	10848	10849	10850	10851	10852
10853	10854	10855	10856	10857	10858	10859	10860	10861	10862
10863	10864	10865	10866	10867	10868	10869	10870	10871	10872
10873	10874	10875	10876	10877	10878	10879	10880	10881	10882
10883	10884	10885	10886	10887	10888	10889	10890	10891	10892
10893	10894	10895	10896	10897	10898	10899	10900	10901	10902
10903	10904	10905	10906	10907	10908	10909	10910	10911	10912
10913	10914	10915	10916	10917	10918	10919	10920	10921	10922
10923	10924	10925	10926	10927	10928	10929	10930	10931	10932
10933	10934	10935	10936	10937	10938	10939	10940	10941	10942
10943	10944	10945	10946	10947	10948	10949	10950	10951	10952
10953	10954	10955	10956	10957	10958	10959	10960	10961	10962
10963	10964	10965	10966	10967	10968	10969	10970	10971	10972
10973	10974	10975	10976	10977	10978	10979	10980	10981	10982
10983	10984	10985	10986	10987	10988	10989	10990	10991	10992
10993	10994	10995	10996	10997	10998	10999	11000	11001	11002
11003	11004	11005	11006	11007	11008	11009	11010	11011	11012
11013	11014	11015	11016	11017	11018	11019	11020	11021	11022
11023	11024	11025	11026	11027	11028	11029	11030	11031	11032
11033	11034	11035	11036	11037	11038	11039	11040	11041	11042
11043	11044	11045	11046	11047	11048	11049	11050	11051	11052
11053	11054	11055	11056	11057	11058	11059	11060	11061	11062
11063	11064	11065	11066	11067	11068	11069	11070	11071	11072
11073	11074	11075	11076	11077	11078	11079	11080	11081	11082
11083	11084	11085	11086	11087	11088	11089	11090	11091	11092
11093	11094	11095	11096	11097	11098	11099	11100	11101	11102
11103	11104	11105	11106	11107	11108	11109	11110	11111	11112
11113	11114	11115	11116	11117	11118	11119	11120	11121	11122
11123	11124	11125	11126	11127	11128	11129	11130	11131	11132
11133	11134	11135	11136	11137	11138	11139	11140	11141	11142
11143	11144	11145	11146	11147	11148	11149	11150	11151	11152
11153	11154	11155	11156	11157	11158	11159	11160	11161	11162
11163	11164	11165	11166	11167	11168	11169	11170	11171	11172
11173	11174	11175	11176	11177	11178	11179	11180	11181	11182
11183	11184	11185	11186	11187	11188	11189	11190	11191	11192
11193	11194	11195	11196	11197	11198	11199	11200	11201	11202
11203	11204	11205	11206	11207	11208	11209	11210	11211	11212
11213	11214	11215	11216	11217	11218	11219	11220	11221	11222
11223	11224	11225	11226	11227	11228	11229	11230	11231	11232
11233	11234	11235	11236	11237	11238	11239	11240	11241	11242
11243	11244	11245	11246	11247	11248	11249	11250	11251	11252
11253	11254	11255	11256	11257	11258	11259	11260	11261	11262
11263	11264	11265	11266	11267	11268	11269	11270	11271	11272
11273	11274	11275	11276	11277	11278	11279	11280	11281	11282
11283	11284	11285	11286	11287	11288	11289	11290	11291	11292
11293	11294	11295	11296	11297	11298	11299	11300	11301	11302
11303	11304	11305	11306	11307	11308	11309	11310	11311	11312
11313	11314	11315	11316	11317	11318	11319	11320	11321	11322
11323	11324	11325	11326	11327	11328	11329	11330	11331	11332
11333	11334	11335	11336	11337	11338	11339	11340	11341	11342
11343	11344	11345	11346	11347	11348	11349	11350	11351	11352
11353	11354	11355	11356	11357	11358	11359	11360	11361	11362
11363	11364	11365	11366	11367	11368	11369	11370	11371	11372
11373	11374	11375	11376	11377	11378	11379	11380	11381	11382
11383	11384	11385	11386	11387	11388	11389	11390	11391	11392
11393	11394	11395	11396	11397	11398	11399	11400	11401	11402
11403	11404	11405	11406	11407	11408	11409	11410	11411	11412
11413	11414	11415	11416	11417	11418	11419	11420	11421	11422
11423	11424	11425	11426	11427	11428	11429	11430	11431	11432
11433	11434	11435	11436	11437	11438	11439	11440	11441	11442
11443	11444	11445	11446	11447	11448	11449	11450	11451	11452
11453	11454	11455	11456	11457	11458	11459	11460	11461	11462
11463	11464	11465	11466	11467	11468	11469	11470	11471	11472
11473	11474	11475	11476	11477	11478	11479	11480	11481	11482
11483	11484	11485	11486	11487	11488	11489	11490	11491	11492
11493	11494	11495	11496	11497	11498	11499	11500	11501	11502
11503	11504	11505	11506	11507	11508	11509	11510	11511	11512
11513	11514	11515	11516	11517	11518	11519	11520	11521	11522
11523	11524	11525	11526	11527	11528	11529	11530	11531	11532
11533	11534	11535	11536	11537	115				

For complete details visit www.trustec.com or call 1-800-451-0000


[\[pdf\]](#)

AZURE ECM End Cap Cross Reference Heather AZURE® ReferenceMARS Document LibraryAzure Xref
f revisedww marsdelivers wps wcm connect 2697d966 97f7 4513 bb6d 41b5ce079eeb Azure revised
MOD AJPERES CONVERT TO url CACHEID ROOTWORKSPACE pbTXRQX ReferenceAZURE®
LibraryMARS revisedAzure pbTXRQXcraigslist ||| ||| MARS AZURE ECM CROSS REFERENCE FOR
PSC CONDENSER FAN MOTORS 1 MARS ECM MOTOR REPLACES 36 INDUSTRY STANDARD PSC
MODELS MARS NO. Description MARS Azure Aftermarket ECM Condenser Fan 10727 1/6 HP
Condenser Fan, 208-230V, 1075 RPM 10728 1/4 HP

MARS AZURE ECM CROSS REFERENCE FOR PSC CONDENSER FAN MOTORS

1 MARS ECM MOTOR REPLACES 36 INDUSTRY ST ... 75 RPM 10587 1/2 HP Direct Drive, 115V, 1075 RPM 10588 1/2 HP Direct Drive, 208-230V, 1075 RPM	10589 3/4 HP Direct Drive, 115V, 1075 RPM 10590 3/4 HP Direct Drive, 208-230V, 1075 RPM 10591 1...
---	--

lang:nl score:12 filesize: 265.98 K page_count: 2 document date: 2024-11-04



[\[pdf\]](#) Specifications Dimension Guide Accessories Catalog

Direct Drive Blower Motors MARS MO T ORS DCNE 18 gen 2022 — High Efficiency direct drive blower motors save ENERGY Designed for continuous air over applications such as furnace blowers or Catalog MarsMotorsArmatures 00051 M11 CAT dcne UserFiles Resources |||

MARS MOTORS Direct Drive Blower Motors Direct Drive Blower Motors MARS direct drive furnace blowe ... Rev 115 7.5 10/370 OAO Slv 4.50 5.89 1/2 10588 1/2 Rev 208-230 3.2 7.5/370 OAO Slv 4.50 5.64 1/2 **10589** 3/4 Rev 115 11.2 15/370 OAO Slv 4.50 6.14 1/2 10590 3/4 Rev 208-230 4.5 10/370 OAO Slv 4.50 6...

lang:en score:12 filesize: 172.17 K page_count: 1 document date: 2019-08-05



[\[pdf\]](#) Instructions Specifications Accessories Catalog

Layout 1 Catalog Mars 3463 GEM3463 southernpipe ASSETS DOCUMENTS CMS EN |||

Section MARS C-Frame - Shaded Pole Motors MARS SERIES 909 90999 Super-Fit™ 3000 RPM Replacemen ... ence MARS # GE AO Smith Emerson Fasco Marathon Wagner Packard 10583 10584 10585 10586 10587 10588 **10589** 10590 3583 3584 3585 3586 3587 3588 3589 3590 DL1026 D1026 DL1036 D1036 DL1056 D1056 DL1076 ...

lang:en score:12 filesize: 3.74 M page_count: 19 document date: 2011-09-15



[pdf] Instructions Specifications Accessories Catalog

Layout 1 Section Southern Pipe SupplyS1 FHM3588 51 24435 88 P257 8588 01 0175 10589 3589
DL1076 8904 D728 X009 WG840589 43589 S1 FHM3589 89 8589 0172 10590 3590GEM3463
Catalogsouthernpipe ASSETS DOCUMENTS CMS EN GEM3463 Catalog srsItid
AfmBOocvXZ2EVZEYdPtTkqiliRqiA6NDmtGI8LIYR9cL8n3s oKdjIB SupplyS FHM3583 83 8583 0169
10584 3584 D1026 1971 D725 X001 3590 D1076 8905 D729S1 3590southernpipe
AfmBOoo6Plgo5klgjDhDPbBAdz2 Ba4Bh4ZYhaSTNv1QeyuLnTv7XA6Psouthernpipe |||
Section MARS C-Frame - Shaded Pole Motors MARS SERIES 909 90999 Super-
FitTM 3000 RPM Replacemen ... ence MARS # GE AO Smith Emerson Fasco
Marathon Wagner Packard 10583 10584 10585 10586 10587 10588 **10589** 10590
3583 3584 3585 3586 3587 3588 3589 3590 DL1026 D1026 DL1036 D1036 DL1056
D1056 DL1076 ...
lang:en score:12 filesize: 3.74 M page_count: 19 document date: 2011-09-15

[pdf] Catalog


Layout 1 Azure ECM 5 2 HP High Efficiency Variable Speed Direct Drive Blower Motor with Integrated
Bluetooth Compatibility Chart Mars 10859 685744108597 0685744108597 1007915527 030345f3 1d03
4d54 a364 d65b9b7cd999 images thdstatic catalog Images 03 |||
MARS AZURE ECM CROSS REFERENCE FOR PSC CONDENSER FAN MOTORS
1 MARS ECM MOTOR REPLACES 36 INDUSTRY ST ... 75 RPM 10587 1/2 HP
Direct Drive, 115V, 1075 RPM 10588 1/2 HP Direct Drive, 208-230V, 1075 RPM
10589 3/4 HP Direct Drive, 115V, 1075 RPM 10590 3/4 HP Direct Drive, 208-230V,
1075 RPM 10591 1...
lang:nl score:11 filesize: 515.48 K page_count: 2 document date: 2022-03-01

[pdf]

Layout 1 Heather AZURE® ECM End Cap Cross Reference MARS Document Library Azure Xref f
revised MOD AJPERES CONVERT TO url CACHEID ROOTWORKSPACE 2697d966 97f7 4513 bb6d
41b5ce079eeb oStW3xF w marsdelivers wps wcm connect |||
MARS AZURE ECM CROSS REFERENCE FOR PSC CONDENSER FAN MOTORS
1 MARS ECM MOTOR REPLACES 36 INDUSTRY ST ... 75 RPM 10587 1/2 HP
Direct Drive, 115V, 1075 RPM 10588 1/2 HP Direct Drive, 208-230V, 1075 RPM
10589 3/4 HP Direct Drive, 115V, 1075 RPM 10590 3/4 HP Direct Drive, 208-230V,
1075 RPM 10591 1...
lang:nl score:11 filesize: 217.42 K page_count: 2 document date: 2024-02-09

[pdf] Diagram

MARS Motor Cross Reference xrf 2014 MOD AJPERES CONVERT TO url CACHEID
ROOTWORKSPACE b54f06d1 986b 4589 b4da 2e4a10dbea12 pbTSvgY marsdelivers wps wcm connect
||| ||| /11iilB -i otor Cross Reference WIRING DIAGRAM TO BE USED WHEN REPLACING 2 PHASE
5K51 MOTORS WITH SINGLE PHASE 5KSP51 MOTORS. TAPE . White Green or Gray Black or Orange
PLUG MARS MOTOR CROSS REFERENCE INFORMATION 1. No replacement availabl
/11iilB -i otor Cross Reference WIRING DIAGRAM TO BE USED WHEN
REPLACING 2 PHASE 5K51 MOTORS WIT ... 036S FS1056S MARS Part No. 10590
X010 D1109 20882 20836 10583 X000 D721 10585 X002 D727 10587 X004 **10589**
X009 U759 E1931 U763 U765 U767 U771 O100 O600 O102 O601 O004 10733
10734 10735 10747 10736 X50...
lang:en score:11 filesize: 1.82 M page_count: 60 document date: 2024-11-04



[illegible]

[\[pdf\]](#) Specifications Accessories

Layout 1 Query USE TYPE SPECIFICATION PRODUCT ID 3929059 3929075 3929093 3929111

3929168 3930099 3930102 api ferguson dar step service

MARS Direct Drive Blower Motors 51 2 inch dia. MARS SERIES 112 Direct Drive

Furnace Blower Motors ... ss Reference MARS # GE AO Smith Emerson Fasco

Marathon Wagner 10583 10584 10585 10586 10587 10588 **10589** 10590 3583 3

3585 3586 3587 3588 3589 3590 DL1026 D1026 DL1036 D1036 DL1056 D1056

DL1076 ...

lang:en score:11 filesize: 194 K page_count: 1 document date: 2011-09-13

[illegible]

[\[pdf\]](#)

Cross Reference MARS Motors marsdelivers FSE1016S 1859 D917 3727 X411 43727 01 0160 W51

16CJA1 P257 8727 WG840727 S1 FHM3727 X Ref 98905 MOD AJPERES w wps wcm connect

```
a1181220 acad 4a7c b90a 7644f43de10f |||
```

www.marsdelivers.com Cross Reference / MARS Motors FSE1016S 10728 114 HP

Condenser Fan, 208-230V, ... 1/2 HP Direct Drive, 115V, 1075 RPM DL 1056 10588

1/2 HP Direct Drive, 208-230V, 1075 RPM D1056 **10589** 3/4 HP Direct Drive, 115V,

1075 RPM DL 1076 10590 3/4 HP Direct Drive, 208-230V, 1075 RPM ...

lang:da score:11 filesize: 547.04 K page_count: 2 document date: 2024-11-04

[illegible]

[\[pdf\]](#) Specifications Accessories Catalog

Layout 1 953166 specification torrco userfiles documents |||

MARS Direct Drive Blower Motors 5 / 1 2 inch dia. MARS SERIES 112 Direct Drive

Furnace Blower Moto ... 10585 3585 DL1036 1864 10586 3586 D1036 1972 10587

3587 DL1056 1865 10588 3588 D1056 1973 **10589** 3589 DL1076 8904 10590 3590

D1076 8905 Fasco D721 D725 D727 D923 D701 D703 D728 D729 Mara...

lang:en score:10 filesize: 959.23 K page count: 1 document date: 2014-03-03

FEATURES

Direct Drive Blower Motors

5 1/2 inch dia. MOUNTING BOLT

Direct Drive Furnace Blower Motors

These motors are designed to operate at 230 volt and are used for forced heating. These motors are designed to operate at 230 volt and are used for forced heating. These motors are designed to operate at 230 volt and are used for forced heating.

Features

- Cast aluminum housing
- Cast aluminum base
- Cast aluminum fan
- Cast aluminum motor
- Cast aluminum housing
- Cast aluminum base
- Cast aluminum fan
- Cast aluminum motor

Specifications

- Cast aluminum housing
- Cast aluminum base
- Cast aluminum fan
- Cast aluminum motor
- Cast aluminum housing
- Cast aluminum base
- Cast aluminum fan
- Cast aluminum motor

Cross Reference

Model	HP	SC	VOLTS	PHASE	ENCLOSURE	WINDING	TERMINAL BOX	LEAD
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1

1075 RPM - Three Speed - Reversible Rotation

Model	HP	SC	VOLTS	PHASE	ENCLOSURE	WINDING	TERMINAL BOX	LEAD
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1

Multi-Horsepower Direct Drive Furnace Blower Motors

These motors are designed to operate at 230 volt and are used for forced heating. These motors are designed to operate at 230 volt and are used for forced heating. These motors are designed to operate at 230 volt and are used for forced heating.

Features

- Cast aluminum housing
- Cast aluminum base
- Cast aluminum fan
- Cast aluminum motor
- Cast aluminum housing
- Cast aluminum base
- Cast aluminum fan
- Cast aluminum motor

Specifications

- Cast aluminum housing
- Cast aluminum base
- Cast aluminum fan
- Cast aluminum motor
- Cast aluminum housing
- Cast aluminum base
- Cast aluminum fan
- Cast aluminum motor

Model	HP	SC	VOLTS	PHASE	ENCLOSURE	WINDING	TERMINAL BOX	LEAD
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1	1	1

Four Speed

Model	HP	SC	VOLTS	PHASE	ENCLOSURE	WINDING	TERMINAL BOX	LEAD
1075 RPM	1/2	1.0	230	1	1	1	1	1
1075 RPM	1/2	1.0	230	1	1	1</		

[\[pdf\]](#) Specifications Accessories Catalog

Layout 1 Direct Drive Furnace Blower MotorsD701 X004 WG840587 43587 S1 FHM3587 W51 12BAA3

01 P257 8587 0171 DD 3587 10588 3588 D1056 1973 D703 X005 WG840588 43588 FHM3588

7204664 4572597 partsfergusonprod a bigcontent io v1 static 7204664 parts |||

MARS Direct Drive Blower Motors 5 / 1 2 inch dia. MARS SERIES 112 Direct Drive

Furnace Blower Moto ... ors/ Genteq AO Smith Emerson Fasco Marathon Wagner

Packard 10583 10584 10585 10586 10587 10588 **10589** 10590 10591 10592 3583

3584 3585 3586 3587 3588 3589 3590 3595 3596 DL1026 D1026 DL1036 D103...

lang:en score:10 filesize: 882.14 K page count: 1 document date: 2015-09-22



[\[pdf\]](#) Declaration of Conformity Accessories Catalog

Layout 1 MARS Motors UnilogPHILCO Replaces these popular motors and hundreds more! M 19 C

Frame 6003 6004 6010 6107E 6207E 6110E 6210E 10867 8 3 HP Direct Drive Mars EL3729H

Catalogassets unilogcorp 267 ITEM DOC Mars Catalog |||


MARS Motors Replacement Fractional Horsepower Motors for the HVAC/R Industry

www.marsdelivers.com ... Rev 115 7.5 10/370 OAO Slv 4.50 5.89 1/2 10588 1/2 Rev

208-230 3.2 7.5/370 OAO Slv 4.50 5.64 1/2 **10589** 3/4 Rev 115 11.2 15/370 OAO Slv

4.50 6.14 1/2 10590 3/4 Rev 208-230 4.5 10/370 OAO Slv 4.50 6...

lang:de **score:10** filesize: 10.18 M page_count: 32 document date: 2020-06-09



[\[pdf\]](#) Troubleshooting Guide Declaration of Conformity

IS Network Design Solutions doc Mirali Shahidi Ethical Hacker Interior gateway protocols such as

Intermediate System to are used in conjunction with the Border Gateway Protocol BGP Cisco Press

miralishahidi ir resources Index of |||

IS-IS Network Design Solutions By Abe Martey, Scott Sturgess The definitive IS-IS

reference and desi ... al and design guide on this popular protocol. The original

specification of the IS-IS protocol, ISO **10589**, is a tough indoctrination for most

people interested in grasping fundamentals of operation of...

lang:en **score:10** filesize: 3.51 M page_count: 352 document date: 2003-03-05



[MARS Motors Replacement Fractional Horsepower Motors for HVAC/R Industry](#)

Comprehensive catalog of MARS Motors' fractional horsepower replacement motors

for the HVAC/R industry, featuring Azure ECM, condenser fan motors, blower motors,

and more, with detailed specifications and cross-references.

lang:de **score:10** filesize: 12.34 M page_count: 32 document date: 2025-09-19



[\[pdf\]](#) Specifications Declaration of Conformity Accessories Borchure Catalog

FAST® UNIVERSAL AFTERMARKET MOTORSS1 FHM3587 F257 3589 3 4HP 115V 1075 RPM

DL1076 D278 X009 10589 01 0172 43589 W51 34BAA3 8904 WG840589 S1 FHM3589 3584 1 208

FAST Motors Brochure 2017 WEB single pages REV04192017ricpindexing toddsit userfiles FAST

REV04192017r MOTORSFAST® S1 REV04192017rFAST REV04192017rICP F2573589

Catalogicpindexing REV04192017rassets unilogcorp 267 ITEM DOC ICP Catalog |||

FAST UNIVERSAL AFTERMARKET MOTORS REPLACEMENT FRACTIONAL HORSEPOWER MOTORS for the HVAC/R Industry F ... 75/3 RPM FDL1056 D701

3587 X004 10587 F257-3589 3/4HP 115V 1075/3 RPM DL1076 D278 3589 X009

10589 F257-3584 1/4HP 208-230V 1075/3 RPM D1026 D727 3584 X001 10584

F257-3586 1/3HP 208-230V ...

lang:en **score:10** filesize: 1.58 M page_count: 6 document date: 2017-04-19



[\[pdf\]](#) Accessories Catalog

Layout 1 MARS Motors Auer Steel 21 29 Frame Commercial Refrigeration Replacement One On One™

Direct for Copeland Assembled in the USA 5 1/2 inch dia Mars 10411 Catalog auersteel ASSETS

DOCUMENTS ITEMS EN |||

MARS Motors Replacement Fractional Horsepower Motors for the HVAC/R Industry

MARS MOTORS Table of ... 5 10/370 OAO Slv 4.50 5.89 1/2 29.33 10588 1/2 Rev

208-230 3.2 7.5/370 OAO Slv 4.50 5.64 1/2 29 **10589** 3/4 Rev 115 11.2 15/370 OAO

Slv 4.50 6.14 1/2 30.25 10590 3/4 Rev 208-230 4.5 10/370 OAO Slv...

lang:de **score:10** filesize: 11.93 M page_count: 32 document date: 2017-05-30