

Elo E603162

Elo Accutouch E603162 1715L 17-Inch Touchscreen LCD Monitor User Manual

Model: E603162 | Brand: Elo

1. INTRODUCTION

The Elo 1715L touchmonitor is engineered to provide a reliable and cost-effective touch solution for various applications, including retail Point of Sale (POS) and hospitality environments. This 17-inch LCD monitor integrates Elo's AccuTouch five-wire resistive technology, allowing for touch input using fingers, gloved hands, credit cards, or a stylus. It features a dual serial/USB interface, a removable base, and side-mounted controls with a lockout function for enhanced security and usability. The display is factory-sealed to protect against dirt, dust, and liquids, ensuring durable operation in demanding settings.

2. WHAT'S IN THE BOX

Verify that all the following items are included in your product packaging:

- Elo 17-inch Touchscreen LCD Monitor
- VGA Cable
- Serial Cable
- USB Cable
- Power Cord
- Quick Installation Guide (may vary)
- Driver CD (may vary)



Image 2.1: Contents of the Elo 1715L monitor box, showing the monitor, various cables (VGA, RS-232, USB, power), and documentation.

3. SETUP INSTRUCTIONS

3.1 Unpacking and Placement

1. Carefully remove the monitor and all accessories from the packaging.
2. Place the monitor on a stable, flat surface. Ensure adequate ventilation around the unit.
3. Adjust the monitor's tilt for optimal viewing comfort.

3.2 Connecting the Monitor

1. **Video Connection:** Connect one end of the VGA cable to the VGA port on the monitor and the other end to the VGA output port on your computer.
2. **Touch Interface Connection:** Connect the USB cable from the monitor's USB port to an available USB port on your computer. Alternatively, if using the serial interface, connect the serial cable from the monitor's serial port to an available serial port on your computer.
3. **Power Connection:** Connect the power cord to the monitor's power input and then plug the other end into a grounded electrical outlet.



Image 3.1: Rear view of the monitor displaying the various connection ports for power, USB, serial, and VGA cables.

3.3 Driver Installation

1. After connecting the monitor, power on your computer and the monitor.
2. For optimal touchscreen functionality, install the appropriate drivers. These are typically found on the included driver CD or can be downloaded from the official Elo website (www.elotouch.com).
3. Follow the on-screen instructions to complete the driver installation. A system restart may be required.
4. **Calibration:** After driver installation, perform touchscreen calibration through the Elo control panel or your operating system's tablet PC settings to ensure accurate touch response.

4. OPERATING INSTRUCTIONS

4.1 Basic Touchscreen Operation

- **Touch:** Lightly touch the screen with your finger, stylus, or other approved object to select items or activate functions.
- **Drag:** Touch and hold an item, then move your finger across the screen to drag it.
- **Right-Click:** Depending on your operating system and driver settings, a long press or a specific gesture may emulate a right-click. Refer to your driver software for configuration.

4.2 On-Screen Display (OSD) Controls

The monitor features controls located on the side for adjusting display settings. These controls allow you to navigate the OSD menu.



Image 4.1: Side view of the monitor highlighting the physical control buttons for OSD adjustments.

1. **Accessing OSD:** Press the Menu button (usually indicated by an icon) to open the OSD menu.
2. **Navigation:** Use the Up/Down or Plus/Minus buttons to navigate through menu options.
3. **Selection/Adjustment:** Press the Select or Menu button again to choose an option or adjust a setting.
4. **Exit:** Use the Exit button or navigate to the 'Exit' option in the menu to close the OSD.
5. **Lockout Function:** The OSD controls include a lockout function to prevent accidental changes. Refer to the full user manual or Elo's support website for instructions on enabling/disabling this feature.

4.3 Optional Magnetic Stripe Reader (MSR)

If your 1715L monitor is equipped with the optional 3-track Magnetic Stripe Reader (MSR), it can be easily installed by the user. The MSR is programmable to either HID or Keyboard Emulation (USB only). Refer to the MSR installation guide for detailed instructions on attachment and software configuration.

5. MAINTENANCE

5.1 Cleaning the Monitor

- Always power off and unplug the monitor before cleaning.
- Use a soft, lint-free cloth lightly dampened with a mild, non-abrasive glass cleaner or water.
- Do not spray cleaning solutions directly onto the screen or into any openings.
- Avoid using harsh chemicals, abrasive pads, or solvents.

5.2 General Care

- Keep the monitor away from direct sunlight, excessive heat, and moisture.
- Ensure proper ventilation to prevent overheating.
- Avoid placing heavy objects on the monitor or its cables.

6. TROUBLESHOOTING

- **No Display:**
 - Ensure the power cord is securely connected to both the monitor and the electrical outlet.
 - Verify the video cable (VGA) is properly connected to both the monitor and the computer.
 - Check if the monitor is powered on (power indicator light).
 - Confirm the computer is powered on and outputting a video signal.
- **Touchscreen Not Responding:**
 - Ensure the USB or serial touch cable is securely connected to both the monitor and the computer.
 - Verify that the correct touchscreen drivers are installed. Reinstall drivers if necessary.
 - Perform touchscreen calibration through the Elo control panel.
 - Restart the computer.
- **Inaccurate Touch Response:**
 - Recalibrate the touchscreen.
 - Ensure the screen surface is clean and free of obstructions.
- **Screen Flickering or Distorted Image:**
 - Check the video cable for loose connections or damage.
 - Adjust the display resolution and refresh rate on your computer to match the monitor's specifications.
 - Use the OSD menu to perform an auto-adjust function if available.
- **Black Screen on Corner (as reported in reviews):**
 - This may indicate a hardware issue. Contact Elo support for assistance.

7. SPECIFICATIONS

Feature	Detail
Brand	Elo
Model Number	E603162
Screen Size	17 Inches
Touch Technology	AccuTouch Five-Wire Resistive
Resolution	SXGA
Aspect Ratio	1.66:1

Feature	Detail
Screen Surface	Glossy
Product Dimensions	18.5 x 17.5 x 11 inches
Item Weight	15.2 Pounds
Manufacturer	Elo Touch Solutions, Inc.
Connectivity	VGA, USB, Serial
Special Features	Factory-sealed against dirt/dust/liquids, Removable base, Side controls with lockout function, Optional 3-track MSR support

8. WARRANTY AND SUPPORT

For detailed warranty information, technical support, and service inquiries, please refer to the documentation included with your product or visit the official Elo Touch Solutions website.

Elo Touch Solutions Website: www.elotouch.com

Please have your model number (E603162) and serial number ready when contacting support.

Related Documents - E603162

	19.5-inch Touchscreen Monitor Kit Installation Instructions Detailed installation instructions for the Elo 19.5-inch Touchscreen Monitor Kit by SEL, including component lists, step-by-step assembly, specifications, and technical support information.
	Elo IntelliTouch/SecureTouch Touchscreen Guide Comprehensive guide to installing, integrating, and troubleshooting Elo IntelliTouch and SecureTouch touchscreen technologies. Covers component installation, technical specifications, and troubleshooting for various Elo controllers.
	Elo ET1502LM Touch Monitor User Manual User manual for the Elo ET1502LM touch monitor, covering product description, installation, mounting, operation, technical support, safety, regulatory information, and warranty.

	Elo ET0702L Touch Monitor User Manual Comprehensive user manual for the Elo ET0702L Touch Monitor, covering product description, installation, mounting, operation, technical support, safety, maintenance, regulatory information, and warranty details.
	Elo Touch Monitor User Manual: ET1903LM, ET2203LM, ET2403LM, ET2703LM Comprehensive user manual for Elo Touch Solutions ET1903LM, ET2203LM, ET2403LM, and ET2703LM touch monitors, covering installation, operation, safety, maintenance, technical support, and regulatory information.
	Elo I-Series 3.0 for Android: All-in-One Touchscreen Commercial Device Datasheet Explore the Elo I-Series 3.0 for Android, a versatile all-in-one touchscreen solution designed for commercial applications like retail, hospitality, and self-service. This datasheet details its specifications, features, and ordering information.

Documents - Elo – E603162



[pdf] User Manual

Elo TouchSystems 1715L siliconexpert s 2012 12 1 48 55 276 elo manual |||

11/12/2012 Elo Touch Solutions -- 1715L 17 Desktop Touchmonitor Worldwide 1715L 17-inch Desktop T ... Surface Treatment Part # RoHS A vailability Compliant Accu T o u ch Dual se rial/USB Antiglare **E603162** Am e ricas, EMEA AP R USB An tig la re E832132 Am e ricas, EMEA Inte lliTouch Dual s...

lang:en score:34 filesize: 172.07 K page_count: 1 document date: 0000-00-00



[\[pdf\]](#) User Manual Specifications Dimension Guide Warranty

1715L 17 inch LCD Elo Touch QIG User Manual CD VGA cable serial attached if support combo power cord USB Ordering Information Model Part Number Technology docs elotouch What s in the Box Interface Surface Treatment Color Availability E603162 AccuTouch Serial Antiglare Dark Gray Americas EMEA E719160 IntelliTouch

1715L 17-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Product ... attached if support combo , power cord, USB cable Ordering Information Model 1715L Part Number **E603162** E719160 Technology AccuTouch IntelliTouch Interface Serial/USB Serial/USB Surface Treatme...

lang:en score:32 filesize: 225.37 K page_count: 2 document date: 2020-11-11



[\[pdf\]](#) User Manual Specifications Dimension Guide Warranty

1715L 17 inch LCD What s in the Box QIG User Manual CD VGA cable serial attached if support combo power cord USB Ordering Information Model Part Number Technology Interface Surface Treatment Color Availability E603162 AccuTouch Serial Antiglare Dark Gray Americas EMEA E719160 IntelliTouch ELO DS 19031AES00068 Web docs elotouch Elo or Keyboard Emulation only is easily installed by user providing an

1715L 17-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Product ... attached if support combo , power cord, USB cable Ordering Information Model 1715L Part Number **E603162** E719160 Technology AccuTouch IntelliTouch Interface Serial/USB Serial/USB Surface Treatme...

lang:en score:31 filesize: 226.31 K page_count: 2 document date: 2019-03-11




[\[pdf\]](#) Specifications Dimension Guide Warranty Catalog

Elo Touch 1715L Ecran tactile de caisse E603162 elo touch 1715l fiche constructeur officeeasy fr media Oe CatalogPdfAttribute e l |||

1715L 17-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Product ... able, Touch USB cable, NA Power cable, EU Power cable, EEI Label Ordering Information Part Number **E603162** E719160 Technology AccuTouch IntelliTouch Interface Serial/USB Serial/USB Surface Treatme...

lang:en score:31 filesize: 155.94 K page_count: 2 document date: 2023-11-15



[pdf] Datasheet

E603162 von Elo Touch Solutions Inc LCD Monitore Arrow de datasheet 1715L static6 arrow aro conversion 540a107b50b98e2dc1105e86f58582a7a6938835 |||

11/12/2012 Elo Touch Solutions -- 1715L 17 Desktop Touchmonitor Worldwide 1715L 17-inch Desktop T ... Surface Treatment Part # RoHS A availability Compliant Accu T o u ch Dual se rial/USB Antiglare **E603162** Am e ricas, EMEA AP R USB An tig la re E832132 Am e ricas, EMEA Inte lliTouch Dual s...

lang:en score:31 filesize: 169.82 K page_count: 1 document date: 2022-03-22




[pdf] User Manual Specifications Dimension Guide Warranty

1715L 17-inch LCD What's in the Box QIG User Manual< b> CD VGA cable serial (attached if support combo) power cord USB Ordering Information Model Part Number Technology Interface Surface Treatment Color Availability 7 21 2021< 3:06:54 PM f3ec4f16-1538-489e-9280-b8a24f246937 cdn cnetcontent f3 ec Manual E603162 AccuTouch Serial Antiglare Dark Gray Americas EMEA E719160 IntelliTouch

1715L 17-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year Warranty Product ... attached if support combo , power cord, USB cable Ordering Information Model 1715L Part Number **E603162** E719160 Technology AccuTouch IntelliTouch Interface Serial/USB Serial/USB Surface Treatme...

lang:en score:30 filesize: 224.79 K page_count: 2 document date: 2021-07-21



[pdf] User Manual Guide

Compatible Peripherals ctsadmin wem p gen Cisco c Configure the Identification as Manual Step 7 Select Operating System Linux from Touch Type field drop down menu 8 Back and then select Yes to save settings Monitors Any monitor with a Mini DisplayPort or HDMI connector will work 2 4 It is recommended that you use 1920 x 1080 resolution Remote Controls 233 IECUG A Append cisco en us td docs video digital media systems IEP Release IEC UserGuide User Guide

A A P P E D I N X Compatible Peripherals Appendix Overview This appendix identifies which peripheral ... 772 E659634 E229149 E641269 E926109 E101984 E273617 E733714 E731919 E701210 E512043 E805638 E606625 **E603162** E719160 E649473 E679434 E179069 E227652 E763885 E274975 E461870 E629992 E734455 E607940 E012...

lang:en score:26 filesize: 163 K page_count: 14 document date: 2016-02-16

[illegible]

Planar versus Elo Touchscreens

...NO COMPARISON

no drivers needed for basic operation

Multi-Touch, Zero Bezel
smooth, all glass surface supports gripping, flick and scroll

Built in Privacy Filters
keeps confidential information secure

Designed for Touch
deskside cabinet management built into the desk itself

Responsive 60 Hz Desk
with a four times faster response time

Demco Program
to help drive sales

Dedicated Sales Team
to help the channel sell more touchscreen monitors

3-Year Customer First Warranty
featuring FREE 2-Day Advance Replacement

World Class
reliable, capacitive, SAW and projected capacitive touchscreen products - desktop and open frame - and all-in-one touchscreens PC for POS applications

Pre-Sales Technical Support
for configuration or integrative capabilities

Contact Us
1.866.PLANAR (freezer support) | touchscreens@planar.com

MULTI-TOUCH, ZERO BEZEL

PT2205PW - 22"

BUILT IN PRIVACY FILTERS

PT1745BFW - 17"

OPEN FRAME TOUCHSCREENS

LA2050TPW - 22"

www.planarusa.com | www.planartouch.com

elo

1715L

17-inch LCD

Touchscreen Monitor





Integrated Touch



Commercial Grade



3-Year Warranty

Product Overview

The elo 1715L 17-inch integrated touch touchscreen monitor is designed, engineered and built to provide a secure viewing and cost-effective touch solution. The 1715L touchscreen monitor can function as a desktop or wall-mounted unit and is available in three mounting configurations. The touchscreen can factory enable gray scale, dual, multi-touch and with controls on the side and bottom bezel. The touchscreen can be locked and be anti-theft.

Available with AccuTouch RemoteView™
monitor and IntelliTouch™ surface
technology with 20,000+ active touch
points

Touchscreen includes from
d1x, d1x and fhd

Removable bezel and VESA
mounting option

[\[pdf\]](#) Warrant

ds000009 1715l touchwindow 80 mm5 graphics 00000001 elo |||

PRODUCT OVERVIEW Economical and reliable Desktop, pole and wall-mount
Designed for Touch durability ... Part Number E963462 Interface USB Color Dark Gray
Ordering Information Model 1715L Part Number **E603162** E719160 E162119
E783252 E230052 Technology AccuTouch IntelliTouch AccuTouch IntelliTouch Pr...
lang:en score:22 filesize: 312.18 K page_count: 2 document date: 2014-08-22

[\[pdf\]](#) Confidentiality Request Letter

Planar Elo Competitive Comparison planar 80 reseller R touchscreen

Planar verses Elo Touchscreens ...no c o m pa r i s o n Driverless no drivers needed
for basic oper ... ith MSR 997-5593-00 PT1550MX with MSR 997-5593-00 17 Inch
Touch LCD Monitors 1715L AccuTouch **E603162** 1729L AccuTouch E261247 1715L
IntelliTouch E719160 1729L IntelliTouch E287671 1715L A...

[\[pdf\]](#) Specifications Dimension Guide Warranty

Elo 1715L 17 Touchscreen Monitor Spec SheetElo Inch LCD Desktop IntelliTouch SAW Technology with
USB RS232 Controller Anti Glare Bezelcdn shopify s files 1 0627 1002 2321 v 1705660327 |||
1715L 17-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year
Warranty Product ... able, Touch USB cable, NA Power cable, EU Power cable, EEI
Label Ordering Information Part Number **E603162** E719160 Technology AccuTouch
IntelliTouch Interface Serial/USB Serial/USB Surface Treatme...
lang:en score:21 filesize: 155.94 K page_count: 2 document date: 2023-11-15

- Economical and reliable
- Desktop, pole and wall-mount
- "Designed for Touch" durability
- 3 Year standard warranty

1715L 17" LCD Desktop Touchmonitor

The Elo Touch Solutions 1715L touchmonitor is designed, developed and built to provide a cost-effective touch solution for system integrators, VARs and OEMs. It packs quality View ds000009 1715L media elotouch s datasheets 80 |||

The Elo Touch Solutions 1715L touchmonitor is designed, developed and built to provide a cost-effective touch solution for system integrators, VARs and OEMs. It packs quality View ds000009 1715L media elotouch s datasheets 80 |||

The Elo Touch Solutions 1715L touchmonitor is designed, developed and built to provide a cost-effective touch solution for system integrators, VARs and OEMs. It packs quality View ds000009 1715L media elotouch s datasheets 80 |||

1509L 15.6-inch LCD Touchscreen Monitor

Touchscreen Monitor

Product Overview

The Elo Touch Solutions 1509L touchmonitor is designed, developed and built to provide a cost-effective touch solution for system integrators, VARs and OEMs. It packs quality View ds000009 1509L media elotouch s datasheets 80 |||

The Elo Touch Solutions 1509L touchmonitor is designed, developed and built to provide a cost-effective touch solution for system integrators, VARs and OEMs. It packs quality View ds000009 1509L media elotouch s datasheets 80 |||

The Elo Touch Solutions 1509L touchmonitor is designed, developed and built to provide a cost-effective touch solution for system integrators, VARs and OEMs. It packs quality View ds000009 1509L media elotouch s datasheets 80 |||

- Economical and reliable
- Desktop, pole and wall-mount
- "Designed for Touch" durability
- 3 Year standard warranty

1215L 12" LCD Desktop Touchmonitor

The Elo Touch Solutions 1215L touchmonitor is designed, developed and built to provide a cost-effective touch solution for system integrators, VARs and OEMs. It packs quality View ds000009 1215L media elotouch s datasheets 80 |||

The Elo Touch Solutions 1215L touchmonitor is designed, developed and built to provide a cost-effective touch solution for system integrators, VARs and OEMs. It packs quality View ds000009 1215L media elotouch s datasheets 80 |||

The Elo Touch Solutions 1215L touchmonitor is designed, developed and built to provide a cost-effective touch solution for system integrators, VARs and OEMs. It packs quality View ds000009 1215L media elotouch s datasheets 80 |||

[pdf] Datasheet Warranty

Touchmonitor The Elo Touch Solutions 1715L touchmonitor is designed developed and built to provide a cost effective touch solution for system integrators VARs It packs quality View ds000009 1715L media elotouch s datasheets 80 |||

PRODUCT OVERVIEW Economical and reliable Desktop, pole and wall-mount Designed for Touch durabili ... Part Number E963462 Interface USB Color Dark Gray Ordering Information Model 1715L Part Number **E603162** E719160 E162119 E783252 E230052 Technology AccuTouch IntelliTouch AccuTouch IntelliTouch Pr... lang:en score:20 filesize: 313.29 K page_count: 2 document date: 2014-04-18

[pdf] Datasheet


Elo Touch Solutions entry level LCDs Datasheet E344320 ELO Etiden elo1000 etiden pub media hexaattachment products attachments |||

1509L 15.6-inch LCD Touchscreen Monitor Built for Touch Integrated Cable Management Optional MSR ... attached if support combo , power cord, USB cable Ordering Information Model 1715L Part Number **E603162** E719160 Technology AccuTouch IntelliTouch Interface Serial/USB Serial/USB Surface Treatme... lang:en score:20 filesize: 918.28 K page_count: 8 document date: 0000-00-00


[pdf] Datasheet Warranty

Untitled Elo Entry Level Datasheet E432532 ELO 1215L 30 5 cm AccuTouch Touchscreen Monitor Dark Grey elo1000 ers online co uk files products |||

PRODUCT OVERVIEW Economical and reliable Desktop, pole and wall-mount Designed for Touch durab ... Part Number E963462 Interface USB Color Dark Gray Ordering Information Model 1715L Part Number **E603162** E719160 E162119 E783252 E230052 Technology AccuTouch IntelliTouch AccuTouch IntelliTouch Pr... lang:en score:20 filesize: 598.71 K page_count: 8 document date: 2015-02-13

[illegible]

lang:i-klingon score:18 filesize: 46.37 K page_count: 2 document date: 2024-01-17



[\[pdf\]](#) User Manual Specifications Guide Warranty

Cisco Interactive Experience Client 4600 Series User Guide v2 3 1 budgie 231UG0403 cisco c dam en us
td docs video digital media systems IEP Release 2 |||

Cisco Interactive Experience Client 4600 Series User Guide Release 2.3.1 April 3,
2015 Americas Hea ... 5:4 5:4 5:4 16:10 5:4 Part Number E101984 E273617 E733714
E731919 E701210 E512043 E805638 E606625 **E603162** E719160 E649473 E679434
E179069 E227652 E763885 E274975 E461870 E629992 E734455 E607940 E012...
lang:en score:17 filesize: 11.87 M page_count: 264 document date: 2015-09-02




[\[pdf\]](#) Specifications Datasheet Dimension Guide Warranty Borchure

Product Data Sheet BrochureElo Desktop Touchmonitors 1715L IntelliTouch Overview Specs Details

SHI953ab9cb 5d87 485e a61b 8bb25ef43832cdn cs 1worldsync 95 3a 953ab9cb 8bb25ef43832 |||

1715L 17-inch LCD Touchscreen Monitor Integrated Touch Commercial Grade 3-Year
Warranty Product ... attached if support combo , power cord, USB cable Ordering
Information Model 1715L Part Number **E603162** E719160 Technology AccuTouch
IntelliTouch Interface Serial/USB Serial/USB Surface Treatme...

lang:en score:17 filesize: 224.79 K page_count: 2 document date: 2021-07-21



[\[pdf\]](#) Warranty

Untitled Economical and reliable Features 3 Year standard warranty PRODUCT OVERVIEW Elo s 1215L

desktop LCD touchmonitor is designed developed built to provide the most cost effective solutions for

systems integrators resellers 160250 alldis de fileadmin transfer products |||

PRODUCT OVERVIEW Economical and reliable Desktop, pole and wall-mount

Designed for Touch durab ... Part Number E963462 Interface USB Color Dark Gray

Ordering Information Model 1715L Part Number **E603162** E719160 E162119

E783252 E230052 Technology AccuTouch IntelliTouch AccuTouch IntelliTouch Pr...

lang:en score:17 filesize: 834.96 K page_count: 10 document date: 2015-01-12



[\[pdf\]](#) Datasheet Warranty

DS000009 1715L b media elotouch 80 s datasheets

PRODUCT OVERVIEW Economical and reliable Desktop, pole and wall-mount
Designed for Touch durabili ... Part Number E963462 Interface USB Color Dark Gray
Ordering Information Model 1715L Part Number **E603162** E719160 E162119
E783252 E230052 Technology AccuTouch IntelliTouch AccuTouch IntelliTouch Pr...
lang:en **score:16** filesize: 327.43 K page_count: 2 document date: 2014-10-27



[\[pdf\]](#) Catalog

digital signage BlueStar 15 LCD Desktop Monitor 1000 Series RoHS E210772 1515L AccuTouch Serial and USB Dark Gray \$573 00 E290484 Beige elo bluestarinc e catalog Untitled |||
INTERACTIVE DIGITAL SIGNAGE The large-format, professional displays are not only attractive, but r ... 19L E039290 1519L, Magnetic stripe reader, Dark Gray 17 LCD Desktop Monitor, 1000 Series, RoHS **E603162** 1715L, AccuTouch, Serial and USB, Dark Gray E832132 1715L, Acoustic Pulse Recognition, US...
lang:de **score:15** filesize: 7.79 M page_count: 19 document date: 2012-05-25



[Lieske industryelectronics Preisliste 2022](#)

Aktuelle Preisliste von Lieske industryelectronics für Monitore, Projektoren und Zubehör. Finden Sie eine breite Auswahl an Marken und Modellen mit detaillierten Spezifikationen und Preisen.
lang:it **score:10** filesize: 13.84 M page_count: 2651 document date: 2022-08-17