

**GROHE 45324000**

# GROHE 4524000 Pop-Up Stopper Instruction Manual

FOR MODEL 28.958 LAVATORY FAUCETS

## 1. Product Overview

The GROHE 4524000 Pop-Up Stopper is a replacement part designed for specific GROHE lavatory faucets, particularly model 28.958. This stopper features a chrome finish and is constructed from plastic and rubber components, ensuring functionality and durability for your bathroom sink.

<b>COMPATIBILITY REFERENCE LIST</b>	
20072000-ATRIO LAVATORY WIDESET W/O HDLS, LOW SP.	
20297000-ESSENCE 2HDL BASIN 3-HOLE US LOW SP	
20312000-SEABURY 2HDL BASIN 4" CENTERSET US	
20370000-EUROCUBE 2HDL BASIN 3-HOLE US	
20388000-ARDEN 2HDL BASIN 4" CENTERSET US	
20584001-ALLURE LAVATORY WIDESET M-SIZE	
20892000-TALIA 3-HOLE BASIN MIXER	
23170000-START OHM BASIN US	
23171000-FEEL OHM BASIN US	
23173000-FEEL OHM BASIN HIGH SPOUT US	
23577003-EUROSTYLE 2015 OHM BASIN US	
23857001-ALLURE LAVATORY CENTERSET M-SIZE	
23858001-ALLURE LAVATORY CENTERSET L-SIZE	
24016000-ATRIO 3-H BIDET WIDESET W/O HANDLES	
24019000-GENEVA 3-H BIDET WIDESET	
24020000-SEABURY 3-H BIDET WIDESET	
24034000-GRANDERA 2HDL BIDET 3-HOLE US	
24667000-TALIA 3-HOLE BIDET MIXER	
28957000-POP-UP WASTE	
32006001-ATRIO OHM 1-H BASIN MIXER, FL HOSES, USA	

**Image 1.1:** The GROHE 4524000 Pop-Up Stopper in chrome finish. This image displays the complete stopper unit, ready for installation into a compatible lavatory drain.

## 2. Setup and Installation

This pop-up stopper is designed for straightforward installation into compatible lavatory drains. Ensure your faucet model is 28.958 or listed in the compatibility reference. The stopper is typically inserted into the drain opening and connected to the faucet's lift rod mechanism, if applicable. For detailed installation instructions specific to your faucet model, please refer to your faucet's original manual.

## 2.1. Compatibility Reference

The GROHE 4524000 Pop-Up Stopper is compatible with the following GROHE lavatory and bidet models:



**Image 2.1:** A detailed compatibility reference list indicating various GROHE lavatory and bidet models that are compatible with this pop-up stopper. Please verify your specific model against this list for proper fit.

- 20072000-ATRIO LAVATORY WIDESET W/O HDLS, LOW SP.
- 20297000-ESSENCE 2HDL BASIN 3-HOLE US LOW SP
- 20312000-SEABURY 2HDL BASIN 4" CENTERSET US
- 20370000-EUROCUBE 2HDL BASIN 3-HOLE US
- 20388000-ARDEN 2HDL BASIN 4" CENTERSET US
- 20584001-ALLURE LAVATORY WIDESET M-SIZE
- 20892000-TALIA 3-HOLE BASIN MIXER
- 23170000-START OHM BASIN US

- 23171000-FEEL OHM BASIN US
- 23173000-FEEL OHM BASIN HIGH SPOUT US
- 23577003-EUROSTYLE 2015 OHM BASIN US
- 23857001-ALLURE LAVATORY CENTERSET M-SIZE
- 23858001-ALLURE LAVATORY CENTERSET L-SIZE
- 24016000-ATRIO 3-H BIDET WIDESET W/O HANDLES
- 24019000-GENEVA 3-H BIDET WIDESET
- 24020000-SEABURY 3-H BIDET WIDESET
- 24034000-GRANDERA 2HDL BIDET 3-HOLE US
- 24667000-TALIA 3-HOLE BIDET MIXER
- 28957000-POP-UP WASTE
- 32006001-ATRIO OHM 1-H BASIN MIXER, FL HOSES, USA

### 3. Operating Instructions

---

The GROHE 4524000 Pop-Up Stopper operates with a simple push mechanism. To close the drain and retain water in the basin, press down on the top of the stopper. To open the drain and allow water to flow out, press down on the stopper again. The stopper will then pop up, allowing drainage.

### 4. Maintenance and Cleaning

---

Regular cleaning of your pop-up stopper is recommended to prevent buildup and ensure proper function. The GROHE 4524000 Pop-Up Stopper is designed for easy removal, facilitating thorough cleaning.

#### 4.1. Removal for Cleaning

1. Ensure the stopper is in the open (up) position.
2. Grasp the top of the stopper and gently pull it straight up and out of the drain opening.
3. Clean the stopper and the inside of the drain opening using a mild cleaner and a soft cloth or brush. Remove any hair or debris that may have accumulated.
4. Rinse the stopper and drain thoroughly with clean water.
5. Reinsert the stopper into the drain opening, ensuring it sits correctly.

Avoid using abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the chrome finish and rubber components.

### 5. Troubleshooting

---

- **Stopper not sealing properly:** Check the rubber seal around the stopper for any damage or debris. Ensure the stopper is fully seated in the drain opening when closed. Verify that the stopper is compatible with your specific drain model.
- **Stopper feels wobbly or loose:** This may indicate an issue with the internal mechanism or the fit within the drain. Ensure the stopper is correctly inserted and that no internal components are damaged.
- **Stopper does not fit:** Confirm that your lavatory faucet model is listed in the compatibility reference (Section 2.1). This stopper has a diameter of approximately 37 mm. If your drain aperture is significantly different, the stopper may not provide an adequate seal.

## 6. Specifications

<b>Brand</b>	GROHE
<b>Model Number</b>	45324000
<b>Compatible Faucet Model</b>	28.958
<b>Material</b>	Plastic, Rubber
<b>Finish</b>	Starlight Chrome
<b>Item Weight</b>	0.11 Kilograms (3.98 ounces)
<b>Product Dimensions</b>	4.49 x 2.91 x 2.01 inches
<b>Country of Origin</b>	China

## 7. Warranty Information

This GROHE product comes with a **1-year limited warranty** from the date of purchase. Please retain your proof of purchase for any warranty claims. For full warranty terms and conditions, refer to the official GROHE warranty documentation or contact customer support.

## 8. Support

For further assistance, technical support, or to inquire about replacement parts, please visit the official GROHE website or contact GROHE customer service directly. Contact information can typically be found on the product packaging or the manufacturer's website.