

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Winegard](#) /

› [Winegard CE-1000 Single Cable Entry Plate User Manual](#)

Winegard CE-1000

Winegard CE-1000 Single Cable Entry Plate User Manual

Model: CE-1000

1. INTRODUCTION

The Winegard CE-1000 is a single cable entry plate designed to provide a secure and weather-resistant pass-through for a single coaxial or other low-voltage cable through a wall or roof. This plate is ideal for RVs, marine applications, and other installations where a clean and protected cable entry point is required. It helps prevent water intrusion and maintains the integrity of the mounting surface.

2. SAFETY INFORMATION

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling tools and performing installation.
- Ensure the installation area is free from electrical hazards before drilling or cutting.
- Use caution when working on elevated surfaces, such as RV roofs.
- Properly seal all openings and screw holes with a marine-grade or RV-grade sealant to prevent water damage. Failure to do so can lead to serious structural damage.
- Do not overtighten screws, as this may strip threads or crack the plate.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- 1x Winegard CE-1000 Single Cable Entry Plate (White)
- Mounting Screws



Image 1: Winegard CE-1000 Single Cable Entry Plate with included mounting screws. The plate is white, rectangular with rounded corners, and features a raised channel for cable routing. Eight gold-colored screws are shown alongside the plate.

4. SETUP AND INSTALLATION

Follow these steps for proper installation of your Winegard CE-1000 Cable Entry Plate:

1. **Select Location:** Choose a flat, clean, and dry surface for mounting the cable entry plate. Ensure there is sufficient clearance on both sides of the mounting surface for cable routing and access.
2. **Prepare Surface:** Clean the mounting surface thoroughly to remove any dirt, grease, or old sealant. The surface must be completely dry before proceeding.
3. **Mark Pilot Holes:** Position the CE-1000 plate in the desired location. Use a pencil or marker to mark the positions for the mounting screws and the cable entry hole.
4. **Drill Holes:** Carefully drill pilot holes for the mounting screws. Drill a larger hole for the cable pass-through, ensuring it is just large enough for your cable to fit through without excessive play. Deburr any sharp edges.
5. **Route Cable:** Feed your single cable through the drilled hole and position it within the channel of the CE-1000 plate.
6. **Apply Sealant:** Apply a generous bead of approved RV or marine-grade self-leveling sealant around the cable entry hole and around the perimeter of the plate's underside where it will contact the mounting surface. Also, apply sealant into each screw pilot hole.
7. **Mount Plate:** Carefully align the plate with the pilot holes and press it firmly into the sealant. Insert and hand-tighten the mounting screws until snug. Do not overtighten.
8. **Final Sealing:** Apply another bead of sealant over the heads of the mounting screws and around

the entire perimeter of the installed plate, ensuring a watertight seal. Also, seal around the cable where it exits the plate's channel. Allow the sealant to cure according to the manufacturer's instructions.

5. OPERATING INSTRUCTIONS

Once installed, the Winegard CE-1000 operates passively by providing a sealed entry point for your cable. Ensure the cable is properly routed through the plate's channel and that all sealant has cured. No further operational steps are required for the plate itself.

6. MAINTENANCE

- **Regular Inspection:** Periodically inspect the cable entry plate and surrounding sealant for any signs of cracking, peeling, or degradation, especially after extreme weather conditions.
- **Cleaning:** Clean the plate with mild soap and water as needed. Avoid abrasive cleaners that could damage the material or sealant.
- **Re-sealing:** If any signs of sealant failure are observed, promptly clean the affected area and apply fresh sealant to maintain a watertight seal.
- **Screw Tightness:** Occasionally check the mounting screws for tightness. If loose, gently tighten them and re-apply sealant over the screw heads if necessary.

7. TROUBLESHOOTING

Most issues related to the cable entry plate involve water intrusion. Here are common troubleshooting steps:

- **Water Leakage:** If water is observed near the cable entry point, the sealant has likely failed.
 - Inspect the entire perimeter of the plate and around the cable for cracks or gaps in the sealant.
 - Clean the area thoroughly, remove any loose or degraded sealant.
 - Apply fresh, appropriate sealant generously to all affected areas, ensuring complete coverage.
- **Loose Plate:** If the plate feels loose, the mounting screws may have come undone or the material they are screwed into has degraded.
 - Gently tighten the mounting screws. If they spin freely, the pilot holes may be stripped. Consider using slightly larger screws or relocating the plate if possible.
 - Always re-seal screw heads and the plate perimeter after tightening.

8. SPECIFICATIONS

Feature	Detail
Model Number	CE-1000
Brand	Winegard

Feature	Detail
Color	White
Material	Durable, Water-Resistant Material (Note: Some specifications may incorrectly list 'Ceramic' due to data discrepancies; the product is designed for outdoor use.)
Product Dimensions	6.5 x 4 x 0.01 inches (approximate)
Item Weight	0.4 ounces
Cable Capacity	Single Cable
Included Components	Plate and Screws

9. WARRANTY INFORMATION

This Winegard product is covered by the manufacturer's standard warranty. For specific details regarding warranty coverage, duration, and terms, please refer to the documentation included with your purchase or visit the official Winegard website. Keep your proof of purchase for warranty claims.

10. SUPPORT


For technical assistance, installation questions, or to report any issues with your Winegard CE-1000 Single Cable Entry Plate, please contact Winegard Customer Support. You can typically find contact information, including phone numbers and support portals, on the official Winegard website (www.winegard.com).

© 2024 Winegard. All rights reserved. Information subject to change without notice.

Related Documents - CE-1000

	<p>Winegard Air 360 Plus Quick Start Guide: HDTV, WiFi, and 4G LTE Connectivity</p> <p>Get started quickly with the Winegard Air 360 Plus omnidirectional antenna system. This guide covers operation, channel scanning, and compatibility with the Winegard Gateway for enhanced RV connectivity, including WiFi and 4G LTE.</p>
---	---

	<p>Winegard TRAV'LER SK-1000 Automatic Multi-Satellite TV Antenna Installation and Operation Manual</p> <p>Comprehensive installation and operation manual for the Winegard TRAV'LER SK-1000 Automatic Multi-Satellite TV Antenna, providing step-by-step guidance, specifications, safety recommendations, and troubleshooting for RV users.</p>
	<p>Winegard TRAV'LER SK-1000 Automatic Multi-Satellite TV Antenna Installation and Operation Manual</p> <p>Comprehensive guide for installing and operating the Winegard TRAV'LER SK-1000 automatic multi-satellite TV antenna for RVs. Covers specifications, safety, installation steps, cable routing, receiver setup, and troubleshooting.</p>
	<p>Winegard TRAV'LER SK-1000 Automatic Multi-Satellite TV Antenna Installation and Operation Manual</p> <p>This manual provides detailed instructions for installing and operating the Winegard TRAV'LER SK-1000 automatic multi-satellite TV antenna. It covers specifications, safety, location selection, installation steps, setup with DISH receivers (Hopper3, Wally), troubleshooting, and the product's limited warranty.</p>
	<p>Winegard TRAV'LER SK-1000 Automatic Multi-Satellite TV Antenna Installation and Operation Guide</p> <p>This guide provides comprehensive instructions for installing and operating the Winegard TRAV'LER SK-1000 Automatic Multi-Satellite TV Antenna for RVs. It covers specifications, safety recommendations, installation steps, overall setup, troubleshooting, and warranty information.</p>
	<p>Winegard Trav'ler Automatic Multi-Satellite TV Antenna Wrap Cable Replacement Instruction Manual</p> <p>Instruction manual for replacing the wrap cable on Winegard Trav'ler Automatic Multi-Satellite TV Antennas, models SK-SWM3 and SK-1000. Includes step-by-step instructions for removing and reinstalling the turret and electronics.</p>



[\[pdf\]](#) User Manual Owner's Manual Installation Guide Instructions


Provided by ManualsAndMore Download User Manual Winegard RD 4600 Owner s And Installation Instructions RD4600 Owners manualsandmore |||

OWNER S MANUAL INSTALLATION INSTRUCTIONS RV DIGITAL SATELLITE SYSTEM Models RD-4600 RD-4646 U.S. ... min. Attach cable clamp here. #10 x 1 Screws Downlead connects to satellite receiver FIGURE 3A **CE-1000** STEP 6. Attach cable clamp to the coax cable 16 from the cable clamp on the gear housing. ... lang:en score:40 filesize: 922.78 K page_count: 16 document date: 2019-07-23



[\[pdf\]](#) Installation Guide Instructions Specifications Dimension Guide Warranty

winegard kbase upload 2452249 Antenna iRV2 Forums Here are the instructions how 80 ||| Omnidirectional TV/FM Antenna www.winegard.com For Technical Services, call 1-800-788-4417 DO NOT RE ... ovided over the cable entry hole, and seal around the cable entry plate. Winegard recommends model **CE-1000** cable entry plate sold separately . Continue with installing the power supply on page 7. 6 ... lang:en score:32 filesize: 1.29 M page_count: 7 document date: 2012-01-31



[\[pdf\]](#) User Manual Owner's Manual Installation Guide Instructions

2451099 RD4600 4646 prein RV DIGITAL SATELLITE SYSTEM rvsatellite Manuals Winegard ||| OWNER S MANUAL INSTALLATION INSTRUCTIONS RV DIGITAL SATELLITE SYSTEM Models RD-4600 RD-4646 U.S. ... min. Attach cable clamp here. #10 x 1 Screws Downlead connects to satellite receiver FIGURE 3A **CE-1000** STEP 6. Attach cable clamp to the coax cable 16 from the cable clamp on the gear housing. ... lang:en score:28 filesize: 889.46 K page_count: 16 document date: 2004-09-22



[\[pdf\]](#) Installation Guide Specifications Guide

View Wingman 10 Download free or Buy Books Tips to Recession Proof Your Job Search Fallen Crescent MR 2 Team Handball Study Guide February 11th Meeting! Upcoming Meetings TheWingman Inside the OVER THE AIR WC 750 09 with winegard kbase upload |||

MOBILE OVER-THE-AIR TELEVISION ANTENNAS plus more MOBILE TELEVISION RECEPTION PRODUCTS Sensor IV H ... astic plate for weatherproof entry of single coax cable into RV; screws not included, bulk pack 24. **CE-1000** Single pack. CE-0002 Same as CE-0001, but for multi-conductor cable. Use with automatic RV s...

lang:en score:24 filesize: 1.2 M page_count: 6 document date: 2010-05-20



[\[pdf\]](#) Warranty Catalog

WC 750 Ir winegard catalog sheets

MOBILE TELEVISION RECEPTION PRODUCTS DIGITAL TELEVISION ANTENNAS FOR FREE LOCAL PROGRAMMING HD Ant ... astic plate for weatherproof entry of single coax cable into RV; screws not included, bulk pack 24. **CE-1000** Single pack. CE-0002 Same as CE-0001, but for multiconductor cable. Use with automatic RV sa...

lang:en score:17 filesize: 1.26 M page_count: 8 document date: 2013-02-12

EFFECTIVE DATE: 03/25/20

**WINEGARD COMPANY
UNITED STATES UNILATERAL MINIMUM ADVERTISED PRICE POLICY**

Winegard Company ("Winegard") recognizes that its high-quality products, proven track record and reputation for delivering an exceptional customer experience through knowledgeable and attentive sales professionals, is a key to its success. Winegard values its customer service and sales professionals, and the high level of customer satisfaction people have come to expect from Winegard products.

In order to successfully compete in the marketplace and to maintain its product brand image, Winegard has announced this Unilateral Minimum Advertised Price Policy (the "UMAP Policy"). However, all sales from Winegard products to end-users of products sold in Winegard's UMAP Policy ("Products") made for resale must be subject to this UMAP Policy.

Winegard Products covered and their manufacturer's minimum advertised prices set forth in the UMAP Grid will shall be observed or otherwise made available by Winegard to the reseller. Winegard reserves the right from time to time to alter, modify, suspend or cancel this UMAP Policy for Products covered and the minimum advertised price.

This UMAP Policy does not restrict a reseller's right to establish independent advertised sales price of Winegard Products. Winegard reserves the right to determine which resellers are authorized to resell its Products at a set advertised price set forth in the minimum advertised price established in this UMAP Policy. Upon such determination, Winegard may, without limiting any liability, cancel all orders and may immediately refuse to accept any orders from the reseller. **Please note that following the actions of another reseller is not an exception to this UMAP Policy and will be considered non-compliance.**

This UMAP Policy has been unilaterally adopted by Winegard. Winegard neither solicits nor will it accept acceptance for any modification or agreement with this UMAP Policy. Nothing in this UMAP Policy shall constitute an agreement between Winegard and any reseller or distributor of its Products. The UMAP Policy is a unilateral policy and does not constitute an agreement or any other contract with this UMAP Policy. Winegard will not discuss conditions of acceptance related to this UMAP Policy. This UMAP Policy is a non-negotiable and will not be altered, modified or waived for any reseller.

The following are actions that constitute non-compliance with Winegard's UMAP Policy:

- The offer of free shipping or financing on Products listed in the UMAP Grid
- The offer of a gift card or other benefit for sale with a future purchase with the purchase of Products listed in the UMAP Grid
- Winegard, from time to time within its sole discretion, may announce promotional prices and benefits of Products listed in the UMAP Grid

The following are actions that do not constitute non-compliance with Winegard's UMAP Policy:


- Advertising that is more than a "low price or sale," "click to see price," "add to cart for best price," or "call to price," call to action that is not a direct offer through the use of the price, as it is intended to encourage or prompt representation, like requests, or from which the customer can visit. But the customer may click through to the customer's price page to view the actual UMAP Grid.
- The inclusion of any UMAP Grid product in any other product for a combined price being listed in the UMAP Grid.
- Combining a Product from the UMAP Grid with any other product for a combined price being listed in the UMAP Grid.
- Combining a Product from the UMAP Grid with any other product for a combined price being listed in the UMAP Grid.

Winegard's sales personnel have no authority to modify or grant exceptions to this UMAP Policy. All questions regarding interpretation of this UMAP Policy should be directed to the UMAP Policy Coordinator at UMAP@WINEGARD.COM.

[Winegard Unilateral Minimum Advertised Price Policy and Product Price Grid](#)

Official Unilateral Minimum Advertised Price (UMAP) Policy from Winegard Company, outlining pricing guidelines for resellers and providing a comprehensive price grid for Winegard products including antennas, satellite systems, and networking devices.

lang:en score:16 filesize: 226.94 K page_count: 4 document date: 2025-10-01



[\[pdf\]](#) Specifications Guide Buyer's Guide Catalog

Broadcast Equipment Buyers Guide 1988 1989 21 10 18 worldradiohistory Archive Catalogs Retailers |||

In the broadcasting game, only one player holds all the marbles. Harris Broadcast Group 217/222-8200 FOR YOUR INFORMATION, OUR NAME IS HARRIS The Z-31A, Hitachi s newest merhber of the j Computacam family, further enhances the performance, features and functions that have made the Z-31 so success...

lang:en score:15 filesize: 72.41 M page_count: 1308 document date: 2021-10-23



[\[pdf\]](#) Installation Guide Specifications

WC 750 Outside with Sensar Pro 9 11 lo res ahill over the air television antennas Markertek Winegard has taken powerfully performing III antenna Amplified and lift RV 3095 includes 20 feet of 75 ohm 85412 Specifications markertek Attachments |||

02 ,/ OVER-THE-AIR 7 / 9,6,21 17 11 6 plus more All trademarks and registered trademarks are the p ... astic plate for weatherproof entry of single coax cable into RV; screws not included, bulk pack 24. **CE-1000** Single pack. CE-0002 Same as CE-0001, but for multi-conductor cable. Use with automatic RV s...

lang:en score:13 filesize: 1.49 M page_count: 6 document date: 2011-10-06

[pdf] Quick Start Guide Installation Guide Specifications

WC 750 Outside with Sensar Pro 9 11 lo res ahill over the air television antennas MarkertekA 12 VDC VHF UHF amplified wall plate receptacle cable input jack and second set White only Use Winegard non TV 85412 Specificationsmarkertek Attachments Specifications 85412 srsItd

AfmBOoq3yYufB9Xfl3m0qfo5hMLAelUINX3RaaUjvU9QxBU7PxIHNPw MarkertekOVER THE AIRA Specifications85412 AfmBOoq3yYufB9Xfl3m0qfo5hMLAelUINX3RaaUjvU9QxBU7PxIHNPwmarkertek AfmBOor8G2lCpS oqdxXtT8wQq 7nhW creD4 Jn jMudZnJWLfyQvbt Markertekover TV A AfmBOoq8pEmwTrKrTXSQFFdvQBGjsxtYVTShj52rqvn4eQIL R dCmocmarkertek AIROVER jMudZnJWLfyQvbtmarkertek AfmBOooUAVFKefkVLS1RxEGmKeN0y4sxlkhGYN4VqWPuiHdjZrVAS2Ui AfmBOorqU14TEX0a vORJ5SO096Dphbc vkovqz7Yf5 CM3VRZpFX Bzmarkertek AfmBOorLQYIFGjRwv1NJwJZA locEQV63KV9jipRByGeLHlBKMkDnf7Dmarkertek AfmBOoqBMAcej3x LykwbwLvkvlNxlGx3wgq60lQyQzpykiTDwVDytkqmarkertek



AfmBOooUAVFKefkVLS1RxEGmKeN0y4sxlkhGYN4VqWPuiHdjZrVAS2Uimarkertek AfmBOoo0K434 hHWjtdWS6pYvpoX1BsLBqKkeHTkPjoTxc8GY81RbXUU AfmBOornAp0J4iY5Ze10EmwY8 V2hZ43Py0b5smiBF69TddKwPT9FsF1markertek AfmBOoqhezrOY1cQILN2WeRGgzlyGatDTvvZDsIEYcoYTqpmTJxhEXW3markertek hHWjtdWS6pYvpoX1BsLBqKkeHTkPjoTxc8GY81RbXUUmarmarkertek AfmBOoqZJ3kXcuXjImdJOsAS5iikX7ul9aLumbtRTDOgSRizbU6 GHM GHMmarkertek AfmBOopfUQyFF5OoXLB4QPvPGin24jrjHHSkuefOLdN1USY8rMsFkRZp AfmBOoq4Z7LQDQc DA jn PoKtdCkOOM9i mKgGtNrVhRBioTHB0fUz9markertek AfmBOopfUQyFF5OoXLB4QPvPGin24jrjHHSkuefOLdN1USY8rMsFkRZpmarkertek AfmBOoo2zY62pl 1D78VNAslrxtB0TLjeY4Fn5 A3FQ4xCbkGHa4sBSA A3FQ4xCbkGHa4sBSAmarkertek AfmBOop5HDOb7YkXVwS3qtS1CHF5wjWiwA3xUstr07 nkpjLh9LoCH nkpjLh9LoCHmarkertek AfmBOopZtTxS9UpAbgV2iNcpKToiPUsVG9H3ihz5EjA9qSGGv2Dvxvzq AfmBOoqdlj8Pk1E9iarv0er3Q9tSdqcf6Q 6vOVWZ 4GBXzS8iQdp OAmarmarkertek AfmBOoq9NLWrwIXxX10x8CKL QAagxw2PiqiZ82ajk6BaAgt2g37aObDmarkertek AfmBOooVd0eScjOAHLDH13ck5UIU8f2JNHqJUBq1u2XbM 0sA9jGC4Hvmarkertek AfmBOorvak aDMim2GUqTwISOldBXMfj3waR40AZO3uvNKt843JmjOrxmarkertek TV Winegard has taken powerfully performing III antenna integrated it enhanced Wingman for ultimate in AfmBOooJGmYaXI ri278OmPTwkyYFoo8l7VmgNr1gV62t3hhS2n8JjUNmarkertek AfmBOooVJ8dTVzna6m5ud9l rAo78jt599rk h8kG7D9pRyl3e0kZiJmarkertek |||

02 ,/ OVER-THE-AIR 7 / 9,6,21 17 11 6 plus more All trademarks and registered trademarks are the p ... astic plate for weatherproof entry of single coax cable into RV; screws not included, bulk pack 24. **CE-1000** Single pack. CE-0002 Same as CE-0001, but for multi-conductor cable. Use with automatic RV s...

lang:en score:13 filesize: 1.49 M page_count: 6 document date: 2011-10-06