

Phylrich K2105L1/024

Phylrich K2105L1_024 Amphora Deck Mounted Tub Set with Hand Shower

INSTRUCTION MANUAL

Model: K2105L1/024 | Brand: Phylrich

1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your Phylrich K2105L1_024 Amphora Deck Mounted Tub Set with Hand Shower. Please read this manual thoroughly before beginning installation or use to ensure proper function and longevity of the product. Retain this manual for future reference.



Image: The Phylrich K2105L1_024 Amphora Deck Mounted Tub Set, featuring a central spout, two lever handles for hot and cold water, and a separate hand shower with its own control. The finish is a brushed metallic, indicative of satin gold.

2. Safety Information

Observe all local plumbing and building codes. Professional installation is recommended. Always turn off the main water supply before installing or servicing the faucet. Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves during installation. Do not overtighten connections, as this may cause damage to the product or plumbing.

3. Package Contents

Verify that all components are present before beginning installation. The package should contain:

- Tub Spout Assembly

- Hot Water Handle Assembly
- Cold Water Handle Assembly
- Hand Shower with Hose and Diverter Assembly
- Mounting Hardware (gaskets, nuts, washers)
- Installation Instructions (this manual)

4. Setup and Installation

This section outlines the general steps for installing the deck-mounted tub set. Specific details may vary based on your tub and plumbing configuration. If you are unsure about any step, consult a qualified plumber.

1. **Prepare the Installation Area:** Ensure the tub deck has the necessary pre-drilled holes for the spout, handles, and hand shower diverter. Clean the surface thoroughly.
2. **Turn Off Water Supply:** Locate the main water shut-off valve and turn off the water supply to the bathroom. Open nearby faucets to relieve pressure.
3. **Install Handles:**
 - Insert the hot and cold handle assemblies through their respective holes on the tub deck.
 - From underneath the deck, secure each handle with the provided washers and mounting nuts. Hand-tighten, then use a wrench for a final snug fit, being careful not to overtighten.
4. **Install Spout:**
 - Place the spout assembly through the central hole on the tub deck.
 - Secure the spout from underneath with the provided mounting hardware. Ensure the spout is properly aligned before tightening.
5. **Install Hand Shower Diverter and Hose:**
 - Insert the hand shower diverter assembly into its designated hole.
 - Secure it from underneath with the mounting nut.
 - Connect the hand shower hose to the diverter outlet and to the hand shower head. Ensure all connections are sealed with plumber's tape or thread sealant as appropriate.
6. **Connect Water Lines:**
 - Connect the hot and cold water supply lines to the corresponding inlets on the handle assemblies.
 - Connect the mixed water outlet from the handles to the spout inlet and the hand shower diverter inlet.
 - Ensure all connections are tight and leak-free.
7. **Test for Leaks:** Slowly turn on the main water supply. Check all connections for leaks. If leaks are detected, turn off the water, tighten the connection, and retest.
8. **Flush the System:** Once installed and leak-free, turn on both hot and cold water to flush out any debris from the lines. Operate the hand shower to flush it as well.

5. Operating Instructions

The Phylrich K2105L1_024 tub set is designed for intuitive operation.

- **Water Flow and Temperature:**
 - To turn on the water, rotate the hot (left) and cold (right) handles.
 - Adjust the handles to achieve the desired water flow and temperature.

- **Diverting to Hand Shower:**
 - Once water is flowing from the tub spout, activate the hand shower by pulling up or rotating the diverter knob/lever located on the hand shower assembly.
 - To return water flow to the tub spout, push down or rotate the diverter back to its original position.
- **Turning Off:** Rotate both hot and cold handles to the off position.

6. Care and Maintenance

Proper care will ensure the lasting beauty and performance of your Phylrich tub set.

- **Cleaning:**
 - Clean the product with a soft, damp cloth and mild soap.
 - Do not use abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
 - Wipe dry after cleaning to prevent water spots.
- **Aerator Maintenance:** Periodically unscrew the aerator from the spout and clean any mineral deposits or debris. Rinse thoroughly before reattaching.
- **Hand Shower Nozzles:** If water flow from the hand shower becomes uneven, gently rub the rubber nozzles to dislodge mineral buildup.

7. Troubleshooting

Problem	Possible Cause	Solution
Low Water Flow	<ul style="list-style-type: none">• Partially closed shut-off valve• Clogged aerator• Debris in supply lines	<ul style="list-style-type: none">• Ensure shut-off valves are fully open.• Clean or replace the aerator.• Flush supply lines (consult a plumber if necessary).
Leaks at Connections	<ul style="list-style-type: none">• Loose connections• Damaged O-rings or gaskets	<ul style="list-style-type: none">• Turn off water supply and gently tighten connections.• Inspect and replace O-rings or gaskets if damaged.
Hand Shower Not Diverting	<ul style="list-style-type: none">• Diverter mechanism stuck or faulty• Low water pressure	<ul style="list-style-type: none">• Ensure adequate water pressure.• Contact customer support for diverter issues.

8. Specifications

Brand	Phylrich
Model Number	K2105L1/024
Product Type	Deck Mounted Tub Set with Hand Shower
Finish/Color	Gold (Satin Gold)
Manufacturer	Phylrich

UPC	883908473776
ASIN	B003I9R9GI





9. Warranty and Support



For warranty information or technical support, please refer to the official Phylrich website or contact their customer service directly. Keep your proof of purchase for any warranty claims.

For further assistance, please visit: www.phylrich.com

© 2023 Phylrich. All rights reserved. Information in this manual is subject to change without notice.

Related Documents - K2105L1/024

 <p>INSTALLATION INSTRUCTIONS FOR 1/2" PRESSURE BALANCE VALVE K2105L1/024</p> <p>PHYLIRICH</p>	<p>Phylrich DFPHY & DFPHYID 1/2" Pressure Balance Valve Installation Instructions</p> <p>Comprehensive installation guide for the Phylrich DFPHY and DFPHYID 1/2 inch pressure balance valve, covering general characteristics, valve specifications, rough-in dimensions, temperature settings, and maintenance procedures.</p>
 <p>PHYLIRICH® Defining Luxury Since 1989</p> <p>INSTALLATION INSTRUCTIONS FOR 1-124 WALL MOUNTED BIDET</p>	<p>Phylrich 1-124 Wall Mounted Bidet Installation Instructions</p> <p>Comprehensive installation guide for the Phylrich 1-124 Wall Mounted Bidet, detailing valve specifications, parts breakdown, rough-in dimensions, installation procedures, and maintenance tips for optimal performance and longevity.</p>
 <p>INSTALLATION INSTRUCTIONS FOR LAVATORY FAUCETS WITH A DRY TEE FLUSH MOUNTED VALVE K2105L1/024</p> <p>PHYLIRICH</p>	<p>Phylrich Transition Series Lavatory Faucet Installation Guide & Limited Warranty</p> <p>Comprehensive installation instructions and limited warranty details for the Phylrich Transition Series lavatory faucet with a dry tee flush mounted valve, covering setup, drain assembly, and product coverage.</p>
 <p>INSTALLATION INSTRUCTIONS FOR JAMESTOWN SERIES WALL LAVATORY SET K2105L1/024</p> <p>PHYLIRICH</p>	<p>Jamestown Series Wall Lavatory Set Installation Instructions</p> <p>Detailed installation guide for the Phylrich Jamestown Series Wall Lavatory Set, including models 165-11 (Cross Handle) and 165-12 (Lever Handle). Covers spout, escutcheon, handle installation, trim adjustments, and cartridge replacement with torque specifications.</p>

 <p>PHYLIRICH Jamestown Series</p> <p>INSTALLATION INSTRUCTIONS FOR LAVATORY FAUCETS WITH DRY TEE FLUSH MOUNTED VALVE</p> <p>1. Preparation: Turn off water supply to the lavatory. Remove the old faucet. Clean the mounting surface.</p> <p>2. Installation: Insert the new faucet into the mounting surface. Tighten the mounting nut and lock washer. Turn on the water supply and test for leaks.</p> <p>3. Testing: Turn on the water supply and test for leaks. If there are leaks, tighten the mounting nut and lock washer. If the leaks persist, contact your local plumber.</p>	<p>Phylrich Jamestown Series Lavatory Faucet Installation Guide & Limited Warranty</p> <p>Comprehensive installation instructions for the Phylrich Jamestown Series lavatory faucet with a dry tee flush mounted valve, including detailed steps, diagrams, and information on the limited lifetime warranty.</p>
 <p>PHYLIRICH Jamestown Series</p> <p>INSTALLATION INSTRUCTIONS FOR SINGLE HANDLE WIDESPREAD FAUCETS WITH HIGH SPOUT AND LEVER HANDLE</p> <p>1. Preparation: Turn off water supply to the lavatory. Remove the old faucet. Clean the mounting surface.</p> <p>2. Installation: Insert the new faucet into the mounting surface. Tighten the mounting nut and lock washer. Turn on the water supply and test for leaks.</p> <p>3. Testing: Turn on the water supply and test for leaks. If there are leaks, tighten the mounting nut and lock washer. If the leaks persist, contact your local plumber.</p>	<p>Phylrich Jamestown Series Single Handle Widespread Faucet Installation Guide</p> <p>Comprehensive installation instructions for the Phylrich Jamestown Series single handle widespread faucet with high spout and lever handle. Covers spout, valve, and drain assembly with detailed steps and textual descriptions of diagrams.</p>