Manuals+
Q & A | Deep Search | Upload

SEM 15163

SEM Presidio Interior Paint Aerosol (Model 15163) Instruction Manual

Brand: SEM | Model: 15163

Introduction

This manual provides detailed instructions for the safe and effective use of the SEM Presidio Interior Paint Aerosol, Model 15163. This product is designed for coating interior surfaces such as metal, plastic, and vinyl, offering a matte finish. Please read all instructions carefully before use.

Image: SEM Presidio Interior Paint Aerosol can, 12 oz, with a black color swatch. The label indicates "COLOR COAT Flexible Coating" and model number 15163.

Safety Information

WARNING: This product is an extremely flammable aerosol. Contents under pressure. Vapors may cause flash fire. Harmful if swallowed. Vapors harmful. Causes serious eye irritation. Causes skin irritation. Read all cautions on the back panel of the can before use.

- Use in a well-ventilated area.
- Keep away from heat, sparks, open flames, and hot surfaces. No smoking.
- Do not puncture or incinerate container.

- Do not expose to temperatures exceeding 120°F (49°C).
- Wear appropriate personal protective equipment, including gloves and eye protection.
- Avoid breathing vapors or spray mist.
- Keep out of reach of children.
- Dispose of contents/container in accordance with local regulations.

Proposition 65 Warning: This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Setup and Preparation

1. **Surface Cleaning:** Thoroughly clean the surface to be painted with a suitable wax and grease remover. Ensure the surface is free of dirt, oil, wax, and other contaminants.
2. **Surface Preparation:** For optimal adhesion, lightly abrade smooth surfaces with fine-grit sandpaper (e.g., 400-600 grit wet/dry) or a scuff pad. Re-clean the abraded surface to remove any dust.
3. **Masking:** Mask off any areas not intended for painting using painter's tape and masking paper or plastic.
4. **Environmental Conditions:** Ensure the application area is well-ventilated. Apply paint in a temperature range of 50°F to 85°F (10°C to 29°C) and moderate humidity. Avoid direct sunlight or extremely humid conditions.
5. **Test Spray:** Always perform a test spray on an inconspicuous area or a test panel to verify color match and adhesion before applying to the main surface.

Operating Instructions (Application)

1. **Shake Can:** Shake the aerosol can vigorously for at least one minute after the mixing ball begins to rattle. Continue to shake occasionally during application.
2. **Application Technique:** Hold the can approximately 8-10 inches (20-25 cm) from the surface. Apply light, even coats using a steady, sweeping motion. Overlap each pass slightly for uniform coverage.
3. **Multiple Coats:** Apply 2-3 light coats to achieve desired color and coverage. Allow sufficient flash-off time between coats (typically 5-10 minutes, or until the surface is tacky but not wet).
4. **Drying Time:** The paint will be dry to the touch within an hour. For full cure and maximum durability, allow 24 hours. Avoid handling or exposing the painted surface to moisture during the curing process.

Maintenance and Storage

- **Can Clean-up:** After each use, invert the can and spray for a few seconds until only clear propellant comes out. This prevents the nozzle from clogging. Wipe the nozzle clean.
- **Storage:** Store the aerosol can in a cool, dry place between 50°F and 85°F (10°C and 29°C). Do not store in direct sunlight or where temperatures may exceed 120°F (49°C).
- **Disposal:** Dispose of empty cans or unused product according to local hazardous waste regulations.

Troubleshooting

Problem	Possible Cause	Solution
Uneven Coverage / Streaks	Improper shaking, inconsistent spray distance, too thick coats.	Shake can thoroughly. Maintain consistent 8-10 inch distance. Apply multiple light coats.

Problem	Possible Cause	Solution
Poor Adhesion	Inadequate surface cleaning or preparation.	Ensure surface is clean and free of contaminants. Lightly abrade smooth surfaces.
Nozzle Clogging	Paint dried in nozzle.	Invert can and spray until clear propellant appears after each use. If clogged, try soaking nozzle in mineral spirits.
Drips or Runs	Applying too much paint in one coat, holding can too close.	Apply thinner coats. Increase spray distance to 8-10 inches.

Product Specifications

Brand: SEM

Model Name: Presidio

Part Number: 15163

Color: Black (Presidio)

Finish Type: Matte

Item Form: Aerosol

Item Volume: 12 Fluid Ounces (340g)

Specific Uses: Interior surfaces

Surface Recommendation: Metal, Plastic, Vinyl

Special Features: Fade Resistant, Low VOC

Coverage: High

Dry Time (Touch): Approximately 1 hour

Full Cure Time: 24 Hours

Water Resistance Level: Not Water Resistant

Item Weight: 1 pound

Package Dimensions: 8.11 x 2.56 x 2.56 inches

Warranty Information

No specific warranty information is provided in the product details. For details regarding product warranty, please contact SEM directly or refer to their official website.

Customer Support

For technical assistance, product inquiries, or safety data sheets, please contact the manufacturer:
Manufacturer: SEM
Please visit the official SEM website for contact information and further resources.

© 2023 SEM Products. All rights reserved.

Related Documents - 15163

SEM Plastic Repair and Refinishing Procedures: A Comprehensive Guide

This guide from SEM provides detailed procedures for repairing and refinishing automotive plastic parts, including fenders, bumpers, dashboards, and trim. It covers identifying plastic types (flexible, rigid, extra-rigid) and outlines step-by-step instructions using SEM's range of repair materials, primers, and coatings. Includes product lists and standard operating procedures.

SEM Chip Guards: Automotive Paint Protection and Texture Coating Guide

A comprehensive guide to SEM Chip Guards, detailing their benefits for protecting automotive panels from impact, chipping, and abrasion. Includes application instructions, standard operating procedures, and a detailed product list of related SEM automotive refinishing products.

SEM 650B Wheel Loader Technical Specifications

Explore detailed technical specifications for the SEM 650B wheel loader, including engine performance, hydraulic system, transmission, dimensions, and capacities. Manufactured by Shandong SEM Machinery Co., Ltd.

SEM 636D Wheel Loader: Specifications, Features, and Applications

Discover the SEM 636D Wheel Loader, a robust and versatile machine from Caterpillar's SEM brand. Learn about its key specifications, efficient hydraulic system, reliable powertrain, and wide range of applications.

SEM518 Compactor Technical Specifications

Detailed technical specifications for the SEM518 compactor, including engine power, operating weight, dimensions, travel speed, and vibratory system data.

SEM636D Wheel Loader Operation and Maintenance Manual

This comprehensive manual provides essential guidance for the safe and efficient operation, maintenance, and troubleshooting of the SEM636D Wheel Loader. It covers detailed safety information, technical specifications, operational procedures, and maintenance schedules to ensure optimal performance and longevity of the equipment.

[pdf] User Manual Instructions Specifications Label

Atari San Francisco Rush 2049 Manual SAN FRANCISCO For your records write the game serial number in manual Page 2 SAFETY INSTRUCTIONS The following safety instructions apply to operators and service NOTICE This is subject change without notice reserves right make improvements equipment function design or components as progress engineering ATARI 1834 arcade museum manuals videogames A

SAN FRANCISCO RUSH 2049 SAFETY, SPECIFICATIONS, INSPECTION INSTALLATION NOTICE: This manual is s ... 2769.1 TRIAMP BOARD ASSEMBLY 10 a Field Replaceable Parts DESIGNATION PART NUMBER Ul, u2 5370- **15163**-00 u3 5370-l 5984-00 u4 5370-l 5833-00 u5 5250-l 3302-00 U6 5370-l 6254-00 FUNCTION A...

lang:en score:27 filesize: 2.53 M page_count: 106 document date: 2001-04-09



[pdf] Instructions Datasheet

Prep Mixing Application Cleanup Instructions SEM Color Coat High Gloss Clear Auto Body Toolmart sem tds color coat autobodytoolmart tech sheets |||

COLOR COATTM TECHNICAL DATA SHEET Check local VOC regulations to ensure compliance of all products ... rt: 13003 13013 13023 15003 15013 15023 15033 15043 15053 15063 15083 15093 15103 15113 15123 15143 **15163** 15173 15183 15213 15223 15233 15243 15253 15273 15283 15303 15313 15323 15353 15363 15373 1539...

lang:en score:26 filesize: 79.78 K page_count: 9 document date: 2015-10-01

[pdf]

Download and View Sem Products Inc 15123 Color Coat Santa Aerosol SE15123 SEM 15163 Coating Other Document 1 autotoolworld assets |||

COLOR COATTM AEROSOLS 15003 Phantom White 15013 Landau Black 15023 Cordovan Brown 15033 Saddle Tan 15053 Granite 15063 Burgundy 15083 Silver 15093 Lt Buckskin 15113 Firethorn Red 15123 Santa Fe 15143 Sandstone **15163** Presidio 15183 Warm Gray 15213 Bluemist 15223 Castella 15233 Gloss B...

lang:de score:23 filesize: 120.29 K page_count: 2 document date: 2020-08-20

[pdf]

Download and View Sem Products Inc 15123 Color Coat Santa Aerosol SE15123 SEM 15163 Coating Other Document 3 autotoolworld assets |||

SAC 0116 AUTOMOTIVE DIVISION REPAIR REFINISH 40032 REFINISHING CENTER YOUR BEST SELLING, LOWEST PA ... ite 15113 Color CoatTM - Firethorn Red 15123 Color CoatTM - Santa Fe 15143 Color CoatTM - Sandstone **15163** Color CoatTM - Presidio 15173 Color CoatTM - Camel 15183 Color CoatTM - Warm Gray 15213 Color ...

lang:en score:22 filesize: 461.29 K page_count: 2 document date: 2020-09-15



[pdf] Catalog

Download and View Sem Products Inc 15123 Color Coat Santa Aerosol SE15123 SEM 15163 Coating Catalog Pages autotoolworld assets |||

REFINISH Flexible Coatings Refinishing or restoring leather, vinyl plastic is at the core of SE ... r 15093 Lt Buckskin 15103 Super White 15113 Firethorn Red 15123 Santa Fe 15143 Sandstone **15163** Presidio 15173 Camel 15183 Warm Gray 15213 Bluemist 15223 Castella 15233 Gloss Blac...

lang:en score:22 filesize: 286.34 K page_count: 1 document date: 2020-09-14

[pdf]

SEM INTERIOR REPAIR PRODUCTS MANUAL< b> APPLICATOR GUN 1 7OZ An easy loading applicator for dispensing 7 oz dual mix cartridges Material is dispensed quickly and consistently P N 09-03792 $68 75 QUICK SET NOZZLE OZ Ensures proper ratios Quantity 6 per package 09-03793 $14 80 Cat22473 aircraftspruce pdf 2022Individual

SEM INTERIOR REPAIR PRODUCTS AEROSPACE SEM SOAP First step cleaner gravitates into the substrate an ... ss White 15003 Phanton White 15013 Landau Black 15043 Shadow Blue 15103 Super White 15143 Sandstone **15163** Presidio 15173 Camel 15183 Warm Gray 15233 Gloss Black 15243 Satin Black 15283 Pescadero Sand ...

lang:en score:19 filesize: 255.4 K page_count: 1 document date: 2021-07-22

[pdf] User Manual Instructions Parts List Guide Accessories

Weed Eater Trimmer 1600 User Guide 389705e4 a902 4780 b386 2d800a4de2dc text archive org manualsonline id

TRADEMARK OPERATOR S MANUAL: AWAJ NING: Read the Operator s Manual and Follow All Warnings and Safe ... 367 15241 32092 69240 12070 24903 30077 69243 69196 69194 25342 15382 15407 15740 10797 15274 25704 **15163** 26560 15610 26547 15609 35017 35191 35164 35166 35178 69219 103 104 105 106 107 108 109 no 11...

lang:en score:18 filesize: 993.54 K page_count: 24 document date: 2020-09-12

[pdf] Catalog

SEM Color Coat Aerosols Card Sem 12 Oz Aerosol AircraftSpruce SU aircraftspruce catalog |||

COLOR COATTM AEROSOLS 15003 Phantom White 15013 Landau Black 15023 Cordovan Brown 15033 Saddle Tan 15053 Granite 15063 Burgundy 15083 Silver 15093 Lt Buckskin 15113 Firethorn Red 15123 Santa Fe 15143 Sandstone **15163** Presidio 15183 Warm Gray 15213 Bluemist 15223 Castella 15233 Gloss B...

lang:de score:16 filesize: 98.65 K page_count: 2 document date: 2018-05-24

[pdf]

Download SEM Color Coat ChartSEM Presidio 12 Oz Aerosol 15163sem color coat colorsgenesisautobodysupply sem colors |||

COLOR COATTM AEROSOLS 15003 Phantom White 15013 Landau Black 15023 Cordovan Brown 15033 Saddle Tan 15053 Granite 15063 Burgundy 15083 Silver 15093 Lt Buckskin 15113 Firethorn Red 15123 Santa Fe 15143 Sandstone **15163** Presidio 15183 Warm Gray 15213 Bluemist 15223 Castella 15233 Gloss B...

lang:de score:16 filesize: 98.66 K page_count: 2 document date: 2018-05-24

[pdf] User Manual Instructions Specifications Label

San Francisco Rush 2049 Arcade Manual gamesdatabase org game manual MAME 1998 Atari Racing system Download Games Database Media SYSTEM formated |||

SAN FRANCISCO RUSH 2049 SAFETY, SPECIFICATIONS, INSPECTION INSTALLATION NOTICE: This manual is s ... 2769.1 TRIAMP BOARD ASSEMBLY 10 a Field Replaceable Parts DESIGNATION PART NUMBER UI, u2 5370- **15163**-00 u3 5370-I 5984-00 u4 5370-I 5833-00 u5 5250-I 3302-00 U6 5370-I 6254-00 FUNCTION A...

lang:en score:15 filesize: 1.86 M page_count: 106 document date: 2022-02-04

[pdf] User Manual Instructions Specifications Label

San Francisco Rush 2049 Tournament Edition Arcade Manual gamesdatabase org game manual MAME 1998 Atari Racing system Download Games Database Media SYSTEM formated |||

SAN FRANCISCO RUSH 2049 SAFETY, SPECIFICATIONS, INSPECTION INSTALLATION NOTICE: This manual is s ... 2769.1 TRIAMP BOARD ASSEMBLY 10 a Field Replaceable Parts DESIGNATION PART NUMBER UI, u2 5370- **15163**-00 u3 5370-I 5984-00 u4 5370-I 5833-00 u5 5250-I 3302-00 U6 5370-I 6254-00 FUNCTION A...

lang:en score:15 filesize: 1.86 M page_count: 106 document date: 2022-02-04

[pdf] User Manual Instructions Specifications Label

San Francisco Rush 2049 Special Edition Arcade Manual gamesdatabase org game manual MAME 1998 Atari Racing system Download Games Database Media SYSTEM formated |||

SAN FRANCISCO RUSH 2049 SAFETY, SPECIFICATIONS, INSPECTION INSTALLATION NOTICE: This manual is s ... 2769.1 TRIAMP BOARD ASSEMBLY 10 a Field Replaceable Parts DESIGNATION PART NUMBER Ul, u2 5370- **15163**-00 u3 5370-l 5984-00 u4 5370-l 5833-00 u5 5250-l 3302-00 U6 5370-l 6254-00 FUNCTION A...

lang:en score:15 filesize: 1.86 M page_count: 106 document date: 2022-02-04

[pdf]

SEM Auto Detailing Care Features car detailing care auto wash cleaners wax detailer polish tire shine clay bar glaze microfiber mitts products kit interior exterior pads towels CARiD 15893 features images carid sem items |||

AUTOMOTIVE DIVISION REPAIR REFINISH 40032 REFINISHING CENTER YOUR BEST SELLING, LOWEST PAID SALESP ... ite 15113 Color CoatTM - Firethorn Red 15123 Color CoatTM - Santa Fe 15143 Color CoatTM - Sandstone **15163** Color CoatTM - Presidio 15173 Color CoatTM - Camel 15183 Color CoatTM - Warm Gray 15213 Color ...

lang:en score:15 filesize: 828.42 K page_count: 4 document date: 2018-05-10

[pdf]

SEM Auto Detailing Care Features car detailing care auto wash cleaners wax detailer polish tire shine clay bar glaze microfiber mitts products kit interior exterior pads towels CARiD 15643 features images carid sem items |||

AUTOMOTIVE DIVISION REPAIR REFINISH 40032 REFINISHING CENTER YOUR BEST SELLING, LOWEST PAID SALESP ... ite 15113 Color CoatTM - Firethorn Red 15123 Color CoatTM - Santa Fe 15143 Color CoatTM - Sandstone **15163** Color CoatTM - Presidio 15173 Color CoatTM - Camel 15183 Color CoatTM - Warm Gray 15213 Color ...

lang:en score:15 filesize: 828.42 K page_count: 4 document date: 2018-05-10

[pdf]

SEM Auto Detailing Care Features car detailing care auto wash cleaners wax detailer polish tire shine clay bar glaze microfiber mitts products kit interior exterior pads towels CARiD 15103 features images carid sem items |||

AUTOMOTIVE DIVISION REPAIR REFINISH 40032 REFINISHING CENTER YOUR BEST SELLING, LOWEST PAID SALESP ... ite 15113 Color CoatTM - Firethorn Red 15123 Color CoatTM - Santa Fe 15143 Color CoatTM - Sandstone **15163** Color CoatTM - Presidio 15173 Color CoatTM - Camel 15183 Color CoatTM - Warm Gray 15213 Color ...

lang:en score:15 filesize: 828.42 K page_count: 4 document date: 2018-05-10

[pdf]

SEM Auto Detailing Care Features car detailing care auto wash cleaners wax detailer polish tire shine clay bar glaze microfiber mitts products kit interior exterior pads towels CARiD 13023 features images carid sem items |||

AUTOMOTIVE DIVISION REPAIR REFINISH 40032 REFINISHING CENTER YOUR BEST SELLING, LOWEST PAID SALESP ... ite 15113 Color CoatTM - Firethorn Red 15123 Color CoatTM - Santa Fe 15143 Color CoatTM - Sandstone **15163** Color CoatTM - Presidio 15173 Color CoatTM - Camel 15183 Color CoatTM - Warm Gray 15213 Color ...

lang:en score:15 filesize: 828.42 K page_count: 4 document date: 2018-05-10



[pdf] Catalog

View in Catalog Sem Classic Coat Aerosol AircraftSpruce SU Cat21472 aircraftspruce 2021Individual |||

CM WP ME HA AP LG EP CS IN EL AV TO PS BV SEM INTERIOR REPAIR PRODUCTS AEROSPACE SEM SOAP First st ... ss White 15003 Phanton White 15013 Landau Black 15043 Shadow Blue 15103 Super White 15143 Sandstone **15163** Presidio 15173 Camel 15183 Warm Gray 15233 Gloss Black 15243 Satin Black 15283 Pescadero Sand ...

lang:en score:14 filesize: 223.46 K page_count: 1 document date: 2020-07-17



[pdf] Datasheet Catalog

SEM Color Coat TDS Sem 12 Oz Aerosol AircraftSpruce SU color coat aircraftspruce catalog |||

COLOR COATTM TECHNICAL DATA SHEET Check local VOC regulations to ensure compliance of all products ... rt: 13003 13013 13023 15003 15013 15023 15033 15043 15053 15063 15083 15093 15103 15113 15123 15143 **15163** 15173 15183 15213 15223 15233 Product Name: Color Coat Color Coat Color Coat Color Coat Color...

lang:en score:14 filesize: 81.02 K page_count: 8 document date: 2018-06-25

[pdf] User Manual

DME760a IM PT BenQ book Ivy w Xiao Digital Camera um User Manual 20110617 101317S1430 UM BP esupportbenq blob core windows net esupport UserManual |||

Manual do Usurio da Cmera Digital S1430 Bem-vindo Copyright Copyright 2011 por Corporao BenQ. Todo ... 2 7848 4288 x 3216 Padro 8 Economia 10 350 713 1401 2851 5738 11511 461 939 1845 3756 7558 **15163** Fina 8 356 724 1423 2896 5827 11691 3264 x 2448 Padro 12 Economia 16 514 1047 2056 4...

lang:pt score:14 filesize: 5.82 M page_count: 44 document date: 2011-04-28

[pdf]

SEM Color Coat Aerosols Chart 2016 v 1615778265 cdn shopify s files 1 0118 2262 |||

COLOR COAT AEROSOLS VCS-CC 0216 *NOTE: 13013 SATIN GLOSS CLEAR MATCHES SHEEN OF ALL NON-GLOSS COLO ... 1 FACTORY PACK 1 15123 SANTA FE 4943 GM 1995 Code TC16 15143 SANDSTONE 1708 FM 1978 Code V **15163** PRESIDIO 4171 FM 1986 Code P 15173 CAMEL 5944 FACTORY PACK 15183 WARM GRAY 4194 CM 198...

lang:i-klingon score:14 filesize: 137.86 K page_count: 2 document date: 2016-03-11

[pdf]

Color Chart SEM Coat Aerosol Coatings Auto Paint Supply color coat aerosols chart autobodytoolmart tech sheets |||

COLOR COAT AEROSOLS *NOTE: 13013 SATIN GLOSS CLEAR MATCHES SHEEN OF ALL NON-GLOSS COLOR CHIPS REFOE ... 1 FACTORY PACK 1 15123 SANTA FE 4943 GM 1995 Code TC16 15143 SANDSTONE 1708 FM 1978 Code V **15163** PRESIDIO 4171 FM 1986 Code P 15173 CAMEL 5944 FACTORY PACK 15183 WARM GRAY 4194 CM 198...

lang:i-klingon score:14 filesize: 209.84 K page_count: 2 document date: 2014-05-05



SEM COLOR COAT
TECHNICAL DATA SHEET

Check local VOC regulations to ensure compliance of all products in your area.

DESCRIPTION

Color Coat is a specialty elastomeric coating formulated to restore or change the color of most vinyl surfaces, flexible and rigid plastics, carpet and velour. **Color Coat** is not a dye, but a fade-resistant flexible and permanent coating.

FEATURES

- Refinish vehicle interiors and motorcycle seats
- Enhance automotive carpet and velour
- Superior adhesion, flexibility and hiding
- Will not crack
- Quick drying and simple to use
- Ready to spray quarts and gallons
- 50 popular aerosol colors
- Mixing system available for endless colors

SUITABLE SUBSTRATES

- Vinyl
- Plastic
- Carpet
- Velour
- Properly prepped and primed metal

TYPICAL PROPERTIES

27079 COLOR COAT CONE TOP QUART KIT

Part:	Product Name:	Color:	Size:
13006	Color Coat	High Gloss Clear	Cone Quart
13016	Color Coat	Satin Gloss Clear	Cone Quart
13026	Color Coat	Low Luster Clear	Cone Quart
15016	Color Coat	Landau Black	Cone Quart
15086	Color Coat	Silver	Cone Quart
15506	Color Coat	Red Oxide	Cone Quart
15516	Color Coat	Fast Yellow	Cone Quart
15526	Color Coat	Fast Red	Cone Quart
15536	Color Coat	Fast Blue	Cone Quart
15546	Color Coat	Tinting White	Cone Quart

SEM Products, Inc. | 1665 Deer view Dr. Rock Hill, SC 29730 | 888.527.7829 | semproducts.com

[pdf] Datasheet

Technical Data SheetTDS SEM Color™ Coat Clear Gloss superb coverage and hiding power vinnybyrne sem tds color coat 1 view file 2022 06 |||

COLOR COAT TECHNICAL DATA SHEET Check local VOC regulations to ensure compliance of all products in ... rt: 13003 13013 13023 15003 15013 15023 15033 15043 15053 15063 15083 15093 15103 15113 15123 15143 **15163** 15173 15183 15213 15223 15233 15243 15253 15273 15283 15303 15313 15323 15353 15363 15373 1539...

lang:en score:14 filesize: 59.75 K page_count: 9 document date: 2014-07-30



SEM

INTERIOR & EXTERIOR REFINISHING

PLASTIC VINYL LEATHER CARPET VELOUR

FEATURED PRODUCTS	Plastic	Vinyl	Leather	Carpet	Velour
Sure-Coat™	✓	✓	✓		
Color Coat™	✓	✓		✓	✓
Classic Coat™		✓	✓		
Bumper Coater™	✓			✓	✓
Trim Black Ultra	✓				

RAP-1
1118

SEM INTERIOR & EXTERIOR REFINISHING: PLASTIC, VINYL, LEATHER, CARPET & VELOUR

[pdf] Catalog

SEM Interior Exterior Refinishing Sem Color Coat 12 Oz Aerosol AircraftSpruce SU interior and exterior refinishing aircraftspruce catalog |||

INTERIOR EXTERIOR REFINISHING: PLASTIC, VINYL, LEATHER, CARPET VELOUR RAP-1 1118 INTERIOR EXT ... ckskin 15101 Super White 15103 Super White 15113 Firethorn Red 15123 Santa Fe 15143 Sandstone **15163** Presidio 15173 Camel 15183 Warm Gray 15213 Bluemist 15223 Castella 15233 Gloss Black 152...

lang:en score:13 filesize: 4.7 M page_count: 12 document date: 2018-11-26



SEM COLOR COAT™
TECHNICAL DATA SHEET

Check local VOC regulations to ensure compliance of all products in your area.

DESCRIPTION

Color Coat is a specialty elastomeric coating formulated to restore or change the color of most vinyl surfaces, flexible and rigid plastics, carpet and velour. **Color Coat** is not a dye, but a fade-resistant flexible and permanent coating.

FEATURES

- Refinish vehicle interiors and motorcycle seats
- Enhance automotive carpet and velour
- Superior adhesion, flexibility and hiding
- Will not crack
- Quick drying and simple to use
- Ready to spray quarts and gallons
- 50 popular aerosol colors
- Mixing system available for endless colors

SUITABLE SUBSTRATES

- Vinyl
- Plastic
- Carpet
- Velour
- Properly prepped and primed metal

TYPICAL PROPERTIES

27079 COLOR COAT CONE TOP QUART KIT

Part:	Product Name:	Color:	Size:
13006	Color Coat	High Gloss Clear	Cone Quart
13016	Color Coat	Satin Gloss Clear	Cone Quart
13026	Color Coat	Low Luster Clear	Cone Quart
15016	Color Coat	Landau Black	Cone Quart
15086	Color Coat	Silver	Cone Quart
15506	Color Coat	Red Oxide	Cone Quart
15516	Color Coat	Fast Yellow	Cone Quart
15526	Color Coat	Fast Red	Cone Quart
15536	Color Coat	Fast Blue	Cone Quart
15546	Color Coat	Tinting White	Cone Quart

SEM Products, Inc. | 1665 Deer view Dr. Rock Hill, SC 29730 | 888.527.7829 | semproducts.com

[pdf] Datasheet

SEM COLOR COAT TDS t 1614810699 sep yimg ty cdn yhst 48512690786367 |||

COLOR COATTM TECHNICAL DATA SHEET Check local VOC regulations to ensure compliance of all products ... rt: 13003 13013 13023 15003 15013 15023 15033 15043 15053 15063 15083 15093 15103 15113 15123 15143 **15163** 15173 15183 15213 15223 15233 15243 15253 15273 15283 15303 15313 15323 15353 15363 15373 1539...

lang:en score:13 filesize: 69.81 K page_count: 9 document date: 2016-05-24



SEM COLOR COAT™
TECHNICAL DATA SHEET

Check local VOC regulations to ensure compliance of all products.

DESCRIPTION

Color Coat is a specialty flexible coating formulated to restore or change the color of most vinyl surfaces, flexible and rigid plastics, carpet and velour. **Color Coat** is not a dye, but a fade resistant, flexible, and permanent coating.

FEATURES

- OEM recommended
- Refinish vehicle interiors and motorcycle seats
- Enhance automotive carpet and velour
- Superior adhesion, flexibility and hiding
- Will not crack
- Quick drying and simple to use
- Ready to spray quarts and gallons
- 50 popular aerosol colors
- Mixing system available for endless colors

SUITABLE SUBSTRATES

- Vinyl
- Plastic
- Carpet
- Velour
- Properly prepped and primed metal

TYPICAL PROPERTIES

27079 COLOR COAT CONE TOP QUART KIT

Part:	Product Name:	Color:	Size:
13006	Color Coat	High Gloss Clear	Cone Quart
13016	Color Coat	Satin Gloss Clear	Cone Quart
13026	Color Coat	Low Luster Clear	Cone Quart
15016	Color Coat	Landau Black	Cone Quart
15086	Color Coat	Silver	Cone Quart
15506	Color Coat	Red Oxide	Cone Quart
15516	Color Coat	Fast Yellow	Cone Quart
15526	Color Coat	Fast Red	Cone Quart
15536	Color Coat	Fast Blue	Cone Quart
15546	Color Coat	Tinting White	Cone Quart

[pdf] Datasheet

SEM RV Roofing Sealants Product Information rv roofing sealants tapes coatings repair kits cleaners window toilet vent putty seam heat butyl products supplies trailer camper rubber silicone spray foam foil CAMPERiD 15083 product information images carid sem items |||

COLOR COATTM TECHNICAL DATA SHEET Check local VOC regulations to ensure compliance of all products ... rt: 13003 13013 13023 15003 15013 15023 15033 15043 15053 15063 15083 15093 15103 15113 15123 15143 **15163** 15173 15183 15213 15223 15233 Product Name: Color Coat Color Coat Color Coat Color Coat Color...

lang:en score:13 filesize: 152.39 K page_count: 8 document date: 2020-01-24



SEM COLOR COAT™
TECHNICAL DATA SHEET

Check local VOC regulations to ensure compliance of all products.

DESCRIPTION

Color Coat is a specialty flexible coating formulated to restore or change the color of most vinyl surfaces, flexible and rigid plastics, carpet and velour. **Color Coat** is not a dye, but a fade resistant, flexible, and permanent coating.

FEATURES

- OEM recommended
- Refinish vehicle interiors and motorcycle seats
- Enhance automotive carpet and velour
- Superior adhesion, flexibility and hiding
- Will not crack
- Quick drying and simple to use
- Ready to spray quarts and gallons
- 50 popular aerosol colors
- Mixing system available for endless colors

SUITABLE SUBSTRATES

- Vinyl
- Plastic
- Carpet
- Velour
- Properly prepped and primed metal

TYPICAL PROPERTIES

27079 COLOR COAT CONE TOP QUART KIT

Part:	Product Name:	Color:	Size:
13006	Color Coat	High Gloss Clear	Cone Quart
13016	Color Coat	Satin Gloss Clear	Cone Quart
13026	Color Coat	Low Luster Clear	Cone Quart
15016	Color Coat	Landau Black	Cone Quart
15086	Color Coat	Silver	Cone Quart
15506	Color Coat	Red Oxide	Cone Quart
15516	Color Coat	Fast Yellow	Cone Quart
15526	Color Coat	Fast Red	Cone Quart
15536	Color Coat	Fast Blue	Cone Quart
15546	Color Coat	Tinting White	Cone Quart

[pdf] Datasheet

SEM RV Roofing Sealants Product Information rv roofing sealants tapes coatings repair kits cleaners window toilet vent putty seam heat butyl products supplies trailer camper rubber silicone spray foam foil CAMPERiD 15546 product information images carid sem items |||

COLOR COATTM TECHNICAL DATA SHEET Check local VOC regulations to ensure compliance of all products ... rt: 13003 13013 13023 15003 15013 15023 15033 15043 15053 15063 15083 15093 15103 15113 15123 15143 **15163** 15173 15183 15213 15223 15233 Product Name: Color Coat Color Coat Color Coat Color Coat Color...

lang:en score:13 filesize: 146.84 K page_count: 8 document date: 2020-01-24

[pdf] User Manual Owner's Manual Troubleshooting Guide Documentation Warranty

2023 Technical Service Manual Snow Plows Spreaders 3392 Meyer Tech Training School meyerproducts MeyerProducts media MeyerMediaLibrary tech support |||

2023 Technical Service Manual Snow Plows Spreaders Additional Support Information Meyer is here ... I.D. 52 5125758 15758 15758 157581 Va1lveAVssaylv.ewA/Csosuy.pw. /C12oVu p. 12V 12* 1125*163 **15163 15163 151631** O-R1ing O1--1R5in/1g61l.-D15. /16 I.D. 15779 15779 15779 157791 Va1lveAVssaylv....

lang:en score:13 filesize: 44.05 M page_count: 216 document date: 2023-09-18



COLOR COAT™
TECHNICAL DATA SHEET

Check local VOC regulations to ensure compliance of all products.

DESCRIPTION

Color Coat is a specialty flexible coating formulated to restore or change the color of most vinyl surfaces, flexible and rigid plastics, carpet and velour. **Color Coat** is not a dye, but a fade resistant, flexible, and permanent coating.

FEATURES

- OEM recommended
- Refinish vehicle interiors and motorcycle seats
- Enhance automotive carpet and velour
- Superior adhesion, flexibility and hiding
- Will not crack
- Quick drying and simple to use
- Ready to spray quarts and gallons
- 50 popular aerosol colors
- Mixing system available for endless colors

SUITABLE SUBSTRATES

- Vinyl
- Plastic
- Carpet
- Velour
- Properly prepped and primed metal

TYPICAL PROPERTIES

27979 COLOR COAT CONE TOP QUART KIT

Part:	Product Name:	Color:	Size:
13006	Color Coat	High Gloss Clear	Cone Quart
13016	Color Coat	Satin Gloss Clear	Cone Quart
13026	Color Coat	Low Luster Clear	Cone Quart
15016	Color Coat	Landau Black	Cone Quart
15086	Color Coat	Silver	Cone Quart
15506	Color Coat	Red Oxide	Cone Quart
15516	Color Coat	Fast Yellow	Cone Quart
15526	Color Coat	Fast Red	Cone Quart
15536	Color Coat	Fast Blue	Cone Quart
15546	Color Coat	Tinting White	Cone Quart

SEM Products, Inc. | 1665 Overview Dr. Rock Hill, SC 29730 | 866.527.7626 | semproducts.com

[pdf] Datasheet

TDSColor Coat Custom Vinyl ProColor TDScdn shopify s files 1 0723 9906 1305 Color TDS v 1691438278 Aerosol 1691438278cdn 1691438164 Download TDSSEM Presidio 12 Oz 15163Color Prosem color coat tdsColor TDSgenesisautobodysupply sem tdscdn SEM TDSDownload 15393 Medium Gray ozSEM ProTDS coatsem TDSsuppliesplusautoproducts content coatgenesisautobodysupply |||

COLOR COATTM TECHNICAL DATA SHEET Check local VOC regulations to ensure compliance of all products ... rt: 13003 13013 13023 15003 15013 15023 15033 15043 15053 15063 15083 15093 15103 15113 15123 15143 **15163** 15173 15183 15213 15223 15233 Product Name: Color Coat Color Coat Color Coat Color Coat Color...

lang:en score:13 filesize: 81.02 K page_count: 8 document date: 2018-06-25



COLOR COAT™
TECHNICAL DATA SHEET

Check local VOC regulations to ensure compliance of all products.

DESCRIPTION

Color Coat is a specialty flexible coating formulated to restore or change the color of most vinyl surfaces, flexible and rigid plastics, carpet and velour. **Color Coat** is not a dye, but a fade resistant, flexible, and permanent coating.

FEATURES

- OEM recommended
- Refinish vehicle interiors and motorcycle seats
- Enhance automotive carpet and velour
- Superior adhesion, flexibility and hiding
- Will not crack
- Quick drying and simple to use
- Ready to spray quarts and gallons
- 50 popular aerosol colors
- Mixing system available for endless colors

SUITABLE SUBSTRATES

- Vinyl
- Plastic
- Carpet
- Velour
- Properly prepped and primed metal

TYPICAL PROPERTIES

27979 COLOR COAT CONE TOP QUART KIT

Part:	Product Name:	Color:	Size:
13006	Color Coat	High Gloss Clear	Cone Quart
13016	Color Coat	Satin Gloss Clear	Cone Quart
13026	Color Coat	Low Luster Clear	Cone Quart
15016	Color Coat	Landau Black	Cone Quart
15086	Color Coat	Silver	Cone Quart
15506	Color Coat	Red Oxide	Cone Quart
15516	Color Coat	Fast Yellow	Cone Quart
15526	Color Coat	Fast Red	Cone Quart
15536	Color Coat	Fast Blue	Cone Quart
15546	Color Coat	Tinting White	Cone Quart

SEM Products, Inc. | 1665 Overview Dr. Rock Hill, SC 29730 | 866.527.7626 | semproducts.com

[pdf] Datasheet

TDSTDS SEM Color Coat Buckskin 15091 3 78 litres Vinny Byrne TDS color coat 092020 1 vinnybyrne view file 2023 06 |||

COLOR COATTM TECHNICAL DATA SHEET Check local VOC regulations to ensure compliance of all products ... rt: 13003 13013 13023 15003 15013 15023 15033 15043 15053 15063 15083 15093 15103 15113 15123 15143 **15163** 15173 15183 15213 15223 15233 15243 15253 Product Name: Color Coat Color Coat Color Coat Colo...

lang:en score:13 filesize: 143.32 K page_count: 8 document date: 2020-09-15



COLOR COAT™
TECHNICAL DATA SHEET

Check local VOC regulations to ensure compliance of all products.

DESCRIPTION

Color Coat is a specialty flexible coating formulated to restore or change the color of most vinyl surfaces, flexible and rigid plastics, carpet and velour. **Color Coat** is not a dye, but a fade resistant, flexible, and permanent coating.

FEATURES

- OEM recommended
- Refinish vehicle interiors and motorcycle seats
- Enhance automotive carpet and velour
- Superior adhesion, flexibility and hiding
- Will not crack
- Quick drying and simple to use
- Ready to spray quarts and gallons
- 50 popular aerosol colors
- Mixing system available for endless colors

SUITABLE SUBSTRATES

- Vinyl
- Plastic
- Carpet
- Velour
- Properly prepped and primed metal

TYPICAL PROPERTIES

27979 COLOR COAT CONE TOP QUART KIT

Part:	Product Name:	Color:	Size:
13006	Color Coat	High Gloss Clear	Cone Quart
13016	Color Coat	Satin Gloss Clear	Cone Quart
13026	Color Coat	Low Luster Clear	Cone Quart
15016	Color Coat	Landau Black	Cone Quart
15086	Color Coat	Silver	Cone Quart
15506	Color Coat	Red Oxide	Cone Quart
15516	Color Coat	Fast Yellow	Cone Quart
15526	Color Coat	Fast Red	Cone Quart
15536	Color Coat	Fast Blue	Cone Quart
15546	Color Coat	Tinting White	Cone Quart

SEM Products, Inc. | 1665 Overview Dr. Rock Hill, SC 29730 | 866.527.7626 | semproducts.com

[pdf] Datasheet

SEM ColorCoat Technical Data Sheet Granite Aerosol 15053 1505 3 House of 1000 Kolors TDS 1434983452784657557 cdn shopify s files 1 2202 6807 |||

COLOR COATTM TECHNICAL DATA SHEET Check local VOC regulations to ensure compliance of all products ... rt: 13003 13013 13023 15003 15013 15023 15033 15043 15053 15063 15083 15093 15103 15113 15123 15143 **15163** 15173 15183 15213 15223 15233 Product Name: Color Coat Color Coat Color Coat Color Coat Color...

lang:en score:13 filesize: 75.58 K page_count: 8 document date: 2017-04-06

[pdf] User Manual Instructions Specifications Label

Atari Games San Francisco Rush 2049 MAME 0 214 SAN FRANCISCO RUSH Manual Multi Level Menu System 1 3 PRODUCT CONFIGURATION Stand Alone Units Each game is ready to play right out of the shipping carton Use menu system set player variables in advance or you can accept factory settings and leave choices players sf2049 progettosnaps net manuals NOTICE This manual subject change without notice reserves make improvements equipment function design components as progress engineering manufacturing methods may warrant Fill mail Game Information Card Include serial number from label

SAN FRANCISCO RUSH 2049 SAFETY, SPECIFICATIONS, INSPECTION INSTALLATION NOTICE: This manual is s ... 2769.1 TRIAMP BOARD ASSEMBLY 10 a Field Replaceable Parts DESIGNATION PART NUMBER Ul, u2 5370- **15163**-00 u3 5370-l 5984-00 u4 5370-l 5833-00 u5 5250-l 3302-00 U6 5370-l 6254-00 FUNCTION A...

lang:en score:12 filesize: 2.53 M page_count: 106 document date: 2019-09-29

[pdf] User Manual

POLY-FIBER AIRCRAFT COATINGS PROCEDURE MANUAL< b> STC manual< for applying ceconite materials P N 09-01000 $21 95 CECONITE TAPES This FAA approved process utilizing Ceconite polyester fabrics and the Randolph line of finishes assures a beautiful durable weather-resistant cover job every time The was issued Supplemental 2022_CS aircraftspruce pdf 2022Individual

CM WP ME HA AP LG EP CS IN EL AV TO PS BV POLY-FIBER AIRCRAFT COATINGS AIRCRAFT SPRUCE - WORLD S L ... ss White 15003 Phanton White 15013 Landau Black 15043 Shadow Blue 15103 Super White 15143 Sandstone **15163** Presidio 15173 Camel 15183 Warm Gray 15233 Gloss Black 15243 Satin Black 15283 Pescadero Sand ...

lang:en score:12 filesize: 8.06 M page_count: 77 document date: 2021-07-24



Safety Data Sheet
acc. to OSHA HCS

SEM

Page 1/13

Printing date 08/14/2014 Reviewed on 08/14/2014

1 Identification

Product identifier

Trade name: 15003-15893 Color Coat Aerosol

Article number:
15003, 15013, 15023, 15033, 15043, 15053, 15063, 15083, 15093, 15103, 15113, 15123, 15133, 15143, 15163, 15173, 15183, 15213, 15223, 15233, 15243, 15253, 15273, 15283, 15293, 15303, 15313, 15323, 15353, 15363, 15373, 15393, 15413, 15423, 15433, 15453, 15463, 15473, 15493, 15503, 15603, 15643, 15673, 15703, 15723, 15753, 15763, 15773, 15783, 15793, 15803, 15813, 15823, 15833, 15843, 15853, 15863, 15873, 15883, 15893

Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.

Application of the substance / the mixture Coating

Details of the supplier of the safety data sheet
Manufacturer/Supplier:
SEM Products Inc.
1685 Overview Drive
Rock Hill, SC 29730
803 207 8225

Information department:
cust_care@semproducts.com / SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - Th 7am - 4pm EDT

Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.
Repr. 2 H361 Suspected of damaging fertility or the unborn child.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.

Label elements
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

[pdf] Datasheet Safety Datasheet

15003 15893 Color Coat AerosolUSA sgaver Safety Data Sheet SEM Aerosol Coatings Auto Paint Supply sem color coat aerosol msds autobodytoolmart tech sheets |||

Printing date 08/14/2014 Safety Data Sheet acc. to OSHA HCS Page 1/13 Reviewed on 08/14/2014 1 Identification Product identifier Trade name: 15003-15893 Color Coat Aerosol Article number: 15003, 15013, 15023, 15033, 15043, 15053, 15063, 15083, 15093, 15103, 15113, 15123, 15133, 15143, **15163**, 1...

lang:en score:12 filesize: 83.87 K page_count: 13 document date: 2014-08-14

POLY-FIBER AIRCRAFT COATINGS

AIRCRAFT SPRUCE - WORLD'S LARGEST DISTRIBUTOR OF POLY-FIBER PRODUCTS

INSERTING LUBE

POLY-FIBER FABRIC

THE POLY-FIBER PRACTICE KIT

FILTER FA FABRIC

'HOW TO COVER AN AIRCRAFT USING THE POLYFIBER SYSTEM'

POLY-FIBER PRODUCTS

POLY-FIBER SOLVENTS & CLEANERS

POLY-FIBER TAPES, CORD & THREAD

AIRCRAFT FABRIC COVERING

POLY-FIBER MEK

WWW.AIRCRAFTSPRUCE.COM

445

[pdf] User Manual

POLY FIBER AIRCRAFT COATINGS junction with the Poly Fiber manual Aircraft Fabric Covering removes mystery surrounding this important process in construction or restoration of your airplane Information covered includes Preparing surfaces Attaching fabric Tightening Applying first 2020 CS aircraftspruce 2020Individual fiber aircraft coatings is approved for use on most certified To be sure check Master Eligibility List latest revision Procedure Manual No 1

POLY-FIBER AIRCRAFT COATINGS AIRCRAFT SPRUCE - WORLD S LARGEST DISTRIBUTOR OF POLY-FIBER PRODUCTS T ... . Color 15003 Phanton White 15013 Landau Black 15043 Shadow Blue 15103 Super White 15143 Sandstone **15163** Presidio 15173 Camel 15183 Warm Gray 15233 Gloss Black 15243 Satin Black 15283 Pescadero Sand ...

lang:en score:12 filesize: 6.27 M page_count: 76 document date: 2019-07-22



Safety Data Sheet
acc. to OSHA HCS

SEM

Page 1/15

Printing date 03/14/2018 Reviewed on 06/20/2017

1 Identification

Product identifier

Trade name: 15003-15893 Color Coat Aerosol

Article number:
15003, 15013, 15023, 15033, 15043, 15053, 15063, 15083, 15093, 15103, 15113, 15123, 15133, 15143, 15163, 15173, 15183, 15213, 15223, 15233, 15243, 15253, 15273, 15283, 15303, 15313, 15323, 15353, 15363, 15373, 15393, 15413, 15423, 15433, 15453, 15463, 15473, 15493, 15503, 15603, 15643, 15673, 15703, 15713, 15723, 15753, 15763, 15773, 15783, 15793, 15803, 15813, 15823, 15833, 15843, 15853, 15863, 15873, 15883, 15893

Application of the substance / the mixture Coating

Details of the supplier of the safety data sheet

Manufacturer/Supplier:
SEM Products Inc.
1685 Overview Drive
Rock Hill, SC 29730
803 207 8223

Information department:
cust_care@sempoducts.com / SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 ; phone 1-800-531-1122, M - TH 7am - 4pm EDT

Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 GHS04 Flame, Gas cylinder

Flam. Aerosol 1 H222 Extremely flammable aerosol.

GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.

GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.
Repr. 2 H361 Suspected of damaging fertility or the unborn child.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.

(Contd. on page 2)

[pdf] Datasheet Safety Datasheet Catalog

15003 15893 Color Coat AerosolUSA sgaver SEM ColorCoat SDS Sem 12 Oz Aerosol AircraftSpruce SU AerosolSDS aircraftspruce catalog |||

Printing date 03/14/2018 Safety Data Sheet acc. to OSHA HCS Page 1/15 Reviewed on 06/20/2017 * 1 Identification Product identifier Trade name: 15003-15893 Color Coat Aerosol Article number: 15003, 15013, 15023, 15033, 15043, 15053, 15063, 15083, 15093, 15103, 15113, 15123, 15133, 15143, **15163**,...

lang:en score:11 filesize: 123.02 K page_count: 15 document date: 2018-03-14



NAVSHIPS 0967-173-7020
VOLUME 2
(of 2 Volumes)

TECHNICAL MANUAL
28 KEYBOARD SEND-RECEIVE (KSR)
AND RECEIVE-ONLY (RO)
TELETYPEWRITER SETS

TELETYPE
CORPORATION
5555 TOUHY AVENUE, SKOKIE, ILLINOIS

SEE INSTRUCTIONS SECTIONS FOR COPYRIGHT NOTICE.

PRINTED IN U.S.A.

[pdf] User Manual Diagram

0967 173 7020 6707 Index of manuals tty navy radio |||

; , ,. 1 l. NAVSHIPS 0967-173-7020 VOLUME 2 of 2 Volumes TECHNICAL MANUAL 28 KEYBOARD SEND-REC ... r Fan 119223 I 91228 9110272399- 8 :. :.- e - 151692 W e: 72010921--. . .s 3640 _W**15163**7 , ,/ / 3640 o , l:iD , I I I I / I I I CJ -/- -/ - _c_- / 160298 ;_ . _- :- ...

lang:en score:11 filesize: 24.8 M page_count: 404 document date: 2017-04-27



SEM COLOR COAT™
TECHNICAL DATA SHEET

Check local VOC regulations to ensure compliance of all products in your area.

DESCRIPTION

Color Coat is a specialty elastomeric coating formulated to restore or change the color of most vinyl surfaces, flexible and rigid plastics, carpet and velour. **Color Coat** is not a dye, but a fade-resistant flexible and permanent coating.

FEATURES

- Refinish vehicle interiors and motorcycle seats
- Enhance automotive carpet and velour
- Superior adhesion, flexibility and hiding
- Will not crack
- Quick drying and simple to use
- Ready to spray quarts and gallons
- 50 popular aerosol colors
- Mixing system available for endless colors

SUITABLE SUBSTRATES

- Vinyl
- Plastic
- Carpet
- Velour
- Properly prepped and primed metal

TYPICAL PROPERTIES

27979 COLOR COAT CONE TOP QUART KIT

Part:	Product Name:	Color:	Size:
13006	Color Coat	High Gloss Clear	Cone Quart
13016	Color Coat	Satin Gloss Clear	Cone Quart
13026	Color Coat	Low Luster Clear	Cone Quart
15016	Color Coat	Landau Black	Cone Quart
15186	Color Coat	Silver	Cone Quart
15506	Color Coat	Red Oxide	Cone Quart
15516	Color Coat	Fast Yellow	Cone Quart
15526	Color Coat	Fast Red	Cone Quart
15536	Color Coat	Fast Blue	Cone Quart
15546	Color Coat	Tinting White	Cone Quart

SEM Products, Inc. | 1685 Overview Dr. Rock Hill, SC 29730 | 800.527.7620 | sempoducts.com

[pdf] Datasheet

SEM 15393 Medium Gray Color Coat 12oz AerosolSEM COLOR COAT TDSsep turbifycdn ty cdn yhst 48512690786367 TDS t 1750108514 15643 Pacific Blue TDSSEM 1750108514sep 1750108371 15763 Storm 1750108371sep 1758106816 15713 Ladera 1758106816sep 1757711456 15243 Satin Black 1757711456sep 1757103090 15453 Gloss White 1757103090sep 1758143783 13023 Low Luster Clear 1758143783sep 1760620637 Aerosol 15283 Pescadero Sand v1 sep 1759520203 |||

COLOR COATTM TECHNICAL DATA SHEET Check local VOC regulations to ensure compliance of all products ... rt: 13003 13013 13023 15003 15013 15023 15033 15043 15053 15063 15083 15093 15103 15113 15123 15143 **15163** 15173 15183 15213 15223 15233 15243 15253 15273 15283 15303 15313 15323 15353 15363 15373 1539...

lang:en score:11 filesize: 69.81 K page_count: 9 document date: 2016-05-24



[Teletype Model 28 Technical Manual: Page Printer and Automatic Send-Receive Sets]
Official technical manual for the Teletype Model 28 Page Printer Sets and Automatic Send-Receive Sets (ASR, KSR, RO). Covers installation, operation, principles, adjustments, and service procedures. Includes part numbers and specifications.
lang:en score:11 filesize: 32.14 M page_count: 553 document date: 2016-10-24



[pdf] User Manual Instructions Parts List Diagram
NAVELEX 0967 LP 616 7020 Teletype Model 28 Send Receive KTR and Only ROTR Technical Manual Vol 2 Adjustments Parts Installation US Navy Corp Western technical Associates April 1978 28RP 702 Index of manuals tty 7804 navy radio |||
NAVELEX 0967-LP-616-7020 TECHNICAL MANUAL OPERATION AND MAINTENANCE INSTRUCTIONS WITH PARTS LIS ... bracket. tighten nut. d Replace and Arm. 2 Time Delay Clamp Adjust as f ollows: e The TP**15163**0 arm should engage selector reset bail by a mi nimum of three-fourths of its thickness. fiqur...
lang:en score:11 filesize: 33.95 M page_count: 654 document date: 2020-03-05



[pdf]
1149B parts Model 28 Page Printer Set KSR RO teletype M28 Teletype Corp 6506 Index of manuals tty navy radio |||
. PARTS BUIIET IN 1149B MODEI28 PAGE PRINTER SET KSR RO I I See individual sectio ... r-.. 1.0 z 0 1- u w V I V I V I V I w t- o z SECTION 573-115-800 150961 -- - , -- - ISO iUO **15163**1 - - -- --- - ,Q 0 - - - 2191 .o R. 152831 - - 150969 t o t --Jr-10...
lang:en score:11 filesize: 20.74 M page_count: 338 document date: 2016-03-30

About this Manual

We've added this manual to the Agilent website in an effort to help you support your product. This manual is the best copy we could find; it may be incomplete or contain dated information. If we find a more recent copy in the future, we will add it to the Agilent website.

Support for Your Product

Agilent no longer sells this product. Our service centers may be able to perform calibration and repair if necessary, but no other support from Agilent is available. You will find any other available product information on the Agilent Test & Measurement website, www.tm.agilent.com.

HP References in this Manual

This manual may contain references to HP or Hewlett-Packard. Please note that Hewlett-Packard's former test and measurement, semiconductor products and chemical analysis businesses are now part of Agilent Technologies. We have made no changes to this manual copy. In other documentation, to reduce potential confusion, the only change to product numbers and names has been in the company name prefix: where a product number/name was HP XXXX the current name/number is now Agilent XXXX. For example, model number HP8648A is now model number Agilent 8648A.

www.valuetronics.com

[pdf] User Manual Documentation

Agilent HP 8709A Operating Service Manual Generator Used ValueTronics and v 14039163880473934230 valuetronics cdn shop files |||

About this Manual We ve added this manual to the Agilent website in an effort to help you support yo ... nn. 74970 E. F. Johnson Co. Waseca, IAinn. 75042 Inlernal onal Resislance Co. Philadelphia, Pa. **15163** Keystone Carbon Co., Inc. 51. Marys, Pa. 75378 CTS KOlghts Inc. Sandwich, III. 15381 Kulka...

lang:en score:11 filesize: 16.46 M page_count: 128 document date: 2024-12-13



Safety Data Sheet acc. to OSHA HCS

SEM

Page 1/14

Printing date 02/22/2016 Reviewed on 01/08/2016

1 Identification

· Product identifier

· Trade name: 15003-15893 Color Coat Aerosol

· Article number: 15003, 15013, 15023, 15033, 15043, 15053, 15063, 15083, 15093, 15103, 15113, 15123, 15133, 15143, 15163, 15173, 15183, 15213, 15223, 15233, 15243, 15253, 15273, 15283, 15293, 15303, 15313, 15323, 15353, 15363, 15373, 15393, 15413, 15423, 15433, 15453, 15463, 15473, 15483, 15493, 15503, 15663, 15673, 15703, 15723, 15724, 15753, 15763, 15773, 15783, 15793, 15803, 15813, 15823, 15833, 15843, 15853, 15863, 15873, 15883, 15893

· Application of the substance / the mixture Coating

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:
SEM Products Inc.
1685 Overview Drive
Rock Hill, SC 29730
803 207 8223

· Information department:
emil_cyrett@smgroupinc.com · SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 · phone 1-800-531-1122, M - TH 7am – 4pm EDT

· Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 GHS04 Flame, Gas cylinder

Flam. Aerosol 1 H222 Extremely flammable aerosol.

GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.

GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.
Repr. 2 H361 Suspected of damaging fertility or the unborn child.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.

(Contd. on page 2)

[pdf] Datasheet Safety Datasheet

15003 15893 Color Coat AerosolUSA SGaver SEM SDS t 1608275113 sep yimg ty cdn yhst 48512690786367 |||

Printing date 02/22/2016 Safety Data Sheet acc. to OSHA HCS Page 1/14 Reviewed on 01/08/2016 * 1 Identification Product identifier Trade name: 15003-15893 Color Coat Aerosol Article number: 15003, 15013, 15023, 15033, 15043, 15053, 15063, 15083, 15093, 15103, 15113, 15123, 15133, 15143, **15163**,...

lang:en score:11 filesize: 115.39 K page_count: 14 document date: 2016-05-24



Ficha de informação do produto

REGULAMENTO DELEGADO (UE) 2019/2015 DA COMISSÃO respeitante à etiquetagem energética das fontes de luz

Marca comercial ou nome do fornecedor: LOOM Design			
Endereço do fornecedor: Main Office, Lilleringvej 30, 8462 Aarhus Harlev, DK			
Identificador de modelo: B05-010			
Tipo de fonte de luz:			
Tecnologia de iluminação utilizada:	LED	Não direcional ou direcional:	NDLS
Tipo de casquilho (ou outra interface elétrica) da fonte de luz	SMD		
De rede ou fora da rede:	NMLS	Fonte de luz conectada (CLS):	Não
Fonte de luz de cor regulável:	Não	Invólucro:	-
Fonte de luz de alta luminância:	Não		
Proteção contra encandeamento:	Não	Atenuável:	Sim
Parâmetros do produto			
Parâmetro	Valor	Parâmetro	Valor
Parâmetros gerais do produto:			
Consumo de energia no modo ligado (kWh/1 000 h), arredondado por excesso às unidades	24	Classe de eficiência energética	E
Fluxo luminoso útil (útil), indicando se é o fluxo numa esfera (360 °), num cone de ângulo largo (120 °) ou num cone de ângulo estreito (60 °);	2 900 em Esfera (360°)	Temperatura de cor correlacionada, arredondada à centena de graus kelvin, ou a gama de temperaturas de cor correlacionadas, arredondadas à centena de graus kelvin, que podem ser reguladas	2 730
Potência no modo ligado (P_{on}), expressa em W	24,0	Potência em espera (P_{sb}), expressa em W e arredondada às centésimas	0,00
Potência em espera em rede (P_{nm}) para CLS, expressa em W e arredondada às centésimas	-	Índice de reprodução cromática, arredondado às unidades, ou gama de valores de IRC que podem ser reguladas	90

Página 1 / 4

[pdf]

Fiche 1115163 PT eprel ec europa eu informationsheet |||

Ficha de informao do produto REGULAMENTO DELEGADO UE 2019/2015 DA COMISSO respeitante etiquetage ... / 4 Pgina 3 / 4 Model placed on the Union market from 08/02/2021 EPREL registration number: 11**15163** Supplier: Lampefeber A/S Importer Customer care service: Name: Main Office Email: mail lampe...

lang:pt score:10 filesize: 330.09 K page_count: 4 document date: 2024-02-27



[pdf]

1149B Model 28 KSR and RO Teletypewriter Parts Page Printer Set Teletype Corp 6705 Index of manuals tty navy radio |||

0967 194 8030 --. BULLETIN 11498 PARTS MODEL 28 PAGE PRINTER SET KSR RO ,_. f N ... ID 1 1 u if 01 1 :a - ls :: I 1 110743 -110434 110743 **15163**7 --15 4872 107116 - 150545 -2191 . -151692 0P culiar la 8 l,evel Units For arly Design...

lang:en score:10 filesize: 22.4 M page_count: 346 document date: 2017-08-29



[pdf] Catalog Label

SEM Automotive Paint Coatings Catalog paint touch up primer clear lacquer epoxy enamel stripper high temperature coatings engine bed liners calipers vinyl finish CARiD sem product catalog images carid items |||

PRODUCT CATALOG LABELED BY EMPLOYEE OWNER MARIA DIAZ WE ARE AMERICAN MANUFACTURING The employee ow ... er 15093 Lt Buckskin 15103 Super White 15113 Firethorn Red 15123 Santa Fe 15143 Sandstone **15163** Presidio Gallons 27969 Gallon Mixing System 13001 High Gloss Clear* 13011 Satin Gloss ...

lang:en score:10 filesize: 7.44 M page_count: 47 document date: 2018-05-10

[pdf] Accessories Catalog

SEM Boat Cleaners Chemicals Catalog boat cleaners chemicals washes sprays soaps aerosols waxes detailers removers degreasers electronic engine flush BOATiD sem product catalog images carid info |||

SAPPRG 0919 INNOVATIVE IVE TRAINING LABOR-SAVING PRODUCTS COMPREHENS REPAIR REFINISH AUTOMOT ... r 15093 Lt Buckskin 15103 Super White 15113 Firethorn Red 15123 Santa Fe 15143 Sandstone **15163** Presidio 15173 Camel 15183 Warm Gray 15213 Bluemist 15223 Castella 15233 Gloss Blac...

lang:en score:10 filesize: 16.97 M page_count: 47 document date: 2021-06-29


NAVELEX 0967-LP-625-5030

TECHNICAL MANUAL

OPERATION AND MAINTENANCE INSTRUCTIONS
WITH PARTS LIST

VOLUME 3

TELETYPEWRITER SET
AUTOMATIC SEND-RECEIVE

MODEL 28

[pdf] User Manual Instructions Diagram

NAVELEX 0967 LP 635 5030 Model 28 ASR Teletypewriter Volume 3 Parts Installation US Navy January 1979 28ASR 625 50 Index of manuals tty 7901 navy radio |||

I NAVE LEX 0967 LP 625 5030 - - - TECHNICAL MANUAL OPERATION AND MAINTENANCEINSTRUCTIONS W ... g Unit P - Cont inued Par t Number Figure Number s Desc ripti on Notes 151625 151627 151629 **15163**0 **15163** 1 **15163**2 **15163**7 151640 151642 151644 151657 151658 151659 151660 151661 15 16 6 7 15166...

lang:en score:10 filesize: 41.99 M page_count: 673 document date: 2020-02-26

[pdf] User Manual Instructions Parts List Specifications Warranty Accessories

BW500 BW750 Trailer Sprayer djohnson 820042 2 13 2020 fastagsolutions 02 TRAILER SPRAYER PARTS MANUAL Boom Plumbing HC 15 20 Nozzle Spacing Stainless Steel Control Group TeeJet 744 Hydraulic Hose Chart Parts List |||

BW500 / BW750 TRAILER SPRAYER PARTS MANUAL 820042 BW500 / BW750 Trailer Sprayer 2-13-2020 82004 ... 0 1 50 Mesh Screen LS T100-G 1 Upper Bowl Gasket LS T100-B 1 Bowl 12777 1 Clean Out Plug UV **15163** 1 O-Ring, Plug 530068 1 1 EPDM Gasket 540000 1 Clamp, W orm, 100 Series Filter Kit - In...

lang:en score:9 filesize: 7.85 M page_count: 164 document date: 2021-12-02



[pdf] Datasheet Safety Datasheet

15003 15893 Color Coat AerosolUSA sgaver SDSColor Aerosol Vinyl Pro15003 USAcdn shopify s files 1 0723 9906 1305 USA v 1691438163 Download SDSSDSSEM Presidio 12 Oz 15163Color ProSEM color coat sds15003 USAgenesisautobodysupply SEM sdscdn SDSDownload 15393 Medium Gray ozSEM 15893ColorCoatSEM USAsuppliesplusautoproducts content 15893ColorCoatgenesisautobodysupply |||

Printing date 03/14/2018 Safety Data Sheet acc. to OSHA HCS Page 1/15 Reviewed on 06/20/2017 * 1 Identification Product identifier Trade name: 15003-15893 Color Coat Aerosol Article number: 15003, 15013, 15023, 15033, 15043, 15053, 15063, 15083, 15093, 15103, 15113, 15123, 15133, 15143, **15163**,...

lang:en score:9 filesize: 123.02 K page_count: 15 document date: 2018-03-14

[pdf] Accessories Catalog

sem catalog 2019 englishassets us 01 kc usercontent 2a927e0d 6649 001d 033d d488bdff5f23 2a545e59 31e2 4d8f 8001 6cd0b80338ea english |||

SAPPRG 0919 PRODUCT GUIDE IVE TRAINING LABOR-SAVING INNOVATIVE PRODUCTS COMPREHENS REPAIR REF ... r 15093 Lt Buckskin 15103 Super White 15113 Firethorn Red 15123 Santa Fe 15143 Sandstone **15163** Presidio 15173 Camel 15183 Warm Gray 15213 Bluemist 15223 Castella 15233 Gloss Blac...

lang:en score:9 filesize: 13.25 M page_count: 48 document date: 2023-06-29