

APC SMT750I

APC Smart-UPS 750VA LCD 230V User Manual

Model: SMT750I

1. INTRODUCTION

The APC Smart-UPS 750VA LCD 230V (Model SMT750I) is an Uninterruptible Power Supply (UPS) designed to provide reliable power protection for electronic equipment. It safeguards against power outages, voltage fluctuations, and surges, ensuring continuous operation and protecting sensitive devices. This manual provides essential information for the safe and efficient use of your UPS.

2. SAFETY INFORMATION

Please read and understand these instructions carefully before installing or operating the UPS.

- This UPS is intended for indoor use only.
- Do not operate this UPS in direct sunlight, in contact with fluids, or where there is excessive dust or humidity.
- Connect the UPS power cable directly to a wall outlet. Do not use extension cords or surge protectors.
- The UPS contains internal batteries that are not user-serviceable. Refer to qualified service personnel for battery replacement.
- Ensure proper grounding for all connected equipment.
- In case of emergency, press the OFF button and disconnect the UPS from the AC power supply.

3. PACKAGE CONTENTS

Verify that all components are present upon unpacking:

- APC Smart-UPS 750VA LCD 230V Unit
- USB Communication Cable
- Serial Communication Cable
- Documentation CD
- Safety Information and Warranty Guide
- Power Cords (quantity may vary by region)

4. SETUP

4.1 Unpacking and Inspection

Carefully remove the UPS from its packaging. Inspect the unit for any shipping damage. If damage is found, notify the carrier and your dealer.

4.2 Connecting the Battery

The UPS is shipped with the battery disconnected for safety. To connect the battery:

1. Locate the battery connector on the rear panel of the UPS.
2. Remove the battery cover or pull out the battery tray slightly (refer to specific model instructions if different).
3. Connect the battery terminals firmly. Ensure a secure connection.
4. Replace the battery cover or push the battery tray back into place.

4.3 Connecting to Utility Power

Plug the UPS power cord into a grounded 230V AC outlet. The UPS will begin charging its battery. Allow the battery to charge for at least 24 hours before initial use to ensure maximum runtime capacity.

4.4 Connecting Equipment

Connect your electronic devices to the output receptacles on the rear of the UPS. Prioritize critical equipment that requires battery backup. The UPS provides both battery backup and surge protection for connected devices.



Figure 1: Rear panel of the APC Smart-UPS 750VA LCD 230V, illustrating the various power outlets, communication ports (USB, UPS Monitoring), and the battery connector. Ensure all connections are secure.

5. OPERATION

5.1 Front Panel and LCD Display

The front panel features an LCD display and control buttons for monitoring and configuring the UPS. The LCD provides real-time information on UPS status, load, battery charge, and various settings.



Figure 2: Front view of the APC Smart-UPS 750VA LCD 230V, highlighting the intuitive LCD interface and control buttons for easy monitoring and configuration.

5.2 Control Buttons

- **Power On/Off:** Press to turn the UPS on or off.
- **Menu/Escape:** Navigates through menu options or exits a menu.
- **Up/Down Arrows:** Scrolls through menu options or adjusts settings.
- **Enter:** Selects a menu option or confirms a setting.

5.3 Initial Startup

After connecting the battery and utility power, press the Power On button. The UPS will perform a self-test and then display its operational status. The LCD will show input voltage, output voltage, load percentage, and battery charge level.

5.4 Power Management Software

For advanced monitoring and control, connect the UPS to a computer using the provided USB cable. Install the APC PowerChute software (available on the documentation CD or APC website) to configure shutdown parameters, view event logs, and perform scheduled self-tests.

6. MAINTENANCE

6.1 Battery Replacement

The UPS uses a 12V lead-acid battery. Batteries typically last 3-5 years depending on usage and environmental conditions. When the battery needs replacement, the UPS will indicate a battery fault. Contact APC customer support or a certified service technician for battery replacement to ensure safety and proper function.

6.2 Cleaning

Periodically clean the exterior of the UPS with a soft, dry cloth. Do not use liquid cleaners or solvents. Ensure ventilation openings are free from dust and debris to prevent overheating.

6.3 Storage

If storing the UPS for an extended period, ensure the battery is fully charged. Disconnect the battery and store the unit in a cool, dry place. Recharge the battery every 3-6 months to prevent deep discharge and prolong battery life.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your UPS.

Problem	Possible Cause	Solution
UPS does not turn on	Battery disconnected or discharged; No utility power.	Ensure battery is connected; Check utility power connection; Allow battery to charge.
UPS beeps continuously	On battery power; Overload condition; Low battery.	Check utility power; Reduce connected load; Allow battery to charge.
Battery icon flashing	Battery fault or nearing end of life.	Perform a self-test; If fault persists, consider battery replacement.
Connected equipment loses power	UPS overload; Battery fully discharged.	Reduce connected load; Allow battery to recharge.

For more complex issues or error codes displayed on the LCD, refer to the detailed troubleshooting section in the full product documentation or contact APC technical support.

8. SPECIFICATIONS

Feature	Specification
Model Number	SMT750I
Capacity	750VA / 500W
Input Voltage	230V
Output Voltage	230V

Feature	Specification
Frequency	50/60 Hz (auto-sensing)
Battery Type	Lead Acid, 12V (1 battery required)
Dimensions (H x W x D)	5.43 x 6.34 x 14.29 inches (13.8 x 16.1 x 36.3 cm)
Weight	29 pounds (13.15 kg)
Color	Black
Interface Ports	USB, SmartSlot

9. WARRANTY AND SUPPORT

9.1 Warranty Information


APC provides a standard warranty for this product. The warranty period typically covers defects in materials and workmanship under normal use. Specific warranty terms and conditions may vary by region and purchase date. Please refer to the warranty card included with your product or visit the official APC website for detailed information.


9.2 Technical Support


If you encounter any issues or have questions regarding your APC Smart-UPS, please contact APC Technical Support. Have your product model number (SMT750I) and serial number ready when contacting support. Support contact information can typically be found on the APC website or in your product documentation. For additional resources, visit the [APC official website](#).

© 2023 APC. All rights reserved. Information subject to change without notice.

Related Documents - SMT750I

	APC Back-UPS BX Series User Manual: Installation, Operation, and Troubleshooting Comprehensive user manual for APC Back-UPS BX Series (500VA to 2200VA) from Schneider Electric, covering safety instructions, product description, operational features, installation, troubleshooting, service, and warranty information.
---	---

	APC Back-UPS BN600G User Manual User manual for the APC Back-UPS BN600G Uninterruptible Power Supply (UPS), providing safety information, specifications, installation, operation, troubleshooting, and warranty details.
	APC Back-UPS Pro 900 Installation and Operation Guide This guide provides instructions for installing and operating the APC Back-UPS Pro 900, including setup, software installation, connection of equipment, operational features like power saving and display modes, troubleshooting, and specifications.
	APC Smart-UPS RT Installation and Operation Manual This manual provides comprehensive instructions for the installation, operation, and maintenance of the APC Smart-UPS RT series, including models SURT1000 and SURT2000. It covers safety precautions, setup procedures, operational indicators, troubleshooting, and warranty information for these uninterruptible power supplies.
	APC Back-UPS 1500 (BZ1500BI-BR) Installation and User Manual This manual provides installation and usage instructions for the APC Back-UPS 1500 (BZ1500BI-BR), a interactive, microprocessor-controlled, on-line regulated UPS designed to ensure the operation of connected equipment during power failures or outages. It covers features, specifications, safety precautions, installation, troubleshooting, and warranty information.
	APC Smart-UPS SRT 10000VA 208V Technical Specifications Detailed technical specifications for the APC Smart-UPS SRT 10000VA 208V, including output, input, battery, communication, physical, environmental, and conformance details. Model SRT10KXLT.




[pdf] User Manual Quick Start Guide Specifications Guide

Smart UPS Operation Manual EALFSON Schneider Electric APC Home and Business Solutions For installation information see the user manual provided with Network Management Card NMC The is also available on Web site at apc Temperature Operating 0° to 40° C 32° 104° F Storage 15° 45° 5° 113° charge battery every six months Maximum Elevation 3 000 m 10 ft Quick Start Guide 750 1000 1500 2200 3000 VA 120 230 Vac Tower that included guide enclosed CD SMT750I UG 81qBDCgbP S extradirect co uk product 000844 images eu ssl amazon I manuals zedt smt ups Operation Manual Smart-UPS UPS 750/1000/1500/2200/3000 VA Tower 120/230 VAC Contents Overview irectives 2006/95/EC; 2004/108/EC Type of Equipment Uninterruptible Power Supply Model Numbers **SMT750I**, SMT1000I, SMT1500I, SMT2200I, SMT3000I Manufacturers American Power Conversion 132 Fairgr... lang:en score:35 filesize: 332.13 K page_count: 21 document date: 2009-06-29



[pdf] Specifications Documentation

APC Smart UPS SMT750I wolfgang lipka conetec su 80 upload iblock 82f manuals zedt eu apc smt ups You are here: Home Products Uninterruptible Power Supply UPS Smart-UPS APC Smart-UPS 750VA LCD 230V Part Number: **SMT750I** Technical Specifications Product Overview Documentation Software Firmware Options Ratings and Reviews Output Output Power Capacity Max Configurable Power Nominal Outp... lang:en score:33 filesize: 76.19 K page_count: 4 document date: 2014-11-14



[pdf] Documentation Guide Accessories


iSeq 100 Sequencing System Site Prep Guide 10000000035337 v07 JPN iseq site prep guide jpn
support illumina content dam documents documentation system translations |||

iSeq 100 Sequencing System Site Prep Guide 3 3 5 8 8 9 9 15 17 19 100 ... t-UPS
750 VA LCD 120 V US SMT750US 500 W/750 VA 120 VAC NEMA 5-15P APC
Smart-UPS 750 VA LCD 230 V **SMT750I** 500 W/750 VA 230 VAC IEC-320 C14
Schuko CEE 7/EU1-16P British BS1363A 10000000035337 v07 JPN...
lang:en score:30 filesize: 855.65 K page_count: 20 document date: 2022-02-08



PowerShield UPS Comparison Guide: APC and Eaton Equivalents

A comprehensive comparison guide to help users identify the nearest PowerShield Uninterruptible Power Supply (UPS) equivalent for APC and Eaton UPS part numbers. The guide categorizes UPS units by technology (Standby, Line Interactive, True On-Line) and form factor (Tower, Rack Mount), listing corresponding models and product descriptions. It also provides contact information for PowerShield sales representatives.
lang:en score:29 filesize: 870.35 K page_count: 2 document date: 2013-10-10



[pdf]

APC SMT750I Smart UPS 750 VA LCD 230 Sklep internetowy stylem pl apc smt750i smart ups va lcd 263266 upload files product |||

APC **SMT750I** APC Smart-UPS 750 VA LCD 230 Indeks: 263266 Producent: APC Kod producenta: **SMT750I** Cena: 1,514.27 zł Opis APC **SMT750I** APC Smart-UPS 750 VA LCD 230 Producent: APC Parametry Stan Nowy Zdjęcia ...

lang:en score:29 filesize: 519.34 K page_count: 2 document date: 2023-06-02



[pdf]

Reference Guide Guide Declaration of Conformity Borchure

APC by Schneider Electric Partner Reference Guide schneider electric files p enDocType Brochure File Name Doc Ref

APC by Schneider Electric Partner Reference Guide Partnership evolved Enter new environments. Reach ... 200VA LCD Product Feature Part Number Output Power Capacity Waveform Type APC Smart-UPS 750VA LCD **SMT750I** 500 Watts / 750 VA Sine wave Output Connections 6 IEC320 C13 Switched outlet groups Non...

lang:en score:28 filesize: 5.63 M page_count: 12 document date: 2016-10-18




[pdf]

SERVER SHOP UA Предложение в Источник бесперебойного питания APC Smart UPS 750VA LCD SMT750I Купить server shop ua 11174 istochnik besperebojnogo pitaniya apc smart ups 750va lcd smt750i |||

HP, DELL, IBM / , , APC Smart-UPS 750VA LCD **SMT750I** : **SMT750I** APC Smart-UPS 750VA LCD **SMT750I** : 36 36 0 800 751-880 SERVER-SHOP.UA - : 09:00 18:00 ., ., 11 ...

lang:en score:28 filesize: 111.3 K page_count: 1 document date: 2022-08-26



[illegible]

[\[pdf\]](#)

Herunterladen Netzwerk Server USV Stromversorgung APC SMT750I 750VA 500W Tower Line

Interactive NewStore GmbH Multimedia Support index dispatch attachments getfile attachment id 31827

newstore ch |||

APC **SMT750I** Unterbrechungsfreie Stromversorgung USV LineInteraktiv 0,75 kVA

500 W 8 AC-Ausgngge Marke : APC Produktname : **SMT750I** Artikel-Code: **SMT750I**

APC **SMT750I**. USV-Topologie: Line-Interaktiv, Ausgangskapazität: 0,75 kVA,

Ausgangsleistung: 500 W. AC-Steckertypen: C13-Koppler, IEC Jumpers, Ste...

lang:de score:25 filesize: 1.92 M page_count: 3 document date: 2024-07-04

Fiche technique du produit

Qualité professionnelle

Onduleur Smart-UPS APC 750 VA, écran LCD, 230 V

SM7750

Statut commercial : Commercialisé

Présentation

Présentations

Intelligent and efficient online power protection from entry level to portable solution. Smart UPS for servers, point of sale, routers, switches, VoIP and other network devices.

Load type

Continuous regulated output 230 V/50 Hz

Principales

Tension d'entrée nominale

230 V

Autre tension d'entrée

230 V

Tension de sortie nominale

230 V

Autre tension de sortie

230 V

Puissance nominale en VA

750 VA

Puissance nominale en W

500 W

Input connection type

IEC 320 C14

Output connection type

IEC 320 C13

230 V/50 Hz

Longueur de câble

1,80 m

Nombre de câbles

2

Type de batterie

Recharge au plomb-acide

Équipement fourni

Câble USB

230 V/50 Hz

Câble RS-232 pour connexion Smart UPS

Batteries & durée de fonctionnement

Runtime étendu

0

Batteries pré-installées

0

Connexion de batterie vob

0

Temps de recharge de la bat

3-6 h

Nombre de quantité de batterie

0

Donnée en VA de la batterie

0 - 1400 VA

Rechargeement de batterie

100-120 °C

Puissance de la batterie en VA

140 VA/100 W/50 Hz

29 juin 2023

1/3 sur 3 APC

1

[\[pdf\]](#) Documentation

Fiche technique du produit APC SMT750I [apc.fr/product/|||](#)

Fiche technique du produit Spcifications Onduleur Smart-UPS APC 750 VA, cran

LCD, 230 V **SMT750I** Statut commercial : Commercialis Clause de non responsabilit :

Cette documentation n'est pas destinée à remplacer ni ne peut servir à déterminer l'

adquation ou la fiabilit de ces produits dans le cadre d'une...

lang:fr score:25 filesize: 166.32 K page_count: 4 document date: 2023-06-29



[pdf] Datasheet Accessories

Loading APC Smart UPS 750VA LCD 230V Steve Rudd SMT750I datasheet octopart 80 10179158 Home Products Uninterruptible Power Supply UPS Smart-UPS APC Smart-UPS 750VA LCD 230V Part Number: **SMT750I** Options Interface Connections Interface Cables Symmetra Accessories Management Additional Management Cards and Options UPS Network Management Cards Power Distribution Units PDUs Basic Rack


...
lang:fr score:24 filesize: 69.42 K page_count: 1 document date: 2011-06-09



[pdf] Specifications Documentation


APC Smart UPS Line Interactive 750VA Tower 230V 6x IEC C13 Multifunction LCD status and control console Emergency Power Off EPO Optional Available SmartSlot™ Interface Quantity 1 Surge Protection Filtering SMT750I eng tds media distrelec Web Downloads t ds ||| Technical Specifications APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD **SMT750I** Downloaded on 10/12/2023 EST APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD **SMT750I** Call for More Information Intelligent...

lang:en score:24 filesize: 191.38 K page_count: 3 document date: 2023-10-12



[pdf] User Manual Troubleshooting Guide Specifications

Smart UPS Operation Manual EALFSON Schneider Electric APC Home and Business Solutions The user manual is also available on the Web site at apc Follow these steps 1 Review Troubleshooting section of to eliminate common smat ups cdn cableorganizer old images smart 750va lcd Operation Manual Smart-UPS UPS 750/1000/1500/2200/3000 VA Tower 120/230 VAC Contents Overview irectives 2006/95/EC; 2004/108/EC Type of Equipment Uninterruptible Power Supply Model Numbers **SMT750I**, SMT1000I, SMT1500I, SMT2200I, SMT3000I Manufacturers American Power Conversion 132 Fairgr...
lang:en score:24 filesize: 326.01 K page_count: 21 document date: 2010-12-09




[\[pdf\]](#) Documentation Guide

iSeq 100 1000000035337 07 KOR Illumina Inc 22 nov 2021 —

iseq site prep guide kor support illumina content dam documents documentation system translations |||

iSeq 100 3 3 5 8 8 9 9 15 17 19 : 100000 ... 0 VA LCD 120 V US : SMT750US 500 W/750 VA AC 120 V NEMA 5-15 P APC Smart-UPS 750 VA LCD 230 V : **SMT750I** 500 W/750 VA AC 230 V IEC-320 C14 Schuko CEE 7/EU1-16P British BS1363A : 1000000035337 v07...

lang:tl **score:23** filesize: 595.75 K page_count: 20 document date: 2021-11-18




[\[pdf\]](#) Documentation Guide Accessories

iSeq 100 1000000035337 Illumina iseq site prep guide cht support illumina content dam documents documentation system translations |||

iSeq 100 3 3 5 7 7 8 8 13 15 17 # 1000000035337 v07 CHT 2020 4 ... mart-UPS 750 VA LCD 120 V US # SMT750US 500 W / 750 VA 120 VAC APC Smart-UPS 750 VA LCD 230 V # **SMT750I** 500 W / 750 VA 230 VAC # 1000000035337 v07 CHT 7 iSeq 100 UPS APC Sma...

lang:tl **score:23** filesize: 315.57 K page_count: 18 document date: 2020-07-06




[\[pdf\]](#) User Manual Specifications

Smart UPS Operation Manual EALFSON Schneider Electric APC Home and Business Solutions Apc Ups 1000 Service Pdf 990 1062A REV02 eng 0900766b80e8d027 docs rs online e0b2 |||

Operation Manual Smart-UPS UPS 750/1000/1500/2200/3000 VA Tower 120/230 VAC Contents Overview irectives 2006/95/EC; 2004/108/EC Type of Equipment Uninterruptible Power Supply Model Numbers **SMT750I**, SMT1000I, SMT1500I, SMT2200I, SMT3000I Manufacturers American Power Conversion 132 Fairgr...

lang:en **score:22** filesize: 325.51 K page_count: 21 document date: 2010-09-28



[\[pdf\]](#) User Manual

Smart UPS Operation Manual EALFSON Schneider Electric APC Home and Business Solutions UPS® 750 3000 VA 120 230 VCA Torre de APC® por es un sistema alimentación ininterrumpida SAI alto rendimiento B003R1CEU g ecx images amazon G 30 CE Electronica Manuals Manual de funcionamiento Smart-UPS UPS 750/1000/1500/2200/3000 VA Torre 120/230 VCA Contenido Int ... irectives 2006/95/EC; 2004/108/EC Type of Equipment Uninterruptible Power Supply Model Numbers **SMT750I**, SMT1000I, SMT1500I, SMT2200I, SMT3000I Manufacturers American Power Conversion 132 Fairgr... lang:es **score:22** filesize: 533.06 K page_count: 21 document date: 2009-07-21



[\[pdf\]](#)

Lehmann Susanne DE1 58480 M3 A2and 11 alternate models SMT750I CH SMT1000I SMT1500I SMT1000RMI2U Adding of VDE CB A2media distributordatasolutions schneider2 2020q3 documents d857d7ceca2e26fc840f9f4fc54e6babb0c634f7 ||| Ref. Certif. No. DE1-58480/M3/A2 IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRI ... 06-20 Reason for M3: Addition of 2 new models SMTL1000RMI2UC; SMTL1000RMI2U and 11 alternate models **SMT750I-CH**, SMT1000I-CH, SMT1500I-CH, SMT1000RMI2U-CH, SMT1500RMI2U-CH, SMC1000I-CH, SMC1500I-CH, SM... lang:en **score:22** filesize: 341.22 K page_count: 8 document date: 2020-01-13



[\[pdf\]](#) Borchure Catalog

SmartUPS NG Brochure SMTtower FR FINAL sesa199195 NOUVEL ONDULEUR ECO ENERGETIQUE APC Smart UPS Catalog SMT750I 750 onduleur apc smart ups broschuere ohne smartc battery direct fr Datenblaetter ||| NOUVEL ONDULEUR ECO-ENERGETIQUE APC Smart-UPS Protection performante Line-interactive de l'alimen ... entre Connexion d entre Batteries et autonomie Type de batterie Dure d autonomie mi-charge min **SMT750I** SMT1000I SMT1500I SMT2200I SMT3000I 500W / 750 VA 6 IEC320 C13 670W / 1000 VA 980 W ... lang:fr **score:21** filesize: 1.63 M page_count: 7 document date: 2014-06-26

Product data sheet

Specifications

APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD

SMT750I

Overview

Intelligent and efficient network power protection that entry level to capable medium sized UPS for servers, point-to-point, routers, switches, PCs and other network devices

Load time

Usually ships within 2 Weeks

Main

Main Input Voltage

230 V

Other Input Voltage

230 V
240 V

Main Output Voltage

230 V

Other Output Voltage

230 V
240 V

Rated power in VA

750 VA

Input Connection Type

IEC 320 C14

Output connection type

6 IEC C13
2 IEC Outlets

Cable length

1.80 m

Number of cables

1

Battery type

Lead acid battery

Provided equipment

1.80 m cable
Smart-UPS registering IEC C13 cable

General

Number of power module fitted

0

Number of power module fits

0

Horizontal

Yes

Physical

Color

Black

Height

18.75 cm

Width

13.0 cm

May 05, 2023

Logitech

1

Product data sheet

Characteristics

SMT750I

APC Smart-UPS 750VA LCD 230V

Overview

APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD

Load time

Usually ships within 2 Weeks

Product Description

Intelligent and efficient network power protection that entry level to capable medium sized UPS for servers, point-to-point, routers, switches, PCs and other network devices

Output

Output Power Capacity

500 Watts / 750 VA

Also Configurable Power (Watts)

500 Watts / 750 VA

Output Voltage Division

Line from 90% to full load

Output Frequency (nominal)

50 / 60 Hz for 50/60 Hz operation, 100 / 120 Hz for 100/120 Hz operation

Other Output Voltages

230, 240V

Other Output Voltages

Line mode

Waveform Type

Sine wave

Output Connections

2x IEC C13 Outlets (Standard), 2x IEC C13 Outlets (Optional)

Input

Input Voltage

230V

Input Frequency

50/60 Hz (50/60 Hz operation)

[pdf] Specifications Datasheet Documentation

SMT750I se ww en product |||

Product data sheet Specifications APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD **SMT750I** Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific u...

lang:en score:21 filesize: 155.11 K page_count: 4 document date: 2023-05-20

[pdf] Datasheet Documentation Borchure

APC SMT750I uninterruptible power supply UPS Line Interactive 0 75 kVA 500 W 8 AC outlet s Product

Brochure Datasheet 1 MB mmo 21360057 1496842327 8975 20467 objects icecat biz |||

Product data sheet Characteristics **SMT750I** APC Smart-UPS 750VA LCD 230V

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications Overview Model Name Includes Standard Lead T...

lang:en score:21 filesize: 93.28 K page_count: 3 document date: 2017-06-07


Product data sheet	
	
APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD SMT750I	
Overview	
Powerback	Intelligent and efficient network power protection from entry level to scalable solution. Smart UPS for servers, point of sale, medical, factory and other network devices.
Load time	Usually stops within 2 minutes
Main	
Main Input Voltage	230 V
Other Input Voltage	230 V 240 V
Main Output Voltage	230 V
Other Output Voltage	230 V 240 V
Max Rating	900 W
Rated power in VA	750 VA
Product or Component Type	Uninterruptible power supply (UPS)
Input Connection Type	IEC 5015 C14
Output connection type	6 IEC 5015 C13 2 IEC 5015 C13
Cable length	6.6 (1.4) m
Number of cables	1
Battery Type	Lead Acid battery
Provided equipment	LCD cable Documentation CD Smart UPS registering 750 (230) watts
Range of Product	Smart UPS
Complementary	
Communication and I/O	SmartSlot
Batteries & Runtime	
Run Time	30 min (typical)
Efficiency	94% (typical)
Extendable Run Time	0
Installed Battery Modules	0
Battery Status Empty	0
Please see "Last Price" and may be subject to a trade discount - check with your local distributor or dealer for actual price.	
Sep 24, 2024	Schneider Electric

[pdf] Specifications Datasheet Documentation Borchure

Product DataSheet Brochure APC by Schneider Electric Smart UPS SMT750I 750 VA Tower 3 Hour Recharge 5 Minute Stand 230 V Input AC Output Sine Wave Backup Systems SA Providence Office Products LLC 1017322483 content utilize Manufacturer |||

Product data sheet Specifications APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD **SMT750I** Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific u...

lang:en score:21 filesize: 246.28 K page_count: 6 document date: 2024-09-24



[pdf] User Manual

Smart UPS Operation Manual EALFSON Schneider Electric APC Home and Business Solutions 973893 an 01 de SMART USV LCD 1000VA cdn re in 80 950000 974999

Betriebsbandbuch Smart-UPS USV 750/1000/1500/2200/3000 VA Tower 120/230 VAC Inhalt bersicht..... ... irectives 2006/95/EC; 2004/108/EC Type of Equipment Uninterruptible Power Supply Model Numbers **SMT750I**, SMT1000I, SMT1500I, SMT2200I, SMT3000I Manufacturers American Power Conversion 132 Fairgr...

lang:de score:21 filesize: 536.04 K page_count: 21 document date: 2009-07-14

UPS PRODUCTS

SUGGESTED RETAIL PRICE | March 2019

CyberPower | UPS Line Interactive

CyberPower

Part Number	BR1000LI12V	BR1500LI12V	BR2000LI12V	BR2500LI12V
Capacity	1000 VA	1500 VA	2000 VA	2500 VA
Output Voltage (nominal)	120V AC	120V AC	120V AC	120V AC
Output Voltage (range)	100V-130V	100V-130V	100V-130V	100V-130V
Output Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
Efficiency	90%	90%	90%	90%
Transfer Time	10ms	10ms	10ms	10ms
Input Voltage (range)	100V-130V	100V-130V	100V-130V	100V-130V
Input Current (range)	8.3A/10A	12.5A/16.7A	16.7A/21.7A	20.8A/26.7A
Input Power Factor	0.9	0.9	0.9	0.9
Input Voltage (range)	100V-130V	100V-130V	100V-130V	100V-130V
Input Current (range)	8.3A/10A	12.5A/16.7A	16.7A/21.7A	20.8A/26.7A
Input Power Factor	0.9	0.9	0.9	0.9

BR1000LI12V	BR1500LI12V	BR2000LI12V	BR2500LI12V
1,800	2,500	4,000	2,800
4,300			

Price per device (per device)

Part Number	BR1000LI12V	BR1500LI12V	BR2000LI12V	BR2500LI12V
Capacity	1000 VA	1500 VA	2000 VA	2500 VA
Output Voltage (nominal)	120V AC	120V AC	120V AC	120V AC
Output Voltage (range)	100V-130V	100V-130V	100V-130V	100V-130V
Output Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
Efficiency	90%	90%	90%	90%
Transfer Time	10ms	10ms	10ms	10ms
Input Voltage (range)	100V-130V	100V-130V	100V-130V	100V-130V
Input Current (range)	8.3A/10A	12.5A/16.7A	16.7A/21.7A	20.8A/26.7A
Input Power Factor	0.9	0.9	0.9	0.9
Input Voltage (range)	100V-130V	100V-130V	100V-130V	100V-130V
Input Current (range)	8.3A/10A	12.5A/16.7A	16.7A/21.7A	20.8A/26.7A
Input Power Factor	0.9	0.9	0.9	0.9

BR1000LI12V	BR1500LI12V	BR2000LI12V	BR2500LI12V
2,000	3,190	8,300	10,900

Price per device (per device)

Part Number	BR1000LI12V	BR1500LI12V	BR2000LI12V	BR2500LI12V
Capacity	1000 VA	1500 VA	2000 VA	2500 VA
Output Voltage (nominal)	120V AC	120V AC	120V AC	120V AC
Output Voltage (range)	100V-130V	100V-130V	100V-130V	100V-130V
Output Frequency	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
Efficiency	90%	90%	90%	90%
Transfer Time	10ms	10ms	10ms	10ms
Input Voltage (range)	100V-130V	100V-130V	100V-130V	100V-130V
Input Current (range)	8.3A/10A	12.5A/16.7A	16.7A/21.7A	20.8A/26.7A
Input Power Factor	0.9	0.9	0.9	0.9
Input Voltage (range)	100V-130V	100V-130V	100V-130V	100V-130V
Input Current (range)	8.3A/10A	12.5A/16.7A	16.7A/21.7A	20.8A/26.7A
Input Power Factor	0.9	0.9	0.9	0.9

BR1000LI12V	BR1500LI12V	BR2000LI12V	BR2500LI12V
2,790	3,500	5,200	2,800

Price per device (per device)

Product data sheet

Specifications

Green
Product

APC Smart-UPS Line Interactive,
750VA, Tower, 230V, 6x IEC C13
outputs, SmartSlot, AVR, LCD

SM7750

Discontinued

Overview

Description

Intelligent and efficient online power protection from series load to standby transfer. Ideal UPS for servers, point of sale, routers, switches, hubs and other network devices.

Lead time

Usually ships within 2 Weeks

Main

Main Input Voltage

230 V

Other Input Voltage

240 V

Main Output Voltage

230 V

Other Output Voltage

230 V

Rated power in VA

750 VA

Rated power in Wk

750 W

Input Connection Type

IEC 320 C14

Output connection type

6x IEC C13
Smart-UPS

Cable length

0.913 (3.0)

Number of cables

1

Battery type

Lead acid battery

Provided equipment

USB cable
Telephone cable
Smart-UPS registering ISO 220 cable

Batteries & Runtime

Extended runtime

0

Number of battery fixed slots

0

Number of battery fixed slots

0

Battery recharge time

3h

Number of battery replacement assembly

1

Battery life

3 - 5 years

Replacement battery

000000 02

7 Aug 2023

1/6/2023 APC

1



Návod k obsluze

Smart-UPS® UPS

V42 750/1000/1500/2200/3000 VA
120/230 V/6C

Product datasheet	
Specifications	
	APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD
SMT750I	
Overview	
Presentation	Intelligent and efficient network power protection from entry level to corporate networks. Ideal UPS for servers, point-of-sale, medical, industrial, data and other network devices.
Load time	Usually ships within 2 Weeks
Main	
Main Input Voltage	230 V
Other Input Voltage	230 V 240 V
Main Output Voltage	230 V
Other Output Voltage	230 V 240 V
Rated power in VA	600 VA
Rated power in VA	750 VA
Input Connection Type	IEC 309 C14
Output connection type	6 IEC 309 C13 2 IEC Outlets
Cable length	1.80 m
Number of cables	1
Battery type	Lead acid battery
Provided equipment	USB cable Smart UPS regarding R2 IEC cable
Batteries & Runtime	
Extended runtime	0
Number of battery float slots	0
Number of battery time slots	0
Battery recharge time	5 h
Number of battery replacement quantity	1
Battery life	3 - 5 years
Replacement battery	800000 12
Battery power in VAh	140 VAh runtime
May 01, 2023	
APC	
1	

[pdf] Specifications Datasheet Documentation

Smart UPS SMT750I AB SHOP abshop in th 2023 06 |||

Product datasheet Specifications APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD **SMT750I** Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific us...

lang:en score:20 filesize: 164.56 K page_count: 4 document date: 2023-05-31


Product data sheet	
Specifications	
	APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD
SMT750I	
Overview	
Presentation	Intelligent and efficient network power protection from entry level to corporate networks. Ideal UPS for servers, point-of-sale, medical, industrial, data and other network devices.
Load time	Usually ships within 2 Weeks
Main	
Product or Component Type	Uninterruptible power supply (UPS)
Complementary	
Communication port type	Serial/USB
Batteries & Runtime	
Run Time	View Runtime Graph 17
Efficiency	View Efficiency Graph 13
Battery type	Lead-Acid battery
Calculable Run Time	0
Indicated Battery Warnings	0
Battery Alert Email	0
Typical recharge time	3 h
ABC Inverter	1
Battery life	3 - 5 years
Replacement battery	800000 12
Battery Charge Power (Watts)	40 W used
General	
Provided equipment	USB cable Communication CD Smart UPS regarding R2 IEC cable
Number of power module	0
Number of power module float slots	0
Number of power module time slots	0
Redundant	No
Physical	
Price is "List Price" and may be subject to a trade discount - check with your local distributor or reseller for actual price.	
Jun 01, 2023	
APC	
1	

[pdf] Specifications Datasheet Documentation

Product DataSheet Data SheetAPC SMT750I 750i Smart UPS2G Sheet SPcdn adiglobaldistribution us pim Original 10681 2G SP |||

Product data sheet Specifications APC Smart-UPS, Line Interactive, 750VA, Tower, 230V, 6x IEC C13 outlets, SmartSlot, AVR, LCD **SMT750I** Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific u...

lang:en score:20 filesize: 330.61 K page_count: 6 document date: 2025-06-11



[pdf] Declaration of Conformity

RoHS information on commercial references Schneider Electric Project APC Smart UPS Line Interactive

750VA Tower 230V 6x IEC C13 outlets SmartSlot AVR LCD SMT750I Israel export 20230108

0348384841bdfcb7 5b06 43d5 a924 00299326cb0b schneider electric files p Doc Ref ROHS


DECLARATION FileName IL en GB |||

Schneider Electric Industries Date: Sunday, January 8, 2023 Object: Schneider Electric RoHS declar ... eet are related to the following version of the RoHS directive:

2011/65/EU Commercial ref. Brand **SMT750I** APC by Schneider Electric Range

Product description Smart-UPS APC Smart-UPS 750VA LCD 230...

lang:en score:20 filesize: 198.33 K page_count: 2 document date: 2023-01-08



[pdf] Declaration of Conformity

RoHS information on commercial references Schneider Electric Project APC Smart UPS Line Interactive

750VA věžový 230V 6x IEC C13 zásuvka SmartSlot AVR LCD SMT750I Česká Republika export

20221223 16214221ba6b58f5 41b4 4cfa b62b 4e1fa94aa24c schneider electric files p Doc Ref ROHS


DECLARATION FileName CZ cs |||

Schneider Electric Industries Date: Friday, December 23, 2022 Object: Schneider Electric RoHS decl ... eet are related to the following version of the RoHS directive:

2011/65/EU Commercial ref. Brand **SMT750I** APC by Schneider Electric Range

Product description Smart-UPS APC Smart-UPS 750VA LCD 230...

lang:en score:20 filesize: 201.61 K page_count: 2 document date: 2022-12-23



[pdf] Declaration of Conformity

RoHS information on commercial references Schneider Electric Project APC Smart UPS Line Interactive

750VA Tower 230V 6x IEC C13 outlets SmartSlot AVR LCD SMT750I Israel export 20230108

054136419928f81d 7994 499d 9746 c3fa0ae0b262 schneider electric files p Doc Ref ROHS


DECLARATION FileName IL en GB |||

Schneider Electric Industries Date: Sunday, January 8, 2023 Object: Schneider Electric RoHS declar ... eet are related to the following version of the RoHS directive:

2011/65/EU Commercial ref. Brand **SMT750I** APC by Schneider Electric Range

Product description Smart-UPS APC Smart-UPS 750VA LCD 230...

lang:en score:20 filesize: 199.85 K page_count: 2 document date: 2023-01-08



[pdf] Declaration of Conformity

RoHS information on commercial references Schneider Electric Project APC Smart UPS Line Interactive 750VA Tower 230V 6x IEC C13 outlets SmartSlot AVR LCD SMT750I Philippines export 20221223 143937399eda4982a 916c 427d 91cf 8c915c8b7c04 schneider electric files p Doc Ref ROHS DECLARATION FileName PH en GB |||

Schneider Electric Industries Date: Friday, December 23, 2022 Object: Schneider Electric RoHS decl ... eet are related to the following version of the RoHS directive: 2011/65/EU Commercial ref. Brand **SMT750I** APC by Schneider Electric Range Product description Smart-UPS APC Smart-UPS 750VA LCD 230... lang:en **score:20** filesize: 201.99 K page_count: 2 document date: 2022-12-23



[pdf] Declaration of Conformity

RoHS information on commercial references Schneider Electric Project APC Smart UPS Line Interactive 750VA Tower 230V 6x IEC C13 outlets SmartSlot AVR LCD SMT750I Singapore export 20230402 0814451420ad8012 6f05 40af b156 d6c75c87206f schneider electric files p Doc Ref ROHS DECLARATION FileName SG en GB |||

Schneider Electric Industries Date: Sunday, April 2, 2023 Object: Schneider Electric RoHS declarat ... eet are related to the following version of the RoHS directive: 2011/65/EU Commercial ref. Brand **SMT750I** APC by Schneider Electric Range Product description Smart-UPS APC Smart-UPS 750VA LCD 230... lang:en **score:20** filesize: 202.18 K page_count: 2 document date: 2023-04-02



[pdf] Declaration of Conformity

RoHS RoHS APC Smart UPS Line Interactive 750VA Tower 230V 6x IEC C13 outlets SmartSlot AVR LCD SMT750I Singapore export RoHS 20230402 062147219caa8510 7a62 46b8 9e19 82f704cc4478 schneider electric files p enDocType Declaration of Conformity Sustainability Doc Ref ROHS DECLARATION FileName SG en GB ||| Schneider Electric Industries : 202342 : RoHS RoHS: 2006712002/95/EC - RoHS 201168 2011/65/EU2 ... 62147219caa8510-7a62-46b8-9e19-82f704cc4478.pdf - 202342 - : 1 13/2023 / RoHS 2011/65/EU **SMT750I** APC by Schneider Electric Smart-UPS APC Smart-UPS 750VA LCD 230V RoHS 6 : 6 c ,... lang:fr **score:20** filesize: 297.87 K page_count: 2 document date: 2023-04-02




[pdf] Declaration of Conformity

RoHS RoHS APC Smart UPS Line Interactive 750VA Torre 230V 6 tomadas
IEC C13 SmartSlot AVR LCD SMT750I Portugal export RoHS 20230401 2222522293c90aa7 7030 48f9
b020 d9644cbdaaf6 schneider electric files p enDocType Declaration of Conformity Sustainability Doc Ref
ROHS DECLARATION FileName PT pt |||
Schneider Electric Industries : 202341 : RoHS RoHS: 2006712002/95/EC - RoHS
201168 2011/65/EU2 ... 222522293c90aa7-7030-48f9-b020-d9644cbdaaf6.pdf -
202341 - : 1 13/2023 / RoHS 2011/65/EU **SMT750I** APC by Schneider Electric Smart-
UPS APC Smart-UPS 750VA LCD 230V RoHS 6 : 6 c ,...
lang:fr **score:20** filesize: 297.85 K page_count: 2 document date: 2023-04-01



[pdf] Declaration of Conformity

RoHS RoHS APC Smart UPS Line Interactive 750VA Tower 230V 6x IEC C13
outlets SmartSlot AVR LCD SMT750I Singapore export RoHS 20230402 092322232f18188f 366d 41d1
818f 14fcfd1b394e schneider electric files p enDocType Declaration of Conformity Sustainability Doc Ref
ROHS DECLARATION FileName SG en GB |||
Schneider Electric Industries : 202342 : RoHS RoHS: 2006712002/95/EC - RoHS
201168 2011/65/EU2 ... 92322232f18188f-366d-41d1-818f-14fcfd1b394e.pdf -
202342 - : 1 13/2023 / RoHS 2011/65/EU **SMT750I** APC by Schneider Electric Smart-
UPS APC Smart-UPS 750VA LCD 230V RoHS 6 : 6 c ,...
lang:fr **score:20** filesize: 295.34 K page_count: 2 document date: 2023-04-02



[pdf] Declaration of Conformity

Información RoHS de las referencias comerciales Proyecto Schneider Electric APC Smart UPS Linea
Interactiva 750VA Torre 230V 6x IEC C13 salidas SmartSlot AVR LCD SMT750I Perú export 20230218
172039202b6d2b12 37cb 4cf4 841b 1e7af551378f schneider electric files p Doc Ref ROHS
DECLARATION FileName PE es |||
Schneider Electric Industries Date: Saturday, February 18, 2023 Object: Schneider
Electric RoHS de ... se relacionan con la siguiente versin de la Directiva RoHS
2011/65/EU Referencia comercial Marca **SMT750I** APC by Schneider Electric Rango
Descripcin Producto Smart-UPS APC Smart-UPS 750VA LCD 2...
lang:en **score:20** filesize: 200.86 K page_count: 2 document date: 2023-02-18



[pdf] Declaration of Conformity

Información RoHS de las referencias comerciales Proyecto Schneider Electric APC Smart UPS Linea

Interactiva 750VA Torre 230V 6x IEC C13 salidas SmartSlot AVR LCD SMT750I Perú export 20230219

1226592697de9042 2691 4b88 ace7 799ade711d8 schneider electric files p Doc Ref ROHS

DECLARATION FileName PE es |||

Schneider Electric Industries Date: Sunday, February 19, 2023 Object: Schneider

Electric RoHS decl ... se relacionan con la siguiente versin de la Directiva RoHS

2011/65/EU Referencia comercial Marca **SMT750I** APC by Schneider Electric Rango

Descripcin Producto Smart-UPS APC Smart-UPS 750VA LCD 2...

lang:en score:20 filesize: 198.89 K page_count: 2 document date: 2023-02-19



[pdf] Declaration of Conformity

Información RoHS de las referencias comerciales Proyecto Schneider Electric APC Smart UPS Line

Interactiva 750VA Tower 230V 6x IEC C13 outlets SmartSlot AVR LCD SMT750I Canada export

20230218 09585258a275e457 5995 46c0 b139 df74067f9c24 schneider electric files p Doc Ref ROHS

DECLARATION FileName CA fr |||


Schneider Electric Industries Date: Saturday, February 18, 2023 Object: Schneider

Electric RoHS de ... se relacionan con la siguiente versin de la Directiva RoHS

2011/65/EU Referencia comercial Marca **SMT750I** APC by Schneider Electric Rango

Descripcin Producto Smart-UPS APC Smart-UPS 750VA LCD 2...

lang:en score:20 filesize: 200.89 K page_count: 2 document date: 2023-02-18



[pdf] Declaration of Conformity

Información RoHS de las referencias comerciales Proyecto Schneider Electric APC Smart UPS Line

Interactiva 750VA Tower 230V 6x IEC C13 outlets SmartSlot AVR LCD SMT750I Canada export

20230218 09215921e3b9ca89 f6cb 4695 a500 734430197e01 schneider electric files p Doc Ref ROHS

DECLARATION FileName CA fr |||

Schneider Electric Industries Date: Saturday, February 18, 2023 Object: Schneider

Electric RoHS de ... se relacionan con la siguiente versin de la Directiva RoHS

2011/65/EU Referencia comercial Marca **SMT750I** APC by Schneider Electric Rango

Descripcin Producto Smart-UPS APC Smart-UPS 750VA LCD 2...

lang:en score:20 filesize: 195.64 K page_count: 2 document date: 2023-02-18



[pdf] Decleration of Conformity

RoHS information on commercial references Schneider Electric Project Deklarace EU APC Smart UPS
Line Interactive 750VA věžový 230V 6x IEC C13 zásuvka SmartSlot AVR LCD SMT750I Česká Republika
export 20221223 05214321e74ec7f6 46e1 4aec b587 aa4c19358d16 schneider electric files p Doc Ref
ROHS DECLARATION FileName CZ cs |||
Schneider Electric Industries Date: Friday, December 23, 2022 Object: Schneider
Electric RoHS decl ... eet are related to the following version of the RoHS directive:
2011/65/EU Commercial ref. Brand **SMT750I** APC by Schneider Electric Range
Product description Smart-UPS APC Smart-UPS 750VA LCD 230...
lang:en score:20 filesize: 201.29 K page_count: 2 document date: 2022-12-23