

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Claber](#) /
- › [Claber Aquadue Duplo Evolution Digital Watering Timer Instruction Manual](#)

Claber 8410

Claber Aquadue Duplo Evolution Digital Watering Timer

Model: 8410 | Brand: Claber



Image: Claber Aquadue Duplo Evolution Digital Watering Timer, front view with display open.

PRODUCT OVERVIEW

The Claber Aquadue Duplo Evolution Digital Watering Timer is designed for efficient and flexible irrigation management. This digital timer allows for the control of two independent watering lines simultaneously, offering extensive programming options to suit various gardening needs.

Key Features:

- **Durable Construction:** Made from high-quality plastic for longevity.
- **Easy Programming:** Intuitive interface for straightforward setup.
- **Dual Line Control:** Manages up to two different irrigation cycles at the same time.
- **Versatile Settings:** Offers many different programming possibilities for customized watering.

SETUP AND INSTALLATION

Proper installation ensures optimal performance and longevity of your watering timer.

1. Battery Installation

The timer requires a 9V alkaline battery (not included). Ensure the battery is new at the beginning of each watering season.

1. Press the two side buttons on the timer to open the unit.
2. Connect a new 9V alkaline battery to the connector inside the unit.
3. Fit the battery securely into its pocket and close the cover with light pressure until it clicks into place.
4. Upon battery connection, the display will turn on, and the valve will open for approximately 2 seconds before the timer clock automatically resets to 00:00.

2. Timer Installation on Water Tap

Attach the timer securely to your outdoor water tap.

1. Screw the timer onto the water tap.
2. Fully tighten the ring nut by hand. No tools are required for this step.
3. Connect your garden hoses to the provided fittings at the bottom of the timer.
4. Remember to turn on the water tap after installation.



Image: Claber Aquadue Duplo Evolution Digital Watering Timer installed on an outdoor water tap with hoses connected.

3. Filter Cleaning

The timer is protected by a wire mesh filter to ensure long-lasting, trouble-free operation. Regular cleaning is recommended.

1. Unscrew the ring nut at the top of the timer.
2. Remove the filter from its seat.
3. Wash the filter thoroughly under running water to remove any debris.
4. Reinsert the clean filter and tighten the ring nut.

OPERATING INSTRUCTIONS

The Claber Aquadue Duplo Evolution operates two independent lines (Line A and Line B) and is programmed using just three buttons: Forward, Back, and Enter. All data is shown on a clear LCD display.

Setting Current Time

1. Press the **ENTER** button.
2. Use the **FORWARD** (▲) and **BACK** (▼) arrow keys to set the current time.
3. Press **ENTER** again to confirm the set time.

Daily Programming

The timer allows for up to six daily programs (three for Line A: 1, 3, 5; and three for Line B: 2, 4, 6).

1. From the main screen, press the **FORWARD** (▲) arrow key to display Program 1 on Line A.
2. Press **ENTER**. Use the **FORWARD** (▲) and **BACK** (▼) arrow keys to set the desired *OPEN* (start) time for the program. Press **ENTER** to confirm.
3. Press the **FORWARD** (▲) arrow key again to display the *CLOSED* (end) time. Press **ENTER**. Use the **FORWARD** (▲) and **BACK** (▼) arrow keys to set the desired end time. Press **ENTER** to confirm.
4. Repeat these steps for programs 3 and 5 on Line A, and programs 2, 4, and 6 on Line B.

Weekly Programming

This function allows you to skip watering on specific days of the week. This setting applies to both lines.

1. From the main screen, press the **FORWARD** (▲) arrow key until the weekly programming screen is displayed (showing days 1-7). Day 1 corresponds to the day the first watering program is set.
2. Press **ENTER**.
3. Use the **FORWARD** (▲) or **BACK** (▼) arrow keys to position the cursor under the day you wish to skip.
4. Press **ENTER** to cancel watering for that selected day. Repeat for other days as needed.
5. To exit the weekly programming page, position the cursor under "EXIT" (if available, or navigate back to time setting) and press **ENTER**.

Manual Function

The manual function allows you to water plants on demand without affecting your set programs. Each manual operation runs for 15 minutes.

1. From the main screen, press the **FORWARD** (▲) arrow key until the manual programming screen is displayed.
2. Press **ENTER**.
3. Use the **BACK** (▼) button to open Line A manually. The display will show "A OPEN".
4. Use the **FORWARD** (▲) button to close Line A manually. The display will show "A CLOSED".
5. To switch to Line B, press the **FORWARD** (▲) arrow key. The display will show "B".
6. Use the **BACK** (▼) button to open Line B manually. The display will show "B OPEN".
7. Use the **FORWARD** (▲) button to close Line B manually. The display will show "B CLOSED".
8. To exit the manual function for a line, press **ENTER**.

Note: If left open, the valve will automatically close after 15 minutes.

Viewing Programs

- From the main screen, repeatedly press the **FORWARD** (▲) key button. The display will cycle through all set start and end times for both Line A and Line B, as well as the weekly programming and manual function screens.

Official Product Video: Programming and Features

Your browser does not support the video tag.

Video: A comprehensive guide to installing, programming, and utilizing the various features of the Claber Aquadue Duplo Evolution Digital Watering Timer.

MAINTENANCE

Winter Protection

To protect your timer from freezing temperatures and ensure its longevity, follow these steps at the end of the warm season, before the first winter frosts:

1. Turn off the water supply to the tap where the timer is installed.
2. Disconnect the timer from the tap.
3. Remove the 9V battery from the timer.
4. Store the timer indoors in a dry place, sheltered from freezing temperatures and dampness.

Following these steps will help maintain the timer's condition for many seasons to come.

RAIN SENSOR (OPTIONAL ACCESSORY)

The Claber Aquadue Duplo Evolution timer can be connected to an optional Claber Rain Sensor (Model 90915, sold separately). This sensor automatically suspends the watering program in case of rain and resumes it when the weather turns fine again, preventing overwatering and conserving water.

Connecting the Rain Sensor:

1. Open the timer unit by pressing the two side buttons.
2. Locate the sensor socket inside the timer.
3. Remove the factory-installed jumper from the sensor socket.
4. Connect the rain sensor lead to the socket provided. No tools are required.
5. Close the timer unit cover securely.




Image: Excerpt from the Claber Aquadue Duplo Evolution manual illustrating the connection of the rain sensor.

SPECIFICATIONS

Feature	Detail
Brand	Claber
Model Number	8410
Material	Plastic
Color	Black, Orange
Power Source	9 Volts (6LR61 battery required)
Number of Settings	5 (referring to programming options)
Product Dimensions	9.7 x 22.5 x 11 cm (approx. 74.8"D x 51.18"W x 45.28"H)
Item Weight	673 Grams (approx. 1.48 pounds)
Maximum Pressure	12 Bars

TROUBLESHOOTING

If you encounter issues with your Claber Aquadue Duplo Evolution timer, consider the following common solutions:

- **Timer Not Turning On:** Check if the 9V battery is correctly installed and has sufficient charge. Replace with a new battery if necessary.
- **Water Not Flowing:**
 - Ensure the main water tap is fully open.
 - Check if the internal filter is clean and not clogged. Refer to the "Filter Cleaning" section.
 - Verify that the programming is correct and the current time is set accurately.

- If a rain sensor is connected, check if it is dry. The sensor will prevent watering if it detects rain.

- **Timer Not Following Program:**

- Double-check all daily and weekly programming settings.
- Ensure the current time and day are correctly set on the timer.

- **Leaking from Connections:** Ensure all connections, including the timer to the tap and hoses to the timer, are tightly secured by hand. Check for any damaged O-rings or washers.

For persistent issues, please contact Claber customer support.

WARRANTY AND SUPPORT


Claber products are designed for durability and performance. For specific warranty information, please refer to the documentation included with your purchase or visit the official Claber website.

For technical assistance, spare parts, or further inquiries, please contact Claber customer service. Keep your product model number (8410) and purchase details ready when contacting support.


Claber Official Website: www.claber.com

Related Documents - 8410

	Claber Duplo Evolution Watering Timer Manual and Instructions Comprehensive guide to the Claber Duplo Evolution watering timer, covering installation, programming, battery replacement, and maintenance. Features multilingual instructions for optimal use.
	Claber Aquadue Duplo Electronic Digital Programmer User Manual This manual provides detailed instructions for the Claber Aquadue Duplo, a 2-way electronic digital programmer for irrigation. It covers installation, battery insertion, display and battery information, basic and advanced programming, weekly programming, manual operation, program cancellation, rain sensor connection, usage recommendations, and technical specifications.
	Newton SmartNest™ Model 8410 Instruction Manual Comprehensive instruction manual for the Newton SmartNest™ Model 8410, detailing assembly, care instructions, app connectivity, and feature usage for optimal baby sleep.
	Claber Dual Select 8488 Irrigation Timer - User Manual & Guide Comprehensive user manual for the Claber Dual Select 8488 automatic irrigation timer. Learn about installation, programming, features, maintenance, and troubleshooting for your garden watering system.

	Mediant 3000 Hardware Installation Manual This manual provides a comprehensive guide to the hardware installation of the AudioCodes Mediant 3000, an Enterprise Session Border Controller (E-SBC) and Media Gateway. It details components, chassis, blades, power systems, and rack-mounting procedures.
	Claber Rain Sensor Installation and Operation Guide A comprehensive guide to installing and operating the Claber Rain Sensor, including multilingual instructions and diagrams.


Documents - Claber – 8410



[\[pdf\]](#)

8410 12386 IT UK FR DE ES PT anna Duplo Evolution claber files manuals |||

Duplo Evolution IT UK FR DE ES PT not included **8410** 9 VOLT ALKALINE Follow us on www.claber.com Tutorial at: CLABER SPA - Via Pontebbana, 22 - 33080 Fiume Veneto PN - Italy Tel. 39 0434 958836 - Fax 39 0434 957193 info claber.com - www.claber.com DATI TECNICI - TECHNICAL DATA DONNES TECHNIQ...
lang:es score:39 filesize: 2.07 M page_count: 2 document date: 2020-12-01




[\[pdf\]](#)

8410 13360 IT UK FR DE ES PT anna Duplo Evolution claber files manuals |||

Duplo Evolution IT UK FR DE ES PT CONTR UALITY ITY CO **8410** CLAB CLAB ER CLAB EVOLUTION ER CLAB ER 9 VOLT ALKALINE not included OLLED QUAL TESTED NTROLLED Q ER Follow us on www.claber.com Represented by: Authorised Rep Compliance Ltd., ARC House, Thurnham, Lancaster, LA2 0DT, UK. Tuto...


lang:es score:39 filesize: 2.15 M page_count: 2 document date: 2022-11-15



[\[pdf\]](#) Instructions

8410 13360 IT UK FR DE ES PT anna Claber Duplo InstructionsClaber Irrigation Products Easy Garden Irrigation8410 aquadue duplo instructionscdn shopify s files 1 0298 9049 instructions v 1679592889 ||| Duplo Evolution IT UK FR DE ES PT CONTR UALITY ITY CO **8410** CLAB CLAB ER CLAB EVOLUTION ER CLAB ER 9 VOLT ALKALINE not included OLLED QUAL TESTED NTROLLED Q ER Follow us on www.claber.com Represented by: Authorised Rep Compliance Ltd., ARC House, Thurnham, Lancaster, LA2 0DT, UK. Tuto...


lang:es score:37 filesize: 2.15 M page_count: 2 document date: 2022-11-15



[Claber Duplo Evolution Watering Timer Manual and Instructions](#)

Comprehensive guide to the Claber Duplo Evolution watering timer, covering installation, programming, battery replacement, and maintenance. Features multilingual instructions for optimal use.

lang:es score:36 filesize: 3.09 M page_count: 2 document date: 2020-09-25



[\[pdf\]](#) Guide

Guide complet pour l'arrosage à réaliser soi même Claber ACCESSOIRES POUR LE TUYAU

CAPILLAIRE DE 1 4 6 mm programmation facile grâce touches un bouton de 1min heures et 15min

publication uni d1ad1b6edbe82e87ede06f1ef54af260 claber files guide 2020 fr assets common |||

GUIDE COMPLET POUR L'ARROSAGE RALISER SOI-MME Découvrez les solutions les plus fonctionnelles pour ... ment la distribution de l'eau aux heures prdfinies mme

lorsque vous tes au travail ou en vacances. **8410** 90915 AQUADUE DUPLO Programmeur automatique deux voies. Il permet une programmation hebdoma...

lang:fr score:34 filesize: 34.41 M page_count: 48 document date: 2018-03-20




[\[pdf\]](#) User Manual Instructions Declaration of Conformity Warranty

2 Duplo UK digitale Claudia Riga AQUADUE DUPLO Claber fitting the battery duplo runs on a 9 volt alkaline which is sufficient for whole watering season with an average of sessions per day to fit proceed as follows press two buttons either side valve body and at same time remove cod 8410 Aquadue claber ut eng manual |||

AQUADUE UK DUPLO 2-WAY DIGITAL ELECTRONIC WATER TIMER USER MANUAL CODE **8410** UK 2 AQUADUE DUPLO THANK YOU FOR CHOOSING OUR TIMER. CAREFULLY READ THIS INSTRUCTIONS MANUAL BEFORE PROGRAMMING, EACH SECTION CONTAINS ALL THE INFORMATION REQUIRED FOR THE CORRECT EXECUTION OF EACH OPERATION. CE DECLARATIO...

lang:i-klngon score:29 filesize: 324.42 K page_count: 16 document date: 2010-04-20




[\[pdf\]](#)

8412 12388 anna Video 2 6 Plus IT UK FR DE ES PT claber files manuals |||

Video 2-6 Plus IT UK FR DE ES PT not included 8412 8413 9 VOLT ALKALINE

Follow us on www.claber. ... ampa sempre fechada DAY TIME DAY TIME A B 6 A B 4 5 B3 A2 1 BLINE RUNNING ALINE OK LOW **8410** AQUADUE DUPLO EVOLUTION NO B A6 A B 4 5 A B 2 3 1 BLINE RUNNING OK ALINE LOW O...

lang:es score:29 filesize: 1.93 M page_count: 2 document date: 2020-12-01




[\[pdf\]](#) User Manual Instructions Declaration of Conformity Warranty

2 Duplo UK digitale Claudia Riga AQUADUE DUPLO Smarthome fitting the battery duplo runs on a 9 volt alkaline which is sufficient for whole watering season with an average of sessions per day to fit proceed

as follows press two buttons either side valve body and at same time remove THANK YOU FOR CHOOSING OUR TIMER CAREFULLY READ THIS INSTRUCTIONS MANUAL BEFORE PROGRAMMING EACH SECTION CONTAINS ALL THE INFORMATION REQUIRED 3107 cache m2 smarthome manuals

AQUADUE UK DUPLO 2-WAY DIGITAL ELECTRONIC WATER TIMER USER MANUAL CODE **8410** UK 2 AQUADUE DUPLO THANK YOU FOR CHOOSING OUR TIMER. CAREFULLY READ THIS INSTRUCTIONS MANUAL BEFORE PROGRAMMING, EACH SECTION CONTAINS ALL THE INFORMATION REQUIRED FOR THE CORRECT EXECUTION OF EACH OPERATION. CE DECLARATIO...

lang:i-klngon score:29 filesize: 334.24 K page_count: 16 document date: 2005-04-21




[\[pdf\]](#)

8412 8413 13362 IT UK FR DE ES PT anna Video 2 6 Plus claber files manuals |||

Video 2-6 Plus IT UK FR DE ES PT CONTR UALITY 8412 8413 9 VOLT ALKALINE not included OLLED QUAL ... fechada RUNNING RUNNING DAY TIME DAY TIME A B 6 A B 4 5 A B 2 3 1 BLINE ALINE OK LOW **8410** AQUADUE DUPLO EVOLUTION NO B A B 4 A 5 6 A B 2 3 1 BLINE OK ALINE LOW OK FILT...

lang:es **score:28** filesize: 2.07 M page_count: 2 document date: 2022-11-15




[\[pdf\]](#)

esploso anna AQUADUE DUPLO EVOLUTION 8410 Claber S p A Proprietà riservata della ditta CLABER Fiume Veneto 350047 gruppo comando Aquadue Duplo Evolution 2887 coperchio 235351 media adeo 4705197 |||

8410 AQUADUE DUPLO EVOLUTION UK AQUADUE DUPLO EVOLUTION - FR AQUADUE DUPLO EVOLUTION - ES AQUADUE DUPLO EVOLUTION Approvato da UFFICIO TECNICO REV. del 0.1 07.03.2022 Firma Roberto Debiasi 235351 2887 5510 343 265211 2698 344 5015 350047 gruppo comando Aquadue Duplo Evolution 2887 cope...

lang:it **score:28** filesize: 180.94 K page_count: 1 document date: 2024-12-13




[\[pdf\]](#) Instructions

8412 8413 13362 IT UK FR DE ES PT anna Claber Video 2 6 Plus InstructionsClaber Irrigation Products Easy Garden Irrigation8412 aquauno video2 video3 instructionscdn shopify s files 1 0298 9049 instructions v 1679592889 |||

Video 2-6 Plus IT UK FR DE ES PT CONTR UALITY 8412 8413 9 VOLT ALKALINE not included OLLED QUAL ... fechada RUNNING RUNNING DAY TIME DAY TIME A B 6 A B 4 5 A B 2 3 1 BLINE ALINE OK LOW **8410** AQUADUE DUPLO EVOLUTION NO B A B 4 A 5 6 A B 2 3 1 BLINE OK ALINE LOW OK FILT...

lang:es **score:28** filesize: 2.07 M page_count: 2 document date: 2022-11-15



[\[pdf\]](#) User Manual Instructions Declaration of Conformity Warranty

2 Duplo UK digitale Claudia Riga Download manual Claber Tap Timer v 1712136664 cdn shopify s files 1 0868 4535 8370 |||

AQUADUE UK DUPLO 2-WAY DIGITAL ELECTRONIC WATER TIMER USER MANUAL CODE **8410** UK 2 AQUADUE DUPLO THANK YOU FOR CHOOSING OUR TIMER. CAREFULLY READ THIS INSTRUCTIONS MANUAL BEFORE PROGRAMMING, EACH SECTION CONTAINS ALL THE INFORMATION REQUIRED FOR THE CORRECT EXECUTION OF EACH OPERATION. CE DECLARATIO...

lang:i-klngon **score:28** filesize: 335.13 K page_count: 14 document date: 2006-10-13




[\[pdf\] User Manual](#)

fronte 8410 DUPLO Evolution Claber uk fr de es pt gr nl descrizione description beschreibung descripci3n descri73o ΠΕΡΙΓΡΑΦΗ beschrijving condizioni garanzia conditions of guarantee garantie garantiebedingungen condiciones garantía condi73ões garantia ΟΡΟΙ ΕΓΓΥΗΣΗΣ garantievoorwaarden
cod Aquadue Duplo claber ut manuali a |||

Duplo Evolution IT UK FR DE Alk9aVline ES PT GR NL DAY TIME B A6 A B 4 5 B3 A2 1 BLINE OK ALINE LOW B A6 A B 4 5 B3 A2 1 BLINE OK ALINE LOW not included RUNNING **8410** 9VOLT ALKALINE Manuale completo disponibile su:
Complete manual available at: Manuel complet dis...

lang:it score:27 filesize: 9.35 M page_count: 2 document date: 2017-07-13



[\[pdf\] User Manual](#)

Claber Duplo 8410 User GuideClaber Irrigation Products Easy Garden Irrigation8410 aquadue duplo manualcdn shopify s files 1 0298 9049 manual v 1679592889 |||

Aquadue Duplo Connect the timer to the tap. Page 1 User manual 1 DAY TIME B A6 A B 4 5 B3 ... 6 A B 4 5 B3 A2 1 BLINE RUNNING OK ALINE LOW click For Aquadue Duplo Evolution p/n : **8410** Open the timer unit by pressing the two buttons on the sides, and t a 9V alkaline battery. Whe...

lang:en score:26 filesize: 7.44 M page_count: 7 document date: 2014-12-05



[Claber Aquadue Duplo Electronic Digital Programmer User Manual](#)

This manual provides detailed instructions for the Claber Aquadue Duplo, a 2-way electronic digital programmer for irrigation. It covers installation, battery insertion, display and battery information, basic and advanced programming, weekly programming, manual operation, program cancellation, rain sensor connection, usage recommendations, and technical specifications.


lang:i-klngon score:25 filesize: 522.93 K page_count: 14 document date: 2010-04-20



[\[pdf\]](#) User Manual

GARDENLIFE 2025 Das Engagement und der Wunsch von Claber zu beeindrucken erstrecken sich selbst auf die einfachsten gewöhnlichsten Produkte wir jeden Tag kober ws dokuments manuals ||| GARDENLIFE 2025 DIE WELT ALS UNSER ALLER GARTEN Sobald wir auf den Rasen treten, umhllt uns ein H ... 5 0,006 1,32 192 TROPFBEWSSERUNG BEWSSERUNGSCOMPUTER AQUAUNO PLUS 93 AQUADUE DUPLO EVOLUTION **8410** Automatischer Zwei-Wege-Bewsserungscomputer. Fhrt bis zu drei Bewsserungen pro Tag auf jeder L...

lang:de **score:25** filesize: 40.78 M page_count: 196 document date: 2025-04-30



[\[pdf\]](#) Instructions


pulizia NEW copia timer maintenance claber files tutorial |||

MANUTENZIONE - MAINTENANCE - ENTRETIEN - WARTUNG - MANTENIMIENTO - MANUTENO - ONDERHOUD - NTREINERE ...

programmeermodules code : - Pentru programatoare cod : - : - W przypadku

programatorw kod : **8410** - 8411 - 8412 - 8413 - 8414 - 8415 - 8419 - 8422 - 8423 - 8425 - 8428 - 8444 - 8446 - 8454 - 84...


lang:it **score:24** filesize: 3.92 M page_count: 7 document date: 2021-09-23



[Claber Rain Sensor 90915 Installation and User Manual](#)

Comprehensive guide for the Claber Rain Sensor 90915, covering installation, operation, warranty, and disposal. This manual provides detailed instructions for optimal performance in irrigation systems.

lang:it **score:21** filesize: 9.03 M page_count: 1 document date: 2017-07-14




[pdf]

Manuale istruzioni Centralina irrigazione 2 vie timer per giardino prato o orto guida aquadue duplo EV IT
claber ut tutorial |||

Aquadue Duplo Collegare il programmatore al rubinetto. Pag. 1 Guida all'utilizzo 1 DAY TIME B ... A B 4 5 B3 A2 1 BLINE RUNNING OK ALINE LOW click Per Aquadue Duplo Evolution cod. : **8410** Aprire il modulo di programmazione premendo sui due pulsanti laterali ed inserire una batteria...

lang:it score:21 filesize: 7.39 M page_count: 7 document date: 2014-12-05




[pdf] User Manual Installation Guide Guide

8410 tutorial rev 1 claber files |||

IT Guida all'utilizzo UK User manual FR Guide d'utilisation AQUADUE DUPLO EVOLUTION 1 DE Benutzers ... Duplo Evolution code : - Fr Aquadue Duplo Evolution Art. : Para Aquadue Duplo Evolution cdigo : **8410** AQUADUE DUPLO EVOLUTION 2 IT INSERIMENTO BATTERIA. Premere i due pulsanti laterali per apri...

lang:de score:21 filesize: 2.68 M page_count: 16 document date: 2023-04-12



[pdf] User Manual

Aquadue Duplo Handleiding Claber 8410 Engels raintechshop.nl media wysiwyg Handleidingen Aquadue Duplo Connect the timer to the tap. Page 1 User manual 1 DAY TIME B A6 A B 4 5 B3 ... 6 A B 4 5 B3 A2 1 BLINE RUNNING OK ALINE LOW click For Aquadue Duplo Evolution p/n : **8410** Open the timer unit by pressing the two buttons on the sides, and t a 9V alkaline battery. Whe...

lang:en score:20 filesize: 7.44 M page_count: 7 document date: 2014-12-05




[pdf]

CLABER 2021 EN 7745 by brands 3766 |||

GARDENLIFE 2021 Spring is rebirth. Spring is the desire to find yourself in the open air again, t ... kg pcs/pallet 8413 2 8,2 x 12,8 x 23,5 27 x 25 x 9,5 0,006 1,28 192
AQUADUE DUPLO EVOLUTION **8410** RAIN SENSOR 90915 WATER TIMERS 85
Automatic two-way water timer. Provides up to three irriga...

lang:en score:20 filesize: 36.54 M page_count: 176 document date: 2022-08-30



[pdf] User Manual Installation Guide

guida rain sensor UK Claber Rain Sensor 90915 User GuideClaber Irrigation Products Easy Garden
Irrigation90915 user manualcdn shopify s files 1 0298 9049 manual v 1681220598 |||

Rain Sensor Page 1 Install the Rain Sensor in a position exposed to rainfall and out
of sprinkler je ... ENCY 20 30 60 10 20 30 15 60 5 10 20 30 5 60 5 3 1 2 3 4 5 6 MV C
AC AC R For timers p/n : **8410** - 8411 - 8412 - 8413 - 8414 8415 - 8419 - 8483 - 8485
- 8486 8487 - 8488 - 8489 Rain Sensor p/...

lang:en score:18 filesize: 740.44 K page_count: 1 document date: 2014-11-03



[pdf]

1361911699 dripdepot file 52d82fa875eb511d92170000

Aquadue DUPLO US 002 ES 021 not included **8410** 9VOLT ALKALINE US Table of
contents Introduction.....3

Features.....3 Operati...

lang:en score:16 filesize: 4.9 M page_count: 44 document date: 2013-02-26



[\[pdf\]](#)

File 1350478219 waterirrigation co uk fileuploader d 0 file custom upload |||

Aquadue DUPLO US 002 ES 021 not included **8410** 9VOLT ALKALINE US Table of contents Introduction.....3

Features.....3 Operati...

lang:en score:16 filesize: 2.71 M page_count: 20 document date: 2012-10-17



[\[pdf\]](#)

Aquadue DUPLO 3 d3pcsg2wjq9izr cloudfront net files 73793 471989 |||

Aquadue DUPLO US 002 ES 021 not included **8410** 9VOLT ALKALINE US Table of contents Introduction.....3

Features.....3 Operati...

lang:en score:16 filesize: 2.71 M page_count: 20 document date: 2012-02-09




[\[pdf\]](#) User Manual

guida aquadue duplo 1 UK Claber Aquadue Duplo User manual Page 2 Pressing the ENTER button key message OK will appear Set current time using FORWARD BACK Connect timer to tap Open unit by pressing two buttons on sides and fit a 9V alkaline battery When connecting display comes valve opens for seconds clock be set automatically 00 Important Remember turn water

68964a16ba3e306459c87d24e7800d9a files ecommercecdns uk 233725

Connect the timer to the tap. Aquadue Duplo Page 1 User manual 1 2 3 RUNNING RUNNING ... A6 A B 4 5 B3 A2 1 STOP BLINE START OK ALINE LOW RECASNCEELT For Aquadue Duplo p/n : **8410** Open the timer unit by pressing the two buttons on the sides, and fit a 9V alkaline battery. W...

lang:en score:16 filesize: 3.67 M page_count: 7 document date: 2011-04-28



[pdf]

guida aquadue duplo 1 CLABER Aquadue Duplo Evolution AcquaGiardino claber ut tutorial |||

Aquadue Duplo Collegare il programmatore al rubinetto. Pag. 1 Guida all utilizzo 1 2 3
 RUNNIN ... 6 A B 4 5 B3 A2 1 STOP BLINE START OK ALINE LOW RECASNCEELT
 Per Aquadue Duplo cod. : **8410** Aprire il modulo di programmazione premendo sui
 due pulsanti laterali ed inserire una batteria...

lang:it score:15 filesize: 3.58 M page_count: 7 document date: 2011-02-11




[pdf] Guide

guida aquadue duplo 1 FR CLABER Aquadue Duplo Evolution AcquaGiardino claber ut fra tutorial |||

Aquadue Duplo Branchez le programmeur au robinet. Page 1 Guide d utilisation 1 2
 3 RUNNING ... A6 B5 A4 B3 A2 1 STOP BLINE START OK ALINE LOW
 RECASNCEELT Pour Aquadue Duplo cod. : **8410** Ouvrez le module de
 programmation en appuyant sur les 2 touches latérales et installez une pile...

lang:fr score:15 filesize: 5.85 M page_count: 7 document date: 2013-12-20




[pdf]

guida rain sensor Guida all Utilizzo Sensore di pioggia Claber claber ut tutorial |||

Rain Sensor Guida all utilizzo Pag. 1 Installare il Rain Sensor in un luogo esposto alla
 pioggia e ... C AC R Per programmatori cod. : 8493 - 8414 - 8444 - 8411 - 8446 8415
 - 8454 - 8412 - 8456 - 8413 **8410** Rain Sensor cod. : 90915 Per programmatori cod. :
 8058 - 8060 Per programmatori cod. : 801...

lang:it score:14 filesize: 862.93 K page_count: 1 document date: 2011-02-11



[pdf] Instructions Guide

guida rain sensor FR CLABER Pluviometre Rain Sensor AcquaGiardino claber ut fra tutorial |||

Rain Sensor Page 1 Installez le Rain Sensor dans un lieu expos la pluie et loin des jets d arrosage ... Pour les programmeurs cod. : 8493 - 8414 - 8444 - 8411 - 8446 8415 - 8454 - 8412 - 8456 - 8413 **8410** Rain Sensor cod. : 90915 Pour les programmeurs cod. : Pour les programmeurs cod. : 8...

lang:fr score:14 filesize: 740.74 K page_count: 1 document date: 2011-04-27



EU Declaration of Conformity (DoC)

We,
Claber S.p.A.
via Portoferra 22
33060 - Fiume Veneto (PN)
Italy
+39 0334 955935
declare that the DoC is issued under our sole responsibility and belongs to the following product:
- Product: **Electric Irrigation Timer**
- Trademark: **claber**
- Model/Type: **8410**
The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:
- 2014/53/EU Electromagnetic Compatibility Directive (EMC)
- 2011/65/EU Restriction of the use of certain hazardous substances (RoHS)
The following harmonised standards and/or technical specifications have been applied:
EN 61000-6-3:2007 + A1:2011
EN 61000-6-2:2007
IEC 61311-5-1:2013
IEC 61311-5:2013
IEC 62311-2:2013 + A1:2017 CNY
IEC 62311-4:2015
IEC 62311-5:2015
IEC 62311-7:2017
CLABER SPA
via Portoferra 22
33060 Fiume Veneto (PN)
Italy
18/10/2018
President
Ing. Gian Luigi Spadotto



CLABER S.p.A. - Via Portoferra, 22 33060 Fiume Veneto (PN) - Italy info@claber.com www.claber.com

[pdf] Declaration of Conformity

CE IT 8410 ENG dcdc20181018 claber files EC declaration conformity |||

...

lang:fr score:13 filesize: 390.41 K page_count: 1 document date: 2018-11-28

Declaration of Conformity




1. Product description	Electronic Watering Timer
2. Manufacturer	CLABER S.p.A. via Portoferra 22, 33060 Fiume Veneto (PN), Italy
3. Importer/Representative	AL THORNBERG REP COMPLIANCE LTD ABC House, Thornbury, Gloucester, GL2 8DT, UK
4. This declaration is issued under the sole responsibility of the manufacturer	
5. Details of the declaration	Product: Battery operated (24V V) 3-in-1 electronic water timer, directly connectable to a radio receiver Specification: Extra Low Voltage (ELV)
6. The design of the declaration is in conformity with the relevant UK legislation	
7. The design of the declaration is in conformity with the relevant UK legislation	
8. The design of the declaration is in conformity with the relevant UK legislation	
9. The design of the declaration is in conformity with the relevant UK legislation	
10. The design of the declaration is in conformity with the relevant UK legislation	
11. The design of the declaration is in conformity with the relevant UK legislation	
12. The design of the declaration is in conformity with the relevant UK legislation	
13. The design of the declaration is in conformity with the relevant UK legislation	
14. The design of the declaration is in conformity with the relevant UK legislation	
15. The design of the declaration is in conformity with the relevant UK legislation	
16. The design of the declaration is in conformity with the relevant UK legislation	
17. The design of the declaration is in conformity with the relevant UK legislation	
18. The design of the declaration is in conformity with the relevant UK legislation	
19. The design of the declaration is in conformity with the relevant UK legislation	
20. The design of the declaration is in conformity with the relevant UK legislation	
21. The design of the declaration is in conformity with the relevant UK legislation	
22. The design of the declaration is in conformity with the relevant UK legislation	
23. The design of the declaration is in conformity with the relevant UK legislation	
24. The design of the declaration is in conformity with the relevant UK legislation	
25. The design of the declaration is in conformity with the relevant UK legislation	
26. The design of the declaration is in conformity with the relevant UK legislation	
27. The design of the declaration is in conformity with the relevant UK legislation	
28. The design of the declaration is in conformity with the relevant UK legislation	
29. The design of the declaration is in conformity with the relevant UK legislation	
30. The design of the declaration is in conformity with the relevant UK legislation	
31. The design of the declaration is in conformity with the relevant UK legislation	
32. The design of the declaration is in conformity with the relevant UK legislation	
33. The design of the declaration is in conformity with the relevant UK legislation	
34. The design of the declaration is in conformity with the relevant UK legislation	
35. The design of the declaration is in conformity with the relevant UK legislation	
36. The design of the declaration is in conformity with the relevant UK legislation	
37. The design of the declaration is in conformity with the relevant UK legislation	
38. The design of the declaration is in conformity with the relevant UK legislation	
39. The design of the declaration is in conformity with the relevant UK legislation	
40. The design of the declaration is in conformity with the relevant UK legislation	
41. The design of the declaration is in conformity with the relevant UK legislation	
42. The design of the declaration is in conformity with the relevant UK legislation	
43. The design of the declaration is in conformity with the relevant UK legislation	
44. The design of the declaration is in conformity with the relevant UK legislation	
45. The design of the declaration is in conformity with the relevant UK legislation	
46. The design of the declaration is in conformity with the relevant UK legislation	
47. The design of the declaration is in conformity with the relevant UK legislation	
48. The design of the declaration is in conformity with the relevant UK legislation	
49. The design of the declaration is in conformity with the relevant UK legislation	
50. The design of the declaration is in conformity with the relevant UK legislation	
51. The design of the declaration is in conformity with the relevant UK legislation	
52. The design of the declaration is in conformity with the relevant UK legislation	
53. The design of the declaration is in conformity with the relevant UK legislation	
54. The design of the declaration is in conformity with the relevant UK legislation	
55. The design of the declaration is in conformity with the relevant UK legislation	
56. The design of the declaration is in conformity with the relevant UK legislation	
57. The design of the declaration is in conformity with the relevant UK legislation	
58. The design of the declaration is in conformity with the relevant UK legislation	
59. The design of the declaration is in conformity with the relevant UK legislation	
60. The design of the declaration is in conformity with the relevant UK legislation	
61. The design of the declaration is in conformity with the relevant UK legislation	
62. The design of the declaration is in conformity with the relevant UK legislation	
63. The design of the declaration is in conformity with the relevant UK legislation	
64. The design of the declaration is in conformity with the relevant UK legislation	
65. The design of the declaration is in conformity with the relevant UK legislation	
66. The design of the declaration is in conformity with the relevant UK legislation	
67. The design of the declaration is in conformity with the relevant UK legislation	
68. The design of the declaration is in conformity with the relevant UK legislation	
69. The design of the declaration is in conformity with the relevant UK legislation	
70. The design of the declaration is in conformity with the relevant UK legislation	
71. The design of the declaration is in conformity with the relevant UK legislation	
72. The design of the declaration is in conformity with the relevant UK legislation	
73. The design of the declaration is in conformity with the relevant UK legislation	
74. The design of the declaration is in conformity with the relevant UK legislation	
75. The design of the declaration is in conformity with the relevant UK legislation	
76. The design of the declaration is in conformity with the relevant UK legislation	
77. The design of the declaration is in conformity with the relevant UK legislation	
78. The design of the declaration is in conformity with the relevant UK legislation	
79. The design of the declaration is in conformity with the relevant UK legislation	
80. The design of the declaration is in conformity with the relevant UK legislation	
81. The design of the declaration is in conformity with the relevant UK legislation	
82. The design of the declaration is in conformity with the relevant UK legislation	
83. The design of the declaration is in conformity with the relevant UK legislation	
84. The design of the declaration is in conformity with the relevant UK legislation	
85. The design of the declaration is in conformity with the relevant UK legislation	
86. The design of the declaration is in conformity with the relevant UK legislation	
87. The design of the declaration is in conformity with the relevant UK legislation	
88. The design of the declaration is in conformity with the relevant UK legislation	
89. The design of the declaration is in conformity with the relevant UK legislation	
90. The design of the declaration is in conformity with the relevant UK legislation	
91. The design of the declaration is in conformity with the relevant UK legislation	
92. The design of the declaration is in conformity with the relevant UK legislation	
93. The design of the declaration is in conformity with the relevant UK legislation	
94. The design of the declaration is in conformity with the relevant UK legislation	
95. The design of the declaration is in conformity with the relevant UK legislation	
96. The design of the declaration is in conformity with the relevant UK legislation	
97. The design of the declaration is in conformity with the relevant UK legislation	
98. The design of the declaration is in conformity with the relevant UK legislation	
99. The design of the declaration is in conformity with the relevant UK legislation	
100. The design of the declaration is in conformity with the relevant UK legislation	

[pdf] Declaration of Conformity

UKCA 8410 UK dcdc20220701 claber files EC declaration conformity |||

...

lang:fr score:13 filesize: 943.39 K page_count: 2 document date: 0000-00-00



[\[pdf\]](#)

8000625084128 mnl FR CF media castorama fr is content Castorama |||


Video 2-6 Plus IT UK FR DE ES PT not included 8412 8413 9VOLT ALKALINE

Follow us on www.claber.c ... tampa sempre fechada DAY TIME DAY TIME B A6 A B

4 5 B3 A2 1 BLINE RUNNING ALINE OK LOW **8410** AQUADUE DUPLO

EVOLUTION NO B A6 A B 4 5 B3 A2 1 BLINE RUNNING OK ALINE LOW OK ...

lang:es **score:13** filesize: 2.73 M page_count: 2 document date: 2020-09-25



[\[pdf\]](#)

Aquadue Duplo Claber Al pulsar de nuevo el botón ATRÁS OPEN por cada presión se aumenta 5

minutos tiempo riego hasta un máximo 60 Se pulsa la tecla ADELANTE guida aquadue duplo EV ES

claber ut esp tutorial |||


Aquadue Duplo Conecte el programador al grifo. Pg. 1 Guida all'utilizzo 1 DAY TIME

B A6 A B ... E B A6 A B 4 5 B3 A2 1 BLINE RUNNING OK ALINE LOW Para Aquadue

Duplo Evolution cd. : **8410** Abra el mdulo de programacin, presionando los dos

botones laterales, e introduzca una batera a...

lang:es **score:13** filesize: 7.51 M page_count: 7 document date: 2015-01-28



[\[pdf\]](#) Guide

Aquadue Duplo Claber Ouvrez le module de programmation en appuyant sur les 2 touches latérales et

installez une pile alcaline 9 V Dès que la est connectée l'afficheur guida aquadue duplo EV FR claber ut


fra tutorial |||

Aquadue Duplo Branchez le programmeur au robinet. Page 1 Guide d'utilisation 1 DAY TIME B A ... A B 4 5 B3 A2 1 BLINE RUNNING OK ALINE LOW click Pour

Aquadue Duplo Evolution cod. : **8410** Ouvrez le module de programmation en

appuyant sur les 2 touches latérales et installez une pile...

lang:fr **score:13** filesize: 7.47 M page_count: 7 document date: 2014-12-05




[pdf]

guida rain sensor IT claber ut tutorial |||

Rain Sensor Guida all'utilizzo Pag. 1 Installare il Rain Sensor in un luogo esposto alla pioggia e ... 30 60 10 20 30 15 60 5 10 20 30 5 60 5 3 1 2 3 4 5 6 MV C AC AC R Per programmatori cod. : **8410** - 8411 - 8412 - 8413 - 8414 8415 - 8419 - 8483 - 8485 - 8486 8487 - 8488 - 8489 Rain Sensor co...


lang:it score:13 filesize: 740.55 K page_count: 1 document date: 2014-11-03



EC Declaration of Conformity - Claber Aquadue Duplo Evolution

This document is an EC Declaration of Conformity for the Claber Aquadue Duplo Evolution electronic watering timer. It details the product's compliance with EU directives and harmonized technical standards.

lang:it score:13 filesize: 549.58 K page_count: 1 document date: 2022-12-22




[pdf] Instructions Guide

guida rain sensor FR claber ut fra tutorial |||

Rain Sensor Page 1 Installez le Rain Sensor dans un lieu expos la pluie et loin des jets d arrosage ... 10 20 30 15 60 5 10 20 30 5 60 5 3 1 2 3 4 5 6 MV C AC AC R Pour les programmeurs cod. : **8410** - 8411 - 8412 - 8413 - 8414 8415 - 8419 - 8483 - 8485 - 8486 8487 - 8488 - 8489 Rain Sensor co...

lang:fr score:13 filesize: 741.37 K page_count: 1 document date: 2014-11-03



[pdf] User Manual

guida rain sensor ES claber ut esp tutorial |||

Rain Sensor Gua de uso Pg. 1 Instale el Rain Sensor en un lugar expuesto a la lluvia y fuera del a ... 30 60 10 20 30 15 60 5 10 20 30 5 60 5 3 1 2 3 4 5 6 MV C AC AC R Para programadores cd. : **8410** - 8411 - 8412 - 8413 - 8414 8415 - 8419 - 8483 - 8485 - 8486 8487 - 8488 - 8489 Rain Sensor cd...

lang:es score:13 filesize: 741.61 K page_count: 1 document date: 2014-11-03



[pdf] Declaration of Conformity

Dichiarazione CE di Conformità Claber Feb 1 2019 · Codice del Prodotto Nome 8410 Aquadue Duplo Evolution ► Categoria Programmatore automatico a due vie Descrizione ITA dcddc20190201 claber files EC declaration conformity |||


lang:es score:11 filesize: 582.54 K page_count: 1 document date: 2022-12-22



[pdf]

Automatically generated by Pagination 25 50€ 26 90€ 169 00€ 33 52 110 58 3x4 m 79850 20 €7 00 3x5 €8 90 4x4 28 €9 50 4x5 GAZEBO VIGOR MOD DEKOR struttura acciaio verniciato con angoli decorati c3518afc fcd0 4261 8e24 f0c51179df45 response content disposition attachment filename* UTF 8 Rbm grafica MACCHINE% view publitbas 34682 1525181 s MACCHINE OUTDOOR 2025 PUBBLICO ||| SE IL PRESENTE GIORNALINO FOSSE ESPOSTO AL PUBBLICO, DEVE ESSERE REGOLARIZZATO AGLI EFFETTI DI ... ogni linea apri/chiedi manuale 1-23 h 78200-06 41,90 COMPUTER CLABER DIGITALI AQUA-DUE DUPLO ART. **8410** automatico a 2 vie 3 irrigazioni al giorno per linea temporizzazione 1 min/24 h collegabile a r...

lang:it score:10 filesize: 32.49 M page_count: 56 document date: 2025-01-22



[Billboard International Buyer's Guide 1972-73: Music, Records, Tape](#)

A comprehensive guide to the music industry, including record manufacturers, music publishers, tape wholesalers, and services for the music-record-tape industry.

Features data on record and tape sales, historical notes on the music industry, and listings of international music-record sections.

lang:en score:10 filesize: 41.66 M page_count: 392 document date: 2016-10-21