

MITSUBISHI EX240U

Mitsubishi EX240U XGA DLP Projector User Manual

1. INTRODUCTION

This manual provides essential instructions for the safe and efficient operation of your Mitsubishi EX240U XGA DLP 2500LM Projector. The EX240U offers high-quality performance with features such as HDMI input, Crestron RoomView support, and 3D-ready capabilities. It is designed for various applications, including higher education and corporate environments, delivering clear images with a native resolution of 1024 x 768 and a maximum resolution of 1600 x 1200.

2. SAFETY INFORMATION

Please read all safety instructions before operating the projector to prevent injury or damage to the unit.

- Do not block ventilation openings. Ensure adequate space around the projector for proper airflow.
- Do not look directly into the projector lens when the lamp is on, as the bright light can cause eye damage.
- Avoid placing the projector in unstable locations or on surfaces that are prone to vibration.
- Disconnect the power cord from the outlet before cleaning or when the unit is not in use for an extended period.
- Refer all servicing to qualified service personnel.

3. PRODUCT OVERVIEW

3.1 Front View



This image displays the front of the Mitsubishi EX240U projector. Key components visible include the projection lens, zoom and focus rings, and the control panel with indicator lights (POWER, TEMP, LAMP). The model number 'EX240U' is clearly marked on the front panel.

3.2 Rear Panel and Connections



The rear panel of the EX240U projector features various input and output ports for connectivity. These include two COMPUTER (VGA) inputs, a MONITOR OUT port, an HDMI input for digital connections, a SERIAL port, and a LAN port for network control. Audio input and output jacks, S-VIDEO, and VIDEO inputs are also present, along with the AC-INLET for power connection.

4. SETUP

4.1 Placement

Position the projector on a stable, flat surface or mount it securely. Ensure the projector is within the optimal projection distance for your screen size. Maintain adequate ventilation space around the unit.

4.2 Power Connection

1. Connect the power cord to the AC-INLET on the rear of the projector.
2. Plug the other end of the power cord into a grounded electrical outlet.

4.3 Connecting Input Sources

- **HDMI:** For digital video and audio, connect an HDMI cable from your source device (e.g., laptop, Blu-ray player) to the HDMI input on the projector.
- **VGA (COMPUTER-1/COMPUTER-2):** For analog video, connect a VGA cable from your computer to either the COMPUTER-1 or COMPUTER-2 input.

- **Video/S-Video:** For standard definition video sources, use the VIDEO or S-VIDEO input.
- **Audio:** Connect audio cables to the AUDIO IN jacks corresponding to your selected video input, or use the HDMI connection for integrated audio.

5. OPERATION

5.1 Powering On/Off

- **To Power On:** Press the Power button on the projector's control panel or remote control. The POWER indicator light will illuminate.
- **To Power Off:** Press the Power button twice. The projector will enter a cooling down cycle before completely shutting off. Do not unplug the projector during the cooling cycle.

5.2 Adjusting Image

- **Focus:** Rotate the focus ring on the lens until the image appears sharp and clear.
- **Zoom:** Rotate the zoom ring on the lens to adjust the size of the projected image.

5.3 Input Source Selection

Use the 'Input' or 'Source' button on the projector's control panel or remote control to cycle through available input sources (HDMI, COMPUTER-1, COMPUTER-2, Video, S-Video).

5.4 3D Functionality

The EX240U is 3D-ready. To utilize 3D functionality, the 3D video content must be in field sequential format. A high-end graphic card and special electronic shutter glasses are required for 3D viewing.

5.5 Audio Output

The projector includes an onboard speaker. For enhanced audio, connect external speakers to the AUDIO OUT port on the rear panel.

6. MAINTENANCE

6.1 Cleaning the Projector

- Use a soft, lint-free cloth to gently wipe the exterior of the projector.
- For the lens, use a specialized lens cleaning cloth and solution. Avoid abrasive materials.
- Regularly check and clean the ventilation vents to prevent dust buildup, which can affect performance and lead to blurriness over time.

6.2 Lamp Replacement

The projector lamp has a limited lifespan. When the LAMP indicator light illuminates or the image brightness significantly decreases, the lamp may need replacement. Refer to the full service manual for detailed lamp replacement procedures or contact qualified service personnel.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
No image projected	Power not connected; Input source not selected; Lens cap on	Check power connection; Select correct input source; Remove lens cap
Image is blurry	Focus not adjusted; Projector too far/close	Adjust focus ring; Adjust projector distance or zoom
No audio	Volume muted; Audio cable not connected; Incorrect audio input selected	Unmute volume; Connect audio cable correctly; Select correct audio input
Projector overheats	Blocked ventilation; Dirty filter (if applicable)	Ensure clear vents; Clean vents/filter

8. SPECIFICATIONS

- **Model:** EX240U
- **Brightness:** 2500 ANSI Lumens
- **Native Resolution:** 1024 x 768 (XGA)
- **Maximum Resolution:** 1600 x 1200
- **Display Technology:** DLP
- **Connectivity:** HDMI, VGA (x2), Serial, LAN, Video, S-Video, Audio In/Out
- **Special Features:** 3D-Ready, Built-in Speakers, Crestron RoomView support
- **Product Dimensions:** 9.02 x 11.1 x 3.7 inches
- **Item Weight:** 5.29 pounds

9. WARRANTY AND SUPPORT




9.1 Warranty Information

The Mitsubishi EX240U Projector is provided with a 1-year replacement warranty. Please retain your proof of purchase for warranty claims.

9.2 Customer Support

For further assistance, technical support, or service inquiries, please refer to the official Mitsubishi Projectors website or contact their customer service department. Contact information can typically be found on the manufacturer's website or in the original product packaging.

Related Documents - EX240U

 Mitsubishi LCD Projector User Manual X300	Mitsubishi LVP-X300U LCD Projector User Manual Comprehensive user manual for the Mitsubishi LVP-X300U LCD projector, covering setup, operation, maintenance, troubleshooting, and specifications.
 Mitsubishi LCD Projector User Manual S50	Mitsubishi LVP-S50U LCD Projector User Manual Comprehensive user manual for the Mitsubishi LVP-S50U LCD projector, covering installation, operation, maintenance, troubleshooting, and specifications.
 Mitsubishi MT160, MT160D, MT180, MT180D Tractor Instruction Manual	Mitsubishi MT160, MT160D, MT180, MT180D Tractor Instruction Manual Comprehensive instruction manual for Mitsubishi tractors, covering operation, lubrication, maintenance, safety precautions, specifications, and wiring diagrams for models MT160, MT160D, MT180, and MT180D.
 Mitsubishi LCD Projector User Manual X70B	Mitsubishi LVP-X70BU LCD Projector User Manual Comprehensive user manual for the Mitsubishi LVP-X70BU LCD projector, covering installation, operation, maintenance, and troubleshooting.
 Mitsubishi Unisen LCD HDTV Owner's Guide - Models 151, 153, 249 Series	Mitsubishi Unisen LCD HDTV Owner's Guide - Models 151, 153, 249 Series Comprehensive owner's guide for Mitsubishi Unisen LCD HDTVs (151, 153, 249 Series). Covers setup, operation, features like 1080p HD, Smooth120Hz, Sound Projector, Home-Theater Control (HDMI, NetCommand), VUDU streaming (249 Series), and troubleshooting. Includes safety information and contact details.
 Mitsubishi Unisen LCD HDTV Owner's Guide: Setup and Features	Mitsubishi Unisen LCD HDTV Owner's Guide: Setup and Features Comprehensive owner's guide for Mitsubishi Unisen LCD HDTV models 151, 153, and 249 series. Learn about setup, features like 1080p HD, Smooth120Hz, HDMI, NetCommand, Sound Projector, and troubleshooting.




[\[pdf\]](#) User Manual Specifications

Provided by ManualsAndMore Download User Manual Mitsubishi Electric EX240U Specification manualsandmore |||

MULTIMEDIA DATA/VIDEO PROJECTORS For Classrooms Feature Packed, Budget Friendly NEW Mobile XGA Projector **EX240U** For Boardrooms XGA 1024x768 2500 LUMENS 2000:1 CONTRAST RATIO 4000hr Estimated Lamp Life* 29dBA Noise Level* *low mode 5.3lbs Ultra Portable A New Definition of Value Maximize your bud...

lang:en score:43 filesize: 375.54 K page_count: 2 document date: 2019-07-23




[\[pdf\]](#) User Manual Instructions

DLP™ PROJECTOR EX240U EW270U MITSUBISHI Manual do not attempt to service this product by yourself Please contact your dealer when you want fix adjust or inspect the projector Do not modify It can lead fire electric shock keep using damaged If it is dropped and cabinet unplug pro manual 5587 ew270u user manual ex240u mitsubishi projectorcentral mitsubishielectric bu projectors projectisle au Images Products 24143 25224

ENGLISH DLPTM PROJECTOR MODEL **EX240U/EW270U** User Manual

EX240U/EW270U This User Manual is important to you. Please read it before using your projector. CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER OR BACK NO USER-SERVICEABLE PARTS...

lang:en score:36 filesize: 3.19 M page_count: 59 document date: 2010-04-09



[\[pdf\]](#) User Manual Instructions

DLP™ PROJECTOR EX240U EW270U MITSUBISHI EN 2 The lightning flash with arrowhead symbol within an equilateral triangle is intended to alert the user presence of unusually dangerous voltage products enclosure that may be sufficient magnitude constitute a risk electric Mitsubishi User Manual files vivid illumination projector manual |||

ENGLISH DLPTM PROJECTOR MODEL **EX240U/EW270U** User Manual

EX240U/EW270U This User Manual is important to you. Please read it before using your projector. <http://www.pureglare.com.au> CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER OR BACK...

lang:en score:35 filesize: 3.52 M page_count: 59 document date: 2014-08-20



[pdf]

EX240U 1 ai bag1966 projector spec 5587 mitsubishi ex240u projectorcentral projectorreviews 2011 04 MULTIMEDIA DATA/VIDEO PROJECTORS For Classrooms Feature Packed, Budget Friendly NEW Mobile XGA Projector **EX240U** For Boardrooms XGA 1024x768 2500 LUMENS 2000:1 CONTRAST RATIO 4000hr Estimated Lamp Life* 29dBA Noise Level* *low mode 5.3lbs Ultra Portable A New Definition of Value Maximize your bud...

lang:en score:34 filesize: 374.73 K page_count: 2 document date: 2010-05-04



[pdf] Borchure

Download Brochure mitsubishi EX240U Projector Expert Advice Exclusive Offers ex240u brochure projectorpoint co uk pub media pp products projectors |||

EX240U Stylish, compact design, packed with functionality...ideal for education Light compact A light 2.4kg, 2500lm brightness The **EX240U** weighs in at 2.4kg for excellent portability, and offers an impressive projection brightness of 2500lm. Whether used in a meeting room or classroom, clear ima...

lang:en score:31 filesize: 395.04 K page_count: 2 document date: 2010-05-26




[pdf] User Manual Warranty

Provided by ManualsAndMore Download User Manual Mitsubishi Electric WD385U EST Reference WD385UEST manualsandmore |||

WHY MITSUBISHI IS THE BEST CHOICE At Mitsubishi, making a projector that impresses a presenter is o ... ent Assistance, 1-Year or 500 hours lamp warranty whichever comes first SVGA XGA WXGA ES200U **EX240U** EW270U DLP 0.55 DLP 0.55 DLP 0.65 2500lm 2500lm 2600lm 800 x 600 1024 x 768 1280 x 8...

lang:en score:29 filesize: 1.74 M page_count: 2 document date: 2019-07-23



[pdf] Declaration of Conformity

EX240U A4 cover goroshko Broshyura Mitsubishi hainet ru upload file doc uncat 7 Брошюра 1 12 Мб

Проектор онлайн маркет электроники HAINET |||
 , XGA- **EX240U** 1 2,4 , 2500 ANSI **EX240U** 2,4 2500 ANSI . , . 1000 ANSI 2500 ANSI
 3 2 **EX240U** RJ-45 . , Crestron RoomViewTM/e-ControlTM 250, , . Round up in the
 schoolyard Round up in the schoolyard Ro...

lang:en score:29 filesize: 1.12 M page_count: 2 document date: 2011-04-15

[pdf] Borchure

untitled brochure ex240u Mitsubishi EX240U Brochure mitsubishielectric 80 bu projectors projectisle au
 Images Products 25224

MULTIMEDIA DATA/VIDEO PROJECTORS For Education Stylish, Ergonomic
 Design... Loaded with cutting-edge functionality NEW Mobile XGA Projector **EX240U**
 For Business 1 A light 2.4kg, 2500lm brightness The **EX240U** weighs in at a light
 2.4kg for excellent portability, and offers an impressive projection b...


lang:en score:29 filesize: 744.8 K page_count: 2 document date: 2010-03-23

[pdf] Declaration of Conformity

MEU is a platinum sponsor of ISR 2007 MDE Case Study Template Mitsubishi Display Engineering
 stevec@tigauk Steve Chatman Michael Nevzorov Press reliz EX240U hainet ru upload file doc uncat 7

EX200U Пресс релиз 0 18 Мб Проектор онлайн маркет электроники HAINET |||
 - , MITSUBISHI ELECTRIC EX200U **EX240U**, . . Mitsubishi Electric Europe , , . 2300
 2500 . Mitsubishi EX200U **EX240U** . DLP Texas Instruments Brilliant Color. , , , , , , , , .
 2, 6 2, 9 ,

lang:en score:28 filesize: 185.48 K page_count: 3 document date: 2010-06-21



[\[pdf\]](#) User Manual

MitsubishiElectric Heimkinoberater 0 cauth Der HEIMKINO Ratgeber ohne grobi tv seiten file |||

Foto: heimkinomarkt.de Der HEIMKINO-Ratgeber Warum Heimkino erst bei 100 Zoll beginnt MY HOME IS MY ... chters zu einem einzelnen dreidimensionalen Bild zusammengefügt. 3D-ready vs. Full-HD-3D Die Beamer **EX240U** und im EW270U tragen das 3D-ready-Logo. Im Gegensatz zu Full-HD-3D knnen diese Gerte 3D-Signa...

lang:de **score:15** filesize: 491.49 K page_count: 7 document date: 2011-09-26

[\[pdf\]](#)

MITSUBISHI ELECTRIC Projectors sakata imac mitsubishielectric 80 bu projectors technology

Function Summary UD8400U/LU UD8350U/LU WD8200U/LU XD8100U/LU XD8000U/LU FL7000U/LU FL6900U WL6700U ... - - - FD630U WD620U XD600U XD590U EX320U EW330U ES200U EX200U **EX240U** EW270U EW230U-ST XD280U XD221U XD250U XD221U-ST XD250U-ST - - - -...

lang:en **score:15** filesize: 84.08 K page_count: 1 document date: 2011-01-21

[\[pdf\]](#) Accessories Borchure

Accessories Order Form 88 Mitsubishi Digital Electronics America MDEA User Projector and Optional

Cross Reference Table Jul 19 2010 · XD280U VLT XD280LP \$299 DKT1 ATAC \$379 DKT2 SRCC \$179

XD250REM \$39 BT PK10R Brochure1 files d tools Visualizations Approved Documents |||

www.mitsubishi-presentations.com Installation Projector Model Number XD8100U

WD8200U XL6600U XL6500 ... 0U XD280U Replacement Lamp VLT-XD600LP 349

VLT-XD280LP 299 XD250U-ST VLT-XD280LP 299 EX200U **EX240U** VLT-EX240LP

199 EW270U EW230U-ST VLT-EX240LP 199 XD221U VLT-XD221LP 199 XD221U-

ST ...

lang:en **score:14** filesize: 115.24 K page_count: 6 document date: 2010-07-19



[pdf]

videoprojetores mitsubishi DLP™ Brilliant Color 3D Ready XGA 1024 x 768p 2500 ANSI Lumens 3000 1 0 4 Correção Digital Keystone HDMI LAN RJ45 Coluna 10W tp vp mitsubishiav e62013


1408047639519f35fa00098 esistemas pt fotos familias |||

LASER - LED JUNHO 2013 VDEOPROJETORES MITSUBISHI NW30U REF:

MITSU-NW30U LAMP-FREE Laser LED 20. ... VLTXL7100LP JUNHO 2013

VDEOPROJETORES MITSUBISHI LMPADAS *Lmpada para Projector ES200U / EX200U / **EX240U** / EW270U / EW230U-ST *Lmpada para Projector EX320U / EX320U-ST / EX321U / EW330U / EW331U-ST ...

lang:es score:14 filesize: 2.18 M page_count: 10 document date: 2013-05-24



[pdf] User Manual Declaration of Conformity

Microsoft Word EW270U RS232 UM DOC Kelly Tsai Kody rs232c dlya Mitsubishi ES200U na angl yazyke hainet ru upload file doc uncat 7 |||

EW270U/EW230U-ST/**EX240U**/ES200U Controlling the projector using a personal computer 1. Connection: Below shows the illustration of connection between PC and Projector. CAUTION Make sure that your computer and projector are turned off before connection. Power on the computer first, and then plug ...


lang:en score:12 filesize: 120.13 K page_count: 7 document date: 2011-08-26



[Lieske industryelectronics Preisliste 2022](#)

Aktuelle Preisliste von Lieske industryelectronics für Monitore, Projektoren und Zubehör. Finden Sie eine breite Auswahl an Marken und Modellen mit detaillierten Spezifikationen und Preisen.

lang:it score:12 filesize: 13.84 M page_count: 2651 document date: 2022-08-17



[pdf] Declaration of Conformity

Projector Line Up Card 2011 goroshko Katalog proektorov Mitsubishi hainet ru 80 upload file doc uncat 7 na russkom yazyke Каталог проекторов 0 79 М6 Проектор XD250U ST онлайн маркет электроники HAINET на русском языке XD360U EST |||

/ 2011 copyright Istockphoto SVGA / XGA XGA XGA - XGA XGA XGA - -- Wi-Fi ... 2000:1 / 1250:1 DMD 0.55 29 dBA* 20 V 31 92 48 85 f=21,123,0 1,9 2,1 2 RCA x1, S-Video x1 **EX240U** / EX320U 1024 x 768 XGA 4:3 16:9 2500 / 3000 2,4 / 2,5 2000:1 DMD 0.55 29 dBA* 20 V ...

lang:it score:12 filesize: 808.1 K page_count: 6 document date: 2011-12-05




[pdf] Catalog

catalogo videoproyectores listas imaginart es catalogos Ver Pdf Catálogo Videoproyectores 1 20 MB

IMAGINART Proyectores Multimedia |||

Videoproyectores Claves de un videoprojector 1. La resolucin real del proyector. La resolucin es e ... 30 Videoproyectores mitsubishi Modelo: ES200U, EX200U Modelo: XD221U-ST Modelo: FD630U Modelo: **EX240U**, EW270U, EX320U, EW330U Modelo: XD600U, WD620U Modelo Tecnologa Resolucin Nativa Luminos... lang:es score:11 filesize: 1.31 M page_count: 9 document date: 2011-10-07




[pdf]

1205 EPSON ab2018610 2134103628 lingonet tw |||

* . - dd df Dukane ImagePro 8104 ImagePro 8107 ImagePro 8112 ImagePro 8755 Im ... 400 PH300W 300 PH550 550 PW800 800 Mimio mimioProjector 2800 Miroir M300A 400 Mitsubishi **EX240U** HC1500 HC4000 2500 1600 1300 HC7800D Mitsubishi 1500 HD4000U 2000 WD380U-EST 2800 XD21... lang:sw score:11 filesize: 5.92 M page_count: 2 document date: 2017-12-06

[pdf]



Display Solutions Sahara Presentation SystemsMitsubishi has further enhanced its 55 LCD and slim bezel 42 52 65 displays with optional touch technology making meetings lessons interactive and mitsi line up cardtools clevertouch UploadedDownloads mitsi card ||| Display Solutions Projectors LCD Monitors September December 2011 copyright Istockphoto Brighter d ... re subject to change without notice E O.E. *Education warranty must be registered within 30 days **EX240U** 1024x768 XGA 4:3 2500 2.4kg 2000:1 DMD 0.55 29dBA Vertical 20/-20 31-99 48-120 Manual f=2... lang:en score:9 filesize: 2.2 M page_count: 12 document date: 2011-09-09