

Moen 5995

Moen Arbor Chrome One-Handle High Arc Pulldown Single Mount Bar Faucet with Reflex, Model 5995 User Manual

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your Moen Arbor Chrome One-Handle High Arc Pulldown Single Mount Bar Faucet with Reflex, Model 5995.

INTRODUCTION

Thank you for choosing the Moen Arbor Chrome One-Handle High Arc Pulldown Single Mount Bar Faucet with Reflex, Model 5995. This faucet is designed for dependable, long-term performance and features a sleek profile suitable for any kitchen or prep area. Its high arc design provides ample clearance, and the pulldown spray head offers versatile functionality for various kitchen tasks.





Image: The Moen Arbor Chrome One-Handle High Arc Pulldown Single Mount Bar Faucet, showcasing its elegant design.

SETUP AND INSTALLATION

The Moen Arbor Faucet is designed for straightforward installation, featuring the Duralock Quick Connect system for efficiency.

Key Installation Features:

- **Duralock Quick Connect System:** This innovative system allows water lines to be connected with a snap, eliminating the need for additional tools and ensuring a secure connection. An audible, visual, and tactile confirmation verifies proper installation.
- **Mounting:** Designed for single-hole installation. An optional escutcheon (SKU 141002) is available separately for multi-hole sinks.

Before You Begin:

- Ensure all necessary components are present as listed in the packaging.
- Refer to the detailed installation instructions included in the box for step-by-step guidance.




Image: Technical drawing showing the dimensions of the Moen Arbor Faucet, including spout height (14.38 inches) and reach (6.56 inches), maximum deck thickness (2.5 inches), and connection size (3/8 inch).



reflex

Wand retracts automatically and docks securely every time.

Image: Close-up of the Moen Arbor Faucet's pull-down spray head, highlighting the Reflex system's smooth retraction and secure docking.

OPERATING INSTRUCTIONS

Your Moen Arbor Faucet offers intuitive control and versatile spray options for various kitchen tasks.

Handle Operation:

- The single handle controls both water flow and temperature.
- The handle has a 100-degree arc of travel to adjust temperature from cold to hot.
- The 360-degree rotating spout allows for flexible handle placement on either side of the faucet.

Pulldown Spray Head:

- The spray head extends and retracts smoothly, thanks to the Reflex system, ensuring easy movement and secure docking after use.
- It features a 68-inch braided hose for extended reach.

Spray Modes:

- **Aerated Stream:** Provides a steady, aerated flow for everyday tasks.
- **Powerful Cleaning Rinse:** Delivers a strong spray for effective cleaning.
- **Power Clean Spray Technology:** Offers 50 percent more spray power compared to standard pulldown and pullout faucets, enhancing cleaning efficiency.



Image: The Moen Arbor Faucet in a kitchen setting, demonstrating the water flow from the high arc spout.

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your Moen Arbor Faucet.

Cleaning the Faucet Finish:

- The chrome finish is designed to be highly reflective and easy to clean. Use a soft cloth and mild soap. Avoid abrasive cleaners or harsh chemicals that can damage the finish.

Cleaning the Spray Head:

- If hard water buildup occurs on the spray head nozzles, gently rub the soft rubber nozzles with a cloth or sponge to dislodge mineral deposits. This will restore optimal spray performance.

TROUBLESHOOTING

This section addresses common issues you might encounter with your faucet.

- **Reduced Water Flow:** If you experience reduced water flow, check the spray head for mineral buildup. Refer to the "Cleaning the Spray Head" section under Maintenance for instructions.
- **Leaking:** Ensure all connections made during installation are secure. The Duralock system provides tactile and audible confirmation for proper sealing. If leaks persist, consult a qualified plumber.
- **Spray Head Not Retracting Properly:** The Reflex system is designed for smooth retraction. Ensure the hose under the sink is not obstructed or tangled, which could impede its movement.

For more complex issues, please refer to the comprehensive troubleshooting guide in your product's original installation manual or contact Moen customer support.

SPECIFICATIONS

| Feature | Detail |
|-------------------|---|
| Brand | Moen |
| Model Name | Arbor |
| Model Number | 5995 |
| Finish Type | Chrome |
| Material | Brass |
| Mounting Type | Deck Mount |
| Number of Handles | 1 |
| Hole Count | 1 |
| Maximum Flow Rate | 1.5 Gallons Per Minute |
| Spout Height | 14.38 Inches |
| Spout Reach | 6.56 Inches |
| Item Weight | 6.2 Pounds |
| Special Features | Easy to Install, Power Clean, Reflex System |
| ADA Compliant | Yes |




WARRANTY INFORMATION




The Moen Arbor Faucet is backed by Moen's Limited Lifetime Warranty, ensuring quality and durability. This warranty covers leaks, drips, and finish defects, providing peace of mind for the lifetime of the product. For full details regarding the warranty, please refer to the documentation included with your product or visit the official Moen website.

CUSTOMER SUPPORT

For further assistance, technical support, or to inquire about replacement parts, please contact Moen customer service. Contact information can typically be found on the Moen website or in your product's packaging. You can also visit the official [Moen Store on Amazon](#) for more product information and resources.

Related Documents - 5995

| | |
|---|--|
|  | <p>Moen Georgene MotionSense Wave Single-Handle High Arc Pulldown Kitchen Faucet Specifications</p> <p>Detailed specifications for the Moen Georgene MotionSense Wave Single-Handle High Arc Pulldown Kitchen Faucet (Model Series 87912EW), covering features, operation, flow rate, dimensions, standards, and warranty.</p> |
|  | <p>Moen Fieldstone 87808SRS Single Handle Pull-Down Kitchen Faucet Specifications</p> <p>Detailed specifications for the Moen Fieldstone 87808SRS Single Handle High Arc Pull Down Kitchen Faucet, including features, operation, flow rate, standards, warranty, and critical dimensions.</p> |
|  | <p>MOEN Smyth™ Single-Handle High Arc Pulldown Kitchen Faucet 7770 Series Illustrated Parts</p> <p>Detailed illustrated parts list for the MOEN Smyth™ Single-Handle High Arc Pulldown Kitchen Faucet, 7770 Series. Find part numbers and finishes for your faucet.</p> |

| | |
|---|---|
|  <p>MOEN ILLUSTRATED PARTS</p> <p>Inara™ Single-Handle High Arc Pulldown Kitchen Faucet Model 87463</p> <p>ORDER BY PART NUMBER</p> <p>1</p> | <p>Moen Inara Series 87463 Illustrated Parts List</p> <p>Detailed illustrated parts list for the Moen Inara Series 87463 Single-Handle High Arc Pulldown Kitchen Faucet, including part numbers, finishes, and descriptions.</p> |
|  <p>MOEN</p> <p>SINGLE HANDLE PULLDOWN KITCHEN FAUCET BECILADORIA MONOMANEDERA EXTENSIBLE PARA COCINA BIBOINET DE CUCINE A MEC EXTENSIBLE ET POUVOIR VERROQUE</p> <p>1</p> | <p>Moen Single Handle Pulldown Kitchen Faucet Installation Guide (INS10105D)</p> <p>Official installation guide and product information for the Moen Single Handle Pulldown Kitchen Faucet, model INS10105D. Features multilingual support, step-by-step assembly instructions, parts lists, and troubleshooting tips.</p> |
|  <p>MOEN</p> <p>Illustrated Parts Haelyn™ Single-Handle High Arc Pulldown Kitchen Faucet Model 87627</p> <p>1</p> | <p>Moen Haelyn™ Single-Handle High Arc Pulldown Kitchen Faucet Illustrated Parts</p> <p>Detailed illustrated parts list for the Moen Haelyn™ Single-Handle High Arc Pulldown Kitchen Faucet (Models 87627, 87627SRS, 87627BL), including part descriptions, kit numbers, and finishes. This document provides a breakdown of components for ordering replacement parts.</p> |