

Geberit 151.551.IB.1

Geberit G151551IB1 TurnControl Overflow Drain Trim Kit Instruction Manual

Model: 151.551.IB.1 | Brand: Geberit

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of the Geberit TurnControl Overflow Drain Trim Kit, model 151.551.IB.1. This kit is designed to add decorative trim to Geberit concealed bath waste and overflow drains. It is compatible with both Traditional TurnControl and Euro TurnControl style Geberit drains. Please note, this trim kit is not suitable for PushControl style drains.

2. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- TurnControl Overflow Drain Trim Kit with Metal Handle (Polished Nickel Silver)
- Associated fasteners and seals (if applicable, generally included with trim kits)

Note: The main concealed bath waste and overflow drain assembly is sold separately and is required for full functionality. This kit provides the visible trim components.

3. SAFETY INFORMATION

Please read and understand all instructions before installation. If you are unsure about any part of the installation process, consult a qualified plumber. Always turn off the water supply before performing any plumbing work. Wear appropriate personal protective equipment, such as safety glasses, during installation.

4. SETUP AND INSTALLATION

This trim kit is designed for use with Geberit concealed bath waste and overflow drains. It fits 2-inch (53 mm) diameter drain hole openings and 2 to 2.5-inch diameter overflow hole openings.

1. **Prepare the Drain Assembly:** Ensure the Geberit concealed bath waste and overflow drain

assembly is already installed according to its specific instructions.

2. **Identify Components:** Unpack the trim kit and identify the metal handle, overflow cover, and drain stopper.
3. **Install Overflow Trim:**
 - Align the overflow cover with the overflow opening on the bathtub.
 - Secure the overflow cover using the provided screws or mounting mechanism. Ensure it is flush and securely attached.
4. **Install Drain Stopper:**
 - Insert the drain stopper into the drain opening.
 - Connect the stopper to the internal linkage of the concealed drain assembly. Refer to the main drain assembly manual for specific linkage connection details.
5. **Attach Metal Handle:**
 - Attach the metal handle to the operating shaft extending from the overflow assembly.
 - Ensure the handle is oriented correctly for proper operation (turning to open/close the drain).
 - Secure the handle with any provided set screws or retaining clips.
6. **Test Functionality:** Fill the tub with water and test the operation of the TurnControl handle to ensure the drain stopper opens and closes properly and that there are no leaks.



Figure 1: Geberit TurnControl Overflow Drain Trim Kit with Metal Handle in Polished Nickel Silver. This image shows the complete trim kit, including the metal handle and drain stopper, ready for installation onto a compatible Geberit concealed bath waste and overflow drain.

5. OPERATING INSTRUCTIONS

The Geberit TurnControl system allows for easy opening and closing of the bathtub drain.

- **To Close the Drain:** Rotate the metal handle in one direction (typically clockwise) until the drain stopper is fully seated, sealing the drain.
- **To Open the Drain:** Rotate the metal handle in the opposite direction (typically counter-clockwise) until the drain stopper lifts, allowing water to drain.

The handle provides a smooth and precise control over the drain mechanism.

6. MAINTENANCE

To maintain the finish and functionality of your Geberit TurnControl Overflow Drain Trim Kit:

- **Cleaning:** Clean the trim kit regularly with a soft cloth and mild, non-abrasive cleaner. Avoid harsh chemicals, abrasive pads, or polishes that can damage the polished nickel finish.

- **Inspection:** Periodically check the handle and overflow cover for any signs of wear or looseness. Tighten any loose components as needed.
- **Drain Stopper:** If the drain stopper becomes stiff or difficult to operate, check for debris in the drain opening or consult the main drain assembly manual for lubrication or adjustment instructions.

7. TROUBLESHOOTING

- **Drain Not Sealing:**
 - Ensure the handle is fully rotated to the closed position.
 - Check for any debris obstructing the drain stopper's seal.
 - Verify the drain stopper is correctly connected to the internal linkage.
- **Handle is Loose or Stiff:**
 - Check the set screw or retaining clip securing the handle to the shaft and tighten if necessary.
 - If stiff, the internal mechanism of the main drain assembly may require lubrication or adjustment. Refer to the main drain assembly manual.
- **Leaks Around Overflow:**
 - Ensure the overflow cover is securely fastened and that the gasket (if applicable) is properly seated.
 - Leaks from the overflow typically indicate an issue with the main drain assembly's overflow connection, not the trim kit itself.

8. SPECIFICATIONS

Model Number:	151.551.IB.1
Brand:	Geberit
Material:	Brass (Handle Material: Metal)
Color:	Silver (Polished Nickel)
Exterior Finish:	Metal, Polished
Compatible Drain Hole Opening:	2 inches (53 mm) diameter
Compatible Overflow Hole Opening:	2 to 2.5 inches diameter
Item Weight:	1 pound (approximately 16 ounces)
Product Dimensions:	0.03 x 3.25 x 4.37 inches
UPC:	020535453102

9. WARRANTY INFORMATION

Geberit Bath Waste and Overflow products are warranted against defects in material and workmanship for the life of the Products. For Products used in residential applications, the finish of the Product is warranted against material manufacturing defects for a period of five years from the date of Product purchase. Please retain your proof of purchase for warranty claims.

10. SUPPORT

For technical assistance, replacement parts, or further information, please visit the official Geberit website or contact Geberit customer service. Contact details can typically be found on the Geberit corporate website.

Website: www.geberit.com