

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [SOLO](#) /

› Solo 405-HE 32-Ounce Adaptable Hose-End Sprayer User Manual

SOLO 10650

Solo 405-HE 32-Ounce Adaptable Hose-End Sprayer User Manual

Model: 10650 | Brand: SOLO

PRODUCT OVERVIEW

The Solo 405-HE 32-Ounce Adaptable Hose-End Sprayer is designed for efficient application of various liquids such as pesticides, fertilizers, and other chemicals in your garden or lawn. Its adaptable design allows it to fit most popular brand bottles, eliminating the need for measuring, pouring, or mixing. The quick-to-connect hose coupler ensures ease of use and a secure attachment to your garden hose.



Image: The Solo 405-HE 32-Ounce Adaptable Hose-End Sprayer, featuring a white reservoir, black handle, and red accents, ready for use.

SETUP INSTRUCTIONS

- 1. Prepare the Solution:** The Solo 405-HE sprayer is designed to adapt to most popular pesticide and fertilizer bottles. You can directly attach the sprayer head to a compatible bottle, or use the included 32-ounce canister as a container if desired. Ensure the solution is ready for application according to its specific instructions.



Image: A hand attaching the sprayer head, which includes the handle and nozzle, onto the neck of a blue liquid bottle, demonstrating the adaptable fit.

2. **Connect to Hose:** Attach the quick-to-connect hose coupler of the sprayer to your standard garden hose. Ensure a secure connection to prevent leaks during operation.



Image: Two gloved hands connecting the black and red quick-connect fitting of the sprayer to a brass garden hose fitting, ensuring a tight seal.

3. **Adjust Settings (if applicable):** Some solutions may require specific dilution rates. If your sprayer model has an adjustable dial, set it according to the product's instructions. The Solo 405-HE is designed for direct application without pre-mixing.

OPERATING INSTRUCTIONS

1. **Turn on Water:** Once the sprayer is securely attached to the hose and the solution bottle, slowly turn on the water supply from your spigot. Check for any leaks at the connections.
2. **Engage Sprayer:** Hold the sprayer firmly by the handle. Squeeze the trigger to begin spraying the solution. The sprayer is designed for comfortable one-handed operation.



Image: A gloved hand gripping the black handle of the sprayer, with the index finger positioned to squeeze the red trigger for operation.

3. **Adjust Spray Pattern:** The nozzle of the Solo 405-HE allows for different spray patterns to suit various application needs. Rotate the red nozzle head to select between a fine mist, a solid stream, or a fan spray. This allows for precise application on different plant types or areas.



Image: An illustration showing three different spray patterns emanating from the sprayer nozzle: a fine mist, a solid stream, and a wide fan spray, indicating adjustable output.



Image: A gloved hand rotating the red dial located at the base of the sprayer handle, which controls the spray settings or dilution rates.

4. **Application:** Direct the spray towards the target area, maintaining an appropriate distance for even coverage. Move steadily to ensure consistent application.
5. **Finish Spraying:** Release the trigger to stop the spray. Turn off the water supply at the spigot before disconnecting the sprayer.

MAINTENANCE

- **Cleaning:** After each use, especially when using chemicals, thoroughly rinse the sprayer and its components with clean water. Run clean water through the sprayer by attaching it to the hose and spraying until all chemical residue is flushed out. This prevents clogging and extends the life of the sprayer.
- **Storage:** Store the sprayer in a cool, dry place, away from direct sunlight and extreme temperatures. Ensure all liquid is drained from the reservoir and hose before storage.
- **Inspection:** Periodically inspect the hose connections, nozzle, and trigger for any signs of wear, cracks, or damage. Replace any worn or damaged parts to ensure optimal performance and safety.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Sprayer leaks at hose connection.	Loose connection, worn washer, damaged fitting.	Ensure hose is tightly connected. Check and replace rubber washer if worn. Inspect fitting for cracks and replace if damaged.
No spray or weak spray.	Clogged nozzle, insufficient water pressure, empty solution bottle.	Clean the nozzle thoroughly. Ensure adequate water pressure from the hose. Refill the solution bottle.
Sprayer head detaches from bottle.	Improper attachment, incompatible bottle, damaged threads.	Ensure the sprayer head is securely threaded onto the bottle. Verify bottle compatibility. If threads are damaged, the unit may need replacement.

SPECIFICATIONS

- Brand:** SOLO
- Model Name:** 10650
- Tank Volume:** 0.25 Gallons (32 Ounces)
- Color:** Red and Black
- Recommended Uses:** Pest Control, Fertilizer sprayer, Chemical sprayer, Garden sprayer
- Material:** Plastic
- Product Dimensions:** Approximately 12.1 inches (W) x 32.01 inches (H)
- Style:** Gun
- Power Source:** Hand Powered (Hose-End)
- Included Components:** Spray Gun, Hose Coupler
- Item Weight:** 8.8 ounces
- UPC:** 720343911923

IMPORTANT SAFETY INFORMATION

WARNING: Keep hands and face away from spray. Do not ingest or inhale contents. Use only as directed. Keep out of reach of children and pets. Store in a cool, dry place away from heat and open flames. Do not mix chemicals unless explicitly instructed by the chemical manufacturer. Dispose of contents and container responsibly according to local regulations.

WARRANTY AND SUPPORT

Specific warranty details for the Solo 405-HE 32-Ounce Adaptable Hose-End Sprayer are not provided in this manual. For warranty claims or technical support, please refer to the product packaging or contact SOLO customer service directly through their official website or contact channels.

For additional information or assistance, please visit the official SOLO website or contact their customer support line. Contact details are typically available on the product packaging or the manufacturer's website.

© 2024 SOLO. All rights reserved.