

[Manuals.plus](#) /

› [Eaz-Lift](#) /

› Eaz-Lift Sway Control Adapter (Model 48385) Instruction Manual

Eaz-Lift 48385

Eaz-Lift Sway Control Adapter (Model 48385) Instruction Manual

For 2-inch x 3-inch A-Frame Trailers

INTRODUCTION

This manual provides detailed instructions for the proper installation, operation, and maintenance of your Eaz-Lift Sway Control Adapter, Model 48385. This adapter is designed to facilitate the mounting of a sway control unit to reduce trailer sway, enhancing towing stability. It features a bolt-on design, eliminating the need for welding and preventing potential damage to trailer wiring.

Please read all instructions carefully before installation and use to ensure safe and effective operation.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- (1) Eaz-Lift Sway Control Adapter (Model 48385)
- Mounting hardware (bolts, nuts)



Image: All components of the Eaz-Lift Sway Control Adapter, including the main adapter plates, bolts, and nuts.

KEY FEATURES

- **Bolt-On Design:** Eliminates the need for welding, preventing damage to trailer wiring.
- **Compatibility:** Designed for use with 2-inch x 3-inch A-frame trailers.
- **Versatile Mounting:** Can be installed on either the right or left side of the trailer frame.
- **Durable Construction:** Made from powder-coated steel for enhanced durability and corrosion resistance.

IMPORTANT SAFETY INFORMATION

- **WARNING:** This product is not for use on trailers equipped with surge brakes.
- Always ensure all bolts and nuts are securely tightened before towing.
- Regularly inspect the adapter and mounting hardware for wear, damage, or loosening.
- Consult your trailer and sway control manufacturer's instructions for additional safety guidelines.
- Wear appropriate safety gear, such as gloves and eye protection, during installation.

SETUP AND INSTALLATION

The Eaz-Lift Sway Control Adapter is designed for easy bolt-on installation to your trailer's A-frame.

Tools Required:

- Wrench set (appropriate size for bolts and nuts)
- Measuring tape
- Marker or pencil

Installation Steps:

1. **Identify Mounting Location:** Choose a suitable location on the trailer's A-frame. The adapter can be mounted on either the right or left side. Ensure there is sufficient clearance for the sway control unit and its operation. The adapter is compatible with 2-inch x 3-inch A-frame trailers.
2. **Position the Adapter Plates:** Place one adapter plate on the inside of the trailer frame and the other on the outside, aligning the holes. The plate with the sway control ball should face outwards.
3. **Insert Bolts:** Insert the provided bolts through the aligned holes in both adapter plates and the trailer frame.
4. **Secure with Nuts:** Thread the nuts onto the bolts and hand-tighten them.
5. **Final Tightening:** Using a wrench, securely tighten all nuts. Ensure the adapter plates are firmly clamped to the trailer frame and do not move. Do not overtighten, but ensure a snug fit to prevent movement during towing.
6. **Attach Sway Control Unit:** Once the adapter is securely installed, attach your sway control unit to the ball mount on the adapter according to the sway control manufacturer's instructions.




Image: Exploded view diagram illustrating the bolt-on installation of the sway control adapter to a trailer frame.

OPERATION

The Eaz-Lift Sway Control Adapter serves as a mounting point for your separate sway control unit. Its operation is passive, providing a stable connection for the sway control device.

- Ensure your sway control unit is properly attached to the adapter's ball mount before each trip.
- Follow the specific operating instructions provided with your sway control unit for engagement and disengagement.
- The adapter itself does not require active operation once installed.

MAINTENANCE

Regular maintenance ensures the longevity and safe performance of your sway control adapter.

- **Pre-Trip Inspection:** Before each towing trip, visually inspect the adapter and all mounting hardware. Check for any signs of wear, corrosion, cracks, or loose bolts/nuts.
- **Tightness Check:** Periodically re-check the tightness of all mounting bolts and nuts. Tighten as necessary.
- **Cleaning:** Clean the adapter with mild soap and water as needed. Avoid harsh chemicals that could damage the powder-coated finish.
- **Storage:** When not in use for extended periods, store the trailer in a dry environment to minimize exposure to elements that could cause corrosion.

TROUBLESHOOTING

If you encounter issues with your Eaz-Lift Sway Control Adapter, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Adapter feels loose on trailer frame.	Mounting bolts are not sufficiently tightened.	Re-tighten all mounting bolts and nuts securely.
Sway control unit does not fit the adapter ball.	Incompatible sway control unit or incorrect ball size.	Ensure your sway control unit is designed for standard ball mounts. Consult the sway control unit's manual.
Adapter does not fit trailer A-frame.	Trailer A-frame dimensions are not 2-inch x 3-inch.	Verify your trailer's A-frame dimensions. This adapter is specifically designed for 2-inch x 3-inch frames.
Excessive rust or corrosion.	Prolonged exposure to harsh weather or lack of cleaning.	Clean regularly and consider applying a rust-inhibiting coating if operating in corrosive environments.

SPECIFICATIONS

Model Number:	48385
Brand:	Eaz-Lift
Material:	Powder Coated Steel
Compatibility:	2-inch x 3-inch A-frame trailers
Weight:	16 ounces (approximately 1 lb)

Manufacturer:	Camco
GTIN/UPC:	014717483858

WARRANTY INFORMATION

The Eaz-Lift Sway Control Adapter (Model 48385) comes with a**Limited 1 Year Manufacturer Warranty**. This warranty covers defects in materials and workmanship under normal use. For specific terms, conditions, and to make a warranty claim, please contact Eaz-Lift customer support.

CUSTOMER SUPPORT

For technical assistance, troubleshooting, or warranty inquiries, please contact Eaz-Lift customer support:

- **Website:** Visit the official Camco/Eaz-Lift website for support resources and contact information.
- **Phone:** Refer to the product packaging or official website for customer service phone numbers.

When contacting support, please have your product model number (48385) and purchase information readily available.

© 2026 Eaz-Lift. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

