

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Grundfos](#) /
- › [Grundfos UPS15-58FRC 3-Speed Circulator Pump Instruction Manual](#)

Grundfos 59896343

Grundfos UPS15-58FRC 3-Speed Circulator Pump Instruction Manual

Model: 59896343

PRODUCT OVERVIEW

The Grundfos UPS15-58FRC is a 3-speed circulator pump designed for various heating applications. It features a wet rotor design for quiet operation, a built-in check valve, and a rotated flange for flexible installation. This pump is suitable for closed systems with a maximum liquid temperature of 230°F (110°C).

Key features include:

- Three-speed motor for versatile performance.
- Built-in check valve.
- Rotated flange for simplified installation.
- Wet rotor design ensures virtually silent operation.
- Integrated motor protection for enhanced durability.
- UL/CSA listed for safety compliance.



Image: Grundfos UPS15-58FRC Circulator Pump. This image shows the red cast iron pump body with the motor housing, and two black O-ring gaskets.

Safety Information

Always observe local codes and regulations during installation and operation. Disconnect power before servicing. Ensure proper grounding. This pump is designed for closed heating systems; do not use for potable water applications unless specifically rated for such use.

Setup and Installation

Proper installation is crucial for optimal performance and longevity of the pump. Refer to the official Grundfos UP Series Product Guide for detailed diagrams and instructions.

Pre-Installation Checks:

- Verify that the system is depressurized and drained.
- Ensure the power supply matches the pump's requirements (115V, 60Hz, 1 Phase).
- Confirm that the installation location allows for proper motor orientation (horizontal position is generally recommended).
- Inspect the pump and included gaskets for any damage.

Mounting:

1. Position the pump in the system, ensuring the motor is mounted horizontally. The rotated flange design offers flexibility for alignment.
2. Use the provided gaskets (O-rings) between the pump flanges and system piping.
3. Secure the pump using appropriate flange connections (1/2", 3/4", 1", 1-1/4" compatible).

Electrical Connection:

1. Ensure the main power supply is disconnected.
2. Connect the pump to a 115V, 60Hz, single-phase electrical supply.
3. Follow all local electrical codes and wiring diagrams provided in the full product documentation.
4. Ensure proper grounding to prevent electrical hazards.

Operating Instructions

The Grundfos UPS15-58FRC features a three-speed selector switch to adjust pump performance based on system requirements.

Initial Startup:

1. After installation, slowly refill the system with fluid, ensuring all air is purged.
2. Check for leaks at all connections.

- 3. Restore power to the pump.
- 4. Select the desired speed setting using the selector switch on the pump motor.

Speed Settings:

The pump offers three distinct speed settings, allowing for optimization of flow and head for various system demands. Refer to the specifications section for amperage and wattage at each speed.

- **Speed 1 (Low):** For systems requiring minimal flow or head.
- **Speed 2 (Medium):** A balanced setting for general heating applications.
- **Speed 3 (High):** For systems demanding maximum flow and head.

The wet rotor design ensures quiet operation during all speed settings.

MAINTENANCE

The Grundfos UPS15-58FRC is designed for minimal maintenance due to its wet rotor construction and built-in motor protection.

Routine Checks:

- Periodically inspect the pump for any signs of leaks around the connections.
- Listen for unusual noises during operation, which could indicate a problem.
- Ensure the motor housing is free from excessive dust or debris to maintain proper cooling.

Cleaning:

No internal cleaning is typically required. For external cleaning, wipe the pump with a damp cloth. Do not use abrasive cleaners or solvents.

Winterization:

If the system is to be shut down for an extended period in freezing temperatures, ensure the system is properly drained or filled with an appropriate antifreeze solution to prevent damage to the pump and piping.

TROUBLESHOOTING

This section provides guidance for common issues. For complex problems, consult a qualified technician or Grundfos support.

Problem	Possible Cause	Solution
Pump does not start.	No power supply; tripped circuit breaker; motor protection activated; seized impeller.	Check power connections and circuit breaker. Allow motor to cool if protection activated. Consult technician if impeller is seized.

Problem	Possible Cause	Solution
Pump runs but no flow or low flow.	Air in system; closed isolation valves; clogged impeller; incorrect speed setting.	Bleed air from the system. Ensure all valves are open. Check for obstructions. Adjust speed setting.
Unusual noise or vibration.	Air in system; cavitation; foreign object in pump; improper mounting.	Bleed air. Ensure adequate system pressure. Inspect for debris. Verify pump is securely mounted horizontally.
Leakage at connections.	Loose connections; damaged gaskets.	Tighten connections. Replace gaskets if damaged.

TECHNICAL SPECIFICATIONS

Parameter	Value
Model Number	59896343
Voltage	115V
Hertz	60 Hz
Phase	1
Amperage (Speed 1 / 2 / 3)	0.55 A / 0.66 A / 0.75 A
Watts (Speed 1 / 2 / 3)	60 W / 80 W / 87 W
Horse Power	1/25 HP
Maximum Pressure	145 psi
Maximum Liquid Temperature	230°F (110°C)
Minimum Liquid Temperature	36°F (2°C)
Flow Range	0-17 GPM
Head Range	0-19.5 ft
Body Material	Cast Iron
Connections	Flanged 1/2", 3/4", 1", 1-1/4"
Product Dimensions (L x W x H)	5.25" x 5.25" x 6.5"
Item Weight	6 Pounds
Certifications	UL/CSA listed

WARRANTY INFORMATION

The Grundfos UPS15-58FRC circulator pump comes with a **2-year warranty** from the date of installation. Please retain your proof of purchase and installation records for warranty claims. For full warranty terms and conditions, refer to the official Grundfos documentation or contact Grundfos customer support.


SUPPORT AND DOCUMENTATION

For further assistance, detailed product guides, or technical data, please refer to the official Grundfos resources.

- **Official Product Guide:** Refer to the Grundfos UP Series Product Guide (PDF).
- **Technical Data:** Consult the Grundfos UPS15-58FRC (59896343) Technical Data (PDF).
- **Customer Support:** Visit the official Grundfos website for contact information and support options.


© 2023 Grundfos. All rights reserved.

Related Documents - 59896343

	Grundfos Timer and Thermostatic Control Accessories Installation and Operation Guide Comprehensive guide for installing and operating Grundfos maintenance-free timer and thermostatic control accessories for Series UP circulator pumps. Covers application, technical data, wiring, and operation.
	Grundfos TP, TPD, TPE, TPE2, TPE2 D, TPE3, TPE3 D Series In-line Circulator Pumps Data Booklet Comprehensive data booklet for Grundfos TP, TPD, TPE, TPE2, TPE2 D, TPE3, TPE3 D in-line circulator pumps. Details performance, applications, installation, controls, and technical specifications for HVAC and industrial fluid handling.
	Grundfos ALPHA2 L Model C Circulator Pump: Installation and Operating Instructions Comprehensive instructions for the Grundfos ALPHA2 L Model C circulator pump, covering installation, operation, safety, and technical specifications. Learn how to install and use your Grundfos pump efficiently.

	Grundfos MAGNA1 Model C: Installation and Operating Manual Comprehensive installation and operating instructions for the Grundfos MAGNA1 Model C circulator pump, covering setup, operation, technical data, and troubleshooting.
	Grundfos MI 301 : Guide d'installation et de fonctionnement Ce document fournit des instructions essentielles pour l'installation et le fonctionnement de l'interface mobile Grundfos MI 301. Il détaille les caractéristiques du produit, les options de connectivité via Bluetooth, radio et infrarouge, et propose des conseils de dépannage pour une intégration transparente avec les équipements Grundfos.
	Grundfos ALPHA2 Variable-Speed Circulators Installation and Operating Instructions Comprehensive installation and operating instructions for Grundfos ALPHA2 variable-speed circulators with AutoADAPT technology. Covers product description, installation, startup, control functions, troubleshooting, and technical data.

Documents - Grundfos – 59896343



[Grundfos UP Series Circulator Pumps Technical Data Booklet](#)

Comprehensive technical data, performance curves, and cross-reference charts for Grundfos UP Series circulator pumps, covering various models for heating, hot water, and cooling systems.

lang:en score:38 filesize: 10.63 M page_count: 92 document date: 2014-12-03




[\[pdf\] User Manual Installation Guide Specifications Warranty](#)

igate northernplumbing specsheets grundfos ups2699bfc Grundfos Ups15 35sfc Manual |||

GRUNDFOS Superbrute 3-speed technology The power of flexibility One of the main features of a Supe ... 780 Stainless 59896773 Stainless 59896781 Stainless 59896783 Cast Iron 59896341 Cast Iron **59896343** Cast Iron 52722512 Cast Iron 52722513 Bronze 52722518 Bronze 52722519 Cast Iron 9...

lang:en score:31 filesize: 1.43 M page_count: 7 document date: 2015-03-05



[pdf] Guide Accessories

C Documents and Settings Tom 5 DZMQBM5H L UP PG 001 1 GRUNDFOS PRODUCT GUIDE Cross reference Series 7 Bell Gossett * B G pump information taken from literature on website August 2002

Grundfos provides no guarantee as to the accuracy of competitor listed herein Circulation Pump

Technical Guide documents alpinehomeair product 80 related


GRUNDFOS PRODUCT GUIDE UP Series Circulator pumps 60 Hz Contents Mission

Cross-reference Grundfos ... 59896178 59896250 59896173 59896274 59896180 -

0-17 0-17 0-9 0-17.5 0-17.5 59896341 - 0-17.5 **59896343** - 0-17.5 59896300

52722330 52722327 0-8.5 0-34 52722405 - 0-31 52722341 52722399 5...

lang:en score:29 filesize: 6.86 M page_count: 76 document date: 2008-11-19



[pdf]

gr 59896343 pexuniverse docs

PROJECT: REPRESENTATIVE: ENGINEER: CONTRACTOR: UNIT TAG: TYPE OF


SERVICE: SUBMITTED BY: APPROVED BY ... nnection: Product number: 145 psi

35.6 .. 230 F 104 F UL, CSA C.I. Flange USA Oval 2 - Bolt Flange **59896343** Motor

Data Max. power input: Rated power - P2: Rated voltage: Main frequency: Insulation

...

lang:en score:29 filesize: 160.48 K page_count: 0 document date: 0000-00-00



[pdf] Guide Borchure

UP Series Product Guide 5 06 qxd 24045 Brochure Grundfos UP26 96BF GRFUP2696BF 1 southernpipe

ASSETS DOCUMENTS CMS EN |||


GRUNDFOS PRODUCT GUIDE UP Series Circulation Pumps 60 Hz CONTENTS

Mission S 32 UPS 15-58FC SUPERBRUTE 59896341 - 0-17.5 gpm

0-19 ft YES YES 34 UPS 15-58FRC SUPERBRUTE **59896343** - 0-17.5 gpm 0-19 ft


YES YES 34 UP 15-100F 59896300 - 0-8.5 gpm 0-33.5 ft YES 35 ...

lang:en score:28 filesize: 2.59 M page_count: 63 document date: 2015-01-09




[\[pdf\]](#) Guide Catalog

UP Series Product Guide 5 06 qxd 24045 AF SupplyUPS 15 42F FR page 32 Grundfos provides no guarantee as to the accuracy of competitor information listed 98961756afsupply media catalog product grundfos 98961756 srsItid AfmBOoqX4hqpQgyf3GiZPlmwJRUKMiewzH0RNCq259ew76ekute9vQnD ||| GRUNDFOS PRODUCT GUIDE UP Series Circulation Pumps 60 Hz CONTENTS Mission S 32 UPS 15-58FC SUPERBRUTE 59896341 - 0-17.5 gpm 0-19 ft YES YES 34 UPS 15-58FRC SUPERBRUTE **59896343** - 0-17.5 gpm 0-19 ft YES YES 34 UP 15-100F 59896300 - 0-8.5 gpm 0-33.5 ft YES 35 ... lang:en **score:27** filesize: 3.67 M page_count: 63 document date: 2006-05-11




[\[pdf\]](#) Guide

untitled UPGuide ecomfort manuals ||| UP Series Circulator pumps 60 Hz GRUNDFOS DATA BOOKLET Table of contents UP Series 1. Cross ref ... olt flange 2-bolt flange 2-bolt flange 2-bolt flange 2-bolt flange 2-bolt flange 59896341 59896877 **59896343** 59896878 **59896343** 59896878 59896341 59896877 59896804 59896804 5272253 59896341 59896877 59... lang:en **score:26** filesize: 10.56 M page_count: 88 document date: 2013-08-06



[\[pdf\]](#) Specifications Guide

UP Series Product Guide 5 06 qxd 24045 SupplyHouse Circulation Pumps 60 Hz Ferguson ntsupply
Quick Reference Bronze and Stainless Open Systems page 11 Cast Iron Closed 12 Type keys
GRUNDFOS PRODUCT GUIDE 2006 1 18 PM Page L PG 001 Query USE TYPE SPECIFICATION ID
190606 files products api ferguson dar step service
GRUNDFOS PRODUCT GUIDE UP Series Circulation Pumps 60 Hz CONTENTS
Mission S 32 UPS 15-58FC SUPERBRUTE 59896341 - 0-17.5 gpm
0-19 ft YES YES 34 UPS 15-58FRC SUPERBRUTE **59896343** - 0-17.5 gpm 0-19 ft
YES YES 34 UP 15-100F 59896300 - 0-8.5 gpm 0-33.5 ft YES 35 ...
lang:en **score:26** filesize: 3.67 M page_count: 63 document date: 2006-05-11



[\[pdf\]](#) User Manual Guide

pscia ASSETS DOCUMENTS ITEMS EN luppg001 0311 up Grundfos Ups15 58fc Manual |||
GRUNDFOS PRODUCT GUIDE UP Series Circulator pumps 60 Hz Contents Mission
3 Cross reference Qui ... 96249 - 59896804 - 59896155 59896173 59896167
59896274 59896807 - - 59896180 59896341 - **59896343** - 59896300 - 52722330
52722327 52722553 - 52722341 52722338 52722552 - 52722355 5...
lang:en **score:25** filesize: 2.59 M page_count: 84 document date: 2015-12-30

[\[pdf\]](#) Guide Borchure

UP SeriesGRFUP2696SF Brochuresouthernpipe ASSETS DOCUMENTS CMS EN GRFUP2696SF
Brochure srsItid AfmBOopigVrkkgobQQco4FPk6hvhfHTV8FGNk3f6DQC6S9QJfggw3H7 SeriesUP
Seriesouthernpipe

AfmBOopigVrkkgobQQco4FPk6hvhfHTV8FGNk3f6DQC6S9QJfggw3H7southernpipe

AfmBOop1t51T3XYAKGsmwVzMXf7sLCzO2QccysL80kR24mCD0ExslrGB

AfmBOop1t51T3XYAKGsmwVzMXf7sLCzO2QccysL80kR24mCD0ExslrGBsouthernpipe

AfmBOorOdZB76ul3TMvAK0nZeYMTe2QOn5RFLRGV1M9HEqIWva7hxJE0 Seriesv1southernpipe

AfmBOorOdZB76ul3TMvAK0nZeYMTe2QOn5RFLRGV1M9HEqIWva7hxJE0southernpipe

AfmBOopH01J5w5lnF9npQDhn3D61KQC3qFaF3 xolkBg8gvanvvG 0mT AfmBOoqdTK8FK

yNPmoAEdgi7pYpUvCoHbkybl675Tfc7OS4N2KKBI2southernpipe ||| ||| GRUNDFOS PRODUCT GUIDE

UP Series Circulation Pumps 60 Hz CONTENTS Mission page 3 General data TACO CROSS

REFERENCE . page 4 B G CROSS REFERENCE . page 5 ARMSTRONG CROSS REFERENCE page 6

LAING CROSS REFERENCE page 6 UP10-16 CROSS REFERENCE p ||| GRUNDFOS PRODUCT

GUIDE UP Series Circulation Pumps 60 Hz CONTENTS Mission page 3 General data TACO CROSS

REFERENCE . page 4 B G CROSS REFERENCE . page 5 ARMSTRONG CROSS REFERENCE page 6

LAING CROSS REFERENCE page 6 UP10-16 CROSS REFERENCE p ||| GRUNDFOS PRODUCT

GUIDE UP Series Circulation Pumps 60 Hz CONTENTS Mission page 3 General data TACO CROSS

REFERENCE . page 4 B G CROSS REFERENCE . page 5 ARMSTRONG CROSS REFERENCE page 6

LAING CROSS REFERENCE page 6 UP10-16 CROSS REFERENCE p ||| GRUNDFOS PRODUCT

GUIDE UP Series Circulation Pumps 60 Hz CONTENTS Mission page 3 General data TACO CROSS

REFERENCE . page 4 B G CROSS REFERENCE . page 5 ARMSTRONG CROSS REFERENCE page 6

LAING CROSS REFERENCE page 6 UP10-16 CROSS REFERENCE p


GRUNDFOS PRODUCT GUIDE UP Series Circulation Pumps 60 Hz CONTENTS

Mission S 32 UPS 15-58FC SUPERBRUTE 59896341 - 0-17.5 gpm

0-19 ft YES YES 34 UPS 15-58FRC SUPERBRUTE **59896343** - 0-17.5 gpm 0-19 ft

YES YES 34 UP 15-100F 59896300 - 0-8.5 gpm 0-33.5 ft YES 35 ...

lang:en score:24 filesize: 3.66 M page_count: 63 document date: 2020-03-11



[\[pdf\]](#) User Manual Specifications Catalog

untitled Grundfos Alpha2 Series SpecificationsGrundfos 99163937 ALPHA2 15 55SF Stainless Steel

Circulator Pump w Te — Rise551738 3 Specificationscdn shopify s files 1 0564 4422 3675 551738

Specifications v 1658111031 SpecificationsInstruction Installation ManualGrundfos RiseGrundfos

52722513 UPS Plumbing Planet551738 52722330 Manualcdn 1658111031cdn 0667 8813 0881 Manual

1757361910 ManualCatalogGrundfos PlanetGrundfos Catalogcdn 1757361910cdn Catalog 1757361907

|||


UP Series Circulator pumps 60 Hz GRUNDFOS DATA BOOKLET Table of contents

UP Series 1. Cross-ref ... F21IFC 6 3/8 2-bolt flange - - - - - 005-F2 UPS 15-58

FRC 6 1/2 2-bolt flange-R **59896343** - - - - - 6 3/8 2-bolt flange ALPHA2 15-55 FRC 6

1/2 2-bolt flange 99163932 - -...


lang:en score:23 filesize: 10.51 M page_count: 92 document date: 2017-02-10





BE > THINK > INNOVATE >

lang:en score:22 filesize: 6.85 M page_count: 84 document date: 2015-02-09



lang:en score:22 filesize: 217.86 K page_count: 1 document date: 2017-05-15

[\[pdf\]](#) Guide

UP Series Product Guide 5 06 qxd 24045 Circulation Pumps 60 Hz Southern Pipe SupplyGRUNDFOS
SERIES B G CROSS REFERENCE Comparable Grundfos Replacement Options Model Conn Type
Pump Length Primary s LengthGRFUP2696BF 1southernpipe ASSETS DOCUMENTS CMS EN
GRFUP2696BF 1 srsItid AfmBOoqFTY4qxGJnaLvERjJPvw cau7DCMbOEulyCI66KWgO00kl75
SupplyUP LengthUPS 15 42F FR page 32 provides no guarantee as to the accuracy of competitor
information listed southernpipe cau7DCMbOEulyCI66KWgO00kl75southernpipe

AfmBOoruphIGx9H5DyslSoPEAZvLzwlG OqLYfYT1W35Cd182VU0RO I Isouthernpipe AfmBOop
Tqrgu2qOoH7yvgTPuA2BXu6giXmu5DmQo0X8Pt6jkCcO3Dn7
Tqrgu2qOoH7yvgTPuA2BXu6giXmu5DmQo0X8Pt6jkCcO3Dn7southernpipe
AfmBOooDuooZDWU5CkryOHN2Tc0A0e3f5NcUEqBYMIhBY9WIMbRBt7r0
AfmBOooDuooZDWU5CkryOHN2Tc0A0e3f5NcUEqBYMIhBY9WIMbRBt7r0southernpipe
AfmBOooWm65QpPtlpK3D8DI HqLb8vdqYbhqoqdLyn949sBUU6qBkwz7 listed v1southernpipe
HqLb8vdqYbhqoqdLyn949sBUU6qBkwz7southernpipe

AfmBOouSk6Y5KQgYysZE13HE4w6FPqHGNXk47SE6Dg7aEoSZ9eyjAH |||

GRUNDFOS PRODUCT GUIDE UP Series Circulation Pumps 60 Hz CONTENTS
Mission S 32 UPS 15-58FC SUPERBRUTE 59896341 - 0-17.5 gpm
0-19 ft YES YES 34 UPS 15-58FRC SUPERBRUTE **59896343** - 0-17.5 gpm 0-19 ft
YES YES 34 UP 15-100F 59896300 - 0-8.5 gpm 0-33.5 ft YES 35 ...

lang:en **score:20** filesize: 2.59 M page_count: 63 document date: 2015-01-09

<http://waterheatertimer.org/Water-heater-recirculation-system.html>

[\[pdf\]](#)

untitled Grundfos UP series pumps waterheatertimer org

<http://waterheatertimer.org/Water-heater-recirculation-system.html> GRUNDFOS
DATA BOOKLET UP Series C ... -Bolt Flange 2-Bolt Flange 2-Bolt Flange* 2-Bolt
Flange* 2-Bolt Flange* - 1x115V 59896341 59896877 **59896343** 59896878 **59896343**
59896878 59896341 59896877 59896804 59896804 5272253 59896341 59896877
59...




lang:en **score:20** filesize: 9.13 M page_count: 84 document date: 2015-07-18


[\[pdf\]](#)

GPLUPPG001 us grundfos content dam GPU Products ALPHA |||

L-UP-PG-001 98532861 0714 ECM: 1139655 Grundfos Kansas City 17100 West
118th Terrace Olathe, Kansas ... 00R-MSF21IFC 6 3/8 2-bolt flange - - - - - UPS
15-58 FRC 6 1/2 2-bolt flange-R **59896343** - - - - - 005-F2 6 3/8 2-bolt flange ALPHA
15-55 FRC 6 1/2 2-bolt flange 59896878...

lang:en **score:20** filesize: 11.61 M page_count: 90 document date: 2014-08-05






[Grundfos UP Series Circulator Pumps Data Booklet](#)

This data booklet provides comprehensive technical specifications, performance data, application guidance, and detailed cross-reference charts for Grundfos UP Series circulator pumps (60 Hz). It covers various models including ALPHA2, ALPHA1, UP, and UPS series, along with information on accessories and competitor product comparisons.

lang:en **score:20** filesize: 12 M page_count: 96 document date: 2017-12-06



[\[pdf\]](#)

untitled UP Series Grundfos Reference for replacing Bell Gossett models 16 Competitor cross reference
Push button selection of pump setting Grundfos literature 5235400 net grundfos Appl ccmsservices public
literature filedata

UP Series Circulator pumps 60 Hz GRUNDFOS DATA BOOKLET Table of contents
UP Series 1. Cross-ref ... 00R-MSF21IFC 6 3/8 2-bolt flange - - - - - UPS 15-58
FRC 6 1/2 2-bolt flange-R **59896343** - - - - - 99163932, 005-F2 6 3/8 2-bolt flange
ALPHA2 15-55 FRC, ALPHA1 15-55 FRC...

lang:en **score:20** filesize: 10.89 M page_count: 98 document date: 2019-07-12




[\[pdf\]](#) Installation Guide Flyer Warranty Borchure

Grundfos pump flyerResource Documents PerformaFlex XT Heating Suppliesgrundfos ups series
circulation brochurecdn shopify s files 1 1683 4731 grundfos brochure 13759976520266660364 |||

GRUNDFOS Superbrute 3-speed technology The power of flexibility One of the main
features of a Supe ... 780 Stainless 59896773 Stainless 59896781 Stainless
59896783 Cast Iron 59896341 Cast Iron **59896343** Cast Iron 52722512 Cast Iron
52722513 Bronze 52722518 Bronze 52722519 Cast Iron 9...

lang:en **score:19** filesize: 1.32 M page_count: 6 document date: 2010-07-23



[\[pdf\]](#) Decleration of Conformity Catalog

untitled UP SeriesGrundfos 95906632 Catalogassets unilogcorp 267 ITEM DOC Grundfos Catalog |||

UP Series Circulator pumps 60 Hz GRUNDFOS DATA BOOKLET Table of contents

UP Series 1. Cross-ref ... 00R-MSF21IFC 6 3/8 2-bolt flange - - - - - UPS 15-58

FRC 6 1/2 2-bolt flange-R **59896343** - - - - - 99163932, 005-F2 6 3/8 2-bolt flange

ALPHA2 15-55 FRC, ALPHA1 15-55 FRC...

lang:en **score:19** filesize: 10.86 M page_count: 96 document date: 2017-12-06



[\[pdf\]](#) Installation Guide Warranty Borchure

Grundfos UPS Series Circulation Pump Brochure 07 10 alpinehomeair related


GRUNDFOS Superbrute 3-speed technology The power of flexibility One of the main

features of a Supe ... 780 Stainless 59896773 Stainless 59896781 Stainless

59896783 Cast Iron 59896341 Cast Iron **59896343** Cast Iron 52722512 Cast Iron

52722513 Bronze 52722518 Bronze 52722519 Cast Iron 9...

lang:en **score:19** filesize: 1.32 M page_count: 6 document date: 2010-07-23



[\[pdf\]](#)

untitled 98532861 0614 UP Series DB US Internet ca grundfos content dam GPU Products up10 |||


UP Series Circulator pumps 60 Hz GRUNDFOS DATA BOOKLET Table of contents

UP Series 1. Cross ref ... 00R-MSF21IFC 6 3/8 2-bolt flange - - - - - UPS 15-58

FRC 6 1/2 2-bolt flange-R **59896343** - - - - - 005-F2 6 3/8 2-bolt flange ALPHA 15-55

FRC 6 1/2 2-bolt flange 59896878...

lang:en **score:19** filesize: 10.63 M page_count: 92 document date: 2014-06-27




[\[pdf\]](#)

untitled GRUNDFOS DATA BOOKLET Grundfos product number 1x115V 1x208V 1x230V 3x208V 3x230V 3x460V 00R SF6 IFC 6 3 8 2 Bolt Flange UPS 15 55 SFC 1 Flange* 59896773 Alpha 59896879 1IFC R D1Rp0ZAnG9S images na ssl amazon I

GRUNDFOS DATA BOOKLET UP Series Circulators 60 Hz Contents UP Series 1. Cross reference charts ... -Bolt Flange 2-Bolt Flange 2-Bolt Flange* 2-Bolt Flange* 2-Bolt Flange* - 1x115V 59896341 59896877 **59896343** 59896878 **59896343** 59896878 59896341 59896877 59896804 59896804 5272253 59896341 59896877 59...

lang:en score:19 filesize: 9 M page_count: 84 document date: 2013-01-11



[\[pdf\]](#)

untitled UP Series Data Book 98532861 0217 Internet ca grundfos content dam GPU Literature ALPHA2 |||

UP Series Circulator pumps 60 Hz GRUNDFOS DATA BOOKLET Table of contents UP Series 1. Cross-ref ... F21IFC 6 3/8 2-bolt flange - - - - - 005-F2 UPS 15-58 FRC 6 1/2 2-bolt flange-R **59896343** - - - - - 6 3/8 2-bolt flange ALPHA2 15-55 FRC 6 1/2 2-bolt flange 99163932 - -...

lang:en score:19 filesize: 10.51 M page_count: 92 document date: 2017-02-10



[\[pdf\]](#) Installation Guide Warranty

LUPSL027 3 Speed Circulator 0720 indd GRUNDFOS UPS One of the main features a is its speed motor This unique advancement pioneered by Grundfos more than 30 years ago allows you ability to adjust pump fit your specific application DownloadImage id 68137809 5511 491f a4e0 34ef7454f83e inventory dearsystems ProductFamily |||

GRUNDFOS UPS Cast Iron UPS 15-58FC Stainless Steel UPS 43-100SF Stainless Steel UPS 15-55SUC/TLC ... ron Stainless Stainless Part Number 59896772 59896778 99452478 59896773 59896781 99452479 59896341 **59896343** 52722512 52722513 98961763 98961765 95906630 95906631 95906632 95906633 52722514 52722515 5...

lang:en score:19 filesize: 4.18 M page_count: 6 document date: 2020-10-09

CBS UP 3 Speed Circulator Brochure Reskin LUPSL027 0724 indd UPS SPEED TECHNOLOGY Product
brochureGrundfos UP26 116SF 1 6 HP 230v Booster Pump 98961766Grundfosliterature 6511987cdn
accentuate io 7072003227810 1738363752617 Grundfosliterature 6511987 v brochureUPS
98961766Grundfos UP50 75F 52722353cdn 1738363752617cdn 7072002670754 1738363547353
brochureSpecification SheetGrundfos 52722353The Granite Group 52722512 Grundfos UPS26 99FC
Cast Iron 115V With Integral Check Valve And Flo89be1d242191b6c0fb5c50a1a6b44421fe00caf6
SpecSheet GRUUPS2699FCcdn 1738363547353tggcdn azureedge net tggakeneoassets
productspecificationsheets 8 9 b e 89be1d242191b6c0fb5c50a1a6b44421fe00caf6 GRUUPS2699FC
SheetSpecification FloThe 59896341 UPS15 58FC Super Brute 25 2450 RPM
Integr89be1d242191b6c0fb5c50a1a6b44421fe00caf6



GRUNDFOS

Company name:
By: _____
Phone: _____

Date: 10/03/16

Product	Code	Description
---------	------	-------------

LPS 15-6 FRC

Photographs could vary from the actual product

Product for: [SME543](#)

The pump is of the canned rotor type, is pump and motor from an integral unit and self-act and self-closes any problem for sealing.

The bearing are lubricated by the pumped liquid.

- Canned shaft and rotor bearings.
- Canned seal theory.
- Stainless steel motor and casting plate.
- Complies with the European CE, VDE, IEC and pump housing.

The motor is 1 phase motor.

No additional motor protection is required.

Liquid:

Pumped liquid: Water

Liquid temperature range: 0°C - 220 °C

Max. flow: 15m³/h

Max. head: 6.135 Bar

Technical:

Applicable environments: UL, CSA

Material:

Pump housing: Cast iron

Motor: 1 x 1100W

Protection: A17AF 308

Insulation: Complies, PES

Insulation:

Maximum liquid temperature: 150 °C

Ambient noise at 1100 W liquid: 156 dB

Maximum operating pressure: 16.0 bar

Flow: maximum: 15.6 m³/h

Flow: minimum: 0.54 m³/h

Type of connection: C.I. 1" pipe

Pipe connection: 2" - 848 Flange, Rotated

Pressure range:

10

0.121 m

Electrical data:

Number of poles:

2

Current:

10.4 A

Power speed at 1 speed: 1

4.97

Power speed at 2 speed: 2

8.97

Power speed at 3 speed: 3

12.97

Power speed at 4 speed: 4

16.97

Power speed at 5 speed: 5

20.97

Power speed at 6 speed: 6

24.97

Power speed at 7 speed: 7

28.97

Power speed at 8 speed: 8

32.97

Power speed at 9 speed: 9

36.97

Power speed at 10 speed: 10

40.97

Power speed at 11 speed: 11

44.97

Power speed at 12 speed: 12

48.97

Power speed at 13 speed: 13

52.97

Power speed at 14 speed: 14

56.97

Power speed at 15 speed: 15

60.97

Power speed at 16 speed: 16

64.97

Power speed at 17 speed: 17

68.97

Power speed at 18 speed: 18

72.97

Power speed at 19 speed: 19

76.97

Power speed at 20 speed: 20

80.97

Power speed at 21 speed: 21

84.97

Power speed at 22 speed: 22

88.97

Power speed at 23 speed: 23

92.97

GPI Document Print Engine Company name Created by Phone Date F W Webb 1 20 2016 Printed from Grundfos Product Center 2015 09 024 Position Count Description UPS 15 58 FRC photo could vary the actual product 255945 SPEC fwwebbimage fwwebb ProductInfo |||

Position Count Description 1 UPS 15-58 FRC Company name: Created by: Phone: Date: 1/20/2016 Product photo could vary from the actual product Product No.: **59896343** The pump is of the canned rotor type, i.e. pump and motor form an integral unit without shaft seal and with only two gaskets for seal...

lang:en score:19 filesize: 61.37 K page count: 2 document date: 2016-01-20




[\[pdf\]](#) Installation Guide Warranty

Grundfos Super Brute 3 Speed Circulator Water Pump UPS 15 55 SUC 59896781 115V Stainless Steel SuperBrute globalindustrial site images universal |||

GRUNDFOS Superbrute 3-speed technology The power of flexibility One of the main features of a Supe ... 780 Stainless 59896773 Stainless 59896781 Stainless 59896783 Cast Iron 59896341 Cast Iron **59896343** Cast Iron 52722512 Cast Iron 52722513 Bronze 52722518 Bronze 52722519 Cast Iron 9...

lang:en score:18 filesize: 1.27 M page_count: 6 document date: 2013-03-25



[\[pdf\]](#)

UP Series 15 ALPHA Grundfos provides no guarantee as to the accuracy of competitor information listed herein ALPHA2 55 SFC 6 1 2 bolt flange* 99163937 3814 media statesupply filemanager 3 8 |||

UP Series Circulator pumps 60 Hz GRUNDFOS DATA BOOKLET Table of contents UP Series 1. Cross-ref ... 00R-MSF21IFC 6 3/8 2-bolt flange - - - - - UPS 15-58 FRC 6 1/2 2-bolt flange-R **59896343** - - - - - 005-F2 6 3/8 2-bolt flange ALPHA2 15-55 FRC 6 1/2 2-bolt flange 991639...

lang:en score:18 filesize: 3.01 M page_count: 92 document date: 2017-06-14




[\[pdf\]](#) Installation Guide Warranty

GRU PMP SuperBrute Pump Bulletin Grundfos Hot Water In Line Circulating 10 GPM 3 Speed UPS15 58F B t 1673969180 sep yimg ty cdn kingpumps |||

GRUNDFOS Superbrute 3-speed technology The power of flexibility One of the main features of a Supe ... 780 Stainless 59896773 Stainless 59896781 Stainless 59896783 Cast Iron 59896341 Cast Iron **59896343** Cast Iron 52722512 Cast Iron 52722513 Bronze 52722518 Bronze 52722519 Cast Iron 9...

lang:en score:18 filesize: 1.28 M page_count: 6 document date: 2012-03-15



[pdf]

untitled UP Series inventory dearsystems Cross reference charts 1 3 Quick cross for competitive speed pumps * Grundfos provides no guarantee as to the accuracy of competitor information listed herein

DownloadImage id c7c0d584 b558 4056 89fe 7f83c5267529 ProductFamily |||


UP Series Circulator pumps 60 Hz GRUNDFOS DATA BOOKLET Table of contents

UP Series 1. Cross ref ... 00R-MSF21IFC 6 3/8 2-bolt flange - - - - - UPS 15-58

FRC 6 1/2 2-bolt flange-R **59896343** - - - - 005-F2 6 3/8 2-bolt flange ALPHA 15-55

FRC 6 1/2 2-bolt flange 59896878...

lang:en score:18 filesize: 3.12 M page_count: 92 document date: 2021-10-11



[pdf]

Print Preview UPS15 58FRC submittal s3 supplyhouse product files

Position Count Description -1 UPS 15-58 FRC Company name: - Created by: -

Phone: - Fax: - Date: - Unit price On request Product photo could vary from the actual product Product No.: **59896343** The pump is of the canned rotor type, i.e. pump and motor form an integral unit without shaft seal...

lang:en score:18 filesize: 92.63 K page_count: 4 document date: 2012-01-17



[pdf] Warranty Borchure

3 Speed Circulating Pump Grundfos UPS 26 99 SFC 115V Stainless Steel — Hydro Solar Innovative

Energy Brochure v 1709055436 cdn shopify s files 1 0010 8458 8093 |||

GRUNDFOS Stainless up s Think Stainless The open/closed system solution


Choosing a stainless stee ... ron Stainless Stainless Part Number 59896772

59896778 99452478 59896773 59896781 99452479 59896341 **59896343** 52722512

52722513 98961763 98961765 95906630 95906631 95906632 95906633 52722514


52722515 5...

lang:en score:18 filesize: 4.33 M page_count: 8 document date: 2024-02-27




[pdf] Catalog

untitled CatalogGrundfos VersaFlo® 59896341 UPS Canned Rotor Circulator Pump Plumbing PlanetGrundfos 52722327 Catalogcdn shopify s files 1 0667 8813 0881 Grundfos Catalog v 1756128075 PlanetFaucetDepot 98961763 17 6 gpm Flow Rate 115 V AC PhaseGrundfos 1756128075hirschcontent documents ||| GRUNDFOS DATA BOOKLET UP Series Circulators 60 Hz Contents UP Series 1. Cross reference charts ... -Bolt Flange 2-Bolt Flange 2-Bolt Flange* 2-Bolt Flange* 2-Bolt Flange* - 1x115V 59896341 59896877 **59896343** 59896878 **59896343** 59896878 59896341 59896877 59896804 5272253 59896341 59896877 59... lang:en score:18 filesize: 9 M page_count: 84 document date: 2013-01-11



[pdf]

Print Preview UNI 02790 Spec sidharvey documents ||| Position Count Description -1 UPS 15-58 FRC Company name: - Created by: - Phone: - Fax: - Date: - Unit price On request Product photo could vary from the actual product Product No.: **59896343** The pump is of the canned rotor type, i.e. pump and motor form an integral unit without shaft seal... lang:en score:17 filesize: 59.44 K page_count: 3 document date: 2012-02-10



[pdf] Borchure Catalog


untitled 537294 1 GrundfosUPSeriesOwnersManualproductcatalog plumbingonline ca DocServer DSAonDownloadServlet action type product artifacts key DS9fcb3e4c 09d5 48af a1e6 0ec5215987fd UP Series PEX UniverseUPS 50 80 4 B 11 2 bolt flange* 96404963 96404964 96404965 Grundfos provides no guarantee as to the accuracy of competitor information gr up brochure537294 GrundfosUPSeriesOwnersManualpexuniverse docs gr brochure srsltid AfmBOorOyCJQ4jefmoh9gdBzEXtwDZ57aOvzFJCTVZxNtMZAknvoDK1vproductcatalog ||| UP Series Circulator pumps 60 Hz GRUNDFOS DATA BOOKLET Table of contents UP Series 1. Cross ref ... 00R-MSF21IFC 6 3/8 2-bolt flange - - - - - UPS 15-58 FRC 6 1/2 2-bolt flange-R **59896343** - - - - - 005-F2 6 3/8 2-bolt flange ALPHA 15-55 FRC 6 1/2 2-bolt flange 59896878... lang:en score:17 filesize: 10.63 M page_count: 92 document date: 2014-06-27

UP Series

Reference for replacing TACO models

Open systems: Stainless steel and lead-free bronze body pumps

Model	Flow rate (GPM)	Head (ft)	Power (HP)	Power (kW)	Weight (lb)	Weight (kg)	Dimensions (in)	Dimensions (mm)
UP15-12	15	12	0.12	0.09	1.5	0.7	10.5	267
UP15-18	15	18	0.18	0.13	1.5	0.7	10.5	267
UP15-24	15	24	0.24	0.18	1.5	0.7	10.5	267
UP15-30	15	30	0.30	0.22	1.5	0.7	10.5	267
UP15-36	15	36	0.36	0.27	1.5	0.7	10.5	267
UP15-42	15	42	0.42	0.31	1.5	0.7	10.5	267
UP15-48	15	48	0.48	0.35	1.5	0.7	10.5	267
UP15-54	15	54	0.54	0.40	1.5	0.7	10.5	267
UP15-60	15	60	0.60	0.44	1.5	0.7	10.5	267
UP15-66	15	66	0.66	0.49	1.5	0.7	10.5	267
UP15-72	15	72	0.72	0.53	1.5	0.7	10.5	267
UP15-78	15	78	0.78	0.58	1.5	0.7	10.5	267
UP15-84	15	84	0.84	0.62	1.5	0.7	10.5	267
UP15-90	15	90	0.90	0.67	1.5	0.7	10.5	267
UP15-96	15	96	0.96	0.71	1.5	0.7	10.5	267
UP15-102	15	102	1.02	0.75	1.5	0.7	10.5	267
UP15-108	15	108	1.08	0.80	1.5	0.7	10.5	267
UP15-114	15	114	1.14	0.84	1.5	0.7	10.5	267
UP15-120	15	120	1.20	0.89	1.5	0.7	10.5	267
UP15-126	15	126	1.26	0.93	1.5	0.7	10.5	267
UP15-132	15	132	1.32	0.98	1.5	0.7	10.5	267
UP15-138	15	138	1.38	1.02	1.5	0.7	10.5	267
UP15-144	15	144	1.44	1.07	1.5	0.7	10.5	267
UP15-150	15	150	1.50	1.11	1.5	0.7	10.5	267
UP15-156	15	156	1.56	1.16	1.5	0.7	10.5	267
UP15-162	15	162	1.62	1.20	1.5	0.7	10.5	267
UP15-168	15	168	1.68	1.25	1.5	0.7	10.5	267
UP15-174	15	174	1.74	1.29	1.5	0.7	10.5	267
UP15-180	15	180	1.80	1.34	1.5	0.7	10.5	267
UP15-186	15	186	1.86	1.38	1.5	0.7	10.5	267
UP15-192	15	192	1.92	1.43	1.5	0.7	10.5	267
UP15-198	15	198	1.98	1.47	1.5	0.7	10.5	267
UP15-204	15	204	2.04	1.52	1.5	0.7	10.5	267
UP15-210	15	210	2.10	1.56	1.5	0.7	10.5	267
UP15-216	15	216	2.16	1.61	1.5	0.7	10.5	267
UP15-222	15	222	2.22	1.65	1.5	0.7	10.5	267
UP15-228	15	228	2.28	1.70	1.5	0.7	10.5	267
UP15-234	15	234	2.34	1.74	1.5	0.7	10.5	267
UP15-240	15	240	2.40	1.79	1.5	0.7	10.5	267
UP15-246	15	246	2.46	1.83	1.5	0.7	10.5	267
UP15-252	15	252	2.52	1.88	1.5	0.7	10.5	267
UP15-258	15	258	2.58	1.92	1.5	0.7	10.5	267
UP15-264	15	264	2.64	1.97	1.5	0.7	10.5	267
UP15-270	15	270	2.70	2.01	1.5	0.7	10.5	267
UP15-276	15	276	2.76	2.06	1.5	0.7	10.5	267
UP15-282	15	282	2.82	2.10	1.5	0.7	10.5	267
UP15-288	15	288	2.88	2.15	1.5	0.7	10.5	267
UP15-294	15	294	2.94	2.19	1.5	0.7	10.5	267
UP15-300	15	300	3.00	2.24	1.5	0.7	10.5	267
UP15-306	15	306	3.06	2.28	1.5	0.7	10.5	267
UP15-312	15	312	3.12	2.33	1.5	0.7	10.5	267
UP15-318	15	318	3.18	2.37	1.5	0.7	10.5	267
UP15-324	15	324	3.24	2.42	1.5	0.7	10.5	267
UP15-330	15	330	3.30	2.46	1.5	0.7	10.5	267
UP15-336	15	336	3.36	2.51	1.5	0.7	10.5	267
UP15-342	15	342	3.42	2.55	1.5	0.7	10.5	267
UP15-348	15	348	3.48	2.60	1.5	0.7	10.5	267
UP15-354	15	354	3.54	2.64	1.5	0.7	10.5	267
UP15-360	15	360	3.60	2.69	1.5	0.7	10.5	267
UP15-366	15	366	3.66	2.73	1.5	0.7	10.5	267
UP15-372	15	372	3.72	2.78	1.5	0.7	10.5	267
UP15-378	15	378	3.78	2.82	1.5	0.7	10.5	267
UP15-384	15	384	3.84	2.87	1.5	0.7	10.5	267
UP15-390	15	390	3.90	2.91	1.5	0.7	10.5	267
UP15-396	15	396	3.96	2.96	1.5	0.7	10.5	267
UP15-402	15	402	4.02	3.00	1.5	0.7	10.5	267
UP15-408	15	408	4.08	3.05	1.5	0.7	10.5	267
UP15-414	15	414	4.14	3.09	1.5	0.7	10.5	267
UP15-420	15	420	4.20	3.14	1.5	0.7	10.5	267
UP15-426	15	426	4.26	3.18	1.5	0.7	10.5	267
UP15-432	15	432	4.32	3.23	1.5	0.7	10.5	267
UP15-438	15	438	4.38	3.27	1.5	0.7	10.5	267
UP15-444	15	444	4.44	3.32	1.5	0.7	10.5	267
UP15-450	15	450	4.50	3.36	1.5	0.7	10.5	267
UP15-456	15	456	4.56	3.41	1.5	0.7	10.5	267
UP15-462	15	462	4.62	3.45	1.5	0.7	10.5	267
UP15-468	15	468	4.68	3.50	1.5	0.7	10.5	267
UP15-474	15	474	4.74	3.54	1.5	0.7	10.5	267
UP15-480	15	480	4.80	3.59	1.5	0.7	10.5	267
UP15-486	15	486	4.86	3.63	1.5	0.7	10.5	267
UP15-492	15	492	4.92	3.68	1.5	0.7	10.5	267
UP15-498	15	498	4.98	3.72	1.5	0.7	10.5	267
UP15-504	15	504	5.04	3.77	1.5	0.7	10.5	267
UP15-510	15	510	5.10	3.81	1.5	0.7	10.5	267
UP15-516	15	516	5.16	3.86	1.5	0.7	10.5	267
UP15-522	15	522	5.22	3.90	1.5	0.7	10.5	267
UP15-528	15	528	5.28	3.95	1.5	0.7	10.5	267
UP15-534	15	534	5.34	3.99	1.5	0.7	10.5	267
UP15-540	15	540	5.40	4.04	1.5	0.7	10.5	267
UP15-546	15	546	5.46	4.08	1.5	0.7	10.5	267
UP15-552	15	552	5.52	4.13	1.5	0.7	10.5	267
UP15-558	15	558	5.58	4.17	1.5	0.7	10.5	267
UP15-564	15	564	5.64	4.22	1.5	0.7	10.5	267
UP15-570	15	570	5.70	4.26	1.5	0.7	10.5	267
UP15-576	15	576	5.76	4.31	1.5	0.7	10.5	267
UP15-582	15	582	5.82	4.35	1.5	0.7	10.5	267
UP15-588	15	588	5.88	4.40	1.5	0.7	10.5	267
UP15-594	15	594	5.94	4.44	1.5	0.7	10.5	267
UP15-600	15	600	6.00	4.49	1.5	0.7	10.5	267
UP15-606	15	606	6.06	4.53	1.5	0.7	10.5	267
UP15-612	15	612	6.12	4.58	1.5	0.7	10.5	267
UP15-618	15	618	6.18	4.62	1.5	0.7	10.5	267
UP15-624	15	624	6.24	4.67	1.5	0.7	10.5	267
UP15-630	15	630	6.30	4.71	1.5	0.7	10.5	267
UP15-636	15	636	6.36	4.76	1.5	0.7	10.5	267
UP15-642	15	642	6.42	4.80	1.5	0.7	10.5	267
UP15-648	15	648	6.48	4.85	1.5	0.7	10.5	267
UP15-654	15	654	6.54	4.89	1.5	0.7	10.5	267
UP15-660	15	660	6.60	4.94	1.5	0.7	10.5	267
UP15-666	15	666	6.66	4.98	1.5	0.7	10.5	267
UP15-672	15	672	6.72	5.03	1.5	0.7	10.5	267
UP15-678	15	678	6.78	5.07	1.5	0.7	10.5	267
UP15-684	15	684	6.84	5.12	1.5	0.7	10.5	267
UP15-690	15	690	6.90	5.16	1.5	0.7	10.5	267
UP15-696	15	696	6.96	5.21	1.5	0.7	10.5	267
UP15-702	15	702	7.02	5.25	1.5	0.7	10.5	267
UP15-708	15	708	7.08	5.30	1.5	0.7	10.5	267
UP15-714	15	714	7.14	5.34	1.5	0.7	10.5	267
UP15-720	15	720	7.20	5.39	1.5	0.7	10.5	267
UP15-726	15	726	7.26	5.43	1.5	0.7	10.5	267
UP15-732	15	732	7.32	5.48	1.5	0.7	10.5	267
UP15-738	15	738	7.38	5.52	1.5	0.7	10.5	267
UP15-744	15	744	7.44	5.57	1.5	0.7	10.5	267
UP15-750	15	750	7.50	5.61	1.5	0.7	10.5	267
UP15-756	15	756	7.56	5.66	1.5	0.7	10.5	267
UP15-762	15	762	7.62	5.70	1.5	0.7	10.5	267
UP15-768	15	768	7.68	5.75	1.5	0.7	10.5	267
UP15-774	15	774	7.74	5.79	1.5	0.7	10.5	267
UP15-780	15	780	7.80	5.84	1.5	0.7	10.5	267
UP15-786	15	786	7.86	5.88	1.5	0.7	10.5	267
UP15-792	15	792	7.92	5.93	1.5	0.7	10.5	267
UP15-798	15	798	7.98	5.97	1.5	0.7	10.5	267
UP15-804	15	804	8.04	6.02	1.5	0.7	10.5	267
UP15-810	15	810	8.10	6.06	1.5	0.7	10.5	267
UP15-816	15	816	8.16	6.11	1.5	0.7	10.5	267
UP15-822	15	822	8.22	6.15	1.5	0.7	10.5	267
UP15-828	15	828	8.28	6.20	1.5	0.7	10.5	267
UP15-834	15	834	8.34	6.24	1.5	0.7	10.5	267
UP15-840	15	840	8.40	6.29	1.5	0.7	10.5	267
UP15-846	15	846	8.46	6.33	1.5	0.7	10.5	267
UP15-852	15	852	8.52	6.38	1.5	0.7	10.5	267
UP15-858	15	858	8.58	6.42	1.5	0.7	10.5	267
UP15-864	15	864	8.64	6.47	1.5	0.7	10.5	267
UP15-870	15	870	8.70	6.51	1.5	0.7	10.5	267
UP15-876	15	876	8.76	6.56	1.5	0.7	10.5	267
UP15-882	15	882	8.82	6.60	1.5	0.7	10.5	267
UP15-888	15	888	8.88	6.65	1.5	0.7	10.5	267
UP15-894	15	894	8.94	6.69				




[pdf] Guide Accessories Borchure

UPSeries book c261 Brochure Grundfos 519850 GRF519850 southernpipe ASSETS DOCUMENTS CMS EN |||

GRUNDFOS PRODUCT GUIDE UP Series Circulator pumps 60 Hz Contents Mission Cross-reference Grundfos ... 59896178 59896250 59896173 59896274 59896180 - 0-17 0-17 0-9 0-17.5 0-17.5 59896341 - 0-17.5 **59896343** - 0-17.5 59896300 52722330 52722327 0-8.5 0-34 52722405 - 0-31 52722341 52722399 5...

lang:en score:16 filesize: 8.83 M page_count: 76 document date: 2013-05-16



[pdf]

GPI Document Print Engine GRUNDFE00268 1 2 images tradeservice ATTACHMENTS DIR100225 |||

Qty. Description 1 UPS 15-58 FRC Company name: Created by: Phone: Date: 10/01/2019 Note Product picture may differ from actual product Product No.:

59896343 The pump is of the canned rotor type, i.e. pump and motor form an integral unit without shaft seal and with only two gaskets for sealing. ...

lang:en score:16 filesize: 61.24 K page_count: 2 document date: 2019-01-10