

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [American Standard](#) /
- › [American Standard 3060SH.RW Seated Shower Instruction Manual](#)

American Standard 3060SH.RW

American Standard 3060SH.RW Seated Shower Instruction Manual

Model: 3060SH.RW

PRODUCT OVERVIEW

The American Standard 3060SH.RW Seated Shower is designed to provide a safe and accessible showering experience. This unit features an integrated, full-size, chair-height seat and a wrap-around grab bar, enhancing user stability and ease of transfer. It is constructed from durable cast acrylic and includes a freestanding metal support frame with five leveling feet for stable installation. This model is designed to fit within the footprint of a standard bathtub, making it suitable for various bathroom renovations.

Key features include:

- Integrated full-size, chair-height seat for comfortable showering.
- Wrap-around grab bar system for enhanced safety and support.
- Low 3-inch threshold for easy entry and exit.
- Durable cast acrylic construction.
- Freestanding metal support frame with adjustable leveling feet for stable installation.
- Designed for right-hand drain configuration.

SETUP AND INSTALLATION

Proper installation is crucial for the safety and longevity of your American Standard Seated Shower. It is highly recommended that installation be performed by a qualified professional plumber or contractor.

Pre-Installation Checklist:

- Verify all components are present and undamaged. Refer to the included installation guide for a complete list.
- Ensure the installation area is prepared, including plumbing rough-ins for the drain and water supply, and a level subfloor.
- Confirm the dimensions of the shower fit the intended space, which typically accommodates a standard bathtub. Refer to the Specifications section for exact dimensions.

Installation Steps (Summary):

1. **Positioning:** Carefully place the shower unit into the prepared alcove. The unit is designed for a three-wall alcove installation.
2. **Leveling:** Adjust the five leveling feet on the freestanding metal support frame to ensure the unit is perfectly level and stable. This is critical for proper drainage and structural integrity.
3. **Drain Connection:** Connect the shower drain to the existing plumbing. Ensure all connections are watertight.
4. **Water Supply:** Install the shower valve and showerhead according to manufacturer instructions and local plumbing codes.
5. **Sealing:** Apply appropriate sealant around the edges where the shower meets the walls to prevent water leakage. The unit includes an integral tile flange for this purpose.
6. **Final Inspection:** After installation, perform a leak test by running water in the shower and checking all connections and seals.



Image: The American Standard Seated Shower integrated into a complete bathroom setting, showcasing its design and fit.



Image: The seated shower with a shower curtain, highlighting the built-in seat and grab bar for user support.

OPERATING INSTRUCTIONS

The American Standard Seated Shower is designed for ease of use and enhanced safety during showering.

Using the Seated Shower:

1. **Entry:** The low 3-inch threshold allows for easy step-in access. Use the grab bar for stability as you enter the shower area.
2. **Seating:** Once inside, you can comfortably sit on the integrated chair-height seat. This feature is particularly beneficial for individuals who have difficulty standing for extended periods.
3. **Stability:** Utilize the wrap-around grab bar for additional support when moving within the shower or when transitioning between standing and sitting positions.
4. **Water Control:** Operate the shower valve to adjust water temperature and flow to your preference.
5. **Exit:** Use the grab bar for support as you stand up from the seat and step out of the shower.



Image: A user demonstrating the ease of entry into the seated shower, highlighting the low threshold and wide opening.



Image: A detailed view of the shower's interior, focusing on the contoured seat and the integrated grab bar for user comfort and safety.

CARE AND MAINTENANCE

Regular cleaning and proper maintenance will help preserve the appearance and functionality of your American Standard Seated Shower.

Cleaning the Acrylic Surface:

- Use a soft cloth or sponge with a non-abrasive, mild liquid household cleaner.
- Avoid abrasive cleaners, scouring pads, or harsh chemicals (e.g., acetone, paint thinner, strong acids or bases) as these can damage the acrylic finish.
- Rinse thoroughly with warm water after cleaning to remove all cleaner residue.
- For stubborn stains, a paste of baking soda and water can be gently applied and then rinsed.

Maintaining the Grab Bar:

- Wipe the grab bar with a soft, damp cloth regularly to remove soap scum and water spots.
- Avoid using abrasive cleaners on metal finishes to prevent scratching or dulling.

Drain Maintenance:

- Periodically remove any hair or debris from the drain cover to ensure proper water flow.
- Avoid pouring harsh drain cleaners down the drain, as they can damage plumbing or the acrylic.

TROUBLESHOOTING

This section addresses common issues you might encounter with your seated shower.

Problem	Possible Cause	Solution
Slow Drainage	Hair or soap buildup in the drain.	Remove drain cover and clear any obstructions. Use a drain snake if necessary.
Water Leaks Around Base	Improperly sealed edges or loose drain connection.	Inspect sealant around the shower base and walls; reapply if cracked or missing. Check drain connections for tightness. Consult a professional if leaks persist.
Shower Unit Feels Unstable	Leveling feet not properly adjusted or subfloor uneven.	Re-adjust the five leveling feet to ensure the unit is stable and level. Ensure the subfloor is adequately prepared and level.
Water Temperature Issues	Shower valve malfunction or water heater issues.	Consult the instruction manual for your shower valve. Check your home's water heater settings. If issues persist, contact a plumber.

PRODUCT SPECIFICATIONS

Feature	Detail
Model Number	3060SH.RW
Brand	American Standard
Product Dimensions (D x W x H)	37"D x 60"W x 30"H
Material	Acrylic
Color	White
Item Weight	75 Pounds
Installation Type	Three Wall Alcove
Drain Handing	Right Hand
Included Components	Installation Guide
UPC	812607013976

WARRANTY INFORMATION

American Standard provides the following warranty for the 3060SH.RW Seated Shower:

- **Tub Shell:** 15-year limited warranty.
- **Components:** 10-year limited warranty.

For detailed terms and conditions, please refer to the official warranty documentation included with your product or visit the American Standard website.

CUSTOMER SUPPORT

For further assistance, technical support, or to inquire about replacement parts, please contact American Standard

customer service. You can also visit the official American Standard website for additional resources and product information.

Online Resources: [Visit the American Standard Store on Amazon](#)

Please have your model number (3060SH.RW) and date of purchase available when contacting support.