

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [RELIC](#) /

› [RELIC Men's Gunmetal Automatic Skeleton Watch ZR11853 User Manual](#)

## RELIC ZR11853

# RELIC Men's Gunmetal Automatic Skeleton Watch ZR11853 User Manual

Model: ZR11853

## INTRODUCTION

This manual provides essential information for the proper use, care, and maintenance of your RELIC Men's Gunmetal Automatic Skeleton Watch, Model ZR11853. Please read these instructions carefully to ensure optimal performance and longevity of your timepiece.

## PRODUCT FEATURES

- **Movement:** Automatic (self-winding) with analog display.
- **Case:** Gunmetal plated stainless steel, 42mm diameter, with a textured outer dial.
- **Dial:** Skeleton design revealing the intricate inner workings of the watch.
- **Hands:** Luminous 3-hand display for visibility in low light.
- **Bracelet:** Gunmetal plated stainless steel, 20mm width, with a deployment-clasp closure.
- **Water Resistance:** Water resistant to 165 feet (50 meters). Suitable for short periods of recreational swimming and showering, but not for diving or snorkeling.

## SETUP

### Initial Winding

As an automatic watch, your RELIC timepiece is powered by the motion of your wrist. If the watch has stopped or is running low on power, it may require an initial manual wind:

1. Ensure the crown is in the closed (normal operating) position.
2. Rotate the crown clockwise approximately 20-30 times. This will provide enough power for the watch to start ticking.
3. Once the watch starts, wearing it regularly will keep it wound.

### Setting the Time

1. Pull the crown out to the outermost position.
2. Rotate the crown clockwise or counter-clockwise to set the hour and minute hands to the correct time.
3. Once the time is set, push the crown back into the normal operating position.

## Adjusting the Bracelet

The stainless steel bracelet can be adjusted by removing or adding links. This procedure typically requires specialized tools and is best performed by a professional jeweler or watch repair service to avoid damage.

## OPERATING INSTRUCTIONS

---

Your RELIC automatic watch is designed to be worn daily. The natural motion of your arm and wrist will keep the mainspring wound, ensuring continuous operation. If the watch is not worn for an extended period (typically 24-48 hours), it may stop and require manual winding as described in the 'Initial Winding' section.

## MAINTENANCE

---

- **Cleaning:** Wipe the watch case and bracelet with a soft, dry cloth regularly to remove dirt and oils. For stubborn grime, a slightly damp cloth can be used, followed by immediate drying.
- **Avoid Chemicals:** Do not expose your watch to harsh chemicals, solvents, or detergents, as these can damage the finish and seals.
- **Temperature Extremes:** Avoid exposing the watch to extreme temperatures (hot or cold) or sudden temperature changes, which can affect the movement's accuracy and water resistance.
- **Magnetic Fields:** Keep the watch away from strong magnetic fields (e.g., speakers, refrigerators, certain electronic devices), as these can temporarily affect the watch's timekeeping accuracy.
- **Servicing:** For optimal performance, it is recommended to have your automatic watch serviced by a qualified watchmaker every 3-5 years.

## WATER RESISTANCE GUIDELINES

---

Your RELIC watch is water resistant to 50 meters (165 feet). This means it is suitable for:

- Splashes
- Rain
- Short periods of recreational swimming
- Showering

### It is **NOT** suitable for:

- Diving
- Snorkeling
- Hot tubs or saunas (steam can compromise seals)

Always ensure the crown is fully pushed in before exposing the watch to water. Do not operate the crown while the watch is wet or submerged.

## TROUBLESHOOTING

---

### Watch Not Keeping Accurate Time

- **Insufficient Winding:** Ensure the watch is sufficiently wound. If not worn daily, manually wind it as described in the 'Initial Winding' section.
- **Magnetic Interference:** Check if the watch has been exposed to strong magnetic fields. If so, demagnetization by a professional watchmaker may be necessary.
- **Service Required:** If the issue persists, the movement may require servicing or adjustment by a qualified technician.

## Moisture Inside the Watch

If you notice condensation or moisture inside the watch, immediately take it to a professional watch repair service. Delaying this can lead to permanent damage to the movement.

## SPECIFICATIONS

Feature	Detail
Product Dimensions	0.3 x 7.34 x 0.8 inches
Item Weight	5 ounces
Model Number	ZR11853
Department	Men's
Batteries	1 Product Specific battery required (included) - <i>Note: Automatic watches do not typically use batteries for timekeeping, this may refer to a small capacitor or initial power cell.</i>
Date First Available	August 18, 2010
Manufacturer	Relic Watches
Material	Stainless-steel

## WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the official RELIC website or contact the retailer where the watch was purchased. Keep your proof of purchase for any warranty claims.

## PRODUCT IMAGES



Front view of the RELIC Men's Gunmetal Automatic Skeleton Watch, showcasing the intricate skeleton dial.



Side profile of the watch, highlighting the crown and case thickness.



Rear view of the watch, showing the transparent case back that reveals the automatic movement.



The watch displayed on a wrist, illustrating its size and fit.



An overhead view of the watch, emphasizing the gunmetal finish and dial details.




The RELIC branded packaging box for the watch.

# MEN'S CASE SIZE GUIDE

Wrists come in all sizes. Use this handy guide to find the right watch for you!

Print on 8.5 x 11 paper at 100% scale.



A size guide for men's watch cases, showing various diameters and thicknesses.

## PRODUCT VIDEOS

Official product video showcasing the RELIC Men's Brennan Automatic Stainless Steel Sport Watch in Gunmetal. This video provides a 360-degree view of the watch and highlights its features.