

Lowrance LCX-27C, 28C HD, 37C, 38C HD, 112C, 113C HD

Lowrance LCX Series User Manual

Models: LCX-27C, 28C HD, 37C, 38C HD, 112C, 113C HD

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Lowrance LCX Series fishfinder/chartplotter. Please read this manual thoroughly before using your device to ensure proper functionality and to maximize its performance. Keep this manual for future reference.

SETUP AND INSTALLATION

1. Unpacking and Inspection

Carefully remove all components from the packaging. Verify that all items listed in the packing list are present and undamaged. If any items are missing or damaged, contact your Lowrance dealer immediately.

- LCX Series Display Unit
- Transducer (model specific)
- Power Cable
- Mounting Bracket and Hardware
- Fuse and Fuse Holder
- Documentation Packet

2. Mounting the Display Unit

Choose a location that provides clear visibility, easy access to controls, and protection from excessive moisture or direct sunlight. Ensure adequate ventilation around the unit.

1. Secure the mounting bracket to a flat, stable surface using the provided hardware.
2. Attach the display unit to the mounting bracket.
3. Adjust the viewing angle for optimal visibility.

3. Transducer Installation

Proper transducer placement is critical for optimal sonar performance. Refer to the specific transducer manual for detailed installation instructions. Common mounting types include transom mount, thru-hull, and in-hull.

4. Power Connection

Connect the red wire of the power cable to a positive (+) 12V DC power source and the black wire to a negative (-)

ground. Install the inline fuse holder with the correct fuse rating (refer to specifications) as close to the power source as possible.

OPERATING INSTRUCTIONS

1. Powering On/Off

Press and hold the **POWER** button for approximately 3 seconds to turn the unit on or off. A short press will bring up the system menu.

2. Basic Navigation

Use the **MENU** button to access the main menu. Navigate through options using the arrow keys and select with the **ENTER** button.

3. Sonar Operation

The LCX series features advanced sonar capabilities. Adjust settings such as sensitivity, depth range, and frequency to optimize the sonar display for current conditions.

- **Sensitivity:** Controls the unit's ability to detect echoes. Increase for clearer returns in deep water, decrease to reduce clutter in shallow water.
- **Depth Range:** Sets the maximum depth displayed.
- **Frequency:** Select between 50 kHz (deeper penetration) and 200 kHz (higher detail, shallower water).

4. Chartplotter Functions

Utilize the built-in GPS and mapping features for navigation. Create waypoints, routes, and tracks.

- **Waypoints:** Mark specific locations of interest.
- **Routes:** Plan a series of waypoints for navigation.
- **Tracks:** Record your path of travel.

MAINTENANCE

1. Cleaning the Unit

Clean the display screen and unit casing with a soft, damp cloth. Do not use abrasive cleaners or solvents, as they can damage the screen and plastic components.

2. Transducer Care

Regularly inspect the transducer for marine growth or damage. Clean the transducer face with a soft brush and mild soap if necessary. Ensure the transducer cable is not pinched or abraded.

3. Software Updates

Periodically check the Lowrance website for available software updates. Updates can provide new features, performance enhancements, and bug fixes. Follow the instructions provided with the update files carefully.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Unit does not power on.	No power, blown fuse, faulty wiring.	Check power connections, inspect fuse, verify wiring integrity.
No sonar returns.	Transducer not connected, air bubbles under transducer, incorrect depth range.	Ensure transducer is securely connected, clean transducer face, adjust depth range.
GPS not acquiring satellites.	Obstructed view of sky, unit indoors.	Move to an open area with clear view of the sky.

If you encounter issues not covered in this section, please refer to the support information provided or contact Lowrance customer service.

SPECIFICATIONS

Feature	Detail
Display Type	Color TFT LCD
Display Size	Varies by model (e.g., 7-inch, 8.4-inch, 10.4-inch)
Resolution	Varies by model (e.g., 480x640, 600x800)
Operating Voltage	10-17 VDC
Sonar Frequencies	50/200 kHz (Dual-Frequency)
GPS Receiver	Internal 16-channel GPS+WAAS/EGNOS/MSAS
Waterproof Rating	IPX7
Operating Temperature	-15°C to 55°C (5°F to 131°F)

WARRANTY INFORMATION

Specific warranty terms and conditions for your Lowrance LCX Series product are typically provided with the original purchase documentation or can be found on the official Lowrance website. Generally, Lowrance products come with a limited warranty covering defects in materials and workmanship for a specified period from the date of purchase. Please retain your proof of purchase for warranty claims.

CUSTOMER SUPPORT

For technical assistance, product registration, or to find authorized service centers, please visit the official Lowrance website or contact their customer support directly. Contact information is usually available on the product packaging or the company's website.

Note: As specific contact details are not provided in the product data, please refer to the manufacturer's official resources for the most current support information.



Documents - Lowrance – LCX-27C, 28C HD, 37C, 38C HD, 112C, 113C HD

[\[pdf\]](#) Guide

GPS Plotter Cards Compatibility Guide xlsx scosta CHARTPLOTTER COMPATIBILITY GUIDE Landfall

Navigation 12 lug 2021 — HELIX 5 DI XD SONAR SI KVD Hook Reveal series Lowrance Geonav

Available through dealers only TMQ C Plot Nav navionics compatibility guide landfallnavigation product

assets manuals |||


Revised 7/12/2021 CHARTPLOTTER PRODUCTS COMPATIBILITY GUIDE

Navionics Platinum BRAND MODEL S ... roSD only ; Lowrance LMS 527c df iGPS,

525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, **112c, 37c**, 28c HD, 27c ;

GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 Medallion Viper I...

lang:it **score:54** filesize: 310.63 K page_count: 2 document date: 2021-08-10




PRODUCTS	COMPATIBLE	NOT COMPATIBLE
LCX-112C		
LCX-113C		
LCX-27C		
LCX-28C		
LCX-37C		
LCX-38C		
LMS-520C		
LMS-522C		
LMS-525C		
LMS-527C		
LMS-528C		
LMS-529C		
LMS-530C		
LMS-531C		
LMS-532C		
LMS-533C		
LMS-534C		
LMS-535C		
LMS-536C		
LMS-537C		
LMS-538C		
LMS-539C		
LMS-540C		
LMS-541C		
LMS-542C		
LMS-543C		
LMS-544C		
LMS-545C		
LMS-546C		
LMS-547C		
LMS-548C		
LMS-549C		
LMS-550C		
LMS-551C		
LMS-552C		
LMS-553C		
LMS-554C		
LMS-555C		
LMS-556C		
LMS-557C		
LMS-558C		
LMS-559C		
LMS-560C		
LMS-561C		
LMS-562C		
LMS-563C		
LMS-564C		
LMS-565C		
LMS-566C		
LMS-567C		
LMS-568C		
LMS-569C		
LMS-570C		
LMS-571C		
LMS-572C		
LMS-573C		
LMS-574C		
LMS-575C		
LMS-576C		
LMS-577C		
LMS-578C		
LMS-579C		
LMS-580C		
LMS-581C		
LMS-582C		
LMS-583C		
LMS-584C		
LMS-585C		
LMS-586C		
LMS-587C		
LMS-588C		
LMS-589C		
LMS-590C		
LMS-591C		
LMS-592C		
LMS-593C		
LMS-594C		
LMS-595C		
LMS-596C		
LMS-597C		
LMS-598C		
LMS-599C		
LMS-600C		



[Lowrance LCX Series Fish-finding Sonar & Mapping GPS: Operation Manual](#)

Comprehensive operation manual for Lowrance LCX series fish-finding sonar and mapping GPS units, covering installation, sonar and GPS functions, system setup, and troubleshooting.

lang:en **score:54** filesize: 12.34 M page_count: 232 document date: 2007-02-01



Transducer Options Available
1. AIRMAR B45T For Lowrance Models: HDS-10, HDS-5, HDS-7, HDS-8, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-335C DF, LMS-337C DF, LMS-339C DF, LMS-480, LMS-525C DF, LMS-527C DF, LMS-528C DF, LMS-529C DF, LMS-530C DF, LMS-531C DF, LMS-532C DF, LMS-533C DF, LMS-534C DF, LMS-535C DF, LMS-536C DF, LMS-537C DF, LMS-538C DF, LMS-539C DF, LMS-540C DF, LMS-541C DF, LMS-542C DF, LMS-543C DF, LMS-544C DF, LMS-545C DF, LMS-546C DF, LMS-547C DF, LMS-548C DF, LMS-549C DF, LMS-550C DF, LMS-551C DF, LMS-552C DF, LMS-553C DF, LMS-554C DF, LMS-555C DF, LMS-556C DF, LMS-557C DF, LMS-558C DF, LMS-559C DF, LMS-560C DF, LMS-561C DF, LMS-562C DF, LMS-563C DF, LMS-564C DF, LMS-565C DF, LMS-566C DF, LMS-567C DF, LMS-568C DF, LMS-569C DF, LMS-570C DF, LMS-571C DF, LMS-572C DF, LMS-573C DF, LMS-574C DF, LMS-575C DF, LMS-576C DF, LMS-577C DF, LMS-578C DF, LMS-579C DF, LMS-580C DF, LMS-581C DF, LMS-582C DF, LMS-583C DF, LMS-584C DF, LMS-585C DF, LMS-586C DF, LMS-587C DF, LMS-588C DF, LMS-589C DF, LMS-590C DF, LMS-591C DF, LMS-592C DF, LMS-593C DF, LMS-594C DF, LMS-595C DF, LMS-596C DF, LMS-597C DF, LMS-598C DF, LMS-599C DF, LMS-600C DF.
2. AIRMAR B45T For Furuno Bluelogic Models: BLP10, BLP11, BLP12, BLP13, BLP14, BLP15, BLP16, BLP17, BLP18, BLP19, BLP20, BLP21, BLP22, BLP23, BLP24, BLP25, BLP26, BLP27, BLP28, BLP29, BLP30, BLP31, BLP32, BLP33, BLP34, BLP35, BLP36, BLP37, BLP38, BLP39, BLP40, BLP41, BLP42, BLP43, BLP44, BLP45, BLP46, BLP47, BLP48, BLP49, BLP50, BLP51, BLP52, BLP53, BLP54, BLP55, BLP56, BLP57, BLP58, BLP59, BLP60, BLP61, BLP62, BLP63, BLP64, BLP65, BLP66, BLP67, BLP68, BLP69, BLP70, BLP71, BLP72, BLP73, BLP74, BLP75, BLP76, BLP77, BLP78, BLP79, BLP80, BLP81, BLP82, BLP83, BLP84, BLP85, BLP86, BLP87, BLP88, BLP89, BLP90, BLP91, BLP92, BLP93, BLP94, BLP95, BLP96, BLP97, BLP98, BLP99, BLP100.
3. AIRMAR B45T For Furuno Bluelogic Models: BLP10, BLP11, BLP12, BLP13, BLP14, BLP15, BLP16, BLP17, BLP18, BLP19, BLP20, BLP21, BLP22, BLP23, BLP24, BLP25, BLP26, BLP27, BLP28, BLP29, BLP30, BLP31, BLP32, BLP33, BLP34, BLP35, BLP36, BLP37, BLP38, BLP39, BLP40, BLP41, BLP42, BLP43, BLP44, BLP45, BLP46, BLP47, BLP48, BLP49, BLP50, BLP51, BLP52, BLP53, BLP54, BLP55, BLP56, BLP57, BLP58, BLP59, BLP60, BLP61, BLP62, BLP63, BLP64, BLP65, BLP66, BLP67, BLP68, BLP69, BLP70, BLP71, BLP72, BLP73, BLP74, BLP75, BLP76, BLP77, BLP78, BLP79, BLP80, BLP81, BLP82, BLP83, BLP84, BLP85, BLP86, BLP87, BLP88, BLP89, BLP90, BLP91, BLP92, BLP93, BLP94, BLP95, BLP96, BLP97, BLP98, BLP99, BLP100.
4. AIRMAR B45T For Raymarine Raystar Connector Models: Raymarine C-Series C70, C80, C120, C150W, C180W, C200W, C250W, C300W, C350W, C400W, C450W, C500W, C550W, C600W, C650W, C700W, C750W, C800W, C850W, C900W, C950W, C1000W, C1050W, C1100W, C1150W, C1200W, C1250W, C1300W, C1350W, C1400W, C1450W, C1500W, C1550W, C1600W, C1650W, C1700W, C1750W, C1800W, C1850W, C1900W, C1950W, C2000W, C2050W, C2100W, C2150W, C2200W, C2250W, C2300W, C2350W, C2400W, C2450W, C2500W, C2550W, C2600W, C2650W, C2700W, C2750W, C2800W, C2850W, C2900W, C2950W, C3000W, C3050W, C3100W, C3150W, C3200W, C3250W, C3300W, C3350W, C3400W, C3450W, C3500W, C3550W, C3600W, C3650W, C3700W, C3750W, C3800W, C3850W, C3900W, C3950W, C4000W, C4050W, C4100W, C4150W, C4200W, C4250W, C4300W, C4350W, C4400W, C4450W, C4500W, C4550W, C4600W, C4650W, C4700W, C4750W, C4800W, C4850W, C4900W, C4950W, C5000W, C5050W, C5100W, C5150W, C5200W, C5250W, C5300W, C5350W, C5400W, C5450W, C5500W, C5550W, C5600W, C5650W, C5700W, C5750W, C5800W, C5850W, C5900W, C5950W, C6000W, C6050W, C6100W, C6150W, C6200W, C6250W, C6300W, C6350W, C6400W, C6450W, C6500W, C6550W, C6600W, C6650W, C6700W, C6750W, C6800W, C6850W, C6900W, C6950W, C7000W, C7050W, C7100W, C7150W, C7200W, C7250W, C7300W, C7350W, C7400W, C7450W, C7500W, C7550W, C7600W, C7650W, C7700W, C7750W, C7800W, C7850W, C7900W, C7950W, C8000W, C8050W, C8100W, C8150W, C8200W, C8250W, C8300W, C8350W, C8400W, C8450W, C8500W, C8550W, C8600W, C8650W, C8700W, C8750W, C8800W, C8850W, C8900W, C8950W, C9000W, C9050W, C9100W, C9150W, C9200W, C9250W, C9300W, C9350W, C9400W, C9450W, C9500W, C9550W, C9600W, C9650W, C9700W, C9750W, C9800W, C9850W, C9900W, C9950W, C10000W, C10050W, C10100W, C10150W, C10200W, C10250W, C10300W, C10350W, C10400W, C10450W, C10500W, C10550W, C10600W, C10650W, C10700W, C10750W, C10800W, C10850W, C10900W, C10950W, C11000W, C11050W, C11100W, C11150W, C11200W, C11250W, C11300W, C11350W, C11400W, C11450W, C11500W, C11550W, C11600W, C11650W, C11700W, C11750W, C11800W, C11850W, C11900W, C11950W, C12000W, C12050W, C12100W, C12150W, C12200W, C12250W, C12300W, C12350W, C12400W, C12450W, C12500W, C12550W, C12600W, C12650W, C12700W, C12750W, C12800W, C12850W, C12900W, C12950W, C13000W, C13050W, C13100W, C13150W, C13200W, C13250W, C13300W, C13350W, C13400W, C13450W, C13500W, C13550W, C13600W, C13650W, C13700W, C13750W, C13800W, C13850W, C13900W, C13950W, C14000W, C14050W, C14100W, C14150W, C14200W, C14250W, C14300W, C14350W, C14400W, C14450W, C14500W, C14550W, C14600W, C14650W, C14700W, C14750W, C14800W, C14850W, C14900W, C14950W, C15000W, C15050W, C15100W, C15150W, C15200W, C15250W, C15300W, C15350W, C15400W, C15450W, C15500W, C15550W, C15600W, C15650W, C15700W, C15750W, C15800W, C15850W, C15900W, C15950W, C16000W, C16050W, C16100W, C16150W, C16200W, C16250W, C16300W, C16350W, C16400W, C16450W, C16500W, C16550W, C16600W, C16650W, C16700W, C16750W, C16800W, C16850W, C16900W, C16950W, C17000W, C17050W, C17100W, C17150W, C17200W, C17250W, C17300W, C17350W, C17400W, C17450W, C17500W, C17550W, C17600W, C17650W, C17700W, C17750W, C17800W, C17850W, C17900W, C17950W, C18000W, C18050W, C18100W, C18150W, C18200W, C18250W, C18300W, C18350W, C18400W, C18450W, C18500W, C18550W, C18600W, C18650W, C18700W, C18750W, C18800W, C18850W, C18900W, C18950W, C19000W, C19050W, C19100W, C19150W, C19200W, C19250W, C19300W, C19350W, C19400W, C19450W, C19500W, C19550W, C19600W, C19650W, C19700W, C19750W, C19800W, C19850W, C19900W, C19950W, C20000W, C20050W, C20100W, C20150W, C20200W, C20250W, C20300W, C20350W, C20400W, C20450W, C20500W, C20550W, C20600W, C20650W, C20700W, C20750W, C20800W, C20850W, C20900W, C20950W, C21000W, C21050W, C21100W, C21150W, C21200W, C21250W, C21300W, C21350W, C21400W, C21450W, C21500W, C21550W, C21600W, C21650W, C21700W, C21750W, C21800W, C21850W, C21900W, C21950W, C22000W, C22050W, C22100W, C22150W, C22200W, C22250W, C22300W, C22350W, C22400W, C22450W, C22500W, C22550W, C22600W, C22650W, C22700W, C22750W, C22800W, C22850W, C22900W, C22950W, C23000W, C23050W, C23100W, C23150W, C23200W, C23250W, C23300W, C23350W, C23400W, C23450W, C23500W, C23550W, C23600W, C23650W, C23700W, C23750W, C23800W, C23850W, C23900W, C23950W, C24000W, C24050W, C24100W, C24150W, C24200W, C24250W, C24300W, C24350W, C24400W, C24450W, C24500W, C24550W, C24600W, C24650W, C24700W, C24750W, C24800W, C24850W, C24900W, C24950W, C25000W, C25050W, C25100W, C25150W, C25200W, C25250W, C25300W, C25350W, C25400W, C25450W, C25500W, C25550W, C25600W, C25650W, C25700W, C25750W, C25800W, C25850W, C25900W, C25950W, C26000W, C26050W, C26100W, C26150W, C26200W, C26250W, C26300W, C26350W, C26400W, C26450W, C26500W, C26550W, C26600W, C26650W, C26700W, C26750W, C26800W, C26850W, C26900W, C26950W, C27000W, C27050W, C27100W, C27150W, C27200W, C27250W, C27300W, C27350W, C27400W, C27450W, C27500W, C27550W, C27600W, C27650W, C27700W, C27750W, C27800W, C27850W, C27900W, C27950W, C28000W, C28050W, C28100W, C28150W, C28200W, C28250W, C28300W, C28350W, C28400W, C28450W, C28500W, C28550W, C28600W, C28650W, C28700W, C28750W, C28800W, C28850W, C28900W, C28950W, C29000W, C29050W, C29100W, C29150W, C29200W, C29250W, C29300W, C29350W, C29400W, C29450W, C29500W, C29550W, C29600W, C29650W, C29700W, C29750W, C29800W, C29850W, C29900W, C29950W, C30000W, C30050W, C30100W, C30150W, C30200W, C30250W, C30300W, C30350W, C30400W, C30450W, C30500W, C30550W, C30600W, C30650W, C30700W, C30750W, C30800W, C30850W, C30900W, C30950W, C31000W, C31050W, C31100W, C31150W, C31200W, C31250W, C31300W, C31350W, C31400W, C31450W, C31500W, C31550W, C31600W, C31650W, C31700W, C31750W, C31800W, C31850W, C31900W, C31950W, C32000W, C32050W, C32100W, C32150W, C32200W, C32250W, C32300W, C32350W, C32400W, C32450W, C32500W, C32550W, C32600W, C32650W, C32700W, C32750W, C32800W, C32850W, C32900W, C32950W, C33000W, C33050W, C33100W, C33150W, C33200W, C33250W, C33300W, C33350W, C33400W, C33450W, C33500W, C33550W, C33600W, C33650W, C33700W, C33750W, C33800W, C33850W, C33900W, C33950W, C34000W, C34050W, C34100W, C34150W, C34200W, C34250W, C34300W, C34350W, C34400W, C34450W, C34500W, C34550W, C34600W, C34650W, C34700W, C34750W, C34800W, C34850W, C34900W, C34950W, C35000W, C35050W, C35100W, C35150W, C35200W, C35250W, C35300W, C35350W, C35400W, C35450W, C35500W, C35550W, C35600W, C35650W, C35700W, C35750W, C35800W, C35850W, C35900W, C35950W, C36000W, C36050W, C36100W, C36150W, C36200W, C36250W, C36300W, C36350W, C36400W, C36450W, C36500W, C36550W, C36600W, C36650W, C36700W, C36750W, C36800W, C36850W, C36900W, C36950W, C37000W, C37050W, C37100W, C37150W, C37200W, C37250W, C37300W, C37350W, C37400W, C37450W, C37500W, C37550W, C37600W, C37650W, C37700W, C37750W, C37800W, C37850W, C37900W, C37950W, C38000W, C38050W, C38100W, C38150W, C38200W, C38250W, C38300W, C38350W, C38400W, C38450W, C38500W, C38550W, C38600W, C38650W, C38700W, C38750W, C38800W, C38850W, C38900W, C38950W, C39000W, C39050W, C39100W, C39150W, C39200W, C39250W, C39300W, C39350W, C39400W, C39450W, C39500W, C39550W, C39600W, C39650W, C39700W, C39750W, C39800W, C39850W, C39900W, C39950W, C40000W, C40050W, C40100W, C40150W, C40200W, C40250W, C40300W, C40350W, C40400W, C40450W, C40500W, C40550W, C40600W, C40650W, C40700W, C40750W, C40800W, C40850W, C40900W, C40950W, C41000W, C41050W, C41100W, C41150W, C41200W, C41250W, C41300W, C41350W, C41400W, C41450W, C41500W, C41550W, C41600W, C41650W, C41700W, C41750W, C41800W, C41850W, C41900W, C41950W, C42000W, C42050W, C42100W, C42150W, C42200W, C42250W, C42300W, C42350W, C42400W, C42450W, C42500W, C42550W, C42600W, C42650W, C42700W, C42750W, C42800W, C42850W, C42900W, C42950W, C43000W, C43050W, C43100W, C43150W, C43200W, C43250W, C43300W, C43350W, C43400W, C43450W, C43500W, C43550W, C43600W, C43650W, C43700W, C43750W, C43800W, C43850W, C43900W, C43950W, C44000W, C44050W, C44100W, C44150W, C44200W, C44250W, C44300W, C44350W, C44400W, C44450W, C44500W, C44550W, C44600W, C44650W, C44700W, C44750W, C44800W, C44850W, C44900W, C44950W, C45000W, C45050W, C45100W, C45150W, C45200W, C45250W, C45300W, C45350W, C45400W, C45450W, C45500W, C45550W, C45600W, C45650W, C45700W, C45750W, C45800W, C45850W, C45900W, C45950W, C46000W, C46050W, C46100W, C46150W, C46200W, C46250W, C46300W, C46350W, C46400W, C46450W, C46500W, C46550W, C46600W, C46650W, C46700W,

Plotter Fact Sheet Compatibility Susan GPS City Lowrance® HDS 5 Baja 5m 7 7m 8 8m 10 10m
Simrad® NSE Elite MicroSD only Endura Sierra Outback Safari Plotterfact eur srsltd
AfmBOorjbMM9xSxKZ1a6XT9TDUYPrZgb2iuCPgNwitNomZWlQ0uCVSL gpscopy s LCX 113c HD 112c
Eagle® FishElite™642c iGPS 640c 502c 500c 480 IntelliMap™642c SeaCharter™642c df 502c
Humminbird® 1197c SI Combo NVB 1157c NavNet® Series 1850 1650 CU200 100 Geonav® 11 Color 7
11C NET WIDE TOURING 4 Gipsy NMEA Northstar Elite HD PLOTTER MODEL Northstar® 6100i
requires S W update 76 Raymarine® G Series SD SecureDigital MSD Geonav GPM400 E Widescreen
E140W E120W E90W E120 E80 C C140W C120W C90W A A70D A70 112c 111c 110c 104c 38c 37c
28c 27c 587ci 581i 580 365i 385ci Matrix 97 87c Sierra AfmBOop2OjD4LK1 aumVCXDaiY9Rz4
4E1WBENJbxAZfAf9 UFAoG8N AfmBOor2fz 2pv x2Ti A8K4qwcps5gm1 Ta3afUAYQICJyF7In0 0vL
AfmBOormcJfgQMPcmmycDapOJWNGjy3Y6c2w c mM1Y0zZSHAmKurEkb AfmBOor3vyRdb6dZa
FqTY4RTfShi0 cHN wNUB5qNE 96J4mib tTk1 AfmBOoqSjL
WWFmwpPtlWi7IICYZsPxDb8TmJSFHNh376mtcwcabSswDT AfmBOoqLnLQku
X6efUCffDwth689PI7eV9jZcs1AWDsZXAVTxE3Vs
AfmBOopTynx3AeRQBcOC27rAqbiUcxFfKez22byUdCAVFczAuxGno6nA
AfmBOooO9WVaQMDXzjuffktMH4TEB9k8W8cQXulDpcDbRentWcHqemyr AfmBOooqFHS4k
HKA9Mbe7nIjpCiP5hMfUeCYEcy4hKe31q uM12h1Lt
AfmBOoryLvLHWpd82CUOaCZXUdNJ5RSI6QNgli8WG5VkpTtVaeF57ue3

[illegible]

AfmBOookA2m4p3udumBK5gt 9SI5mAKnOj1Ay7pX73jfM3tp8X6gC1kK CityPlotter CityLowrance®
Lowrance® 112c Eagle® 502c Humminbird® 7 11C Elite Lowrance® HD PLOTTER Series Lowrance®
Geonav Raymarine® A70 Lowrance® 27c Lowrance® 6500c 5500c 5300c 5200c 5150c 3600c 3500c
3300c Lowrance® 27c Combo Sierra Plotterfact UFAoG8NPlotterfact 0vLPlotterfact
mM1Y0zZSHAmKurEkbPlotterfact tTk1Plotterfact
WWFmwPPtIWt7IICYZsPxD8TmJSFHNh376mtwcabSswDTPlotterfact
X6efUCcfdwth689PI7eV9jZcs1AWDsZXAVTxrE3VsPlotterfact
AfmBOopTynx3AeRQBcOC27rAqbiUcxFfKez22byUdCAVFcZAuxGno6nAPlotterfact
AfmBOooO9WVaQMDXzjuffktMH4TEB9k8W8cQXuIdPcDbRentWchHqemyrPlotterfact
uM12h1LtPlotterfact AfmBOoryLvLHWpd82CUOaCZXUdNJ5RSI6QNgli8WG5VkpTtVaeF57ue3gpjscity
AfmBOorjbMM9xSxKZ1a6XT9TDUYPJrZgb2iuCPgNwitNOmZWiq0uCVSLgpjscity UFAoG8Ngpjscity
0vLgpjscity mM1Y0zZSHAmKurEkbgpjscity tTk1gpjscity
WWFmwPPtIWt7IICYZsPxD8TmJSFHNh376mtwcabSswDTgpjscity
X6efUCcfdwth689PI7eV9jZcs1AWDsZXAVTxrE3Vsgpjscity
AfmBOopTynx3AeRQBcOC27rAqbiUcxFfKez22byUdCAVFcZAuxGno6nAgpjscity
AfmBOooO9WVaQMDXzjuffktMH4TEB9k8W8cQXuIdPcDbRentWchHqemyrgpjscity
9SI5mAKnOj1Ay7pX73jfM3tp8X6gC1kKgpscitiy
AfmBOorWuNKNcmIuwznP9Kl9xyfuNF5AsZKQcZUVM5CRG0Ld05bX5KFxgpjscity uM12h1Ltgpjscity
AfmBOopnssMQL z9p01vFijZRz 1Vq 55BQ9Ew2twkl83lFwlm9Y7PIvgpjscity 3300c LCX 27c 26c 25c 20c
LMS 527c 525c 522c IceMachine™ iGPS Lowrance®

COMPATIBILITY TABLE CARTRIDGE TYPE BRAND PLOTTER MODEL Geonav
11C NET 7 WIDE 7 WIDE NET 5 TO ... -5 / 5 Baja / 5m / 7 / 7m / 8 / 8m / 10 / 10m
LCX-113c HD / **112c** / 111c HD / 110c / 104c / 38c HD / **37c** / 28c HD / 27c / 26c HD
/ 25c / 20c LMS-527c df iGPS / 525c df / 522c IceMachineTM / 522c iGPS...
lang:es score:49 filesize: 258.57 K page count: 2 document date: 2010-03-05

[pdf] Guide

GPS CHARTPLOTTER COMPATIBILITY GUIDE AMERICAS PAGE 1 LCX 113c HD 112c 37c 28c 27c

GlobalMap 9300 9200 8300 8200 7300 Fugawi 5 Raymarine Voyage Planner Lowrance Insight Simrad

Navionics Chartplotter Compatibility Guide Americas us binnacle srsltid AfmBOopf

uPymfETvfie0Cuc3f6geDV03iJi0ONgNPRq97nXK5AjDlxT 1GPS 1LCX InsightHDS Gen3 12 9 7 Elite Ti

SD MSD Built in Wi Fi HDS Gen2 Touch 4 4DS 4m DSI 5m Mark MicroSD only LMS us

uPymfETvfie0Cuc3f6geDV03iJi0ONgNPRq97nXK5AjDlxTus AfmBOooGJw2yD5uGyRV6B6UGU Dh4

Lj7vF2qA6rW 7a57m6QcFbf5Lf LMS HDS 7m 8 8m 10 10m A B Gen1 Insightus 7a57m6QcFbf5Lfus

AfmBOoqLqIMFmzHjrDE0Z5b1VL RFUUF98Jkact4fHEVvhITG4jAJZA8 |||

Revised 19 September 2016. Check back frequently at navionics.com/compatibility.

GPS CHARTPLOTTER C ... rk 4 MicroSD only ; LMS 527c df iGPS, 525c df, 522c

IceMachine, 522c iGPS, 520c; LCX 113c HD, **112c**, **37c**, 28c HD, 27c ; GlobalMap


9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 SD/MSD eXploris...

lang:en **score:49** filesize: 872.38 K page_count: 3 document date: 2016-09-26

Navionics GPS CHARTPLOTTER COMPATIBILITY GUIDE AMERICAS PAGE 1					
Model	Series	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c
27c	27c	113c	112c	37c	28c
113c	113c	113c	112c	37c	28c
112c	112c	113c	112c	37c	28c
37c	37c	113c	112c	37c	28c
28c	28c	113c	112c	37c	28c

[\[pdf\]](#)

Fishing Hot Spots Pro USA Preferred Customer Unit Compatibility List Lowrance Lowrance Branded Units
Only Bowmounted Depthfinder GPS Chartplotters all units View FHSPRO productimageserver banners |||
Fishing Hot Spots Pro USA Unit Compatibility List Lowrance Branded Units Only
Bowmounted Depthfinder/GPS/Chartplotters HDS all units o 10 and 10m o 8 and 8m
o 7 and 7m o 5 and 5m o 5 Baja Elite-5 and Elite-5m LCX Series o 113c HD o **112c** o
38c HD o **37c** o 28c HD o 27c LMS Series o 527c iGPS o 525c DF...
lang:en score:47 filesize: 45.44 K page_count: 2 document date: 2010-12-06




[\[pdf\]](#) Guide

navionics americas compatibility guide rowlandsmarine co uk content |||

GPS CHARTPLOTTER ComPATiBiLiTy GuidE AmERiCAS PAGE 1 / 2 Starting from 2013, our products are provid ... k 4 MicroSD only ; LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c ; LCX 113c HD, **112c, 37c**, 28c HD, 27c ; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 Nautical Charts ...


lang:en score:46 filesize: 597.27 K page_count: 2 document date: 2015-04-24



[\[pdf\]](#) Warranty Accessories

Sam Brown NAVICO NZ Limited Lowrance Warranty Matrix 2012 lowrance 80 Global Documents Support
HDS Fishfinders/chartplotters HDS GPS Chartplotters HDS Fishfinders HDS GPS
Chartplotters HDS Fishfi ... DS-7, HDS-8, LCX-110C, LCX-111C HD, LCX **112C**,
LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX- 26C HD, **LCX-27C**, LCX-28C
HD, LCX **37C**, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-480, LMS-520C,
LMS-522C iGPS...

lang:en score:46 filesize: 471.47 K page count: 12 document date: 2012-02-08



[\[pdf\]](#) User Manual Instructions Decleration of Conformity

Microsoft Word Navico 2 kW and 4kW Radar Installation Manual doc dave fereday SVB simrad yachting
lowrance northstarnav Brands by Leader in Marine Electronics manual 2019 10 01 14 56 54
21e9017491673902087f468e9a98512e media1 svb media de snr 512458
Installation Manual Navico Radar 2kW and 4kW English www.lowrance.com
www.northstarnav.com. www.simrad-yachting.com Brands by Navico - Leader in
Marine Electronics 1 Preface 1.1 FCC Statement Note: This equipment has been
tested and complies with the limits for a Class B digital device, pursuan...
lang:en score:45 filesize: 6.76 M page count: 80 document date: 2019-10-01


[illegible]

[\[pdf\]](#) Guide

navionics compatibility guide busse yachtshop de 80

Revised 27 April 2017. Check back frequently at navionics.com/compatibility. GPS CHARTPLOTTER COMPA ... nly ; LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; SD/MSD3 S LCX 113c HD, **112c**, **37c**, 28c HD, 27c ; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 eXplorist 510,...

lang:tl **score:43** filesize: 867.88 K page_count: 3 document date: 2017-06-20



[\[pdf\]](#) User Manual Installation Guide Instructions Guide

Navico 2kW Radar Installation Manual NAVICO lowrance Ira busse yachtshop de

Navico Marine Network Systems 2 kW Radar Installation Guide MN000802A-G 1 2

kW Radar Installation Manual 1.1 FCC Statement Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provi...

lang:en score:43 filesize: 2.25 M page_count: 71 document date: 2008-08-15



[\[pdf\]](#) User Manual

Karen Munoz Eagle Garmin Scene7 National Products Inc 8410 Dallas Ave S Seattle WA 98108 U A

Phone 206 763 8361 rammount Lowrance GlobalMap 5150C 5200C 5300C IGPS 7200C 8200C 9200C

ProductManual RAM 111 98611 basspro scene7 is content BassPro !Product Images 999 productmanual

FishElite 480 500C 502C 640C 642C FishMark 320 echoMAP 50s 70s 70dv GPSMAP 162 168 Sounder

180 182 182C 185

M1 anufacturer Model # RAM-111 Eagle FishElite 480, 500C, 502C IGPS, 640C, 642C IGPS FishMark 320, 4 ... owrance GlobalMap 5150C, 5200C, 5300C IGPS, 7200C, 8200C, 9200C HDS-5 Series LCX **112C, 113C HD, 27C, 28C HD, 37C, 38C HD**, 337C DF, 480M, 480M DF, 520C, 522C, 525C DF, 527C DF IGPS X 102C, 107C DF, 125...

lang:i-klingon score:43 filesize: 997.87 K page count: 3 document date: 2018-04-09

gps chartplotter compatibility guide emea apac page 1 4 Elite HDI 5 7 CHIRP 9 Mark Check with
manufacturer Fugawi Raymarine Voyage Planner Lowrance Insight EMEA APAC CompatibilityGuide
ctvservice se kassa id attachment 270 |||

Revised 19 April 2018. Check back frequently at navionics.com/compatibility. GPS
CHARTPLOTTER COMPA ... rk 4 MicroSD only ; LMS 527c df iGPS, 525c df, 522c
IceMachine, 522c iGPS, 520c; LCX 113c HD, **112c**, **37c**, 28c HD, 27c ; GlobalMap
9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 SD/MSD HelmView...

lang:i-klinton **score:41** filesize: 809.62 K page_count: 4 document date: 2018-04-18



[\[pdf\]](#) User Manual Owner's Manual Specifications Decleration of Conformity Accessories

Microsoft Word 0161 012 Radar Operation 7 16 07 doc van eby RadarOperation 071607 test new

lowrance 80 Root Lowrance Documents |||

www.lowrance.com Pub. 988-0161-012 Radar Operation Instruction Manual

Copyright 2007 Lowrance E ... I only be available on the following units: LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, **LCX-27C**, LCX-28C HD, LCX **37C**, LCX-38C HD, LCX **112C**, LCX-113C HD, GlobalMap 5200C, GlobalMap 5300C iG...

lang:en **score:40** filesize: 2.01 M page_count: 68 document date: 2007-09-13

[\[pdf\]](#) Guide

GPS Plotter Cards Compatibility Guide FR xlsx scosta Compatibility 1 Carte micro SD NAVIONICS 2

Gigas 60ca335a040dbf751eb2fec9 hisse et oh store medias sailing 60c a33 5a0 original |||

Rvision: 5/4/2021 GUIDE DE COMPATIBILIT DES TRACEURS PRODUITS

Navionics Platinum CALQUES DE CA ... roSD only ; Lowrance LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, **112c**, **37c**, 28c HD, 27c ; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 Medallion Viper I...

lang:fr **score:40** filesize: 309.14 K page_count: 2 document date: 2021-05-04

[\[pdf\]](#) Guide

GPS_Plotter_Cards_Compatibility_Guide xlsx scosta Compatibility Guide Navionics 1199CI HD SI KVD

1198c 1197 1159CI XD DI 1158c 1157 1155; 999CI

other_NavionicsGPS_Plotter_Cards_Compatibility_Guide_2021060173940499 basspro scene7 is content

BassPro !Product Images 999_PDF other_

Revised 5/4/2021 CHARTPLOTTER PRODUCTS COMPATIBILITY GUIDE Navionics

Platinum BRAND MODEL So ... roSD only ; Lowrance LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, **112c**, **37c**, 28c HD, 27c ;

GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 Medallion Viper I...

lang:it **score:40** filesize: 306.42 K page_count: 2 document date: 2021-05-04

[\[pdf\]](#) Guide

navionics Rowlands Marine Electronics Starting from 2013 our products are provided on 2 GB or larger memory cards Always make sure your GPS chartplotter plotter is compatible Some europe middleeast asia africa pacific compatibility guide rowlandsmarine co uk content srsltid

AfmBOorE9msrpXgscztj69uFP16uyRcOB eMUVzcMrJW7nSzd77k kzk Electronicsnavionics

guidenavionics guiderowlandsmarine kzkrowlandsmarine AfmBOopqCOP7Pv4H5XjuWNZHH

pK2BR9HZkFDpZcEUGOoKd99r7daRKA ElectronicsHDS Gen2 5 5m 7 7m 8 8m 10 10m HDS Gen1

Fugawi Raymarine Voyage Planner Lowrance Insight Simrad navionics

pK2BR9HZkFDpZcEUGOoKd99r7daRKArowlandsmarine

AfmBOopyQzTCJKsuCxGAX2MtS3adwxPx23qNUv PISBDnt Td19zxMO ||

GPS CHARTPLOTTER COMPATiBiLiTy GuidE EmEA-APAC PAGE 1 / 2 Starting
from 2013, our products are provi ... k 4 MicroSD only ; LMS 527c df iGPS, 525c df,
522c IceMachine, 522c iGPS, 520c ; LCX 113c HD, **112c**, **37c**, 28c HD, 27c ;
GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 SD/MSD
Nautical...

lang:de score:39 filesize: 469.57 K page count: 2 document date: 2015-04-24

[\[pdf\]](#) Guide

Model FoRMAT 2 GB 8 16 Tradeinn GPS CHARTPLOTTER CoMPATiBiLiTy GuidE CoMPAT ibiLiTy
EmEA APAC PAGE 1 Starting from 2013 our products are provided on or larger memory cards Always
make sure your chartplotter plotter is compatible eng navionics cache tradeinn images especificaciones
drms3v40st3o6 cloudfront net

GPS CHARTPLOTTER COMPATiBiLiTy GuidE EmEA-APAC PAGE 1 / 2 Starting
from 2013, our products are provi ... k 4 MicroSD only ; LMS 527c df iGPS, 525c df,
522c IceMachine, 522c iGPS, 520c ; LCX 113c HD, **112c, 37c**, 28c HD, 27c ;
GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 SD/MSD
Nautical...


lang:de score:38 filesize: 469.57 K page count: 2 document date: 2015-04-24

[\[pdf\]](#) Guide Catalog
gps chartplotter compatibility guide emea apac page 1 4NSS evo3 7 9 12 16 GO XSE 5 SD MSD ✓ P W
NSS Check with manufacturer Fugawi Raymarine Voyage Planner Lowrance Insight EMEA APAC
CompatibilityGuide 180409westmarine on demandware static Sites wm master catalog default
dwb1efe8cc images legacy EMEA 180409 srsLtd

AfmBOor3hNC8pKiyL7p5U9DvmwzyohpOQvb8rYISWHDJvuupVyX322NX ||

Model Actia 1 Zeus3 7, 9, 12, 16; Vulcan 5, 7, 9, 12 Zeus2 7, 9, 12 Revised 9 April 2018. Check bac ... rk 4 MicroSD only ; LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, **112c, 37c**, 28c HD, 27c ; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 SD/MSD HelmView...

lang:i-klinton **score:38** filesize: 816.91 K page count: 4 document date: 2018-04-06



[Navico Radar 2kW and 4kW Installation Manual](#)

Comprehensive installation manual for Navico 2kW and 4kW marine radar systems, covering installation, connection, setup, and troubleshooting for Simrad, Northstar, and Lowrance displays.

lang:en **score:38** filesize: 6.77 M page_count: 80 document date: 2009-08-25

[\[pdf\] Guide Catalog](#)


gps chartplotter compatibility guide americas page 1 4 West Marine IMPORTANT Always make sure your GPS is updated to the latest firmware release from OEM for best performance SonarChart™ Nautical Chart Americas Compatibility Guide westmarine on demandware static Sites wm master catalog default dw61ae868d images legacy srsltid

AfmBOOrlpVM3Mg0rFLUX2YcXSNTR7FnIUV7rcpCdg2MHwjNxedNVSjk Marinegps MarineIMPORTANT ChartLimited Platinum Check with manufacturer Raymarine Voyage Planner Lowrance Insight Simrad B G Plannerwestmarine

AfmBOOrlpVM3Mg0rFLUX2YcXSNTR7FnIUV7rcpCdg2MHwjNxedNVSjkwestmarine AfmBOOr ZoQFUoQUj3J63iFd MdBhA9t5shV30IGBRvVv55k5CykXYF8 PlannerNSS evo3 7 9 12 16 GO XSE 5 SD MSD ✓ P W NSS westmarine MdBhA9t5shV30IGBRvVv55k5CykXYF8westmarine AfmBOooQ oHxFxTIQ w8pw W41 IvNUw5mxaqF8 R93NIMXEZ7DkRJIG SOLIX 10 SI SOLIX 15 HELIX CHIRP MEGA G2N DI G2N westmarine R93NIMXEZ7DkRJIGwestmarine AfmBOOrUjM0DyvQ Gc0M9GA fak7xhQh6kAcwznr271f0k10jmQQP7K |||

Revised 31 May 2018. Check back frequently at navionics.com/compatibility. GPS CHARTPLOTTER COMPATIB ... rk 4 MicroSD only ; LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, **112c, 37c**, 28c HD, 27c ; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 SD/MSD SD/MSD V...

lang:en **score:37** filesize: 882.41 K page_count: 4 document date: 2018-05-31



[\[pdf\] Guide](#)

Americas Compatibility Guide West Marine IMPORTANT Always make sure your GPS chartplotter is updated to the latest firmware release from OEM for best performance SonarChart™ Nautical Chart 91SWxvQGYs images na ssl amazon I




Revised 31 May 2018. Check back frequently at navionics.com/compatibility. GPS CHARTPLOTTER COMPATIB ... rk 4 MicroSD only ; LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, **112c, 37c**, 28c HD, 27c ; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 SD/MSD SD/MSD V...

lang:en **score:37** filesize: 882.4 K page_count: 4 document date: 2018-05-31

[\[pdf\]](#) Guide

GPS Plotter Cards Compatibility Guide.xlsx scosta Navionics Platinum BRAND MODEL Some products and devices listed here may not be available in your area Actia Alphanon FF 901 Zeus3S Glass Helm Zeus3 GPSPlotterCardsCompatibilityGuide dkutenx65dka0 cloudfront net cms 5hylvhg %5\$1 39 02 6rph 1dylrqlfv surgxfwv dqg *36 ghyllfhv olvwvhg khuh pd qrw eh dydlodeoh lq rxu duhd 250\$7 dujh 6pdoo 5hjlrvq

Revised 3/2/2021 CHARTPLOTTER PRODUCTS COMPATIBILITY GUIDE Navionics
Platinum BRAND MODEL So ... ance LMS 527c df iGPS, 525c df, 522c IceMachine,
522c iGPS, 520c; SD/MSD S LCX 113c HD, **112c, 37c**, 28c HD, 27c ; SD/MSD S
GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 ...
lang:it score:37 filesize: 305.83 K page_count: 2 document date: 2021-03-02

[illegible]

[\[pdf\]](#) Guide

gps chartplotter compatibility guide americas page 1 3Elite 4 HDI 5 7 CHIRP 9 Mark Elite 4DS 4m HD DSI
5m MicroSD only LMS 2017NavionicsCompatibilityGuideandfallnavigation product assets
2017NavionicsCompatibilityGuide srsItd

AfmBOorBw3kV2rwuG0rkqdKwCTz1MNppAR1FcYRzHDztp0U1w czlN q ||

Revised 13 April 2017. Check back frequently at navionics.com/compatibility. GPS
CHARTPLOTTER COMPAT ... SD only ; LMS 527c df iGPS, 525c df, 522c
IceMachine, 522c iGPS, 520c; SD/MSD LCX 113c HD, **112c, 37c**, 28c HD, 27c ;
GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 eXplorist 510,...
lang:en score:37 filesize: 972.15 K page count: 3 document date: 2017-04-19

[\[pdf\]](#) Guide

GPS CHARTPLOTTER C O M PAT I B I L I T Y GUID E APAC Marinea Revised 27 April 2017 Check back frequently at navionics compatibility EA!APAC P AGE 2 3 Navionics yhteensopivuustaulukko marinea fi files products |||

Revised 27 April 2017. Check back frequently at navionics.com/compatibility. GPS
CHARTPLOTTER COMPA ... nly ; LMS 527c df iGPS, 525c df, 522c IceMachine,
522c iGPS, 520c; SD/MSD3 S LCX 113c HD, **112c**, **37c**, 28c HD, 27c ; GlobalMap
9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 eXplorist 510,...
lang:tl score:37 filesize: 781.03 K page count: 3 document date: 2017-06-02

[illegible]

[\[pdf\]](#) Guide

H1012510 1 webserver flak no vbilder |||

GPS CHARTPLOTTER COMpATiBiLiTy GuidE EmEA-APAC PAGE 1 / 2 Starting
from 2013, our products are provi ... roSD only ; LMS 527c df iGPS, 525c df, 522c
IceMachine, 522c iGPS, 520c ; LCX 113c HD, **112c**, 38c HD, **37c**, 28c HD, 27c ;
GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 eXplorist 510, 61...
lang:de score:36 filesize: 832.77 K page_count: 2 document date: 2014-02-27

		GPS CHARTPLOTTER COMPATIBILITY GUIDE										EMEA APAC PAGE 1 & 2	
NAI/IONICS		Model		Antenna Type	Antenna Frequency	Antenna Mounting	Antenna Cable	Antenna Cable Length	Antenna Cable Type	Antenna Cable Color	Antenna Cable Length	Antenna Cable Type	Antenna Cable Color
Active		Model	Year	Antenna Type	Antenna Frequency	Antenna Mounting	Antenna Cable	Antenna Cable Length	Antenna Cable Type	Antenna Cable Color	Antenna Cable Length	Antenna Cable Type	Antenna Cable Color
B&W	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
günther	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
hummel	2000	Star 1.5	2012	1.5	1575.42	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
		Star 1.5</											

[\[pdf\]](#) Guide

Small ^a Map Blank Live Sync Actia MSD SD P W Revised 1 February 2018 Check back frequently at

navionics compatibility GPS CHARTPLOTTER C O M P A T I B I L I T Y G U I D E E A I A P A C A G E 2 4

Navionics bluebottlemarine content |||

Revised 1 February 2018. Check back frequently at navionics.com/compatibility. GPS CHARTPLOTTER COM ... rk 4 MicroSD only ; LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, **112c**, **37c**, 28c HD, 27c ; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 SD/MSD HelmView...

lang:i-klinton score:36 filesize: 791.24 K page_count: 4 document date: 2018-02-01

[illegible]

[\[pdf\]](#) Guide

SD MSD P W ! West Marine Revised 9 April 2018 Check back frequently at navionics.compatibility GPS

CHARTPLOTTER COMPATIBILITY GUIDE EEA/APAC AGE 14 EMEA APAC CompatibilityGuide

180409 newcontent westmarine documents s Compatibility Chart

Model Actia 1 Zeus3 7, 9, 12, 16; Vulcan 5, 7, 9, 12 Zeus2 7, 9, 12 Revised 9 April 2018. Check bac ... rk 4 MicroSD only ; LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, **112c, 37c**, 28c HD, 27c ; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150 SD/MSD HelmView...

lang:i-klinton **score:36** filesize: 816.9 K page_count: 4 document date: 2018-04-06

