

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Schonbek](#) /

› [Schonbek Arlington 1310-40H Chandelier Instruction Manual](#)

Schonbek 1310-40H

Schonbek Arlington 1310-40H Chandelier Instruction Manual

Model: 1310-40H

INTRODUCTION

This manual provides essential information for the safe installation, operation, and maintenance of your Schonbek Arlington 1310-40H Chandelier. The Arlington chandelier is a 25-light fixture constructed entirely from crystal, featuring elaborately cut crystal arms, dishes, and bobeches adorned with crystal beads and drops. It is exclusively available in Clear Heritage machine-cut crystal.



Schonbek Arlington 25-Light Chandelier in Silver with Clear Heritage Machine Cut Crystal, installed in a room.

IMPORTANT SAFETY INFORMATION

- Installation should be performed by a qualified electrician in accordance with local electrical codes.
- Ensure power is disconnected at the circuit breaker before installation, maintenance, or bulb replacement.
- This fixture is rated for dry/indoor locations only. Do not install in damp or wet environments.
- Use only the specified bulb type and wattage to prevent overheating and damage.
- The chandelier is heavy (approximately 55 pounds). Ensure the mounting surface and hardware can safely support its weight.

SPECIFICATIONS


Feature	Detail
Brand	Schonbek
Model Name	Arlington

Part Number	1310-40H
Product Dimensions	44.5"L x 44.5"W x 62"H
Item Weight	55 Pounds
Material	Glass, Crystal
Color	Polished Silver
Number of Light Sources	25
Bulb Base	E12 Candelabra Base
Max Wattage per Bulb	60W (Incandescent or LED)
Voltage	120 Volts
Power Source	AC
Mounting Type	Ceiling Mount
Included Components	Crystals, Mounting Hardware
Assembly Required	Yes
Certification	UL, cUL, CSA

SETUP AND INSTALLATION

Unpack all components carefully and verify against the packing list. Ensure all parts are present and undamaged before beginning installation. Professional installation is recommended due to the complexity and weight of the fixture.

- The chandelier can be adjusted up to a maximum cord/chain length of 40 inches. Longer lengths may be available by special order.
- Requires 25 E12 Candelabra Base B10 120V Light Bulbs, 60W Max each (Sold Separately). Incandescent or LED lamps are compatible.
- Follow the detailed wiring instructions provided with the mounting hardware. Ensure all electrical connections are secure and properly insulated.
- Attach the crystal components as per the included diagram, ensuring each piece is securely fastened.



Technical drawing showing the dimensions of the Arlington 1310H Chandelier: 44.5 inches width and 62 inches height.

OPERATING INSTRUCTIONS

Once installed and powered, the chandelier can be operated via a standard wall switch. For adjustable lighting, the fixture supports smooth and continuous dimming when used with a compatible dimmer switch (sold separately).

MAINTENANCE

To maintain the brilliance of your crystal chandelier, regular cleaning is recommended. Ensure the power is turned off before cleaning.

- **Dusting:** Use a soft, lint-free cloth or a feather duster for light dusting.
- **Cleaning Crystals:** For a deeper clean, gently wipe crystals with a soft cloth dampened with a mild glass cleaner or a solution of distilled water and a small amount of ammonia. Avoid spraying cleaner

directly onto the fixture to prevent damage to electrical components.

- **Metal Components:** Wipe metal parts with a dry, soft cloth. Avoid abrasive cleaners that could damage the finish.

TROUBLESHOOTING

- **Lights Not Turning On:**
 - Check the circuit breaker to ensure power is supplied to the fixture.
 - Verify that all bulbs are securely screwed into their sockets and are not burnt out.
 - Inspect wiring connections for any loose or incorrect attachments (ensure power is off before inspection).
- **Flickering Lights:**
 - Ensure bulbs are fully tightened.
 - If using a dimmer, confirm it is compatible with the installed bulb type (LED bulbs require specific LED-compatible dimmers).
 - Check for loose wiring connections.
- **Fixture Appears Unstable:**
 - Verify that the mounting hardware is securely fastened to the ceiling junction box and structural support.
 - Ensure all chain links and canopy components are properly assembled.

WARRANTY AND SUPPORT

The Schonbek Arlington 1310-40H Chandelier comes with a 5-year residential warranty and a 1-year commercial warranty. For warranty claims, technical support, or replacement parts, please contact Schonbek customer service or visit the official Schonbek website.

For additional information and support, you may visit the [Schonbek Store on Amazon](#).

ADDITIONAL RESOURCES

Schonbek About Us Video

Your browser does not support the video tag.

An overview video showcasing the craftsmanship and heritage of Schonbek crystal lighting.