

ATEN CS692

ATEN CS692 2-Port USB HD Video/Audio KVM Switch User Manual

Model: CS692 | Brand: ATEN Technologies

INTRODUCTION

The ATEN CS692 is a 2-Port USB HD Audio/Video KVM Switch designed to link two HDMI-enabled personal computers or devices to a single USB keyboard, USB mouse, and HDMI display console. This switch offers full HDMI functionality, USB 2.0 peripheral sharing, and a firmware upgrade function to ensure compatibility with the latest devices and technologies. It provides a seamless and efficient solution for managing multiple systems from one workstation.

KEY FEATURES

- Controls two HDMI-enabled PCs or devices from a single console.
- HDMI 1.3a and HDCP compatible for high-definition video.
- Multiple computer selection methods: remote port selector, hotkeys, and USB mouse.
- Audio-enabled with full bass response for 2.1 channel surround sound systems.
- Independent switching of KVM (Keyboard, Video, Mouse) and Audio focus.
- Multiplatform support for Windows, Mac, and Linux operating systems.
- Compact design with built-in all-in-one cables (2 x 1.2 m).
- Superior video quality supporting resolutions up to 1920 x 1200 and 1080p.
- Compatible with widescreen LCD monitors.
- Features Video DynaSync technology to eliminate boot-up display problems and optimize resolution.
- Power on detection automatically switches to the active computer if one is powered off.
- Supports gaming and multimedia keyboards, as well as multifunction and wireless keyboards and mice.
- Console mouse port emulation/bypass feature supports most mouse drivers and multifunction mice.
- Mac keyboard support and emulation.
- USB 2.0 mouse port can be used for USB hub and USB peripheral sharing.
- Non-powered operation.
- Firmware upgradable for future compatibility.

SETUP

What's in the Box

- 1 x ATEN CS692 2-Port USB HD Video/Audio KVM Switch
- 2 x Built-in KVM Cables (HDMI, USB, Audio)
- 1 x Remote Port Selector
- 1 x User Instructions (this manual)

System Requirements

- Two computers with HDMI video output, USB ports, and audio output/input ports.
- One HDMI display monitor.
- One USB keyboard.
- One USB mouse.
- Speakers and microphone (optional, for audio functionality).
- Supported Operating Systems: Windows, Mac, Linux.

Connection Diagram




Figure 1: ATEN CS692 KVM Switch Connection Overview. This diagram illustrates how to connect two PCs (Windows, Linux, or Mac) to the KVM switch using HDMI, USB, and audio cables, and how the KVM connects to a single monitor, USB keyboard, USB mouse, and optional speakers/microphone. The remote port selector is also shown.




Figure 2: Detailed ATEN CS692 KVM Switch Setup. This diagram provides a more detailed view of the setup, including the KVM unit, the remote port selector, and the connections to the shared monitor, keyboard, mouse, and two distinct computer systems (Windows/Linux and Mac).

Installation Steps

1. **Power Off All Devices:** Ensure all computers, the monitor, and the KVM switch are powered off and unplugged

from their power sources.

2. **Connect Console Devices:**

- Connect your USB keyboard to the USB keyboard port on the CS692.
- Connect your USB mouse to the USB mouse port on the CS692.
- Connect your HDMI monitor to the HDMI output port on the CS692.
- (Optional) Connect your speakers and microphone to the corresponding audio jacks on the CS692.

3. **Connect Computers to KVM:** For each computer (PC 1 and PC 2):

- Connect the HDMI cable from the CS692 to the HDMI output port of the computer.
- Connect the USB cable from the CS692 to an available USB port on the computer.
- (Optional) Connect the audio cables (speaker and microphone) from the CS692 to the audio output and input ports of the computer.

4. **Connect Remote Port Selector:** Plug the remote port selector into its dedicated port on the CS692.

5. **Power On Devices:**

- Power on the monitor.
- Power on the connected computers.

6. The KVM switch will automatically detect the active computer. If both are on, it will default to the first detected.



Figure 3: ATEN CS692 KVM Switch with Cables. This image displays the compact KVM unit, its integrated HDMI, USB, and audio cables for connecting to two computers, and the separate remote port selector for easy switching.



Figure 4: Front Panel of ATEN CS692. A close-up view of the KVM switch's front panel, highlighting the HDMI output port for the monitor and the two USB ports for the keyboard and mouse. Audio jacks are also visible on the side.



Figure 5: Remote Port Selector. This image shows the small, circular remote button used to switch between the connected computers,

OPERATING THE KVM SWITCH

Switching Between Computers

The ATEN CS692 offers multiple methods to switch control between the connected computers:

- **Remote Port Selector:** Press the button on the remote port selector to cycle between the connected computers. The LED indicators on the KVM unit will show which port is currently active.
- **Hotkeys:** Use specific keyboard hotkey combinations to switch ports. The default hotkey sequence is typically [Scroll Lock] + [Scroll Lock]. Refer to the full user manual (available on the ATEN website) for advanced hotkey functions, including independent KVM and audio switching.
- **USB Mouse:** Double-click the scroll wheel of your USB mouse to switch between ports. This feature may require specific mouse drivers or settings; consult the full manual for compatibility and configuration.

Independent KVM and Audio Switching

The CS692 allows for independent switching of the KVM focus (keyboard, video, mouse) and the audio focus. This means you can be viewing and controlling one computer while listening to audio from the other. This advanced feature is controlled via specific hotkey combinations. Please refer to the comprehensive user manual for detailed instructions on configuring and utilizing independent switching.

Firmware Upgrades

ATEN periodically releases firmware updates to improve performance, enhance compatibility with new devices, and address potential issues. It is recommended to check the official ATEN website for the latest firmware for the CS692 model. The firmware upgrade process typically involves connecting the KVM to a computer in a specific mode and running an update utility. Detailed instructions for firmware upgrades are provided on the ATEN support page for this product.

MAINTENANCE

To ensure the longevity and optimal performance of your ATEN CS692 KVM Switch, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the KVM unit. Do not use liquid cleaners or aerosol sprays, as they may damage the device.
- **Environment:** Operate the KVM switch in a clean, dry environment, away from excessive heat, humidity, and dust. Ensure proper ventilation around the unit.
- **Cable Management:** Avoid bending or crimping the integrated cables excessively. Proper cable management can prevent damage and ensure reliable connections.
- **Storage:** If storing the device for an extended period, disconnect all cables and store it in a cool, dry place.

TROUBLESHOOTING

If you encounter issues with your ATEN CS692 KVM Switch, refer to the following common troubleshooting steps:

Problem	Possible Cause / Solution
---------	---------------------------

Problem	Possible Cause / Solution
No video display or distorted image.	◦ Ensure all HDMI cables are securely connected to both the KVM and the computers/monitor. ◦ Verify the monitor is powered on and set to the correct input source. ◦ Try restarting the connected computers. ◦ Check if the video resolution and refresh rate are supported by both the monitor and the KVM. ◦ Update the KVM firmware to the latest version.
Keyboard or mouse not responding.	◦ Ensure the USB cables from the KVM are securely connected to the computers. ◦ Verify the keyboard and mouse are connected to the correct USB ports on the KVM. ◦ Try unplugging and re-plugging the keyboard/mouse from the KVM. ◦ If using a gaming or specialized keyboard/mouse, try disabling console mouse/keyboard emulation via hotkeys (refer to full manual). ◦ Update the KVM firmware. ◦ Some wireless keyboard/mouse sets may require direct connection to the computer's USB port or a powered USB hub connected to the KVM's USB mouse port.
No audio or distorted audio.	◦ Check all audio cable connections. ◦ Ensure speakers/headphones are properly connected and powered on. ◦ Verify audio output settings on the computer are directed to the KVM's audio output. ◦ Check if independent audio switching is enabled and set to the desired computer.
KVM switches unexpectedly or does not switch.	◦ Ensure the remote port selector cable is not damaged and is securely connected. ◦ If using hotkeys, ensure the correct sequence is being entered. ◦ Power cycle the KVM switch by unplugging and re-plugging all connections. ◦ Check for power on detection settings if a computer is turning off/on.

SPECIFICATIONS

Feature	Detail
Model	CS692
Operation Mode	Manual
Connector Type	HDMI, USB
Dimensions (L x W x H)	47.24 x 1 x 1 inches (approximate, including cables)
Circuit Type	2-way


Feature	Detail
Actuator Type	Push Button (Remote Port Selector)
Number of Positions	2
Control Method	Remote, Hotkey, USB Mouse
Connectivity Protocol	HDMI
Color	Black
Wattage	2.65 watts
Number of USB 2.0 Ports	2 (for keyboard/mouse)
Supported Operating Systems	Windows, Mac, Linux
Item Weight	1 pound
Voltage	5 Volts
Max Resolution	1920 x 1200; 1080p

WARRANTY AND SUPPORT

For detailed warranty information and technical support, please visit the official ATEN Technologies website. ATEN provides resources including FAQs, troubleshooting guides, driver downloads, and firmware updates for their products. You can also contact ATEN customer service for direct assistance with product issues or inquiries.

ATEN Official Website: www.aten.com






[\[pdf\]](#) User Manual Quick Start Guide Datasheet Guide

cs692 fm iansun USB HD Audio Video KVM Switch 1 Quick< b> Start< Guide< Check to make sure that all the components are present and nothing got damaged in shipping If you encounter a problem contact your dealer Read this manual thoroughly follow installation operation procedures carefully prevent any damage unit or of devices connected it cs692_um_w_2021-01-04 assets aten product ATEN Manual Date: 2021-01-04 Part No substance exceeds reference percentage value presence condition 2 ○ Quick Start Guide instruction may cause harmful interference radio communications Operation PAPE-1349-AT4G CS692-AT_MAN_EN cdn nedis datasheets 1User Manual< b>* manual< attachments content4us Manual*

USBHD Audio/Video KVM Switch USER MANUAL **CS692** EMC Information

FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reaso...

lang:en **score:50** filesize: 683.26 K page_count: 24 document date: 2021-01-04



[\[pdf\]](#) Quick Start Guide Instructions Specifications Documentation Guide

cs692 kvm switch qsg v04 indd 1 CS692 2 Port USB HD Audio Video KVM Switch with Remote Selector assets aten product quick start guide Quick Start Guide ATEN de démarrage rapide du commutateur audio vidéo à ports

Package Contents: 1 **CS692** 2-Port USB HD Audio/Video KVM Switch with Remote Port Selector 1 User Instructions 2 Hotkey stickers 2-Port USB HD Audio/Video KVM Switch **CS692** Quick Start Guide Copyright 2019 ATEN International Co., Ltd. ATEN and the ATEN logo are trademarks of ATEN International Co., ...

lang:en **score:43** filesize: 2.17 M page_count: 2 document date: 2019-04-12



[\[pdf\]](#) User Manual

3 CS692 Japanese 20110606 assets aten product manual

CS692 ATEN **CS692** ATEN TEL 03-5615-5811 MAIL :support atenjapan.jp 2011 6 6

ATEN International ATEN International i ATEN 1 2 1 RMA 3 ii / 30 31 3 3 30 31 2 2 1 2

1 2 1... 30 2... EOL EOL 2...

lang:i-klngon **score:43** filesize: 892.93 K page_count: 28 document date: 2011-07-01




[\[pdf\]](#) User Manual

cs692 fm iansun user manual w assets aten product |||

CS692 USB HD Audio/Video KVM Switch User Manual Copyright 2024 ATEN International Co. Ltd. ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners. Released: 06/2024 Compliance Statement...

lang:en **score:42** filesize: 706.94 K page_count: 24 document date: 2024-06-24



[\[pdf\]](#) Quick Start Guide Instructions Specifications Datasheet Documentation Guide


cs692 kvm switch qsg v05 BSMI indd 2 Port USB HD Audio Video KVM Switch Quick Start Guide 5

CS692 de démarrage rapide du commutateur audio vidéo à ports assets aten product quick start guide

AT QSG EN attachments content4us datasheets

Package Contents: 1 **CS692** 2-Port USB HD Audio/Video KVM Switch with Remote Port Selector 1 User Instructions 2 Hotkey stickers **CS692** 2-Port USB HD Audio/Video KVM Switch Quick Start Guide Copyright 2019 ATEN International Co., Ltd. ATEN and the ATEN logo are trademarks of ATEN International Co., ...

lang:en **score:41** filesize: 2.73 M page_count: 3 document date: 2019-06-20




[\[pdf\]](#) User Manual

cs692 fm iansun um w 2020 12 01 assets aten product manual

USBHD Audio/Video KVM Switch USER MANUAL **CS692** EMC Information

FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reaso...

lang:en score:41 filesize: 687.18 K page_count: 24 document date: 2020-12-01




[\[pdf\]](#) User Manual

دفتري رهانما كابل تبديل ATEN CS692 Proavi User Manual proavi net 2021 07 |||

USBHD Audio/Video KVM Switch USER MANUAL **CS692** EMC Information

FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reaso...

lang:en score:40 filesize: 673.84 K page_count: 24 document date: 2021-06-29



[\[pdf\]](#) Quick Start Guide Instructions Guide

Quick Start Guide AN ATEN CS692 AT 2 Port KVM Umschalter HDMI USB 1920 x 1200 Pixel asset re in de add 160267 c1 gl 000989229ML01

2-Port USB HD Audio/Video KVM Switch **CS692** Package Contents: 1 **CS692** 2-Port USB HD Audio/Video KVM Switch with Remote Port Selector 1 User Instructions 2 Hotkey stickers A Hardware Review 11 22 33 44 B Hardware Installation 1 22 1 **CS692** 2-Port USB HDMI KVM Switch 44 3 Online Registration Inte...

lang:en score:40 filesize: 3.28 M page_count: 2 document date: 2012-01-11




[\[pdf\]](#) User Manual

2 PC cs692 w 2019 01 24 451 11 KB USB HDMI KVM CS692 ATEN Korea assets aten product manual kr manual |||

USB HDMI KVM **CS692** FCC Class A FCC 15 TV , /TV . RoHS RoHS . SJ/T 11364-2006 . **CS692** <http://support.aten.com> http://www.aten-usa.com/product_registra...

lang:en score:38 filesize: 451.11 K page_count: 20 document date: 2019-01-24




[\[pdf\]](#) User Manual Quick Start Guide Instructions Specifications Documentation Guide

Microsoft Word CS692 2 Port USB HD Audio Video KVM Switch qsg v08 docx 1 8 MB HDMI Cable with Remote Selector ATEN Switches U S A assets aten product quick start guide |||

CS692 2-Port USB HD Audio/Video KVM Switch Quick Start Guide Copyright 2025 ATEN International Co. Ltd. ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners. Released: 03/2025 Package...

lang:en score:38 filesize: 1.6 M page_count: 51 document date: 2025-03-18



[\[pdf\]](#) User Manual Quick Start Guide Guide

cs692 fm orrinsnelgar USB HD Audio Video KVM Switch ATEN The following contains information that relates to China Page 3 CS692 User Manual Online Registration 1 Quick Start Guide Check make sure t hat all the components are present and nothing got damaged in shipping If you encounter a problem contact your dealer Read this manual thoroughly follow installation operation procedures carefully prevent any damage unit or of devices connected it w 2015 04 13 instrukcja obsługi 989229 przełącznik kvm hdmi aten at usb 1920 x 1200 px ilosc przełączalnych pc 2 AN AT Port Umschalter HDMI Pixel assets product asset conrad media10 add 160267 c1 en 000989229ML01 re de

USB HD Audio/Video KVM Switch USER MANUAL **CS692** EMC Information
FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reas...

lang:en **score:38** filesize: 690.85 K page_count: 20 document date: 2015-04-13




[\[pdf\]](#) Guide

Product Guide IT e Publications ATEN Belgium Italiano ProductGuide2020 assets aten resource epublication |||

Simply Better Connections Guida prodotti KVM per PMI KVM per enterprise AV professionale Smart Energy ... o HDMI Audio USB Others Hub USB integrato Commutazione indipendente Rilevamento accensione **CS692** Boundless Switching CS724KM Controllo tramite tasti di scelta rapida, mouse, pulsanti CS...

lang:it **score:36** filesize: 9.17 M page_count: 56 document date: 2020-05-07



[\[pdf\]](#) User Manual

cs692 backup fm iansun user manual w Index of uploaded files products wotfc ae |||

CS692 USB HD Audio/Video KVM Switc User Manual Copyright 2024 ATEN International Co. Ltd. ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners. Part No. PAPE-1394-AT4G Released: 01/2...

lang:en **score:36** filesize: 708 K page_count: 24 document date: 2024-01-08



[\[pdf\]](#) Guide

Product Guide e Publications ATEN Belgium English ProductGuide2020 EN assets aten resource epublication |||

Simply Better Connections Product guide KVM for SMB KVM for enterprises Professional AV Smart energy ... Audio USB Others HDMI monitor USB hub integrated Independent switching Power-on detection **CS692** Boundless Switching CS724KM Control via hotkeys, mouse, push buttons Keyboard Remote por...
lang:en **score:36** filesize: 9.19 M page_count: 56 document date: 2020-05-25



[\[pdf\]](#) User Manual Guide

Product Guide DE Produktauswahl Leitfaden ATEN Belgium Deutsch ProductGuide2020 assets aten resource epublication |||


Simply Better Connections Product guide KVM fr KMU KVM fr Groununternehmen Professionelles AV Smart En ... kt CS17916 7 Kabel-KVM-Switches USB-Hub integriert Unabhngiges Umschalten Einschalterkennung **CS692** Boundless Switching CS724KM Steuerung ber Hotkeys, Maus, Druckknöpfe CS22DP **CS692** CS724KM...
lang:de **score:36** filesize: 9.14 M page_count: 56 document date: 2020-05-07



[\[pdf\]](#) Guide

Product Guide FR e publications ATEN Belgium Français ProductGuide2020 assets aten resource epublication |||

Simply Better Connections Guide des produits KVM pour PME KVM pour entreprises AV professionnel nerg ... DMI Audio USB Others Hub USB intgr Commutation indpendante Dtection de la mise sous tension **CS692** Boundless Switching CS724KM Contrle via touches de raccourcis, souris, boutons poussoirs ...
lang:fr **score:36** filesize: 9.16 M page_count: 56 document date: 2020-05-07




[\[pdf\]](#) User Manual

CS692 2 USB HDMI KVM 2024 07 11 — FCC Part 15 Class A
24 puslapiai cs692 user manual w kr assets aten product manual |||

CS692 2- USB HDMI/ KVM Copyright 2024 ATEN International Co. Ltd. ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd. All rights reserved. All other trademarks are the property of their respective owners. Released: 06/2024 i FCC Part 15 Class A ...

lang:en **score:34** filesize: 565.35 K page_count: 24 document date: 2024-07-09




[\[pdf\]](#) User Manual

cs692 fm iansun USB HD Audio Video KVM Switch Manual Port Selection Press the port selection pushbutton on Remote Selector to toggle and focus between two computers The LED lights indicate that computer attached its corresponding has Note Do not switch ports while a device is in operation For w 2019 04 23 assets aten product manual jp EN

USB HD Audio/Video KVM Switch USER MANUAL **CS692** EMC Information
FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reas...

lang:en **score:34** filesize: 630.19 K page_count: 24 document date: 2019-04-25



[\[pdf\]](#) User Manual

cs692 fm iansun USB HD Audio Video KVM Switch ATEN The mouse port switching function allows you to toggle back and forth between the ports Note 1 This feature is only supported by 3 key scroll wheel mice 2 default setting um w 2019 04 23 assets aten product manual

USB HD Audio/Video KVM Switch USER MANUAL **CS692** EMC Information
FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reas...

lang:en **score:33** filesize: 1007.33 K page_count: 24 document date: 2020-09-03



[\[pdf\]](#) User Manual

cs692 fm iansun aten trovaprezzi it manuali |||

Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Aten **CS692** o cerca il tuo prodotto tra le migliori offerte di Switch USBHD Audio/Video KVM Switch USER MANUAL **CS692** EMC Information
FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been ...

lang:en **score:33** filesize: 698.35 K page_count: 24 document date: 2021-01-04




[\[pdf\]](#) Guide

KVM e ATEN Korea Selection Guide kr final assets aten resource epublication ko |||

KVM IT ATEN IT , , . 40 IT , , , IT . HDBaseTTM KVM CE624 ... /512 2048 x 1536; DDC2B Windows, Linux, Mac, Sun X O O KVM CV211 CS62KM CS22DP CS22H **CS692** CS682 CS22D , USB Video DynaSync TM 1 USB VGA Windows, Linux X : 1.8 m PC...

lang:no **score:33** filesize: 1.11 M page_count: 7 document date: 2021-12-23



[\[pdf\]](#) User Manual


cs692 fm xanthecomino USB HD Audio Video KVM Switch Rukovodstvo pol zovatelya ATEN CS692 ENG

AT ot Setevuha ua setevuha files |||

USB HD Audio/Video KVM Switch USER MANUAL**CS692** EMC Information

FEDERAL COMMUNICATIONS COMMISSION INTERFERENCE STATEMENT: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reas...

lang:en **score:31** filesize: 614.44 K page_count: 20 document date: 2014-10-30




[\[pdf\]](#)

CS692 cs692 aten eu en products kvm cable switches p 1

CS692 2-Port USB HDMI/Audio Cable KVM Switch with Remote Port Selector The **CS692** 2-Port USB HDMI/Audio Cable KVM Switch links two HDMI-enabled PCs or devices to a single USB keyboard, USB mouse, and HD display console. The **CS692** Switch takes a giant step forward from prior cable KVM models in the Pe...

lang:en **score:31** filesize: 206.91 K page_count: 3 document date: 2021-09-11



[\[pdf\]](#) User Manual


CS692 cs692 aten de products kvm switches mit kabeln p 1

CS692 2-Port USB HDMI/Audiokabel KVM Switch mit Remote-Port-Whler Der**CS692**

2-Port-USB-HDMI/Audiokabel-KVM-Switch verbindet zwei HDMI-fhige PCs oder Gerte mit einer einzigen USB-Tastatur, USB-Maus und HD-BildschirmKonsole. Der

CS692 macht im Vergleich zu KVM-Kabelmodellen der Petite-Baureihe einen g...

lang:de **score:31** filesize: 206.55 K page_count: 3 document date: 2021-09-19



[\[pdf\]](#) User Manual

CS692 cs692 aten pt products kvm comutadores a cabo p 1 |||


CS692 Switch USB HDMI/Cabo Audio KVM de 2 portas com seletor de porta remota

O Switch KVM de 2 portas USB HDMI/cabo de udio **CS692** liga dois PCs ou

dispositivos ativados para HDMI a um nico teclado USB, rato USB e consola de

visualizao HD. O switch **CS692** d um passo gigantesco frente em relao aos mod...

lang:pt **score:31** filesize: 463.8 K page_count: 3 document date: 2024-07-29



[\[pdf\]](#)

CS692 cs692 aten 80 au en products kvm cable switches p 1

CS692 2-Port USB HDMI/Audio Cable KVM Switch with Remote Port Selector The


CS692 2-Port USB HDMI/Audio Cable KVM Switch links two HDMI-enabled PCs or

devices to a single USB keyboard, USB mouse, and HD display console. The **CS692**

Switch takes a giant step forward from prior cable KVM models in the Pe...

lang:en **score:31** filesize: 205.75 K page_count: 3 document date: 2021-09-19

[illegible]



[pdf] Quick Start Guide Instructions Specifications Documentation Guide

راهنمای راه اندازی سریع کابل تبدیل ATEN CS692 Proavl QSG proavl net 2021 07 |||

Package Contents: 1 **CS692** 2-Port USB HD Audio/Video KVM Switch with Remote Port Selector 1 User Instructions 2 Hotkey stickers 2-Port USB HD Audio/Video KVM Switch **CS692** Quick Start Guide Copyright 2019 ATEN International Co., Ltd. ATEN and the ATEN logo are trademarks of ATEN International Co., ...

lang:en score:30 filesize: 1.82 M page_count: 2 document date: 2021-06-29




[pdf]

CS692 cs692 aten jp ja products kvm kvm p 1

CS692 2 USB HDMI/ KVM **CS692**HDMI2USB KVM PHDMI HDMI USB KVM Shop ATEN 1KVMHDMI PC2 HDMI 1.3a HDCP - 2.1ch - USB KVM - KVM1 - EDID - OFF USB2.0 USB2 - Windows Mac Linux 1.2m2 - 1,920x1,200 1080p LCD / Mac3 1 HDMI 2 USB 3 PC/AT Mac Mac Windows KVM LED KVM / WDH KVM 2 U...

lang:i-klngon score:29 filesize: 238.09 K page_count: 3 document date: 2021-09-11



[pdf] Catalog

1 CS692 AT Переключатель Руководство пользователя «CS692 AT» tinko ru catalog file

3D616ACB6CAA14B6DF336E78B7B2010A prodid 115132 |||


USB HDMI KVM- **CS692** , 15 FCC. . . , 15 FCC. 2- : 1 , 2 , . FCC: , , , . : . RoHS RoHS. KVM E quipment Name 2 USB HDMI / KVM Type de...

lang:en score:29 filesize: 512.71 K page_count: 25 document date: 2020-03-17

lang:it score:29 filesize: 463.57 K page_count: 3 document date: 2025-06-14

lang:en score:29 filesize: 205.74 K page_count: 3 document date: 2022-05-02

lang:no score:28 filesize: 463.32 K page_count: 3 document date: 2025-06-14




[pdf]

CS692 ATEN 2 Port USB HDMI Ses Kablosu KVM Anahtarı iki özellikli PC veya cihazı tek bir klavye fare ve HD görüntü konsoluna bağlar cs692 aten tr products kvm kablo anahtarları p 1 |||

CS692 Uzaktan Balanti Noktasi Seici ile 2 li USB HDMI/Ses Kablosu KVM Anahtari **CS692** 2-Port USB HDMI/Ses Kablosu KVM Anahtari, iki HDMI zellikli PC veya cihazı tek bir USB klavye, USB fare ve HD grnt konsoluna balar. **CS692** Anahtari, Petite serisindeki nceki kablo KVM modellerinden byk bir adim atara...

lang:id **score:28** filesize: 463.64 K page_count: 3 document date: 2025-06-14



[pdf]

CS692 ATEN De 2 Port USB HDMI Audio Cable KVM Switch koppelt twee pc s of apparaten met hdmi aan één enkel toetsenbord muis en HD displayconsole cs692 aten nl products kvm kabel schakelaars p 1 |||

CS692 2-poorts USB HDMI-/audiokabel KVM-switch met externe poortselectieschakelaar De **CS692** 2-Port USB HDMI/Audio Cable KVM Switch koppelt twee pc s of apparaten met hdmi aan n enkel USB toetsenbord, USB muis en HD displayconsole. De **CS692**-switch zet een gigantische stap vooruit vergeleken met vroeg...

lang:nl **score:28** filesize: 463.86 K page_count: 3 document date: 2025-06-14




[pdf]

CS692 Commutateur KVM câble HDMI audio USB 2 ports ATEN Le commutateur à relie deux PC ou appareils compatibles un clavier une souris et console cs692 aten fr products kvm commutateurs câblés p 1 |||

CS692 Commutateur KVM cble HDMI/audio USB 2 ports avec slecteur de port distant Le commutateur KVM **CS692** 2 ports USB cble HDMI/audio relie deux PC ou appareils compatibles HDMI un clavier USB, une souris USB et une console d affichage HD. Le commutateur **CS692** constitue une gigantesque amlioration...

lang:fr **score:28** filesize: 504.98 K page_count: 3 document date: 2025-06-14




[pdf]

CS692 2 USB HDMI KVM CS692 2 PC HD Video DynaSync™ ATEN
cs692 aten kr ko products kvm p 1 |||

CS692 2- USB HDMI/ KVM **CS692 2** HDMI PC USB , USB , HD . **CS692** KVM HDMI ,
USB 2.0 USB USB , . HDMI , USB 2.0 , , 1 KVM 2 USB HDMI HDMI ; HDCP , , USB
2.1 KVM - KVM , * Windows, Mac, Linux , 2 x 1.2m - 1920 x ...

lang:nl score:28 filesize: 941.73 K page_count: 4 document date: 2025-06-14




[pdf]

CS692 2 USB HDMI KVM CS692 2 PC HD Video DynaSync™ ATEN
cs692 aten kr ko products kvm p 1 |||

CS692 2- USB HDMI/ KVM **CS692 2** HDMI PC USB , USB , HD . **CS692** KVM HDMI ,
USB 2.0 USB USB , . HDMI , USB 2.0 , , 1 KVM 2 USB HDMI HDMI ; HDCP , , USB
2.1 KVM - KVM , * Windows, Mac, Linux , 2 x 1.2m - 1920 x ...

lang:nl score:28 filesize: 941.73 K page_count: 4 document date: 2025-06-14



[pdf] User Manual

CS692 Comutador KVM de 2 portas por cabo USB HDMI Áudio ATEN O switch HD liga dois
computadores ou dispositivos habilitados para a um único teclado mouse e console monitor cs692 aten
la pt products kvm comutadores p 1 |||

CS692 Comutador KVM de 2 portas por cabo USB HDMI/udio O switch**CS692** HD
KVM USB liga dois computadores ou dispositivos habilitados para HD a um nico
teclado USB, mouse USB e console de monitor HD. O switch **CS692** d um passo
gigantesco frente em relao aos modelos de KVM a cabo da srie Petite, oferec...

lang:pt score:28 filesize: 463.93 K page_count: 3 document date: 2025-06-14

[illegible]

[\[pdf\]](#) User Manual

Herunterladen Netzwerk Server KVM Systeme Aten Switch CS692 NewStore GmbH Multimedia Support

index dispatch attachments getfile attachment id 374697 newstore ch |||

ATEN 2-Port USB HDMI/Audiokabel KVM Switch mit Remote-PortWhler Marke :

ATEN Produktname : 2-Port USB HDMI/Audiokabel KVM Switch mit Remote-Port-

Whler Artikel-Code: **CS692**-AT 2-Port USB HDMI/Audiokabel KVM Switch mit

Remote-Port-Wähler ATEN 2-Port USB HDMI/Audiokabel KVM Switch mit Remote-

Port-Whle...

lang:de score:28 filesize: 166.93 K page count: 4 document date: 2025-01-14

ATEN CS692 KVM Switch, USB, HDMI, Audio, 2 Ports

Artikelnummer	14.01.6304	
Hersteller	ATEN	
Hersteller-Art.-Nr.	CS692	
EAN (Einzelstück)	4710423776814	



2-Port USB HD AudioVideo KVM Switch. Der USB-KVM-Switch für HDMI-Compatibles CS692 verbindet zwei HDMI-kompatible PCs oder Geräte mit einer Konsole bestehend aus USB-Tastatur, USB-Maus und HDMI-Display. Der CS692 unterstützt HDMI-Signalaudioübertragung, bietet den gemeinsamen Zugriff auf USB 2.0-Geräte über einen USB-Hub, der an den USB-Measurepoint angeschlossen wird und Funktion zur Firmwareaktualisierung, um stets auf dem letzten Stand der Dinge zu sein.

- Eine HDMI-KVM-Konsole steuert zwei HDMI-kompatible PCs oder Geräte
- HDMI HighSpeed-Kompatible: HDCP-kompatibel
- Computersound über Portwackschalter, Hölkey-Tasten und USB-Maus
- Tonübermittlung mit vollem Bassumfang für ein außergewöhnliches Klangerlebnis auf 2.1-Kanal-Soundbar-Sound-Anlagen
- Unabhängige Umschaltung von KVM und Ton - ein Computer kann die KVM-Steuerung übernehmen während ein anderer die Audioanlage steuert
- Multiplattform-kompatibel - Windows, Mac, Linux
- Kompatibles Design, eingebaute Universalsteck (2 x 1,2 m)
- Verbesserte Grafikqualität - Auflösungen bis 1920 x 1200, 1080p
- Unterstützt LCD-Breitmobilmonitore

Video DynaSync™: exklusive Technologie von ATEN zum Vermeiden von Augenproblemen bei Neustart und Optimierung der Auflösung bei der Portumschaltung

- Automatische Erkennung des angeschlossenen Computers
- Computer ausgeschaltet, schaltet der CS692 automatisch auf den nächsten eingeschalteten Computer um

[\[pdf\]](#) User Manual Datasheet

Product Data Sheet Generator SECOMP Download ATEN CS692 KVM Switch USB HDMI Audio 2 Ports

Austria 14016304 de epim data secomp at i2cmsdata xepim 903 1401 |||

ATEN **CS692** KVM Switch, USB, HDMI, Audio, 2 Ports Artikelnummer Hersteller

Hersteller-Art.-Nr. EAN Einzelstck 14.01.6304 ATEN **CS692** 4710423776814 2-Port

USB HD Audio/Video KVM Switch. Der USB-KVM-Switch fr HDMI-Grafik **CS692**

verbindet zwei HDMI-kompatible PCs oder Geräte mit einer Konsole bestehen...

lang:de score:27 filesize: 53.29 K page_count: 3 document date: 2022-07-04

ATEN CS692 Switch KVM, USB, HDMI, audio, 2 ports

Número d'article	14.01.6304
Constructeur	ATEN
Reference constructeur	CS692
EMN (piece unique)	4710423776184

ATEN CS692 Switch KVM, USB, HDMI, Audio, 2 ports

Le switch KVM USB-HDMI-CS692 permet de contrôler 2 serveurs depuis une console USB avec écran HDMI. Il offre un accès à un périphérique USB via le port USB de la souris. Innovation : le sélecteur de port tactile. 2 vous permet de travailler depuis la console alors que le switch lui-même est allongé.

- Une console HDMI / USB contrôle 2 serveurs
- Compatible HDMI HighSpeed et HDCP
- Commutation via sélecteur de port, Hotkey et souris USB
- Transmission du son avec bases
- Commutation indépendante KVM et son
- Soutient différentes plateformes: Windows, Mac, Linux
- Design compact, câble universel (1,2 x 1,2 m)
- Qualité graphique améliorée - Résolution jusqu'à 1920 x 1200, 1080p
- Soutient les LCD à écran large
- Vidéo DynaSync™ - Technologie exclusive de ATEN pour éviter les problèmes d'affichage au redémarrage et optimiser la résolution lors des commutations

automatique des appareils connectés

- Soutient les claviers Multimédia
- Soutient les souris multifonctions ainsi que les claviers et souris sans fil
- Soutient et simule les claviers Macintosh et Sun
- Le port USB 2.0 de la souris peut être également utilisé pour connecter un hub ou un périphérique USB (nécessitant une alimentation externe)
- Ne nécessite pas d'alimentation externe

[\[pdf\]](#) Datasheet

Product Data Sheet Generator SECOMP Télécharger ATEN CS692 Switch KVM USB HDMI audio 2

ports France 14016304 fr epim data secomp i2cmsdata xepim 903 1401 |||

ATEN **CS692** Switch KVM, USB, HDMI, audio, 2 ports Numro d article Constructeur


Rfrence constructeur EAN pice unique 14.01.6304 ATEN **CS692** 4710423776814

ATEN **CS692** Switch KVM, USB, HDMI, Audio, 2 ports Le switch KVM USB

HDMI-**CS692** permet de contrler 2 serveurs depuis une console USB avec c

HDM...

lang:fr score



[pdf]

CS692 aten 2 Port USB HDMI Audio Cable KVM Switch with Remote Selector The links two enabled PCs or devices to a single keyboard mouse and HD display console cs692 global en products kvm cable switches p 1 |||

CS692 2-Port USB HDMI/Audio Cable KVM Switch with Remote Port Selector The **CS692** 2-Port USB HDMI/Audio Cable KVM Switch links two HDMI-enabled PCs or devices to a single USB keyboard, USB mouse, and HD display console. The **CS692** Switch takes a giant step forward from prior cable KVM models in the Pe...
lang:en score:27 filesize: 206.05 K page_count: 3 document date: 2022-06-26



[pdf]

CS692 Switch KVM formato cable HDMI Audio USB de 2 puertos ATEN El switch con y HD sirve para controlar dos ordenadores o dispositivos desde una sola consola teclado ratón pantalla cs692 aten la es products kvm switches en p 1 |||

CS692 Switch KVM formato cable HDMI/Audio USB de 2 puertos con selector remoto de puerto El switch KVM con USB y HD **CS692** sirve para controlar dos ordenadores o dispositivos HD desde una sola consola con teclado USB, ratn USB y pantalla HD. El switch **CS692** da un gran paso hacia adelante a partir de ...
lang:es score:27 filesize: 463.64 K page_count: 3 document date: 2025-06-14



[pdf] User Manual Datasheet

Product Data Sheet Generator SECOMP Download ATEN CS692 KVM Switch USB HDMI Audio 2 Ports AG 14016304 de epim data secomp ch media xepim 903 1401 |||

ATEN **CS692** KVM Switch, USB, HDMI, Audio, 2 Ports Artikelnummer Hersteller Hersteller-Art.-Nr. EAN Einzelstck 14.01.6304 ATEN **CS692** 4710423776814 2-Port USB HD Audio/Video KVM Switch. Der USB-KVM-Switch fr HDMI-Grafik **CS692** verbindet zwei HDMI-kompatible PCs oder Gerte mit einer Konsole bestehen...
lang:de score:27 filesize: 53.29 K page_count: 3 document date: 2023-06-16