

Manuals.plus /

› Brondell /

› Brondell Swash 1000 Advanced Bidet Toilet Seat Instruction Manual

## Brondell S1000-EW

# Brondell Swash 1000 Advanced Bidet Toilet Seat

Model: S1000-EW

### INTRODUCTION AND OVERVIEW

The Brondell Swash 1000 Advanced Bidet Toilet Seat is designed to enhance personal hygiene and comfort. This manual provides essential information for the proper installation, operation, and maintenance of your bidet toilet seat.

#### Key Features:

- Posterior and feminine warm-water washes
- Eco-friendly instant ceramic heating system for unlimited warm water
- Twin adjustable stainless steel nozzles
- Water and seat temperature settings
- Water pressure controls
- Warm air dryer

# Brondell

## Swash 1000


Luxury Bidet Toilet Seat with Remote Control

**True cleanliness makes all the difference.**

Swash 1000 features endless warm water at the touch of a button, in addition to customizable spray and pressure patterns, heated seat, warm air dryer, and more. Extra additions offer enhanced luxury—a game-changing clean awaits.




Image: Brondell Swash 1000 Bidet Toilet Seat with its remote control, highlighting its advanced features.



customizable wash settings



endless warm water wash,  
heated seat, and warm air dryer



adjustable spray width



carbon deodorization



self-cleaning, stainless steel  
spray nozzle



intuitive remote control

Image: A visual list of key features including customizable wash settings, endless warm water, heated seat, warm air dryer, adjustable spray width, carbon deodorization, self-cleaning stainless steel nozzles, and intuitive remote control.

## SETUP AND INSTALLATION

The Brondell Swash 1000 is designed for DIY installation, replacing your existing toilet seat without the need for specialized tools or a plumber. Ensure you have an electrical outlet near the toilet for power.

### Before Installation:

- **Check Toilet Fit:** Measure your toilet bowl to ensure compatibility with the elongated seat. Refer to the fit guide image below.
- **Gather Tools:** You will need basic plumbing tools such as a monkey wrench and a rag.
- **Turn Off Water Supply:** Locate and turn off the water supply valve to your toilet. Flush the toilet to empty the tank.

### Installation Steps:

1. **Remove Existing Seat:** Unscrew and remove your current toilet seat.
2. **Install T-Valve:** Disconnect the water supply hose from the toilet tank. Install the provided T-valve connector between the toilet tank fill valve and the water supply hose. Ensure all connections are hand-tightened first, then gently secure with a wrench to prevent leaks.
3. **Mount Bracket:** Place the adjustable mounting plate bracket onto the toilet bowl holes. Secure it with the mounting bolts and washers. Adjust the bracket position to align with your toilet bowl.
4. **Slide on Bidet Seat:** Carefully slide the bidet toilet seat onto the mounted bracket until it clicks into place.
5. **Connect Bidet Hose:** Connect the bidet hose from the T-valve to the bidet seat's water inlet. Hand-tighten.
6. **Restore Water Supply:** Turn the water supply valve back on and check for any leaks.
7. **Plug In:** Plug the bidet toilet seat's power cord into a grounded electrical outlet.

## Get the right fit.

### A. Center of bolt holes to front of toilet bowl

Elongated: 18"–19.5" / 45.7cm–49.5cm

Round: 16"–17.75" / 40.6cm–45.1cm

### B. Distance from center of bolt holes to toilet seat tank

All models: Minimum 1.5" / 3.81cm

If the distance from the center of the bolt holes to the toilet tank is less than 1.5 inches, the Swash may extend slightly over the front edge of your toilet bowl.

### C. Distance between bolt holes

All models: 5.25"–8" / 13.3cm–20.3cm

### D. Measure the distance from the front of the toilet tank to the front of the toilet bowl.

If this measurement is less than 20 inches, the seat will extend over the front edge of the toilet. Consider purchasing a Round size to reduce the amount the seat extends over the front edge.




Image: Diagram illustrating how to measure your toilet for proper fit, including dimensions for elongated and round bowls, distance from bolt holes to tank, and distance between bolt holes.

Replaces your  
existing toilet seat.

designed for DIY installation

no need for a plumber or  
specialized tools



Image: Brondell Swash 1000 bidet toilet seat installed on a toilet, emphasizing its DIY installation design.

### **Installation Video:**

Video: A detailed guide on installing the Brondell Swash 1000 bidet toilet seat, covering all necessary steps from unboxing to final connection.

### **OPERATING INSTRUCTIONS**

The Brondell Swash 1000 is operated using a wireless remote control. The bidet will only activate when a user is seated on it.

### **Remote Control Functions:**

## Control your wash.

5-position stainless steel nozzles

fully adjustable water pressure and temperature

wide and concentrated spray

warm air dryer and heated seat

carbon deodorization

energy-saving eco mode



Image: Close-up of the Brondell Swash 1000 remote control, showing buttons for rear/front wash, move, dry, water pressure/dry temp, nozzle position, seat temp, wide spray, water temp, sterilize, auto, user 1/2, and deodorize.

- **Rear Wash:** Activates the posterior wash.
- **Front Wash:** Activates the feminine wash.
- **Move:** Oscillates the nozzle for a wider cleaning area.
- **Dry:** Activates the warm air dryer.
- **Water Pressure / Dry Temp:** Adjusts the intensity of the water spray and the temperature of the air dryer.
- **Nozzle Position:** Adjusts the forward/backward position of the nozzle.
- **Seat Temp:** Adjusts the heated seat temperature (multiple levels).
- **Wide Spray:** Adjusts the width of the water spray.
- **Water Temp:** Adjusts the water temperature (cold, warm, hot).
- **Sterilize:** Initiates a nozzle sterilization cycle.
- **Deodorize:** Activates the carbon deodorizer.
- **User 1 / User 2:** Allows saving personalized settings for two different users.
- **Stop:** Halts all active bidet functions.

**Operation Video:**

Video: A brief demonstration of the Brondell Swash 1000 remote control and its various functions, including wash settings and temperature adjustments.

## MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and hygienic performance of your Brondell Swash 1000 bidet toilet seat.

### Cleaning the Nozzles:

- The bidet features automatic self-cleaning nozzles that rinse before and after each use.
- For manual cleaning, use the 'Sterilize' button on the remote or the nozzle clean button on the side panel to extend the nozzles. Gently clean with a soft brush or cloth and mild soap.
- The stainless steel nozzles are designed for enhanced hygiene.



### High-quality, stainless steel nozzles.

delivers endless, aerated warm water on demand

retract when not in use

automatic, self-cleaning nozzles rinse and enhanced nozzle cleaning

wide spray, concentrated, and move settings

Image: Close-up of the high-quality, retractable stainless steel nozzles of the Brondell Swash 1000, highlighting their self-cleaning and adjustable spray features.

## General Cleaning:

- To clean the bidet seat, press the release button on the side to easily detach the seat from the toilet for thorough cleaning.
- Use a soft, damp cloth and a mild, non-abrasive cleaner. Avoid harsh chemicals that could damage the surface.

## TROUBLESHOOTING

If you encounter any issues with your Brondell Swash 1000, please refer to the following general troubleshooting tips. For more detailed assistance, consult the full owner's manual or contact customer support.

- **No Power:** Ensure the power cord is securely plugged into a functional electrical outlet. Check if the outlet is receiving power.
- **No Water Spray:** Verify that the water supply valve to the toilet is fully open. Check that the bidet hose is properly connected and not kinked. Ensure you are seated on the bidet for activation.
- **Water Temperature Issues:** Confirm the water temperature setting on the remote control. Allow a few moments for the instant ceramic heating system to warm the water.
- **Remote Not Responding:** Check the batteries in the remote control and replace them if necessary. Ensure there are no obstructions between the remote and the bidet's sensor.
- **Leaks:** Tighten all water connections (T-valve, bidet hose) by hand, then gently with a wrench if needed. Do not overtighten.

## SPECIFICATIONS

<b>Brand</b>	Brondell
<b>Model Number</b>	S1000-EW
<b>Size</b>	Elongated
<b>Color</b>	White
<b>Material</b>	Not Wood
<b>Shape</b>	Oval
<b>Product Dimensions</b>	20.8"L x 16.2"W
<b>Item Weight</b>	14.3 Pounds
<b>Power Source</b>	Corded-Electric
<b>Voltage</b>	120 Volts
<b>Wattage</b>	1200.00
<b>Batteries</b>	3 AAA batteries required (included)
<b>Special Features</b>	Eco Friendly

## **WARRANTY AND SUPPORT**

### **Warranty Information:**

The Brondell Swash 1000 Advanced Bidet Toilet Seat comes with a 3 Year Limited Warranty. Please refer to the warranty documentation included with your product for full details on coverage and terms.

### **Customer Support:**

For further assistance, troubleshooting, or to inquire about replacement parts, please visit the official Brondell store or contact their customer service directly.

Official Brondell Store: [Brondell Store on Amazon](#)