

Manuals.plus /

› Brondell /

› Brondell S1000-RW Swash Electric Bidet Toilet Seat Instruction Manual

## Brondell S1000-RW

# Brondell S1000-RW Swash Electric Bidet Toilet Seat Instruction Manual

Model: S1000-RW (Round, Standard Profile)

Brand: Brondell

## 1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Brondell S1000-RW Swash Electric Bidet Toilet Seat. Please read this manual thoroughly before installation and use to ensure proper function and safety.

The Brondell Swash 1000 offers a luxurious and hygienic bathroom experience with advanced features designed for comfort and cleanliness. Key features include:

- Posterior and feminine endless warm water washes
- Dual stainless steel positionable nozzles with wide spray
- Ergonomic gentle-closing heated seat with quick release
- Wireless remote control with warm air dryer and deodorizer settings
- LED toilet bowl light with on/off option
- Self-clean cycle for nozzles before and after use
- Instant ceramic water heater for continuous warm water

## 2. SETUP AND INSTALLATION

Before beginning installation, ensure you have all necessary tools and that your toilet is compatible with the Brondell S1000-RW. This model is designed for Round toilets.

### 2.1. Determine Correct Fit

It is crucial to verify your toilet's dimensions to ensure a proper fit for the bidet seat. Refer to the diagram below for measurement guidance.

# Get the right fit.

ensure you're ordering the right size to avoid delays

A. Measure the distance from the bolt holes to the front of the toilet bowl to determine your shape

If A is 18"-19.5" order an elongated bidet seat

If A is 16"-17.75" order a round bidet seat

B. The distance from the center of the bolt holes to the toilet tank must be at least 1.5"

C. The distance between the bolt holes must be:  
5.25"-7.45"




Figure 1: Toilet Measurement Guide for Round and Elongated Seats. This diagram illustrates how to measure your toilet bowl to determine if it is a round or elongated shape and to ensure sufficient space for the bidet seat installation.

- **A. Center of bolt holes to front of toilet bowl:**For a Round seat, this distance should be 16"–17.75" (40.6cm–45.1cm).
- **B. Distance from center of bolt holes to toilet seat tank:**Minimum 1.5" (3.81cm). If less, the Swash may extend slightly over the front edge.
- **C. Distance between bolt holes:** All models: 5.25"–8" (13.3cm–20.3cm).
- **D. Measure the distance from the front of the toilet tank to the front of the toilet bowl:**If this measurement is less than 20 inches, the seat will extend over the front edge of the toilet. Consider purchasing a Round size to reduce the amount the seat extends over the front edge.

## 2.2. Pre-Installation Steps

1. Turn off the water supply to your toilet at the shut-off valve.

2. Flush the toilet to drain the tank.
3. Disconnect the existing water supply hose from the toilet tank.
4. Remove your existing toilet seat by unscrewing the mounting bolts.

### 2.3. Bidet Seat Installation

1. Install the T-valve (provided) between the toilet tank fill valve and the water supply hose. Ensure all connections are hand-tightened first, then gently snugged with a wrench to prevent leaks.
2. Attach the mounting plate to the toilet bowl using the provided bolts and washers. Adjust the plate position to align with your toilet bowl.
3. Slide the Brondell S1000-RW bidet seat onto the mounting plate until it clicks securely into place.
4. Connect the bidet seat's water supply hose to the T-valve.
5. Connect the bidet seat to a grounded electrical outlet. The unit includes a 3.5-foot power cord.
6. Slowly turn on the water supply to the toilet and check for any leaks.

## 3. OPERATING INSTRUCTIONS

The Brondell S1000-RW is operated using a wireless remote control. Familiarize yourself with the remote's functions for optimal use.

### Control your wash.

5-position stainless steel nozzles

fully adjustable water pressure and temperature

wide and concentrated spray

warm air dryer and heated seat

carbon deodorization

energy-saving eco mode



Figure 2: Wireless Remote Control for Brondell Swash 1000. This image displays the remote control with various buttons for adjusting wash settings, temperature, and other functions.

### 3.1. Basic Wash Functions

- **Rear Wash:** Press the 'Rear' button for posterior cleansing.
- **Front Wash:** Press the 'Front' button for feminine cleansing.
- **Stop:** Press the 'Stop' button to end any active wash or dry cycle.

### 3.2. Adjustable Settings

- **Water Pressure/Dry Temp:** Use the '+' and '-' buttons to adjust water pressure during a wash or the temperature of the warm air dryer.
- **Nozzle Position:** Use the up and down arrow buttons to adjust the nozzle's position for personalized cleaning.
- **Move:** Activates an oscillating nozzle movement for a wider cleaning area.
- **Wide Spray:** Adjusts the spray pattern for a wider or more concentrated wash.
- **Water Temp:** Adjusts the water temperature for the wash.
- **Seat Temp:** Adjusts the temperature of the heated toilet seat.
- **Dry:** Activates the warm air dryer after a wash cycle.

### 3.3. Convenience Features

- **Deodorize:** Activates the carbon deodorizer to neutralize odors.
- **Sterilize:** Initiates a self-cleaning cycle for the nozzles.
- **LED Night Light:** The toilet bowl features an LED light with an on/off option for nighttime visibility.
- **Gentle-Close Lid:** The seat and lid are designed to close slowly and quietly.

## 4. MAINTENANCE

---

Regular maintenance ensures the longevity and hygienic performance of your Brondell S1000-RW bidet seat.

### 4.1. Nozzle Cleaning

The bidet features dual stainless steel nozzles that automatically self-clean before and after each use. For additional cleaning, use the 'Sterilize' function on the remote control.



## High-quality, stainless steel nozzles.

delivers endless, aerated warm water on demand

retract when not in use

automatic, self-cleaning nozzles rinse and enhanced nozzle cleaning

wide spray, concentrated, and move settings

Figure 3: High-Quality Stainless Steel Nozzles. The image highlights the retractable, self-cleaning stainless steel nozzles that deliver aerated warm water.

### 4.2. Exterior Cleaning

Wipe the exterior surfaces of the bidet seat with a soft, damp cloth and a mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive materials that could damage the finish.

### 4.3. Filter Maintenance

If an external water filter is used, follow the manufacturer's recommendations for replacement. Regular filter replacement helps maintain water quality and bidet performance.

## 5. TROUBLESHOOTING

If you encounter any issues with your Brondell S1000-RW, refer to the following common troubleshooting steps:

- **No Power:** Ensure the power cord is securely plugged into a grounded outlet and that the outlet is receiving power. Check your home's circuit breaker.
- **No Water Spray:** Verify that the toilet's water supply valve is fully open and that the T-valve is correctly installed and not obstructed. Ensure the bidet seat is properly seated on the mounting plate.

- **Water Leaks:** Check all water connections (T-valve, water supply hose, bidet hose) for tightness. Ensure rubber washers are correctly seated. Do not overtighten.
- **Remote Control Not Responding:** Replace the AAA batteries in the remote control. Ensure there are no obstructions between the remote and the bidet seat's sensor.
- **Insufficient Water Temperature:** Allow sufficient time for the instant ceramic water heater to warm up. Adjust the water temperature setting on the remote control.

If these steps do not resolve the issue, please contact Brondell customer support.

## 6. SPECIFICATIONS

Feature	Detail
Model Number	S1000-RW
Brand	Brondell
Shape	Round
Product Dimensions	19.4"L x 16.2"W
Item Weight	14.3 Pounds
Material	Plastic
Power Source	Corded-Electric
Voltage	120 Volts
Wattage	1200.00
Batteries (Remote)	3 AAA batteries required (included)
Special Features	Deodorizing, Heated, Slow Close

## 7. WARRANTY AND SUPPORT

### 7.1. Warranty Information

The Brondell S1000-RW Swash Electric Bidet Toilet Seat comes with a 3-Year Limited Warranty. Please refer to the warranty card included with your product for full terms and conditions.

### 7.2. Customer Support

For further assistance, technical support, or warranty claims, please visit the official Brondell website or contact their customer service department. Keep your purchase receipt and model number handy when contacting support.