

Master Lock S430

Master Lock S430 4mm Lockout Hasp Instruction Manual

Model: S430

1. PRODUCT OVERVIEW

The Master Lock S430 is a 4mm lockout hasp designed for industrial safety applications. It features a 5/32" (4mm) diameter shackle, making it suitable for smaller lockout points. The hasp is constructed with a steel shackle and a durable plastic body, capable of holding up to two safety padlocks. This device is an integral part of a lockout/tagout program, ensuring equipment remains de-energized during maintenance or service.



Image 1.1: Front view of the Master Lock S430 4mm Lockout Hasp, showcasing its red plastic body and steel shackle.

2. FEATURES

- **Compact Design:** 4mm (5/32") shackle diameter specifically designed to fit smaller lockout points.
- **Durable Construction:** Features a robust steel shackle for strength and a plastic body for lightweight durability.
- **Multiple Lock Capacity:** Designed to hold up to two safety padlocks, allowing multiple authorized employees to secure a single energy source.
- **Compatibility:** Can be used in conjunction with the Master Lock S100 Lockout Leash Lanyard for added convenience and security.
- **Inside Jaw Diameter:** 2-1/4" x 3" x 1".



Image 2.1: Diagram highlighting the steel shackle, plastic body, and capacity to hold up to two safety padlocks on the S430 hasp.

3. SPECIFICATIONS

Attribute	Detail
Model Number	S430
Brand	Master Lock
Shackle Diameter	4mm (5/32 inches)
Material	Steel shackle, Plastic body
Body Dimensions (H x L x D)	5.7 x 7.6 x 2 cm (approx. 2.24 x 3 x 0.79 inches)
Item Weight	0.704 ounces
Color	Red




Image 3.1: Detailed diagram showing the shackle and body dimensions of the Master Lock S430 hasp.

4. SAFETY INFORMATION AND LOCKOUT/TAGOUT PROCEDURE

The Master Lock S430 lockout hasp is designed to be used as part of a comprehensive Lockout/Tagout (LOTO) program to prevent unexpected startup of machinery or release of hazardous energy during maintenance or servicing activities. Adherence to established LOTO procedures is critical for personnel safety.

General Safety Guidelines:

- Always follow your facility's specific Lockout/Tagout procedures.
- Ensure all energy sources are identified and de-energized before applying lockout devices.
- Verify the isolation of energy by attempting to operate the equipment after lockout devices are applied.
- Each authorized employee involved in the service or maintenance should apply their own personal lockout device.
- Never attempt to remove another employee's lockout device.



SAVE LIVES !

**PROTECT
YOUR EMPLOYEES
WITH
MASTER LOCK
LOCK OUT TAG OUT
PROGRAM**



Image 4.1: Illustration emphasizing the importance of a Lockout/Tagout program for employee safety, contrasting safe and unsafe practices.

SECURE EMPLOYEES DURING MAINTENANCE ON ELECTRICAL INSTALLATION



Image 4.2: Example of a lockout hasp securing an electrical installation, preventing accidental re-energization during maintenance.

5. USAGE INSTRUCTIONS (OPERATING)

Follow these general steps for applying the Master Lock S430 lockout hasp as part of a standard Lockout/Tagout procedure. Always refer to your organization's specific LOTO policy.

1. **Preparation for Shutdown:** Identify all energy sources and potential hazards associated with the equipment. Notify all affected personnel.
2. **Equipment Shutdown:** Turn off or shut down the equipment using normal operating procedures.
3. **Isolation of System from Hazardous Energy:** Disconnect or de-energize the equipment from its energy source(s). This may involve turning off circuit breakers, closing valves, or blocking moving parts.
4. **Application of Lockout/Tagout Devices:**
 - Place the Master Lock S430 hasp over the energy isolating device (e.g., circuit breaker handle, valve handle).
 - Ensure the hasp fully encompasses the device, preventing its operation.
 - Each authorized employee involved in the work should then attach their personal safety padlock through one of the holes on the hasp. The S430 can accommodate up to two padlocks.
 - Attach a lockout tag to the hasp or padlock, providing information such as the name of the person who applied the lock, the date, and the reason for the lockout.
5. **Dissipation of Residual or Stored Energy:** Safely release or restrain any stored energy (e.g., springs, hydraulic pressure, capacitors).
6. **Verification of Isolation:** Attempt to operate the equipment to confirm that it cannot be started and that all energy sources are effectively isolated. Return controls to the "off" position after verification.
7. **Performing Service/Maintenance:** Proceed with the necessary work.
8. **Removal of Lockout/Tagout Devices:** Once work is complete and the equipment is safe to operate, remove lockout devices in reverse order of application, ensuring all personnel are clear.




Image 5.1: The Master Lock S430 hasp applied to a circuit breaker panel, secured with two safety padlocks, demonstrating its use in an electrical lockout scenario.



Image 5.2: A visual representation of the seven essential steps in a Lockout/Tagout procedure, from preparation to verification of isolation.

6. MAINTENANCE

The Master Lock S430 lockout hasp is designed for durability and requires minimal maintenance.

- **Inspection:** Regularly inspect the hasp for any signs of damage, wear, or deformation. Check the steel shackle for bends or corrosion and the plastic body for cracks or breaks.
- **Cleaning:** Clean the hasp with a mild soap and water solution if it becomes dirty. Avoid harsh chemicals that could degrade the plastic material.
- **Storage:** Store the hasp in a clean, dry environment away from direct sunlight and extreme temperatures when not in use.
- **Replacement:** If any damage is observed that could compromise the integrity or function of the hasp, replace it immediately to ensure continued safety.

7. TROUBLESHOOTING

The Master Lock S430 lockout hasp is a simple mechanical device. Most issues relate to improper application or damage.

- **Hasp does not fit the lockout point:**
 - Ensure the lockout point's dimensions are compatible with the S430's 4mm shackle diameter and jaw dimensions.
 - If the lockout point is too large, a different size hasp or lockout device may be required.
- **Padlock does not fit through the hasp:**
 - Verify that the padlock shackle diameter is compatible with the holes on the S430 hasp.
 - Use Master Lock safety padlocks designed for lockout/tagout applications, which are typically

compatible.

- **Hasp appears damaged or compromised:**

- Do not use a damaged hasp. Immediately remove it from service and replace it with a new, undamaged unit.
- Damage can compromise the security and effectiveness of the lockout.




8. WARRANTY AND SUPPORT

For information regarding product warranty, technical support, or to inquire about other Master Lock safety products, please visit the official Master Lock website or contact their customer service department.

Master Lock Company LLC

www.masterlock.com

Related Documents - S430

	Master Lock 2120DWD Computer Lock Instructions Step-by-step instructions for setting the combination, securing, and using the Master Lock 2120DWD computer lock with spacers. Includes troubleshooting tips for a secure fit.
	Master Lock Door Hardware Technical Manual - Grades 2 & 3, BumpStop®, NightWatch® Comprehensive technical manual for Master Lock door hardware, covering Grade 2 and Grade 3 residential and commercial products. Details include BumpStop® technology, NightWatch® function, various knob and lever styles, deadbolts, handlesets, and rekeying procedures. Version 4.12.
	Master Lock Small Digital Combination Lock Box P008EML Instructions This document provides instructions for the Master Lock Small Digital Combination Lock Box, model P008EML. Learn how to install batteries, program user codes, and open the lock box.
	Master Lock Combination Lock with Key: Setting and Retrieving Your Code Learn how to easily set a new combination and retrieve a lost code for your Master Lock combination padlock with key. Step-by-step instructions for security and convenience.
	Master Lock D1000 Smart Lock Quick Start Guide and Installation Comprehensive quick start guide and installation instructions for the Master Lock D1000 Smart Lock, covering kit contents, specifications, preparation, installation steps, and app usage.



Master Lock #5400D Key Storage Combination Lock Instructions

Comprehensive instructions for operating, setting combinations, and using the Master Lock #5400D portable key safe with shackle. Learn how to open, secure, and maintain your key storage lock.

Documents - Master Lock – S430



Model No. S430
Steel hasp with red plastic handle, 25mm jaw clearance

Best Used For: 

Overview & Features

Product Features	Certifications
4mm clearance - Even load helps to simplify lockout points - Steel shackle, plastic body - Dimensions are 57mm x 76mm x 25mm (2 1/8" x 3" x 1" (inside jaw clearance)) - Meets up to 2 safety points - Can be used with the 5400D lockout point™ (sold separately)	- UL 197 - UL 100

Product Details
The Master Lock No. S430 Steel and Plastic has a 25mm x 76mm x 57mm (1" x 3" x 2 1/8") inside jaw diameter and fits up to 25mm (1") inside jaw diameter. The Master Lock No. S430 Steel and Plastic has a 25mm x 76mm x 57mm (1" x 3" x 2 1/8") inside jaw diameter and fits up to 25mm (1") inside jaw diameter.

[pdf] Specifications Datasheet Dimension Guide

EU Safe Product Detail Master Lock S430 Datasheet dillonsupply UserFiles documents products MASTER Lock S430
Model No. **S430** Steel hasp with red plastic handle, 25mm jaw clearance Best Used For: Group Lockout Safety Lockout/Tag out Overview Features Product Features 4mm Steel Hasp 4mm steel hasp fits smaller lockout points Steel shackle, plastic body Dimensions are 57mm x 76mm x 25mm inside jaw diamet...

lang:en score:26 filesize: 124.38 K page_count: 2 document date: 2017-09-12

EASY GUIDE

Lockout/Tagout Solutions

ARRANGE YOUR FREE SAFESITE LOCKOUT/TAGOUT ASSESSMENT TODAY WITH YOUR NZ SAFETY BLACKWOODS ACCOUNT MANAGER!

WHAT IS LOCKOUT/TAGOUT?

Lockout/Tagout (LOTO) is an essential safety procedure that involves shutting off the energy sources to industrial machinery or equipment prior to maintenance or repair. The procedure protects employees from risk caused by energy sources. Used properly in conjunction with a well-planned lockout process, safety products and devices help ensure that employees will not inadvertently activate a source of equipment while someone else is working on it.

WHO NEEDS LOCKOUT/TAGOUT?

Under the Health and Safety at Work Act, 2015, employers, supervisors, employees and contractors all have individual responsibilities relating to the lockout of equipment and machinery.

Too many accidents still occur in NZ during clearing, servicing or repair of machinery and equipment. A significant number of these accidents could have been prevented, and even due to energy sources which had not been isolated and locked-out.

GET THE RIGHT SOLUTION FOR YOUR JOB

Choose the right solution to ensure you are using the best products for your job and equipment lockout.

Current Product Selection

- Tags for Effective & Safe Communication**
- Hasps for Multi-Person Lockout**
- Group Lock Boxes for Multi-Person Lockout**
- Classified & Mechanical Lockout Devices**
- Product Stations & Kits for System Efficiency**

Master Lock **NZ Safety Blackwoods**

[pdf] Guide

LOTO Easy User Guide irs api nzsafetyblackwoods co nz files get file path Safety SITE SAFETY
EASY GUIDE Lockout/Tagout Solutions ARRANGE YOUR FREE SAFESITE LOCKOUT/TAGOUT ASSESSMENT TODAY WITH ... sions 73 x 178mm, inside jaw diameter 44 x 54mm Description Part No. COMPACT STEEL SHACKLE HASP **S430** 411100 62 4mm diameter steel hasp fits smaller lockout points Steel shackle, plastic body...

lang:en score:23 filesize: 7.91 M page_count: 12 document date: 2023-02-07

Productgegevensblad **Master**
Security **Lock**

Slotvermeerderaar
416 - 417 - 420 - 421 - 427 - 428 - 429 - S430 - S431

Slotvermeerderaar voor meerdere gelijktijdige vergrendelingen door verschillende werknemers op dezelfde apparatuur.

- ✓ Boreelg de slotvermeerderaar aan een vergrendelingspunt en vergrendel hem met een hangslot.
- ✓ Het systeem maakt het mogelijk dat slotvermeerderaar enkel het isolatie hangslot te verspreiden.
- ✓ Verschilderde metalen en roestvrij aluminium, staat component afgelegen bakken.



416-417	420	421-427	S430-S431
Aluminium bakken	Bakken bakken	S430: 1x uit 1x componenten	S431: 1x uit 1x componenten
416: Ø 25 mm	420: Ø 25 mm	421: Ø 25 mm	427: 1x uit 1x componenten
417: Ø 25 mm	421: Ø 25 mm	427: 1x uit 1x componenten	428: 1x uit 1x componenten
420: Ø 44 x 54 mm	421: Ø 44 x 54 mm	427: 1x uit 1x componenten	428: 1x uit 1x componenten
Capaciteit: 5 en 8 hangsloten	Capaciteit: 5 hangsloten	Capaciteit: 5 hangsloten	Capaciteit: 5 hangsloten



428
Nieuw type aan bakken, met gesloten, vergrendelingspunt, verspreiden.

427
Verschilderde aluminium bakken met slot, verschilderde aluminium bakken met slot, verschilderde aluminium bakken met slot.

Master Lock Europe B.V.
Huisweg 117 - 1105 AB Amsterdam - Nederland
Tel: +31 (0) 20 75 10 10 - E-mail: info@masterlock.nl - Web: www.masterlock.nl

[\[pdf\]](#) Catalog Label

416 417 420 421 427 428 429 S430 S431 Technial Sheet Dutch The Master Lock Company LLC Slotvermeerderaar cdn

masterlock resources documents catalogues business use safety solutions product sheets dutch |||

Productgegevensblad Slotvermeerderaar 416 417 420 421 427 428 429 **S430** S431

Slotvermeerderaars voor meerdere gelijktijdige vergrendelingen door verschillende werknemers op dezelfde apparatuur. Bevestig de slotvermeerderaar aan een vergrendelingspunt en vergrendel hem met een hangslot Het sys...

lang:nl score:23 filesize: 143.08 K page_count: 1 document date: 2016-03-12

Produktdatenblatt **Master**
Security **Lock**

Verriegelungs-Schließbügel
416 - 417 - 420 - 421 - 427 - 428 - 429 - S430 - S431

Die Verriegelungs-Schließbügel ermöglichen die gleichzeitige Verriegelung einer Anlage durch mehrere Mitarbeiter.

- ✓ Der Schließbügel wird an einen Verriegelungspunkt befestigt und mit einem Verriegelungsschloss gesichert.
- ✓ Bei einem System kann der Schließbügel mit einem gelochten Metallblech, einem Metallblech oder einem Metallblech mit einem Loch versehen werden.
- ✓ Der Schließbügel wird an einem Verriegelungspunkt befestigt und mit einem Verriegelungsschloss gesichert.



416-417	420	421-427	S430-S431
Bügel aus Aluminium	Bügel aus Stahl	S430: Gehäuse aus Verriegelungsschloss	S431: Gehäuse aus Verriegelungsschloss
416: Ø 25 mm	420: Ø 25 mm	421: Ø 25 mm	427: 1x Verriegelungsschloss
417: Ø 25 mm	421: Ø 25 mm	427: 1x Verriegelungsschloss	428: 1x Verriegelungsschloss
420: Ø 44 x 54 mm	421: Ø 44 x 54 mm	427: 1x Verriegelungsschloss	428: 1x Verriegelungsschloss
Verriegelungsschloss: 5 und 8 Verriegelungsschloss	Verriegelungsschloss: 5 und 8 Verriegelungsschloss	Verriegelungsschloss: 5 und 8 Verriegelungsschloss	Verriegelungsschloss: 5 und 8 Verriegelungsschloss



428
Gehäuse aus Aluminium, Stahl, Verriegelungsschloss, Gehäuse aus Stahl, Verriegelungsschloss, Gehäuse aus Stahl, Verriegelungsschloss.

427
Schließbügel mit Verriegelungsschloss und Gehäuse aus Stahl, Verriegelungsschloss und Gehäuse aus Stahl, Verriegelungsschloss und Gehäuse aus Stahl.

Master Lock Europe B.V.
Huisweg 117 - 1105 AB Amsterdam - Nederland
Tel: +31 (0) 20 75 10 10 - E-mail: info@masterlock.nl - Web: www.masterlock.nl

[\[pdf\]](#) Tech Sheet Catalog

416 417 420 421 427 428 429 S430 S431 Technical Sheet German The Master Lock Company LLC Verriegelungs

SchließBbugel cdn masterlock resources documents catalogues business use safety solutions product sheets german |||

Produktdatenblatt Verriegelungs-Schließbgel 416 417 420 421 427 428 429 **S430** S431 Die

Verriegelungs-Schließbgel ermnglichen die gleichzeitige Verriegelung einer Anlage durch mehrere Mitarbeiter. Der Schließbgel wird an einem Verriegelungspunkt befestigt und mit einem Verriegelungsschloss gesiche...

lang:de score:23 filesize: 143.09 K page_count: 1 document date: 2016-03-13

Scheda tecnica prodotto **Master**
Security **Lock**

Hasp per isolamento
416 - 417 - 420 - 421 - 427 - 428 - 429 - S430 - S431

Gli hasp per isolamento permettono a diversi dipendenti di isolare contemporaneamente la stessa attrezzatura.

- ✓ Fissare l'hasp a un punto di isolamento e bloccarlo con un lucchetto di isolamento.
- ✓ Il sistema evita l'apertura dell'hasp fino alla rimozione di tutti i lucchetti.
- ✓ Disponibile in vari modelli e dimensioni, con presa in alluminio, acciaio, plastica compatta o in legno.



416-417	420	421-427	S430-S431
Hasp in alluminio	Hasp in acciaio	S430: corpo in plastica	S431: corpo in plastica
416: Ø 25 mm	420: Ø 25 mm	421: Ø 25 mm	427: 1x lucchetto di isolamento
417: Ø 25 mm	421: Ø 25 mm	427: 1x lucchetto di isolamento	428: 1x lucchetto di isolamento
420: Ø 44 x 54 mm	421: Ø 44 x 54 mm	427: 1x lucchetto di isolamento	428: 1x lucchetto di isolamento
Capacità: 5 e 8 lucchetti	Capacità: 5 lucchetti	Capacità: 5 lucchetti	Capacità: 5 lucchetti



428
Hasp a contatto con il sistema di isolamento e bloccarlo con un lucchetto di isolamento.

427
Hasp a contatto con il sistema di isolamento e bloccarlo con un lucchetto di isolamento.

Master Lock Europe B.V.
Huisweg 117 - 1105 AB Amsterdam - Nederland
Tel: +31 (0) 20 75 10 10 - E-mail: info@masterlock.nl - Web: www.masterlock.nl

[\[pdf\]](#) Tech Sheet Catalog

416 417 420 421 427 428 429 S430 S431 Technical Sheet Italian The Master Lock Company LLC Hasp per isolamento cdn

masterlock resources documents catalogues business use safety solutions product sheets italian |||

Scheda tecnica prodotto Hasp per isolamento 416 - 417 - 420 - 421 - 427 - 428 - 429 **S430** - S431

Gli hasp per isolamento permettono a diversi dipendenti di isolare contemporaneamente la stessa attrezzatura. Fissare l'hasp a un punto di isolamento e bloccarlo con un lucchetto di isolamento Il sistem...

lang:it score:22 filesize: 141.9 K page_count: 1 document date: 2016-03-13




[pdf] Tech Sheet Catalog

416 417 420 421 427 428 429 S430 S431 Technical Sheet Spanish The Master Lock Company LLC Aldaba de bloqueo cdn masterlock resources documents catalogues business use safety solutions product sheets spanish |||

Ficha de datos del producto Aldaba de bloqueo 416 417 420 421 427 428 429 **S430** S431 Las aldaba de bloqueo permiten el bloqueo simultaneo por parte de varios trabajadores en el mismo equipo.

Instale la aldaba en un punto de bloqueo y bloquela con un candado de bloqueo El sistema impide que la ...

lang:es score:22 filesize: 142.62 K page_count: 1 document date: 2016-03-13



[pdf] Tech Sheet Dimension Guide Catalog


Hasp Series Technical Sheet French 416 417 420 421 422 424 AL080 AL0802 428 429 S430 S431 418 419 The Master Lock Company LLC Crochets de consignation cdn masterlock resources documents catalogues business use safety solutions product sheets french

Fiche Produit Crochets de Consignation Les crochets de consignation permettent la consignation sim ... ps Aluminium mchoires Anse : 44 et 54 mm Capacit: 8 cadenas. Diamtre d anse jusqu 6.35 mm

S430 S431 418 / 419 Corps Composite Zenex Anse acier Anse : 4mm; Ecartement 25mm Capacit: 2

...

lang:fr score:20 filesize: 297.07 K page_count: 1 document date: 2016-03-13



[pdf] Tech Sheet Dimension Guide Catalog

Lockout Hasps Technical Sheet English 416 417 420 421 422 424 AL080 AL0802 428 429 S430 S431 418 419 The Master Lock Company LLC Europe S A 131 avenue Charles de Gaulle 92200 Neuilly sur Seine Tel 33 1 41 43 72 00 Fax 04

safety@master lock fr safetyseries co uk hasps cdn masterlock resources documents catalogues business use safety solutions product sheets english |||

Product sheet Lockout Hasps Safety hasps enable simultaneous lockout by multiple operators. 416 / Aluminium body jaws Shackle: 44 et 54 mm Capacity: 8 padlocks with a 6.35 mm shackle dia.

S430 S431 418 / 419 Composite Zenex body Steel shackle Shackle: Clearance: 25mm 4mm; C...

lang:fr score:20 filesize: 226.52 K page_count: 1 document date: 2016-03-13



[pdf] Tech Sheet Catalog

S31 S33 Series Technical Sheet French The Master Lock Company LLC Cadenas de consignation Zenex cdn masterlock resources documents catalogues business use safety solutions product sheets french

Cadenas de consignation S31 et S33 Anse en inox 316 de qualitt marine pour une rsistance suprieure ... ccueille jusqu 8 cadenas dots d anses de 8 mm maximum Brevet en instance Crochet de consignation **S430** Anse de 4 mm de diamtre en acier chrom pour s adapter tous les points de consignation Accuei...

lang:fr score:16 filesize: 2.25 M page_count: 2 document date: 2016-03-13



[pdf] Tech Sheet Catalog

S31 and S33 Series Technical Sheet Spanish The Master Lock Company LLC Candado de bloqueo Zenex cdn masterlock resources documents catalogues business use safety solutions product sheets spanish |||

S31 y S33 Candados de bloqueo de energa Arco de acero inoxidable 316 de calidad martima que ofrece u ... necesidades de bloqueo Acepta hasta 8 candados con arcos de hasta 5/16 8 mm Patente en trmite **S430** Aldaba de bloqueo Arco de acero cromado de 4 mm 5/32 de dimetro vlido para ms necesidades de...

lang:es score:16 filesize: 2.22 M page_count: 2 document date: 2016-03-13



[pdf] Dimension Guide Warranty

Aircraft Power Receptacle Lockout Master Lock Complies with FAA Order 3900 19B and OSHA 1910 147 Standard to Maintain the De Energized State of Electrical System by Preventing Ground Plug Insertion 7000 0217 S2029 SELL SHEET cdn masterlock resources documents sell sheets

S2029 Aircraft Power Receptacle Lockout Complies with FAA Order 3900.19B and OSHA 1910.147 Standard ... craft Power Receptacle 3 pin MS90362-3 Aircraft Power Receptacle 6 pin -40F to 130F - 40C to 54C **S430**, S431, 428, 419 ASTM F883-04 11.1 Grade 6 Salt Spray ASTM F883-04 11.4 Grade 6 Wet Freeze 1 y...

lang:en score:16 filesize: 740.84 K page_count: 2 document date: 2014-09-26




[pdf] Accessories Catalog

Safety Catalogue Italian Russian Lockout Master Lock Company LLC IT RU cdn masterlock resources documents catalogue: business use safety solutions |||

LOCKOUT SOLUTIONS Diversi lucchetti di protezione Master Lock contenenti materiali riciclati so ... ELETTRICHE Pinze e impugnatura in nylon, non conduttive, protezione dielettrica e anti-scintilla **S431** Archetto in acciaio, impugnatura in materiale composito ZenexTM resistente all esposizione UV, ...


lang:it score:16 filesize: 13.37 M page_count: 60 document date: 2018-04-09



[pdf] Tech Sheet Catalog Label

S31 and S33 Series Technical Sheet English The Master Lock Company LLC Vault eLocks Compatibility Safety Padlocks Available in 9 colors Red Yellow Green Blue Black Teal Purple Orange White AVAILABLE NOW Marine grade 316 stainless 7000 0131 cdn masterlock resources documents catalogues business use safety solutions product sheets english S31 and S33 AVAILABLE NOW Safety Padlocks Marine grade 316 stainless steel shackle provides superior ... ore lockout applications Accepts up to 8 padlocks with shackles up to 5/16 8mm Patent Pending **S430** Adaptor Lockout Hasp 5/32 4mm diameter chrome plated steel hasp shackle fits more lockout a...

lang:en score:15 filesize: 517 K page_count: 2 document date: 2016-03-13



[pdf] Specifications Catalog

7000 0193 Safety Solutions Product Catalog 2017 The Master Lock Company LLC Lockout HaspsAug 28 2025 — Padlock Capacity 416 Spark Resistant Aluminum 1 2in x 4 3 8in 1in 4in 6 4 17 7 2inMaster Hasp Specification Sheetalldataresource assets Sheet srsltid AfmBOorPwDPgaC3s V5odQOI4JVNW0tvDWJ1JVt pc UQjkl9mx l66v Hasps All Data ResourceMaster Model Description Inside Jaw Clearance Dia S440 S450Aug SheetMaster AfmBOoo9DZd8VOpS1nfqdnC5wzfoqZF 3adx4Q 6QsdfFHILXj6ZMXfXalldataresource ResourceSafety S450S430 Steel with Red Plastic Handle 2 3in 4mm S431 316 Stainless 5 8 Anodized Aluminum Aug AfmBOopWf7pfm2DXLA12ar88lr4og42T7y4IC7zYaxgxMY9mHNyAdyLSalldataresource ||| S450 Hasps Lockout hasps are integral parts of a successful safety lockout program, providing effect ... S431 S440 4mm Dia. Shackle Hasp Heavy Duty Steel Dual Jaw Aluminum S450 429 Dielectric 429 **S430** 418 419 Master Lock Model # 416 417 418 419 420 421 428 429 ALO80 ALO802 **S430** S431 S440 S450...

lang:en score:15 filesize: 506.34 K page_count: 1 document date: 2017-11-08



[pdf] Label

S31 and S33 Master Lock Safety Padlocks Available in 9 colors Red Yellow Green Blue Black Teal Purple Orange White AVAILABLE NOW Marine grade 316 stainless steel shackle provides superior corrosion resistance 3 16 4 76mm fits more places 1 2 38mm 7000 0131 AND PADLOCKS SELL SHEET cdn masterlock resources documents sell sheets S31 and S33 AVAILABLE NOW Safety Padlocks Marine grade 316 stainless steel shackle provides superior ... ore lockout applications Accepts up to 8 padlocks with shackles up to 5/16 8mm Patent Pending **S430** Adaptor Lockout Hasp 5/32 4mm diameter chrome plated steel hasp shackle fits more lockout a...

lang:en score:15 filesize: 516.2 K page_count: 2 document date: 2010-06-09




[\[pdf\]](#) User Manual Catalog

Safety Catalogue German The Master Lock Company LLC DE cdn large masterlock resources documents catalogues germa
|||

VERRIEGELUNGSLÖSUNGEN LOCKOUT OPLOSSINGEN Der Recyclinganteil von einigen Master Lock-Sicherheitsvorh ... ronnen Bevat identificatielabels in FR, ENG, SP DIELEKTRISCHER KUNSTSTOFF / DIELEKTRISCH PLASTIC **S430** Stahlbgel, ZenexTM-Kompositgriff ist bestndig gegen UVExposition, Extremtemperaturen und Chemik...

lang:nl **score:15** filesize: 15.2 M page_count: 56 document date: 2016-03-10



[\[pdf\]](#) Accessories Catalog

Safety Catalogue English German Lockout Master Lock Company LLC katalog 2020 en de cdn webshopapp shops 281678
files 316874923 |||

LOCKOUT SOLUTIONS VERRIEGELUNGSLÖSUNGEN A Number of Master Lock Safety Padlocks Have Achieved UL Envi ... LECTRICAL APPLICATIONS Nylon handle and jaw, non-conductive, dielectric protection and non-sparking **S430** Steel shackle, ZenexTM composite handle resists UV exposure, extreme temperatures and chemicals...

lang:de **score:15** filesize: 13.48 M page_count: 60 document date: 2018-03-27



[\[pdf\]](#) Catalog

Safety Catalogue French Dutch Lockout Master Lock Company LLC FR NL cdn masterlock resources documents catalogues
business use safety solutions

SOLUTIONS DE CONSIGNATION LOCKOUT OPLOSSINGEN Cadenas. Accessoires. Services. Hangsloten. Apparaten. ... IQUES Mchoire et poigne en composite nylon, non conductrice, protection dilectrique, anti-tincelle **S430** Anse en acier, poigne en composite ZenexTM, rsiste aux UV, aux tempratures extrmes et aux produ...

lang:nl **score:15** filesize: 8.27 M page_count: 52 document date: 2020-08-26



[\[pdf\]](#) Catalog

Safety Catalogue Spanish Portuguese Lockout Master Lock Company LLC ES PT cdn masterlock resources documents catalogues business use safety solutions |||

SOLUCIONES DE CONSIGNACIÓN SOLUCIONES DE CONSIGNAÇÃO Candados. Dispositivos. Servicios. Cadeados. Dispositivos. Serviços. A APLICACIONES ELÉCTRICAS Asa y mordaza de nailon, no conductor, protección dieléctrica y sin chispas **S430** Arco de acero, el asa compuesta Zenex™ es resistente a los rayos UV, las temperaturas extremas...

lang:es **score:15** filesize: 8.32 M page_count: 52 document date: 2020-08-26



[\[pdf\]](#) Price List Label

7000 0576 Safety Solutions Price List Master Lock Company LLC masterlock cms

Effective July 19, 2021 Safety Solutions Price List Master Lock offers the most comprehensive line ... 25.71 6.11 38.73 40.15 7 SPEED INDEX Product Number S143ES S143FR S143JA S143NL S143ZH S297 **S430** S600 S600ALTAGLZ1 S600 Series Parts S601 S601ALTAGLZ1 S602 S602ALTAGLZ1 S806 S806CBL3 S806CBL15...

lang:en **score:14** filesize: 5.34 M page_count: 36 document date: 2021-07-18




[\[pdf\]](#) Price List Label

7000 0576C Master Lock Safety Price List Canada Company LLC cdn masterlock resources documents |||

Effective September 1, 2022 Safety Solutions Price List Master Lock offers the most comprehensive .. 42.71 10.18 65.21 65.21 65.21 7 SPEED INDEX Product Number S143FR S143JA S143NL S143ZH S297 **S430** S600 S600ALTAGLZ1 S600 Series Parts S601 S601ALTAGLZ1 S602 S602ALTAGLZ1 S806 S806CBL3 S806CBL15...

lang:en **score:14** filesize: 6.63 M page_count: 36 document date: 2022-08-01



[\[pdf\]](#) Specifications Accessories Catalog

Master Lock Safety Solutions Product Catalog Company LLC Specification Model No S856 9 ft Replacement Cable Kit in Rex PKGP52709 Pollardwater Query ASSET ID 4903028 USE TYPE SPECIFICATION PRODUCT 7346017 api ferguson dar stej service |||

SAFETY LOCKOUT TAGOUT SAFETY PADLOCK ORDERING PROCEDURES.....11 KEYING OPTIONS..... luding spark resistant aluminium, dielectric plastic, dual jaw aluminium and stainless steel. 0421 **S430** 0418 0419 0427 0427YLW 0428 0429 S431 Item Code Description 0416 Aluminium Hasp 25mm...

lang:en **score:14** filesize: 5.02 M page_count: 36 document date: 2018-11-16



[\[pdf\]](#) Price List

7000 0576 Safety Solutions Price List November 2018 Master Lock Company LLC MASTER files thebuilderssupply seclock documents |||

Effective November 1, 2018 Electronic Update November 2018 2018 Safety Solutions Price List Master ... S143NL S143PL S143PT S143RU S143ZH S201CSS S201CSM S201CSL S201CSXL S297 S297LES S297LFR S297LENUK **S430** S431 S440 S450 Page Number 12 12 12 12 12 12 12 12 12 12 23 23 24 24 24 24 24 24 24 24 24 24 2...

lang:en **score:13** filesize: 6.87 M page_count: 44 document date: 2018-10-30




[\[pdf\]](#) Accessories Catalog

Safety Catalogue English German Lockout Master Lock Company LLC Masterlock Katalog 2020 EN DE Dr Wurzer Wien 15 lug 2021 — Sicherheit bei der Arbeit ist ein wichtiges Anliegen für alle Fachleute Bei Reparatur oder Wartung von industriellen Anlagen cdn masterlock resources documents catalogues business use safety solutions |||

LOCKOUT SOLUTIONS VERRIEGELUNGSLÖSUNGEN Padlocks. Devices. Services.

Vorhängeschlsser. Vorrichtungen. ... ECTRICAL APPLICATIONS Nylon handle and jaw, non-conductive, dielectric protection and non-sparking **S430** Steel shackle, Zenex™ composite handle resists UV exposure, extreme temperatures and chemicals...


lang:de **score:13** filesize: 8.43 M page_count: 52 document date: 2020-08-26



[\[pdf\]](#) Price List Label

7000 0576 2017 Safety Solutions Price List The Master Lock Company LLC American Book s3 absupply net amazonaws ||| Effective January 2, 2017 Safety Solutions Price List Master Lock offers the most comprehensive l ... uct Number S202CSL S202CSXL S203CSS S203CSM S203CSL S203CSXL S297 S297LES S297LFR S297LPT S297LENUK **S430** S431 S440 S450 S600 S600ALTAGLZ1 S600TAGLZ1 S601 S601ALTAGLZ1 S601TAGLZ1 S602 S602ALTAGLZ1 S602...

lang:en score:13 filesize: 6.45 M page_count: 44 document date: 2016-12-23




[\[pdf\]](#) Specifications Datasheet

Download Datasheet Master Lock Company 1457VE1106KA Personal Safety Lockout Kit Valve Focus with Anodized Aluminum Padlocks City Electric Supply master datasheet 1457ve1106ka cesonline azureedge net media masterlock documents |||

Safety Lockout Products Need Safety Lockout Fast When lockout products are needed fast, you can c ... labels English, French Spanish 4mm Dia. Stainless Steel Hasp 427 Snap-On Aluminum 4mm Dia. **S430** Shackle Hasp S431 Dielectric 428 Dual Jaw Aluminum 429 Steel Aluminum Tabbed Steel Heav ...

lang:en score:13 filesize: 7.04 M page_count: 44 document date: 2022-10-26



[\[pdf\]](#) Price List Label

7000 0576 Safety Solution Price List Master Lock Solutions The Company 2015 cdn masterlock resources documents ||| Effective July 1, 2015 Safety Solutions Price List Master Lock offers the most comprehensive line ... SS S202CSM S202CSL S202CSXL S203CSS S203CSM S203CSL S203CSXL S297 S297LES S297LFR S297LPT S297LENUK **S430** S431 S440 S450 S806 S806CBL2 S806CBL3 S806CBL4 S806CBL5 S806CBL15 S806CBL Series S1000 S1010 S1...

lang:en score:13 filesize: 8.52 M page_count: 52 document date: 2015-07-07




[\[pdf\]](#) Accessories Catalog

7000 0193 Safety Solutions Product Catalog 2017 products devices professional lockout procedures The Master Lock Company LLC Documents Look Lightweight Lockout 411RED by fus us mas safety catalog cdn3 evostore io documents fusic |||

Safety Lockout Products A Number of Master Lock Safety Padlocks Have Achieved UL Environment Valida ... S431 S440 4mm Dia. Shackle Hasp Heavy Duty Steel Dual Jaw Aluminum S450 429 Dielectric 428 **S430** 418 419 Master Lock Model # 416 417 418 419 420 421 428 429 ALO80 ALO802 **S430** S431 S440 S450...

lang:en score:13 filesize: 9.91 M page_count: 44 document date: 2017-07-13



[\[pdf\]](#) Price List

7000 0576 2018 Safety Price List eRev 01 Master Lock American The Company LLC Solutions Jan cdn masterlock resource: documents |||

Effective January 1, 2018 Electronic Update January 2018 Safety Solutions Price List The Master L ...
10.00 120.00 SPEED INDEX Product Number S201CSL S201CSXL S297 S297LES S297LFR
S297LPT S297LENUK **S430** S431 S440 S450 S600 S600ALTAGLZ1 S600TAGLZ1 S600 Series
Parts S601 S601ALTAGLZ1 S601TAGLZ1 S602...

lang:en score:13 filesize: 7.33 M page_count: 48 document date: 2018-01-16



[\[pdf\]](#)

Ralf Dunnebier master lock en brady lockout tagout producten static webshopapp shops 034658 files 015335281 |||

Dit bestand bevat een overzicht van de beschikbare producten op onze webshop, inclusief de
beschikba ... mastersleutel: Ja, Cover: Nee, Lasergraving: Nee S140LZH S140LJP S140LCS
S140LPL S140LHU S140LRU **S4308**LNL S4314LNL S4327LNL S4331LNL S4335LNL S4342LNL
S4348LNL S4352LNL S4370LNL S4371LNL S4372LNL S...

lang:da score:13 filesize: 945.23 K page_count: 34 document date: 2014-09-24



[\[pdf\]](#) Catalog Price List Label

7000 0576 Safety Solutions Price List Master Lock Company LLC SAFETY CATALOG 2019files mtstatic site 12556 4144

Expires 1755594538 Signature RYXg8VxjUEhxm4XD0ux


cOHw4hjB4Yj6ltv4bObh6Z66Wh2~PhT8hnD0DQrQdNac51EHUilU7

jW7hX8uy4UPZKaXeVP4uBmVxKmNhvzipav3oEQPGKkqtihfOCgdszCJ2lv9KmZQ4S3K9BFtkM4QrrtOYKVaqsWHYzFva9

Key Pair Id APKAJ5Y6AV4GI7A555NA |||

Effective November 15, 2019 Safety Solutions Price List Master Lock offers the most comprehensive
... S143FR 22 S143JA 22 S143NL 22 S143ZH 22 S297 29 S297LES 29 S297LFR 29 S297LENUK 29
S430 22 S600 24 S600ALTAGLZ1 24 S600TAGLZ1 24 S600 Series Parts 24 S601 24
S601ALTAGLZ1 ...

lang:en score:13 filesize: 6.27 M page_count: 36 document date: 2019-11-11



[\[pdf\]](#) Accessories Catalog


7000 0193 Safety Solutions Product Catalog products devices professional lockout procedures Master Lock Company LLC

End to Lockout Padlocks Devices and 1 800 944 1380 Boxed Roll of Tags Services Isolation I D 410BLU dillonsupply

UserFiles documents MASTER Loc k 4 |||

End-to-End Safety Solutions: Lockout Padlocks, Devices and Services Safety Tags 1 Lockout Isolatio
... S431 S440 4mm Dia. Shackle Hasp Heavy Duty Steel Dual Jaw Aluminum S450 429 Dielectric 1in
S430 418 419 Master Lock Model # 416 417 418 419 420 421 428 429 ALO80 ALO802 **S430** S431
S440 S450...

lang:en score:13 filesize: 7.6 M page_count: 44 document date: 2018-07-02



[pdf] Catalog


Master Lock Home Shop Catalog home shop CAMPERiD Lock® 14 Black Steel Cable 99DSPT RECREATIONiD master lock product catalog images recreationid info |||

COMMERCIAL SECURITY PRODUCT CATALOG CUSTOM BUILT COMMERCIAL QUALITY

COMPLETE SECURITY MASTER L ... vy Duty Steel Tabbed Steel Steel ALO80 ALO802 420 421

Dual Jaw Aluminum 429 Dielectric 428 **S430** 418 419 Master Lock Model # 416 417 418 419 420 421 428 429 ALO80 ALO802 Description Spark ...

lang:en score:12 filesize: 39.55 M page_count: 399 document date: 2020-04-09



[pdf] Catalog

PDS Lockout Tagout Systems Catalogue Resources safety sg files shares RESOURCE CATALOG |||

LOCKOUT/TAGOUT SYSTEMS The Lockout/Tagout LOTO or lock and tag is a safety procedure use to ens ... 0 Steel Hasp, 25mm Jaw dia. 421 Steel Hasp, 38mm Jaw dia. 420 421 LOCKOUT-TAGOUT

LOCKOUT HASPS **S430** S431 4184 419 SAFETY LOCKOUT HASP FOR SMALL LOCKOUT HOLES 4mm diameter fits smaller lockou...

lang:en score:12 filesize: 6.38 M page_count: 14 document date: 2022-02-14




[pdf] Price List Label

7000 0576 Safety Solutions Price List Master Lock Company LLC Effective March 1 2022 3 EXPRESS PROGRAM Milwaukee WI 53154 800 308 9244 masterlock TERMS AND CONDITIONS ORDERING Direct purchasing distributors with registration and log in credentials can place orders on line at cdn resources documents |||

Effective March 1, 2022 Safety Solutions Price List Master Lock offers the most comprehensive line .. 27.00 6.42 40.67 42.16 42.16 7 SPEED INDEX Product Number S143FR S143JA S143NL S143ZH

S297 **S430** S600 S600ALTAGLZ1 S600 Series Parts S601 S601ALTAGLZ1 S602 S602ALTAGLZ1 S806 S806CBL3 S806CBL15...

lang:en score:12 filesize: 9.03 M page_count: 36 document date: 2022-02-16



[pdf] Specifications Accessories Catalog

7000 0193 Safety Solutions Product Catalog The Master Lock Company Lock® S4500CP11 Guardian Extreme™ Lockout Isolation ID Tag 1 2 in H x 3 W Orange on White 80 mil PolypropyleneMaster 461 Catalogpowelltoolsupplyinc assets ascend prod roccommercloud Production 709818787838e20a7d159fc7733d4c5c |||

Safety Lockout Products A Number of Master Lock Safety Padlocks Have Achieved UL Environment Valida ... S431 S440 4mm Dia. Shackle Hasp Heavy Duty Steel Dual Jaw Aluminum S450 429

Dielectric 428 **S430** 418 419 Master Lock Model # 416 417 418 419 420 421 428 429 ALO80 ALO802 **S430** S431 S440 S450...

lang:en score:12 filesize: 6.22 M page_count: 56 document date: 2015-10-01



[pdf] Label

13665520 cdn e soneparcanada io PIM Docs STEP ASSETS |||

Hasps Lockout hasps are integral parts of a successful safety lockout program, providing effective m ... labels English, French Spanish 4mm Dia. Stainless Steel hasp 427 Snap-on Aluminum 4mm Dia. **S430** Shackle hasp S431 Dielectric 428 Dual Jaw Aluminum 429 Steel Aluminum tabbed Steel heavy


lang:en score:12 filesize: 775.83 K page_count: 1 document date: 2014-04-01



[pdf] Price List

7000 0480 Product Price List Speed Index Master Lock Company LLC 2019 cdn masterlock resources documents Product Price List Speed Index Effective November 15, 2019 PRICE BOOK LITERATURE NUMBERS: AMERICAN L ... LJA S140LPL S141 S142 S143 S143DE S143ES S143FR S143JA S143NL S143ZH S297 S297LENUK S297LES S297LFR **S430** S600 S600 Series Parts S600ALTAGLZ1 S600TAGLZ1 S601 S601ALTAGLZ1 S601TAGLZ1 S602 S602ALTAGLZ1 S...

lang:en score:12 filesize: 1.71 M page_count: 29 document date: 2020-01-31



[pdf] Price List

7000 0480 The Master Lock Company Speed Index January 2019 LLC 2018 Price List cdn masterlock resources documents ||| Product Price List Speed Index Effective November 1, 2018 Electronic Update January 2019 PRICE BOOK ... S143NL S143PL S143PT S143RU S143ZH S201CSL S201CSM S201CSS S201CSXL S297 S297LENUK S297LES S297LFR **S430** S431 S440 S450 S600 S600 Series Parts S600ALTAGLZ1 Price Book Safety Safety Safety Safety Safe...

lang:de score:12 filesize: 1.47 M page_count: 27 document date: 2018-12-18



[pdf] Accessories Catalog

7000 0193 Safety Solutions Product Catalog products devices professional lockout procedures Master Lock Company LLC American A1100 Series ► Available in 9 colors Durable anodized finish suitable for food processing facilities Over 10 000 key changes available cdn masterlock resources documents

END-TO-END SAFETY SOLUTIONS LOCKOUT PADLOCKS I LOCKOUT DEVICES I LOCKOUT SERVICES Custom-Built Pad ... vy Duty Steel Tabbed Steel Steel ALO80 ALO802 420 421 Dual Jaw Aluminum 429 Dielectric 428 **S430** 418 419 Master Lock Model # 416 417 418 419 420 421 428 429 ALO80 ALO802 Description Spark ...


lang:en score:11 filesize: 37.65 M page_count: 40 document date: 2021-04-28



[pdf] Price List Label

7000 0576 Safety Solutions Price List Master Lock Company LLC 4 SPEED INDEX Product Number Page Shelf Pack Quantity Carton Each 0411 5705 21 1 \$6 17 3BLK 18 6 24 \$11 38 3BLU 2019 cdn masterlock resources documents Book dwvi9lnoau63q cloudfront net master pricebooks Effective November 15 offers the most comprehensive line of safety product available We have a product that s built for every Effective November 15, 2019 Safety Solutions Price List Master Lock offers the most comprehensive ... S143FR 22 S143JA 22 S143NL 22 S143ZH 22 S297 29 S297LES 29 S297LFR 29 S297LENUK 29 **S430** 22 S600 24 S600ALTAGLZ1 24 S600TAGLZ1 24 S600 Series Parts 24 S601 24 S601ALTAGLZ1 ...


lang:en score:11 filesize: 6.27 M page_count: 36 document date: 2019-11-11



[pdf] Accessories Catalog

7000 0193 Master Lock Safety Catalog Company LLC A no charge Lockout Padlock Key Charting System critical for Seals shackle and keyway to help keep out dust grime from extreme environments When customers need products in a hurry the Express Program delivers Products are ready ship 48 hours! The most popular custom built Product masterlock cms END-TO-END SAFETY SOLUTIONS LOCKOUT PADLOCKS LOCKOUT DEVICES SAFETY SERVICES Custom-Built Padl ... vy Duty Steel Tabbed Steel Steel ALO80 ALO802 420 421 Dual Jaw Aluminum 429 Dielectric 428 **S430** 418 419 Master Lock Model # 416 417 418 419 420 421 428 429 ALO80 ALO802 Description Spark ...

lang:en score:11 filesize: 8.28 M page_count: 40 document date: 2021-07-15



[pdf] Accessories Label

Sira 17E223 Iss 1 docx Imcraaddock ATEX Statement of Exclusion Feb 2020 Master™ cable lock with retractable system Collinder® Labelling System collinder se 2025 06 |||

ATEX Directive 2014/34/EU 1 Statement of Exclusion 2 Sira Reference Number: Sira 17E223 Issue: . ox: Ball valve lockout: Covers: 406 series, S31 series, S32 series, S33 series and 410 series 428, **S430**, S440 and S450 Guardian Extreme tags S4002 series and 497 series , S297 series and S2391, S239...

lang:en score:11 filesize: 20.89 K page_count: 2 document date: 2020-02-07