Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Hozelock /
- > Hozelock Auto Reel Wall-Mounted 40m Instruction Manual

Hozelock 2595 0000

Hozelock Auto Reel Wall-Mounted 40m Instruction Manual

Model: 2595 0000

Introduction

The Hozelock Auto Reel is a wall-mounted hose reel designed for effortless watering in your garden. It features an automatic rewind system that smoothly and neatly coils the hose without kinks or tangles, enhancing convenience and extending the hose's lifespan. The robust, UV-stabilized polypropylene case protects the hose, while the 180-degree pivoting wall bracket allows for extensive reach across your garden.

This manual provides comprehensive instructions for the setup, operation, maintenance, and troubleshooting of your Hozelock Auto Reel.



Figure 1: The Hozelock Auto Reel Wall-Mounted 40m.

KEY FEATURES

- Automatic Rewind: Self-layering design automatically rewinds the hose without kinks or tangles.
- Wall-Mounted with 180-Degree Pivot: Allows the reel to pivot, providing extensive reach to all areas of your garden.
- **Durable Construction:** Hose protected in a tough, UV-stabilized polypropylene case.
- Easy Removal: Unit can be easily removed from the wall bracket for winter storage.
- Integrated Storage: Features side compartments for storing accessories like spray guns.
- Child Lock: Prevents misuse and unauthorized operation.
- Complete Kit: Includes 40m of premium hose, 2m feeder hose, nozzle, hose connector, waterstop, 1"/ 3/4"/ 1/2" tap connector, and wall fixings.

SETUP AND INSTALLATION

The Hozelock Auto Reel is designed for straightforward wall mounting. Ensure you select a suitable location on a sturdy surface such as brick, concrete, or stone.

What's Included:

- 1x Hozelock Auto Reel with 40m premium hose
- 1x 2m feeder hose
- 1x Nozzle

- 1x Hose connector
- 1x Waterstop
- 1x 1"/ 3/4"/ 1/2" tap connector
- Wall fixings (screws and wall plugs)

Installation Steps:

- 1. **Choose Location:** Select a wall location that is convenient for watering and can support the weight of the reel when full of water. The wall fixings provided are suitable for brick, concrete, and stone.
- 2. **Mount the Bracket:** Use the provided screws and wall plugs to securely attach the wall bracket to your chosen surface. Ensure the bracket is level and firmly fixed.
- 3. **Attach the Auto Reel:** Carefully lift the Auto Reel and slide it onto the wall bracket. Ensure it is securely seated and can pivot freely.
- 4. **Connect Feeder Hose:** Connect the 2m feeder hose from your tap to the inlet on the Auto Reel. Use the appropriate tap connector (1", 3/4", or 1/2") for your tap.
- 5. Attach Nozzle: Connect the provided nozzle to the end of the 40m premium hose.




Figure 2: The Hozelock Auto Reel securely mounted on a brick wall, ready for use.



Figure 3: The Auto Reel installed on a wall, showing the feeder hose connected to a water tap.



Figure 4: The Auto Reel can be easily detached from its wall bracket for storage during colder months.

OPERATING INSTRUCTIONS

Extending the Hose:

To extend the hose, simply pull the hose gently from the reel. The internal mechanism will automatically lock the hose at your desired length, preventing it from retracting while you are watering. You will hear a clicking sound as it locks into place.



Figure 5: Close-up view of the hose being extended from the Auto Reel, demonstrating the smooth pull-out mechanism.

Retracting the Hose:

To retract the hose, give it a short, sharp tug. This action will disengage the locking mechanism, and the patented automatic rewind system will smoothly and neatly coil the hose back into the reel. Guide the hose back into the unit to ensure proper layering and prevent tangles.

Using the Child Lock:

The Auto Reel is equipped with a child lock feature to prevent accidental extension or retraction of the hose. Consult the specific instructions on the unit for engaging and disengaging this safety feature.

MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your Hozelock Auto Reel.

- **Hose Cleaning:** Keep the hose as clean as possible. If the hose is dirty, it may not retract as smoothly. Wipe down the hose before fully retracting it.
- Winter Storage: During winter months, it is recommended to remove the Auto Reel from its wall bracket and store it in a frost-free environment to prevent damage from freezing temperatures.
- Accessory Storage: Utilize the integrated side compartments for storing your nozzle and other small accessories to keep them organized and protected.



Figure 6: The integrated storage compartment allows for convenient storage of hose connectors and other small accessories.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Hose does not retract smoothly.	Hose is dirty or has debris.	Clean the hose thoroughly before retracting. Ensure no large debris is caught in the mechanism.
Hose does not lock into place when extended.	Internal locking mechanism issue.	Ensure you are pulling the hose firmly until you hear the click. If the issue persists, contact customer support.
Water leaks from connections.	Loose connections or worn washers.	Check all connections (tap, feeder hose, nozzle) and tighten them. Replace worn washers if necessary.
Reel is difficult to remove from wall bracket.	Tight fit or misalignment.	Ensure the reel is properly aligned with the bracket. Apply gentle, even pressure when removing.

SPECIFICATIONS

Attribute	Detail
Brand	Hozelock
Model Number	2595 0000
Hose Capacity	40 Meters
Hose Diameter	12.5 Millimeters
Material	Plastic
Color	Standard (Grey with Yellow accents)

Attribute	Detail
Installation Type	Wall Mount
Operation Mode	Automatic
Item Weight	15657 Grams (approx. 34.5 pounds)
Product Dimensions (L x W x H)	21.26 x 25.79 x 10.31 inches (54 x 65.5 x 26.2 cm)
GTIN	05010646053082, 05010646959636




Figure 7: Technical drawing illustrating the dimensions of the Hozelock Auto Reel and its wall bracket.

WARRANTY AND SUPPORT


Your Hozelock Auto Reel comes with a **5-year guarantee** when you register online. This provides peace of mind that your Auto Reel is built to last and will serve your gardening needs for years to come.

For any bespoke assistance, technical support, or warranty claims, please contact Hozelock customer service:

Email: consumer.service@hozelock.com

© 2024 Hozelock. All rights reserved.

Related Documents - 2595 0000



Hozelock Auto Reel 40m Flowmax Spares and Parts

This document lists the spare parts available for the Hozelock Auto Reel 40m Flowmax, including part numbers and descriptions for the annual service kit, wall bracket, and hose guide.



Watering



Hozelock Watering Spares Manual 2014: Parts and Model Numbers

Official Hozelock spares manual detailing parts and part numbers for various watering products including hose reels, carts, pumps, and sprayers. Find service kits, replacement parts, and accessories.

User Manual of Product 1: NEJ Power Bank, 22:5W Fast Changing 20000mAh Powerbank, PO3.0 GC4.0 Portable Changer, 3A (USB C in & Out) with LED Display Bastery Pack for Phone 14 13 12 11 X New Manual Post Product Product

Hozelock Auto Reel User Manual & Installation Guide

Comprehensive user manual and installation guide for the Hozelock Auto Reel (20m, 25m, 30m). Learn how to set up, use, maintain, and troubleshoot your Hozelock garden hose reel.



Hozelock Product Guarantee Periods and Terms

Comprehensive guide to Hozelock and Hozelock Cyprio product guarantee periods, including terms and conditions for hoses, reels, spray guns, watering systems, pumps, and pond equipment. Learn about standard and extended warranties.



<u>Hozelock Bahçe Sulama Ürünleri Kataloğu 2025 | Hortumlar, Spreyler ve Otomatik Sulama Sistemleri</u>

Hozelock'un 2025 ürün kataloğunu keşfedin. Bahçeniz için yenilikçi hortumlar, sulama tabancaları, otomatik sulama sistemleri, kompost makineleri ve daha fazlasını bulun. Hozelock ile bahçenizi kolayca ve çevre dostu bir şekilde sulayın.



Hozelock 2004 Garden Watering Equipment Catalog

Explore the Hozelock 2004 product catalog featuring innovative garden watering solutions, including premium hose guns, self-layering hose reels, oscillating sprinklers, automatic watering systems, and a wide range of hose fittings and accessories for efficient garden care.