

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Kuryakyn](#) /

› [Kuryakyn 6183 Premium ISO Handlebar Grips Instruction Manual for Honda Gold Wing GL1800 & F6B Motorcycles](#)

Kuryakyn 6183

Kuryakyn 6183 Premium ISO Handlebar Grips Instruction Manual

For 2006-2019 Honda Gold Wing GL1800 & F6B Motorcycles with Heated Grips

INTRODUCTION

Thank you for choosing Kuryakyn Premium ISO Handlebar Grips. These grips are designed to enhance comfort and style for motorcycle riders, featuring a chrome ISO handle with black grip placement to dampen handlebar vibration and provide a soft, non-slip surface. The unique recessions between grip pads allow for improved airflow, offering added relief during rides. This manual provides essential information for the proper installation, operation, and maintenance of your new grips.

SAFETY INFORMATION

Always ensure your motorcycle is stable and turned off before beginning any installation. Wear appropriate safety gear, such as gloves and eye protection. If you are unsure about any step of the installation process, consult a qualified motorcycle technician. Improper installation can lead to loss of control and serious injury.

PARTS LIST

The Kuryakyn 6183 Premium ISO Handlebar Grips package includes the following components:

- 1x Chrome Right Front and Rear Cover
- 1x Chrome Left Front and Rear Cover
- 2x ISO Sleeves (rubber grip inserts)
- Hardware Kit:
 - 13x #4-40 x 3/8" Socket Head Cap Screws
 - 1x M6-1 x 40 mm Phillips Pan Head Screw
 - 2x End Caps

Note: The grips are designed with a clamshell mechanism that attaches over existing stock grips, making them compatible with heated grip systems.



Image: Disassembled Kuryakyn ISO Grips, showing the chrome covers, rubber sleeves, and end cap.

TOOLS REQUIRED (NOT INCLUDED)

- Hex Wrenches (for #4-40 screws)
- Phillips Screwdriver (for M6-1 screw)
- Window Cleaner (or similar lubricant)
- Zip Ties (optional, for easier assembly)
- Channel-Lock Pliers (optional, with protective towel)

SETUP AND INSTALLATION

These grips are designed for installation over your existing stock handlebar grips. Compatibility includes 2006-2019 Honda Gold Wing GL1800 and 2013-2016 F6B models (F6B only accepts Throttle Boss).

1. **Prepare the Stock Grips:** Ensure your existing grips are clean and free of debris. Apply a small amount of window cleaner or a similar mild lubricant to the surface of the stock grips. This will aid in sliding the ISO sleeves over them.
2. **Install ISO Sleeves:** Carefully slide the rubber ISO sleeves over your stock grips. Ensure they are fully seated and aligned.
3. **Assemble Chrome Halves:** Place the two chrome halves of the Kuryakyn grip around the installed ISO sleeve. Ensure the raised rubber sections of the ISO sleeve are completely inserted into the corresponding notches in the chrome halves.
4. **Secure the Halves:** Use zip ties to temporarily hold the chrome halves together, ensuring they are tightly closed and aligned. This will help in aligning the screw holes. Alternatively, you may use Channel-Lock pliers with a protective towel to gently squeeze the halves together.

5. **Insert Screws:** Begin inserting the #4-40 x 3/8" socket head cap screws into the designated holes. Start with a few screws to secure the halves, then proceed to install all remaining screws. Ensure not to overtighten, which could strip the threads.
6. **Install End Caps:** Attach the end caps using the M6-1 x 40 mm Phillips pan head screw.
7. **Final Check:** Once all screws are tightened, remove any temporary zip ties. Verify that the grips are securely attached and do not rotate freely on the handlebars. Test the throttle and clutch operation to ensure smooth movement and no interference.



Image: Kuryakyn ISO Grip installed on the right handlebar of a motorcycle, showing the throttle assist.



Image: View of a motorcycle dashboard with Kuryakyn ISO Grips on both handlebars, providing a wider perspective of the installed product.

OPERATING INSTRUCTIONS

The Kuryakyn ISO Grips are designed for enhanced riding comfort. The soft, non-slip rubber pads provide a secure grip and help to absorb vibrations from the handlebars, reducing hand fatigue on long rides. The unique recessions between the grip pads promote airflow, which can help keep hands cooler in warm weather.

For motorcycles equipped with heated grips, these ISO grips are compatible. Due to their design, it may take slightly longer for the heat to transfer through the ISO grips compared to stock grips. Adjust your heated grip settings as needed for desired warmth.



Image: Close-up of the right Kuryakyn ISO Grip, highlighting the integrated throttle assist for comfortable cruising.



Image: Close-up of the left Kuryakyn ISO Grip, illustrating its design for cable throttle control.

MAINTENANCE

To maintain the appearance and functionality of your Kuryakyn ISO Grips:

- **Cleaning:** Clean the chrome surfaces with a non-abrasive chrome cleaner and a soft cloth. Clean the rubber pads with mild soap and water. Avoid harsh chemicals or abrasive materials that could damage the finish.
- **Inspection:** Periodically inspect the grips for any signs of wear, damage, or loose components. Ensure all screws remain tight.
- **Rubber Condition:** Check the rubber ISO sleeves for cracking or deterioration. While designed for durability, extreme conditions can affect rubber over time.

TROUBLESHOOTING

- **Grips feel loose after installation:** Recheck all screws to ensure they are properly tightened. If the grips still feel loose, ensure the ISO sleeves are correctly seated within the chrome halves and that the halves are fully closed.
- **Difficulty closing chrome halves:** Ensure the rubber ISO sleeves are fully pushed onto the stock grips and that the raised rubber sections are aligned with the notches in the chrome halves. Using zip ties or gentle pressure with protected pliers can assist in bringing the halves together for screw insertion.
- **Heated grips not heating sufficiently:** While compatible, the ISO grips may slightly insulate the heat. Allow more time for the grips to warm up. If heating is still inadequate, verify your motorcycle's heated grip system is functioning correctly.
- **Chrome flaking:** In rare cases, chrome finish may flake, particularly if exposed to harsh conditions or impacts. This is typically covered under warranty. Contact Kuryakyn support for assistance.






SPECIFICATIONS


Feature	Detail
Model Number	6183
Brand	Kuryakyn
Color	Chrome
Vehicle Service Type	Street Bike
Item Weight	2 Pounds
Size	One Size
Product Dimensions	13.9 x 10 x 2.5 inches
Compatibility	2006-2019 Honda Gold Wing GL1800, 2013-2016 F6B (Throttle Boss only)

WARRANTY AND SUPPORT

Kuryakyn products typically come with a one-year limited warranty against defects in materials and workmanship. For specific warranty details, claims, or technical support, please refer to the official Kuryakyn website or contact their customer service directly. Keep your proof of purchase for warranty purposes.

Related Documents - 6183

	<p>Kuryakyn Handlebar Risers/Setbacks GL1800 (7438) Installation Guide</p> <p>Detailed installation instructions for Kuryakyn Handlebar Risers/Setbacks model 7438 for the Honda GL1800 motorcycle. Includes parts list, tools, step-by-step guide, and warranty information.</p>
	<p>Kuryakyn Omni Transmission Covers for GL1800 Installation Instructions</p> <p>Detailed installation guide for Kuryakyn Omni Transmission Covers (models 3274 Chrome, 3275 Satin Black) for the Honda GL1800 motorcycle. Includes parts list, step-by-step instructions, warnings, and warranty information.</p>
	<p>Kuryakyn LED Mirror Lights for GL1800 (7513) Installation Guide</p> <p>Step-by-step installation instructions for Kuryakyn LED Mirror Lights (Model 7513) for Honda GL1800 motorcycles. Includes parts, tools, wiring, warranty, and contact information.</p>
	<p>Kuryakyn Black Contoured ISO-Throttle Boss 6318 Installation Guide</p> <p>Official installation guide for the Kuryakyn Black Contoured ISO-Throttle Boss (Model 6318). Includes parts list, procedure, safety warnings, and limited warranty information for motorcycle owners.</p>
	<p>Kuryakyn Fairing Light II for GL1800 Installation Guide</p> <p>Comprehensive installation instructions for the Kuryakyn Fairing Light II (Part #7316) designed for Honda GL1800 motorcycles. This guide covers fitting details, included components, necessary tools, step-by-step assembly, and warranty information.</p>



[Küryakyn Ergo II Unlighted Floorboards 4059 Installation Guide](#)

Detailed installation instructions for Küryakyn Ergo II Unlighted Floorboards (Model 4059) for Honda GL1800 motorcycles, including parts list, tools, procedure, and safety warnings.