

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

> [Whitmor](#) /

> [Whitmor 3-Tier Metal Shelving Unit \(Model 6060-3437\) Instruction Manual](#)

## Whitmor 6060-3437

# Whitmor 3-Tier Metal Shelving Unit

Model: 6060-3437 | Brand: Whitmor

## 1. PRODUCT OVERVIEW

The Whitmor 3-Tier Metal Shelving Unit is a versatile and durable storage solution designed to help organize various spaces in your home. Constructed from sturdy stainless steel with a sleek chrome finish, this unit offers a high weight capacity and adjustable shelves to accommodate diverse storage needs. It is ideal for use in pantries, kitchens, garages, laundry rooms, and more.



A fully assembled Whitmor 3-Tier Shelving Unit in chrome finish, positioned in a garage. It is organized with a watering can, peat moss, a garden sprinkler, a coiled hose, and two large bottles, demonstrating its utility for garage storage.

## 2. SAFETY INFORMATION

---

Always follow the assembly instructions provided. Do not exceed the maximum weight capacity of 1200 lbs total or 400 lbs per shelf. Ensure the shelf is securely mounted and level before use. Keep the shelf away from heat sources and do not use it for chemical storage.

## 3. PACKAGE CONTENTS

---

Please ensure all components are present before beginning assembly:

- 3 x Wire Shelves


- 4 x Vertical Posts (may be in sections)
- Plastic Clips/Sleeves (for securing shelves)
- 4 x Leveling Feet

## **4. ASSEMBLY INSTRUCTIONS**

---

The Whitmor 3-Tier Shelving Unit features a user-friendly design that requires no specialized tools for assembly. The assembly process is straightforward and does not require complex instructions. Follow these general steps:

1. Attach the leveling feet to the bottom of the vertical posts.
2. Snap the plastic clips onto the vertical posts at the desired height for the bottom shelf. Ensure clips are at the same height on all four posts.
3. Slide a wire shelf over the top of the posts, guiding the corners down over the plastic clips until it rests securely.
4. Repeat step 2 and 3 for the remaining two shelves, adjusting the height as needed.
5. Ensure all shelves are level and securely seated on the clips.



A detailed view of a shelving unit post with an arrow indicating "Correct shelf direction," showing how the shelf should be oriented for proper assembly.



This image provides a close-up of the bottom of a shelving unit post, featuring an adjustable leveling foot and the NSF certification mark, indicating compliance with public health standards.

Official product video from Whitmor showcasing the features and versatility of their metal storage shelves, including durable construction, adjustable shelves, and no-tool assembly. It demonstrates the shelving unit in various settings like a garage and laundry room.

## 5. OPERATING INSTRUCTIONS (USAGE)

This shelving unit is designed for versatile use across various rooms and purposes:

- **Adjustable Height:** The shelves can be adjusted in 1-inch increments to accommodate items of different sizes, optimizing space utilization.
- **High Weight Capacity:** Each shelf can hold up to 400 lbs (evenly distributed), with a total unit capacity of 1200 lbs. This ensures safe and secure storage for heavy items.
- **Versatile Placement:** Suitable for pantries, kitchens, garages, laundry rooms, plant displays, and other areas requiring organized storage.



The Whitmor 3-Tier Shelving Unit is shown in a kitchen environment, holding a coffee maker, stand mixer, toaster oven, kettle, and various decorative and functional kitchen items, highlighting its versatility for indoor use.

## 6. MAINTENANCE AND CARE

To maintain the appearance and longevity of your Whitmor shelving unit, simply wipe it clean with a dry cloth. Avoid using abrasive cleaners or harsh chemicals that may damage the chrome finish.

## 7. TROUBLESHOOTING


- **Unit is Unstable:** Ensure all plastic clips are securely snapped into place and the shelves are fully seated. Adjust the leveling feet at the bottom of each post to compensate for uneven floors.
- **Shelf Sagging:** Verify that the weight on the shelf does not exceed the 400 lbs capacity and that the total unit weight

does not exceed 1200 lbs. Distribute weight evenly across the shelf surface.

- **Difficulty Adjusting Shelves:** Ensure the plastic clips are fully disengaged from the posts before attempting to move a shelf. Apply even pressure when sliding shelves up or down.

## 8. SPECIFICATIONS

<b>Brand</b>	Whitmor
<b>Model Number</b>	6060-3437
<b>Dimensions</b>	36"L x 14"W x 36"H (14"D x 36"W x 36"H)
<b>Number of Shelves</b>	3
<b>Weight Capacity per Shelf</b>	400 lbs (evenly distributed)
<b>Total Weight Capacity</b>	1200 lbs
<b>Material</b>	Stainless Steel
<b>Finish Type</b>	Chrome
<b>Special Features</b>	Adjustable, Durable, Heavy Duty, Rust Proof, Space Saving, NSF-Certified
<b>Assembly Required</b>	Yes (No tools required)



This image illustrates the dimensions of the 3-Tier Shelving Unit: 36.0 inches (91.4 cm) in length, 14.0 inches (35.6 cm) in width, and 36.0 inches (91.4 cm) in height.

## 9. WARRANTY AND SUPPORT

This Whitmor product comes with a **10-year limited warranty** with proof of purchase. For any questions, concerns, or assistance with assembly, please contact Whitmor customer support. Our dedicated team is ready to assist you.