

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Greenlee](#) /

› [Greenlee HS-1 Headset for Model 501 User Manual](#)

Greenlee HS-1

Greenlee HS-1 Headset Instruction Manual

Model: HS-1

1. INTRODUCTION

This manual provides essential information for the safe and effective use of your Greenlee HS-1 Headset, designed specifically for use with Greenlee Model 501. Please read this manual thoroughly before operation and retain it for future reference.

2. SAFETY INFORMATION

Always observe the following safety precautions to prevent injury or damage to the headset or connected equipment:

- Do not expose the headset to extreme temperatures or moisture.
- Use only with compatible Greenlee Model 501 equipment.
- Avoid excessive force when connecting or disconnecting cables.
- Keep out of reach of children.

3. PRODUCT OVERVIEW

The Greenlee HS-1 Headset is a durable accessory designed for clear audio communication. It features a comfortable over-ear design and a robust cable for reliable connection.



Figure 3.1: Front view of the Greenlee HS-1 Headset, showing the earcups, headband, and attached cable with a 3.5mm jack.



Figure 3.2: Angled view of the Greenlee HS-1 Headset, highlighting the adjustable headband and earcups.

4. SETUP

1. **Unpack:** Carefully remove the HS-1 Headset from its packaging.

2. **Inspect:** Check the headset and cable for any visible damage. Do not use if damaged.
3. **Connect:** Locate the audio input jack on your Greenlee Model 501. Insert the headset's 3.5mm jack firmly into the audio input.
4. **Adjust:** Adjust the headband to fit comfortably over your head. Ensure the earcups fully cover your ears for optimal sound isolation.

5. OPERATING INSTRUCTIONS

Once connected to your Greenlee Model 501, the HS-1 Headset will provide audio output from the device. Refer to your Model 501 manual for specific audio settings and functions.

- **Volume Control:** Adjust the audio volume directly on your Greenlee Model 501. The HS-1 Headset does not have integrated volume controls.
- **Comfort:** For extended use, periodically remove the headset to allow your ears to rest.

6. MAINTENANCE

Proper care will extend the life of your headset:

- **Cleaning:** Use a soft, dry cloth to wipe down the earcups and headband. Do not use liquid cleaners or immerse the headset in water.
- **Storage:** Store the headset in a cool, dry place away from direct sunlight and extreme temperatures. Avoid tangling the cable.
- **Cable Care:** Do not pull on the cable to disconnect the headset. Always grasp the plug.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
No audio from headset.	Headset not fully plugged in.	Ensure the 3.5mm jack is fully inserted into the Model 501.
No audio from headset.	Volume on Model 501 is too low or muted.	Increase volume on Model 501. Check Model 501's audio settings.
Audio is distorted.	Cable damage or improper connection.	Inspect the cable for damage. Re-seat the connection. If problem persists, the headset may need replacement.

8. SPECIFICATIONS

Feature	Detail
Model Name	HS-1
Brand	Greenlee
Connectivity Technology	Wired
Included Components	Cable
Material	Plastic
Item Weight	8.8 ounces
Product Dimensions	6.5 x 4.2 x 2.4 inches

Feature	Detail
Water Resistance Level	Water Resistant
Special Feature	Lightweight


9. SUPPORT

For further assistance or inquiries regarding your Greenlee HS-1 Headset, please visit the official Greenlee website or contact customer service. Refer to your product packaging or the Greenlee website for the most current contact information.

Note: This product's warranty information is not applicable as per product specifications. Please refer to the Greenlee Model 501 manual for related warranty details.

© 2023 Greenlee. All rights reserved.

Related Documents - HS-1

<p>INSTRUCTION MANUAL MANUAL DE INSTRUCCIONES MANUEL D'INSTRUCTIONS</p> <p>GREENLEE A Tooltek Company</p> <p>DM-40 Digital Multimeter Multimetro digital Conteur de mesure numérique</p>  <p>Read and understand all of the instructions prior to operating or service this tool. Lea y entienda todas las instrucciones y la información de seguridad antes de usar o reparar este dispositivo. Lise attentivement et bien comprendre toutes les instructions et les informations sur la sécurité avant d'utiliser ou de faire réparer cet appareil.</p> <p>009-67108-B © 2008 Greenlee Tool Inc. 4/08</p>	<p>Greenlee DM-40 Digital Multimeter Instruction Manual</p> <p>User guide for the Greenlee DM-40 Digital Multimeter, detailing its features, operation, safety instructions, and specifications for electrical testing.</p>
<p>INSTRUCTION MANUAL MANUAL DE INSTRUCCIONES MANUEL D'INSTRUCTIONS</p> <p>GREENLEE A Tooltek Company</p> <p>TG-1000 Infrared Thermometer Termómetro infrarrojo Thermomètre infrarouge</p>  <p>Read and understand all of the instructions and safety information in this manual before operating or service this tool. Lea y entienda todas las instrucciones y la información de seguridad en este manual antes de usar o reparar este dispositivo. Lise attentivement et bien comprendre toutes les instructions et les informations sur la sécurité dans ce manuel avant d'utiliser ou de procéder à la réparation de cet appareil.</p> <p>1800.544.2843 001-0001-Cabert Inc. 4/11 www.cabert.com sales@cabert.com</p>	<p>Greenlee TG-1000 Infrared Thermometer Instruction Manual</p> <p>Comprehensive instruction manual for the Greenlee TG-1000 Infrared Thermometer, covering operation, safety, features, troubleshooting, specifications, and maintenance. Learn how to accurately measure surface temperatures for various applications.</p>
<p>INSTRUCTION MANUAL MANUAL DE INSTRUCCIONES MANUEL D'INSTRUCTIONS</p> <p>GREENLEE A Tooltek Company</p> <p>TG-1000 Infrared Thermometer Termómetro infrarrojo Thermomètre infrarouge</p>  <p>Read and understand all of the instructions and safety information in this manual before operating or service this tool. Lea y entienda todas las instrucciones y la información de seguridad en este manual antes de usar o reparar este dispositivo. Lise attentivement et bien comprendre toutes les instructions et les informations sur la sécurité dans ce manuel avant d'utiliser ou de procéder à la réparation de cet appareil.</p> <p>0090640 © 2001 Cabert Inc. 4/11</p>	<p>Greenlee TG-1000 Infrared Thermometer: Instruction Manual</p> <p>User manual for the Greenlee TG-1000 Infrared Thermometer. Learn about its features, safe operation, troubleshooting, and specifications for accurate non-intrusive surface temperature measurements. Visit Greenlee.com for more information.</p>

Documents - Greenlee – HS-1

[\[pdf\] User Manual Specifications](#)

PE830 Instruction manual GREENLEE 95E0091REVA 1 none TEST OSP CO CP 267588 267588A

340931 US P 07 06 2012 Angie Kendall Click to View Greenlee Test Set Pocket Telephone Pro

Specification Sheet alldataresource assets greenlee |||

PE830 TELE-MATE PRO TELEPHONE TEST SET Einjährige beschränkte Garantie

Tempo garantiert dem Erstkufer ... line voltage/current/frequency meter. The Model

PE830 consists of: Tele-Mate Pro Telephone Test Set **HS-1** HEADSET 95E0091

2003 REV. A SAFETY ALERT SYMBOL This symbol is used to call your attention...

lang:en **score:25** filesize: 1.66 M page_count: 24 document date: 2012-10-03



[\[pdf\] Greenlee Professional Tools Catalog: Electrical, Utility & Communications](#)

Explore Greenlee's comprehensive catalog of professional tools for electrical, utility, and communications trades. Discover hand tools, knockout systems, wire termination, and more, designed for speed, safety, and efficiency.

lang:en **score:18** filesize: 48.31 M page_count: 484 document date: 2015-06-11




[pdf] User Manual Instructions Label

TT 5000 CK MC M F 10 TT 5000 CK MC M TT 5000 CK MC F TT 5000 HUV CK MC M F 10 Installation Manual Solvent Leak Detection System Tracetek

Sensors RaychemTraceTek linkwisetech 2019 12 |||

TT-5000-CK-MC-M/F-10 TT-5000-CK-MC-M TT-5000-CK-MC-F TT-5000-HUV-CK-MC-M/F-10 Field Installed Connec ... Go to Step 1 TT5001 Outer braid of Page 3 white black fibers Go to Step HUV-1 Go to Step **HS-1** 2 1/2 in **HS-1** Grasp rope braid about 25 mm 1 in behind the taped end near the looped end o...


lang:en score:17 filesize: 1.43 M page_count: 8 document date: 2019-01-18



[Electronics Buyers' Guide Issue - June 1954 | Technical Components & Equipment Directory](#)

A comprehensive buyer's guide from June 1954 featuring electronic components, test equipment, vacuum tubes, and industrial electronics from leading manufacturers like General Electric, Hewlett-Packard, and Raytheon. Includes product listings, specifications, and advertiser index.

lang:en score:17 filesize: 131.28 M page_count: 995 document date: 2018-09-22



[pdf] Guide

View Full Screen Oklahoma State University Athletics 2024 Cowgirl Soccer Media Guide timestamp

20240926060915 s3 us east 2 amazonaws sidearm nextgen sites okstate documents 8 7 |||

TABLE OF CONTENTS/QUICK FACTS BIG 12 CONFERENCE CHAMPIONS 2003, 08, 09, 10, 11, 17, 19 NCAA TOURNAMENT 2003, 06, 07, 08, 09, 10, 11, 13, 14, 16, 17, 19, 20 OKLAHOMA STATE UNIVERSITY Location Stillwater, Okla. Founded 1890 Enrollment 25,594 Nickname Cowgirls Colors Ora...

lang:en score:16 filesize: 81.28 M page_count: 111 document date: 2024-09-23



[pdf] User Manual Specifications Catalog

Greenlee Hand Tools Catalog hand tools scissors pliers tweezers cutters axes taps dies hooks files clamps sets hammers brushes wrenches trays rollers ratchets concrete sockets picks benders organizers anvils screwdrivers punches measuring chisels tile masonry utility knives vises scrapers saws grease guns cable staple pry bars extractors rivet drain cleaning equipment caulk pickup marking flaring wire torx hex TOOLSID CARID Use with manual hydraulic and battery knockout drivers Oiltight SPEED PUNCH® units SDK2021GL Cable Cutter 3 8 Male Coupler 7475H 975 greenlee 2015 full line catalog card images FOR OVER 150 YEARS THE GREENLEE HAS STOOD AS A SIGN OF QUALITY, INNOVATION, AND WORKFORCE EFFICIENC ... High frequency transmitter provides range up to 4,000 1,219 m and depths 501 up to 7 2 m **HS-1** 08695 Receiver is 32 long 813 mm Optional headset is available for use in high-traffic ... lang:en score:15 filesize: 43.78 M page_count: 470 document date: 2018-09-27



[\[pdf\]](#) User Manual Catalog

Testing Measurement Cesco Auto and manual range selection GT 540 220 LISTED AC amperage DC voltage measurement Open jaw design eases current Slim profile with build in probes storage on back Measures resistance up to $20M\Omega$ Audible continuity diode test Greenlee has been the electrical testing field for more than DM 310 300 210 200 60 40 20 PDMM True RMS 249011 Catalog cesco resources

Testing Measurement FEATURE Products Testing Measurement Greenlee has been in the electrical t ... Buried Line Locator Tracker II CAT. No. 501 501T 501R IC1 CS16 500CA Headset accessory CAT. No. **HS-1** UPC No. 08695 UPC No. Description 08662 501T 501R IC1 CS16 500CA Tracker II Transmitter Rece...

lang:en score:15 filesize: 8.29 M page_count: 52 document date: 2007-01-08



[\[pdf\]](#) Warranty Catalog

Greenlee® 36928 Turtle Hughes Greenlee Catalog cdn assets unilogcorp ASSETS DOCUMENTS ITEMS
EN III

www.greenlee.com TESTING MEASUREMENT SAFE. ACCURATE. RELIABLE.
EXPECT NOTHING BUT THE BEST FROM GR ... www.greenlee.com 411 TESTING
MEASUREMENT BURIED FACILITY LOCATION AND MARKING Tracker II 501 HS-
1 08695 Optional headset is available for use in high-traffic areas or other noisy
environments...


lang:en score:15 filesize: 3.6 M page_count: 42 document date: 2015-06-11



[\[pdf\]](#) Specifications Datasheet Dimension Guide Accessories Catalog

Greenlee Test Instruments Catalog Scott Jensen Manufacturer Spec Sheet GREENLEE 501CA CASE W
O ANTENNA F 501 Gordon Electric Supply Inc GREENLEE00382 45 assets gordonelectricsupply
datasheets ts |||

Circuit Testers, Locators, and Tracers 508S Wire Finder/Mini Locator Durable ABS case construction ... er 240VAC/500VDC 4.25 x 3 x 3.25 32 x 2.75 x 4 33.5 x 8.25 x 3.75 6.7 lbs. Headphone set **HS-1**/UPC No. 08695 GREENLEE
www.greenlee.textron.com Phone: 800-435-0786 815-397-7070 Internatio...
lang:en **score:15** filesize: 101.33 K page count: 1 document date: 2006-11-01



[pdf] Guide

JP Losman Football Coach University of Washington Athletics 2025 UW FB Spring Guide s3 us east 2
amazonaws sidearm nextgen sites washington sidearmsports documents 4.28 III

2025 WASHINGTON FOOTBALL INFORMATION 2025 Husky Football Quick Facts
Location Seattle, Wash., 98195 Enrollment 50,097 fall 23, Seattle campus; total graduate and undergrad

lang:en score:14 filesize: 6.96 M page_count: 168 document_date: 2025-04-28

Catalog Num	Material Description	MSRP
00040	CONTROLLER, ELECTRICAL REPLACEMENT	\$105.00
00049	CONTROLLER, ELECTRICAL, 24VDC, 5A	\$111.00
00447	CONTROLLER, ELECTRICAL, 24VDC, 5A	\$111.00
00140	SUPPLY UNIT, 1/2" X 2" O.D.	\$1204.24
00192	PLATE, GEAR TONE GENERATOR (17T)	\$140.00
17140	PLATE, GEAR TONE GENERATOR (17T)	\$140.00
00229	STUDS	\$11.40
221	PUNCH UNIT, CONN. FOR 6 PIN (230)	\$11.72
224	PUNCH UNIT, CONN. FOR 10 PIN (231)	\$11.72
226	PUNCH UNIT, CONN. FOR 15 PIN (230)	\$771.00
00240	DESK, GREENLEE	\$11.90
00241	ADAPTER, 1/2" NUT PUMP HOUSING	\$124.00
00242	ADAPTER, 1/2" NUT PUMP HOUSING	\$124.00
00261	BLADE, FRONT	\$10.00
00262	BLADE, FRONT	\$10.00
00263	BLADE, FRONT	\$10.00
00264	BLADE, FRONT	\$10.00
00265	HANDSAW, PACKAGED (POP)	\$16.14
00266	DRILL, 1/4" DRILL	\$202.04
00267	RINGS, WIRE PLATE	\$11.00
00268	PLATE, WIRE PLATE	\$11.00
00333	JAW, LOCKING	\$146.00
00336	BLADE, FRONT	\$10.00
00344	BLADE, FRONT	\$10.00
00345	BLADE, FRONT	\$10.00
00346	BLADE, FRONT	\$10.00
00347	SPRING, PRESS (954)	\$6.00
00348	SPRING, PRESS (954)	\$6.00
00349	NUT, BODY (954)	\$7.02
00350	PLATE, WIRE PLATE	\$11.00
00351	SPRING, HANDLE (954)	\$6.00
00352	E-RING, 9/32" (954)	\$7.22
00353	E-RING, 9/32" (954)	\$7.22
00354	SOIL, MET (954)	\$1.00
00355	SOIL, MET (954)	\$1.00
302	ACCESSORY, VAC BLOWER (302)	\$26.70
402	STAND, REEL PIPE (402)	\$110.00
403	STAND, REEL PIPE, 40FT	\$140.00
405	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
412	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
413	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
417	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
418	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
420	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
422	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
423	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
424	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
425	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
426	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
427	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
428	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
429	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
430	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
431	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
432	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
433	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
434	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
435	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
436	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
437	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
438	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
439	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
440	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
441	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
442	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
443	POLY. PRO, ROPE, 1/8"X100' FEET	\$74.46
444	FOOT, SWING UNIT	\$357.00
445	SWING, FOOT	\$357.00

[pdf] User Manual Accessories Catalog

Admin 8 04 00036 CONTROL ELECTRICAL REPLACEMENT Catalog CRIMPER MANUAL 1981 \$526 62 1990 CRIMPING TOOL DIELESS \$4 106 20 01998 ARMATURE \$170 82 01999 GEAR PINION \$81 34 Cutter multi cable 1969 POP crimper manual crimping Digital signal t bug headphones pliers side cutting dipped 17633 AttachmentURL greenlee tx cesco resources 72D cdn2 hubspot net hub 54495 file 17664154 docs

Catalog Num 00031 00036 00042 00047 88 00145 00152 177 00195 00228 229 231 234 238 00247 00290 00291 ... 10A-C DM-60 DM-810A DM-810A-C DM-820A DM-820A-C DM-830A DM-830A-C DM-860A DMF-450 DMF-500 DMF-700 DMHS-1 DML-430 DML-430A DML-430A-C DML-54 DMSC-2 DMSC-2U DMSC-9 DMSC-9U DTAP1/4-20 DTAP10-24 DTAP10-32...

lang:i-klingon **score:14** filesize: 427.96 K page_count: 137 document date: 2011-06-16

April 1, 2009 Greenlee Pricing USD			
Prices shown are effective 4/1/09 for Greenlee.			
Should any discrepancy exist between the Greenlee published schedule (and 03/09/09) and this file, this file is correct.			
Prices subject to change without notice. We reserve the right to cancel or revise at any time.			
Effec Date	Catalog #	5 Digit	White
4/1/2009	00119	00119	0.04
4/1/2009	00120	00120	0.04
4/1/2009	00121	00121	0.05
4/1/2009	00122	00122	0.05
4/1/2009	00123	00123	0.01
4/1/2009	00124	00124	0.01
4/1/2009	00125	00125	0.01
4/1/2009	00126	00126	0.01
4/1/2009	00127	00127	0.01
4/1/2009	00128	00128	0.01
4/1/2009	00129	00129	0.01
4/1/2009	00130	00130	0.01
4/1/2009	00131	00131	0.01
4/1/2009	00132	00132	0.01
4/1/2009	00133	00133	0.01
4/1/2009	00134	00134	0.01
4/1/2009	00135	00135	0.01
4/1/2009	00136	00136	0.01
4/1/2009	00137	00137	0.01
4/1/2009	00138	00138	0.01
4/1/2009	00139	00139	0.01
4/1/2009	00140	00140	0.01
4/1/2009	00141	00141	0.01
4/1/2009	00142	00142	0.01
4/1/2009	00143	00143	0.01
4/1/2009	00144	00144	0.01
4/1/2009	00145	00145	0.01
4/1/2009	00146	00146	0.01
4/1/2009	00147	00147	0.01
4/1/2009	00148	00148	0.01
4/1/2009	00149	00149	0.01
4/1/2009	00150	00150	0.01
4/1/2009	00151	00151	0.02
4/1/2009	00152	00152	0.02
4/1/2009	00153	00153	0.02
4/1/2009	00154	00154	0.02
4/1/2009	00155	00155	0.02
4/1/2009	00156	00156	0.02
4/1/2009	00157	00157	0.02
4/1/2009	00158	00158	0.02
4/1/2009	00159	00159	0.02
4/1/2009	00160	00160	0.02
4/1/2009	00161	00161	0.02
4/1/2009	00162	00162	0.02
4/1/2009	00163	00163	0.02
4/1/2009	00164	00164	0.02
4/1/2009	00165	00165	0.02
4/1/2009	00166	00166	0.02
4/1/2009	00167	00167	0.02
4/1/2009	00168	00168	0.02
4/1/2009	00169	00169	0.02
4/1/2009	00170	00170	0.02
4/1/2009	00171	00171	0.02
4/1/2009	00172	00172	0.02
4/1/2009	00173	00173	0.02
4/1/2009	00174	00174	0.02
4/1/2009	00175	00175	0.02
4/1/2009	00176	00176	0.02
4/1/2009	00177	00177	0.02
4/1/2009	00178	00178	0.02
4/1/2009	00179	00179	0.02
4/1/2009	00180	00180	0.02
4/1/2009	00181	00181	0.02
4/1/2009	00182	00182	0.02
4/1/2009	00183	00183	0.02
4/1/2009	00184	00184	0.02
4/1/2009	00185	00185	0.02
4/1/2009	00186	00186	0.02
4/1/2009	00187	00187	0.02
4/1/2009	00188	00188	0.02
4/1/2009	00189	00189	0.02
4/1/2009	00190	00190	0.02
4/1/2009	00191	00191	0.02
4/1/2009	00192	00192	0.02
4/1/2009	00193	00193	0.02
4/1/2009	00194	00194	0.02
4/1/2009	00195	00195	0.02
4/1/2009	00196	00196	0.02
4/1/2009	00197	00197	0.02
4/1/2009	00198	00198	0.02
4/1/2009	00199	00199	0.02
4/1/2009	00200	00200	0.02
4/1/2009	00201	00201	0.02
4/1/2009	00202	00202	0.02
4/1/2009	00203	00203	0.02
4/1/2009	00204	00204	0.02
4/1/2009	00205	00205	0.02
4/1/2009	00206	00206	0.02
4/1/2009	00207	00207	0.02
4/1/2009	00208	00208	0.02
4/1/2009	00209	00209	0.02
4/1/2009	00210	00210	0.02
4/1/2009	00211	00211	0.02
4/1/2009	00212	00212	0.02
4/1/2009	00213	00213	0.02
4/1/2009	00214	00214	0.02
4/1/2009	00215	00215	0.02
4/1/2009	00216	00216	0.02
4/1/2009	00217	00217	0.02
4/1/2009	00218	00218	0.02
4/1/2009	00219	00219	0.02
4/1/2009	00220	00220	0.02
4/1/2009	00221	00221	0.02
4/1/2009	00222	00222	0.02
4/1/2009	00223	00223	0.02
4/1/2009	00224	00224	0.02
4/1/2009	00225	00225	0.02
4/1/2009	00226	00226	0.02
4/1/2009	00227	00227	0.02
4/1/2009	00228	00228	0.02
4/1/2009	00229	00229	0.02
4/1/2009	00230	00230	0.02
4/1/2009	00231	00231	0.02
4/1/2009	00232	00232	0.02
4/1/2009	00233	00233	0.02
4/1/2009	00234	00234	0.02
4/1/2009	00235	00235	0.02
4/1/2009	00236	00236	0.02
4/1/2009	00237	00237	0.02
4/1/2009	00238	00238	0.02
4/1/2009	00239	00239	0.02
4/1/2009	00240	00240	0.02
4/1/2009	00241	00241	0.02
4/1/2009	00242	00242	0.02
4/1/2009	00243	00243	0.02
4/1/2009	00244	00244	0.02
4/1/2009	00245	00245	0.02
4/1/2009	00246	00246	0.02
4/1/2009	00247	00247	0.02
4/1/2009	00248	00248	0.02
4/1/2009	00249	00249	0.02
4/1/2009	00250	00250	0.02
4/1/2009	00251	00251	0.02
4/1/2009	00252	00252	0.02
4/1/2009	00253	00253	0.02
4/1/2009	00254	00254	0.02
4/1/2009	00255	00255	0.02
4/1/2009	00256	00256	0.02
4/1/2009	00257	00257	0.02
4/1/2009	00258	00258	0.02
4/1/2009	00259	00259	0.02
4/1/2009	00260	00260	0.02
4/1/2009	00261	00261	0.02
4/1/2009	00262	00262	0.02
4/1/2009	00263	00263	0.02
4/1/2009	00264	00264	0.02
4/1/2009	00265	00265	0.02
4/1/2009	00266	00266	0.02
4/1/2009	00267	00267	0.02
4/1/2009	00268	00268	0.02
4/1/2009	00269	00269	0.02



[\[pdf\]](#) Warranty Catalog

Catalog Page Greenlee 0254 13 5 Piece Hex Key Set Rexel USA page 24 greenlee i DF2DB0E7 B048

4CFD A9E3 94C7BEE171A3 rexel cdn products ||

www.greenlee.com HAND TOOLS From safe, insulated tools to screw-holding drivers, hex keys and pliers ... 397.9247 www.greenlee.com 335 COMMUNICATIONS BURIED FACILITY LOCATION AND MARKING Tracker II **HS-1** 08695 Optional headset is available for use in high-traffic areas or other noisy environments... lang:en **score:13** filesize: 40.65 M page count: 466 document date: 2013-08-12

lang:en score:13 filesize: 40.65 M page_count: 466 document date: 2013-08-12




[pdf] Accessories Catalog

Testing Measurement Greenlee's certification of selected instruments to both the most recent IEC and UL requirements brings 5882 07573 Digital Analog Megohmmeter C* GREENLEE TESTING MEASUREMENT world spares catalogosa |||

Testing Measurement Greenlee is the leader in electrical testing and measurement and has been for ... steel panels Nylon strap loops around pipes Includes magnet, strap, and mounting tab CAT. No. DMHS-1 UPC No. Description 35774 Multimeter Hanging Strap 372 INTERNATIONAL Tel: 1.815.397.7070 Fa...

lang:en score:12 filesize: 9.19 M page count: 52 document date: 2012-01-25



[pdf] Accessories Catalog

2013 UtilityCatCover 8.355X10.875 NEW.indd greenlee utility catalog cityelectricsupply ces catalogs III

TRUSTED SINCE 1862 UTILITY CATALOG www.greenleutility.com MADE FOR
THE TRADE TM TABLE OF CONTENTS EMENT PART = ACCESSORY B = BARE
TOOL Voice / Data / Video - Greenlee Communications Tracker II **HS-1** 08695
Optional headset is available for use in high-traffic areas or other noisy
environments

lang:en score:12 filesize: 24.3 M page_count: 260 document_date: 2013-10-08



[pdf]

Product Spec Sheet Greenlee HS 1 Wire and Valve Locator Headset Cooper Electric GREENLE04688

336 images tradeservice hmgn8BVwp2oN4tvv ATTACHMENTS DIB100101 III

COMMUNICATIONS BURIED FACILITY LOCATION AND MARKING Tracker II HS-1
08695 Optional headset is available for use in high-traffic areas or other noisy environments. Traces the path and determines the depth of wires and metallic pipes on active or dead systems without having to deactivate the system.

lang:en score:12 filesize: 194.76 K page_count: 1 document_date: 2014-06-02



[\[pdf\] Specifications Dimension Guide](#)

2015 Communications greenlee cdn ebizcdn media

www.greenlee.com COMMUNICATIONS GREENLEE COMMUNICATIONS OFFERS A COMPLETE LINE OF INNOVATIVE AND IND ... High frequency transmitter provides range up to 4,000 1,219 m and depths 501 up to 7 2 m **HS-1** 08695 Receiver is 32 long 813 mm Optional headset is available for use in high-traffic ...

lang:en **score:12** filesize: 10.35 M page_count: 108 document date: 2015-06-11




[\[pdf\] Warranty](#)

HAND TOOLS Rexel USA Hex keyS AND pLierS greeNLee Are DeSigNeD by Serrated nose pliers for bending pulling and shaping wire 755 975 980 or 960SAPS Textron UT158 30 PAGE 41 GREENLEE media rexelusa medias sys Rexelusa sheets hee h7f 8846896660510 |||

www.greenlee.com HAND TOOLS From safe, insulated tools to screw-holding drivers, hex keys and pliers ... 397.9247 www.greenlee.com 335 COMMUNICATIONS BURIED FACILITY LOCATION AND MARKING Tracker II **HS-1** 08695 Optional headset is available for use in high-traffic areas or other noisy environments...

lang:en **score:12** filesize: 40.65 M page_count: 466 document date: 2013-08-12



[\[pdf\] User Manual Accessories Catalog](#)

FULL LINE PRODUCT CATALOG US Electrical ServicesReacher Glo Stix® 140 139 ® Registered The color green for manual and power Guy Strand 5 8 20 mm 840 Service Entrance Connectors 1 4 AWGUSESI 912147 catalogassets usesi product media catalogs USESI catalog ServicesFULL AWGCutter 25 Straight Claw Hammer 54B 38093 06 03 54C 38118 Black 72 1828 3 16 72A 38069 72BUSESI catalogUSESI 97436 catalogusesi |||

www.greenlee.com FULL LINE PRODUCT CATALOG HAND TOOLS HOLEMAKING BENDING FISHING CABLE PULLING WIRE ... 6 #ANADA Tel: 800.435.0786 INTERNATIONAL Tel: 1.815.397.7070 BURIED FACILITY LOCATING Tracker II **HS-1** 08695 Optional headset is available for use in high-traffic areas or other noisy environments...

lang:en **score:12** filesize: 26.84 M page_count: 444 document date: 2015-01-16

[\[pdf\]](#) Specifications Dimension Guide Warranty

Additional Specification Sheet 521A R K E Electric Supply Corporation GREENLE09092 1 images
tradeservice ATTACHMENTS DIR100245 |||

WIRE VALVE LOCATOR Product Features: The 521A combines adjustable transmitter power with a sensitivity of up to 1000 ft. The 521A has a transmitter CAT. NO. UPC NO. DESCRIPTION 521A 86788 Wire and Valve Locator 521A-R 12623 Receiver **HS-1** 08695 Headset 1390 Aspen Way Vista, CA 92081 Latin America Phone : 1.760.510.0558 EMEA Ph... lang:en **score:10** filesize: 726.97 K page count: 1 document date: 2018-11-29

lang:en score:10 filesize: 726.97 K page_count: 1 document date: 2018-11-29

[\[pdf\]](#) Datasheet

Manufacturer Spec Sheet GREENLEE IC1 INDUCTIVE COUPLER Gordon Electric Supply Inc

Emerson Electric Greenlee 00001 310 412 CAT assets gordonelectricsupply datasheets ts |||

COMMUNICATIONS COPPER DSL TESTING BURIED FACILITY LOCATION AND MARKING Tracker II Traces the ... High frequency transmitter provides range up to 4,000 1,219 m and depths 501 up to 7 2 m **HS-1** 08695 Receiver is 32 long 813 mm Optional headset is available for use in high-traffic ...

lang:en score:10 filesize: 283.8 K page_count: 2 document date: 2019-09-16

[\[pdf\] Guide](#)

TABLE OF CONTENTS Amazon S3 Jul 19 2022 · P 6 0 207 Sr 5th Livermore Calif Freedom 46 Dylan Lynch K x xxx Fr 1st Bakersfield Liberty 47 Seth Scheidt LB 211 Fr Football Media Guide timestamp 20220719021956 s3-us-east-2.amazonaws.com/drmnxtgnt-sites.gobulldogs.documents.7.lll

TABLE OF CONTENTS INTRO Quick

Facts.....	2 Team
Information.....	3 Valley
Children & Stadium	

lang:en score:10 filesize: 28.38 M page_count: 204 document_date: 2023.07.18



[pdf] Specifications Datasheet Accessories

Voice Data Video Greenlee 468 datasheet octopart 8520529 |||

Voice Data Video FEATURED Products Voice Data Video For industry-leading tools for datacom, tel ... 6 Canada Tel: 800.435.0786 International Tel: 1.815.397.7070 BURIED FACILITY LOCATING Tracker II **HS-1** 08695 Optional headset is available for use in high-traffic areas or other noisy environments...

lang:en score:10 filesize: 10.8 M page_count: 74 document date: 2008-04-11



[pdf] Datasheet

Manufacturer Spec Sheet GREENLEE BLL 200 LOCATOR BURIED LINE Gordon Electric Supply Inc

EmersonElectric Greenlee 00001 310 312 CAT assets gordonelectricsupply datasheets ts |||

COMMUNICATIONS COPPER DSL TESTING BURIED FACILITY LOCATION AND MARKING Tracker II Traces the ... High frequency transmitter provides range up to 4,000 1,219 m and depths 501 up to 7 2 m **HS-1** 08695 Receiver is 32 long 813 mm Optional headset is available for use in high-traffic ...

lang:en score:9 filesize: 250.12 K page_count: 2 document date: 2019-09-16



[pdf] Instructions Troubleshooting Guide Specifications Datasheet Dimension Guide

Manufacturer Spec Sheet GREENLEE 24B IRRIGATION TEST Gordon Electric Supply Inc

EmersonElectric Greenlee 00382 414 CAT assets gordonelectricsupply datasheets ts |||

TESTING MEASUREMENT Wire and Valve Locator 521A CAT. NO. 521A 521A-R **HS-1** UPC NO. 86788 12623 08695 DESCRIPTION Wire and Valve Locator Receiver Headset Station MasterTM Pro 24B 24BK Adjustable transmit power allows you to select the best signal for maximum performance Transmitter s high p...

lang:en score:9 filesize: 119.39 K page_count: 1 document date: 2019-09-09

