



[Manuals.plus](#) /

> [Elkay](#) /

> Elkay LZS8WSVRSK Filtered Fountain & EZH2O Bottle Filling Station User Manual

Elkay LZS8WSVRSK

Elkay LZS8WSVRSK Filtered Fountain & EZH2O Bottle Filling Station User Manual

Model: LZS8WSVRSK

[Introduction](#) [Setup](#) [Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#)

1. INTRODUCTION

The Elkay LZS8WSVRSK Filtered Fountain & EZH2O Bottle Filling Station provides convenient access to filtered drinking water. This unit combines a traditional drinking fountain with an automatic bottle filling station, designed for efficiency and sustainability. It features a durable stainless steel construction and user-friendly activation methods.



Figure 1: Elkay LZS8WSVRSK Filtered Fountain and EZH2O Bottle Filling Station.

2. SETUP AND INSTALLATION

This unit is designed for wall-mounted installation. Professional installation is recommended to ensure proper water and electrical connections.

2.1 Unpacking

- Carefully remove all components from the packaging.
- Verify that all included components are present: Water Cooler (LZS8WSVRS), Bottle Filler (LZWSR), and Filter.
- Inspect the unit for any shipping damage. Report any damage to your supplier immediately.

2.2 Site Preparation

- Ensure the installation area is structurally sound to support the unit's weight (approximately 74 lbs).
- Confirm availability of appropriate water supply lines (potable water only) and a standard electrical outlet (Corded Electric, 370 watts).
- The unit requires indoor access.

2.3 Mounting the Unit

1. Mark the desired mounting height on the wall, ensuring compliance with ADA guidelines if applicable.
2. Secure the mounting bracket (not explicitly listed but implied for wall mount) to the wall using appropriate fasteners.
3. Carefully lift and attach the Elkay LZS8WSVRSK unit to the secured mounting bracket.

2.4 Water and Electrical Connections

1. Connect the water supply line to the unit's inlet.
2. Install the filter as per the filter manufacturer's instructions.
3. Connect the drain line to a suitable waste receptor.
4. Plug the unit into a grounded electrical outlet.

3. OPERATING INSTRUCTIONS

3.1 Using the Drinking Fountain

- The drinking fountain features easy-touch controls on the front and sides.
- Press the button with less than 3 lbs of pressure to activate the water stream.
- Release the button to stop the water flow.



TOUGH VANDAL-RESISTANT BUBBLER

All-metal, vandal-resistant bubbler with chrome-plated integral hood guard to prevent contamination from other users, airborne deposits and tampering.

ELKAY

Figure 2: Vandal-resistant bubbler for the drinking fountain.

3.2 Using the EZH2O Bottle Filling Station

- The bottle filler features sanitary no-touch sensor activation.
- Place your bottle under the filling spout. The sensor will detect the bottle and automatically start the water flow.
- The water flow will automatically shut off after 20 seconds or when the bottle is removed, or if there's an obstruction in front of the sensor.



Over 40 billion
single-use plastic
bottles have been
saved from waste —
and counting.

Figure 3: EZH2O Bottle Filling Station in operation, designed to reduce single-use plastic waste.

4. MAINTENANCE

4.1 Filter Replacement

The Elkay LZS8WSVRSK unit includes a filter designed to reduce lead, sediment, particulates, chlorine taste, odor, and cysts. The filter has a capacity of 3000 gallons.

- Monitor the filter status indicator (if present on your model) for alerts regarding filter life.
- Replace the filter cartridge periodically, or when the filter status indicator suggests, to maintain water quality. Refer to the specific filter's instructions for detailed replacement procedures.

REDUCES:



WATERSENTRY® FILTER 51300C

Replacement Filter for Elkay ezH2O® and Halsey Taylor® Bottle Filling Stations

Tested and certified to NSF/ANSI 42 and 53, our 3,000-gallon filter reduces chlorine taste and odor, as well as contaminants, such as lead, cysts and particulates. The result is healthier, better-tasting drinking water.

ELKAY

Figure 4: WaterSentry 51300C Filter, tested and certified to NSF/ANSI 42 and 53.

4.2 Cleaning

- Clean the stainless steel surfaces regularly with a soft cloth and mild, non-abrasive cleaner.
- Avoid using harsh chemicals or abrasive pads that could damage the finish.
- Ensure the bubbler and bottle filler areas are kept clean and free of debris.

5. TROUBLESHOOTING

If you encounter issues with your Elkay LZS8WSVRSK unit, consider the following common solutions:

- **No Water Flow (Drinking Fountain):** Check if the water supply is turned on. Ensure the push bar is fully depressed.
- **No Water Flow (Bottle Filler):** Verify that the sensor is not obstructed and that the bottle is correctly positioned. Check for power supply.
- **Slow Water Flow:** This may indicate a clogged filter. Replace the filter cartridge as described in the Maintenance section.

- **Water Leaks:** Immediately turn off the water supply to the unit. Inspect all connections for tightness. If leaks persist, contact a qualified plumber.
- **Unusual Taste or Odor:** Replace the water filter. If the issue continues, consult a water quality professional.

For persistent problems or issues not covered here, contact Elkay customer support or a certified service technician.

6. SPECIFICATIONS

| Feature | Detail |
|--------------------------------|------------------------------------|
| Brand | Elkay |
| Model Number | LZS8WSVRSK |
| Color | Stainless Steel |
| Material | Stainless Steel, ABS Polycarbonate |
| Product Dimensions (D x W x H) | 19"D x 18.38"W x 39.46"H |
| Item Weight | 74 Pounds |
| Installation Type | Wall Mounted |
| Access Location | Indoor |
| Power Source | Corded Electric |
| Wattage | 370 watts |
| Filter Capacity | 3000 Gallons |
| UPC | 094902469966 |

7. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation provided with your purchase or visit the official Elkay website. For technical support, replacement parts, or service inquiries, please contact Elkay customer service.

Elkay Customer Service:

- Phone: 800-952-8064
- Website: elkay.com/install

