

Pfister 806DK11

Pfister Treviso 2-Handle Roman Tub Faucet

Model: 806DK11 | Finish: Brushed Nickel

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Pfister Treviso 2-Handle Roman Tub Faucet. Please read all instructions carefully before beginning installation and retain this manual for future reference. This faucet features a unique design with ornate lever handles and a traditionally styled spout, designed for Roman tub applications.



Image: The Pfister Treviso 2-Handle Roman Tub Faucet in Brushed Nickel, showcasing its two lever handles and high-arc spout.

KEY FEATURES

- **ADA/ANSI A117.1 Compliant:** Meets accessibility requirements for disabled persons.
- **Pforever Seal Technology:** Advanced ceramic disc valve technology ensures a never-leak guarantee.
- **Complete Kit:** Includes valve and cartridge for comprehensive installation.
- **0X6 Valve Included:** The necessary 0X6 valve is provided for complete installation.
- **3-Hole Installation:** Designed for standard 3-hole Roman tub setups.

SETUP AND INSTALLATION

Installation of this Roman tub faucet requires a 3-hole setup. It is recommended that installation be performed by a qualified professional plumber to ensure proper function and to prevent damage. If you choose to perform the installation yourself, ensure you have the necessary tools and a clear understanding of plumbing procedures.

Pre-Installation Checklist:

- Ensure all components are present: spout, handles, valve, and cartridge.
- Verify your tub deck has three mounting holes.
- Gather necessary tools: adjustable wrench, pipe wrench, plumber's putty, sealant, safety glasses.
- Note: Supply hoses (connecting to main water lines) are typically not included and must be purchased separately. Ensure they are 1/2-inch IP braided flexible hoses.

Installation Steps:

1. **Turn off Water Supply:** Locate and turn off the main water supply to your bathroom.
2. **Prepare Mounting Surface:** Clean the tub deck surface around the mounting holes.
3. **Install Valve Body:** Insert the 0X6 valve body through the center hole. Secure it from underneath the tub deck using the provided mounting hardware.
4. **Install Handles:** Place the handle assemblies into the outer holes. Connect them to the valve body according to the included diagrams.
5. **Install Spout:** Position the spout over the center hole, connecting it to the valve body. Ensure a watertight seal using plumber's putty or silicone sealant as directed. The spout shank may require cutting with a hacksaw and chamfering to remove rough edges for proper fit.
6. **Connect Water Lines:** Attach the hot and cold supply hoses to the appropriate inlets on the valve body. Tighten all connections securely, but do not overtighten.
7. **Test for Leaks:** Slowly turn on the main water supply and check all connections for leaks. Operate the faucet handles to ensure proper water flow and temperature control.

OPERATING INSTRUCTIONS

Your Pfister Treviso Roman Tub Faucet features two lever handles for precise control over water temperature and flow.

- **Hot Water:** Turn the left handle counter-clockwise to increase hot water flow.
- **Cold Water:** Turn the right handle counter-clockwise to increase cold water flow.
- **Temperature Control:** Adjust both handles simultaneously to achieve your desired water temperature.
- **Flow Control:** The further the handles are turned, the greater the water flow.

The Pforever Seal advanced ceramic disc valve technology ensures smooth operation and a drip-free performance for the life of the faucet.

MAINTENANCE

To maintain the beauty and finish of your Pfister Treviso faucet, follow these simple cleaning guidelines:

- **Regular Cleaning:** Clean regularly with a soft, damp cloth.
- **Mild Soap:** For tougher spots, use a mild liquid soap and water solution.
- **Rinse and Dry:** Always rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, harsh chemicals, ammonia-based products, or polishing agents, as these can damage the brushed nickel finish and void your warranty.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Faucet leaks from spout	Worn cartridge or debris in valve.	Replace cartridge. Flush water lines to remove debris.
Leaks from handle base	Loose packing nut or worn O-rings.	Tighten packing nut. Replace O-rings.
Low water flow	Partially closed shut-off valves or clogged supply lines.	Ensure shut-off valves are fully open. Check supply lines for kinks or blockages.
Water temperature not consistent	Improper adjustment of hot/cold supply or issues with water heater.	Verify hot and cold water supply. Consult a plumber if water heater issues are suspected.

SPECIFICATIONS

- **Brand:** Pfister
- **Model Name:** Treviso
- **Model Number:** 806DK11
- **Finish Type:** Brushed Nickel
- **Material:** Ceramic (valve), Metal (handle)
- **Number of Handles:** 2
- **Hole Count:** 3
- **Mounting Type:** Deck Mount
- **Installation Type:** Centerset
- **Spout Design:** High Arc
- **Item Weight:** 6 Pounds
- **UPC:** 038877553251

WARRANTY INFORMATION

Your Pfister Treviso 2-Handle Roman Tub Faucet is covered by the **Lifetime Pforever Warranty**. This warranty covers both the finish and function of your faucet for its lifetime, ensuring peace of mind against defects in materials and workmanship. For specific terms and conditions, please refer to the official Pfister warranty documentation or contact customer support.

CUSTOMER SUPPORT

If you require further assistance, have questions about installation, or need to claim warranty service, please contact Pfister customer support. You can typically find contact information on the Pfister official website or within the packaging materials that came with your product.

Online Support: Visit the official Pfister website for FAQs, troubleshooting guides, and contact forms.

Phone Support: Refer to your product packaging or the Pfister website for the customer service phone number.