

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Sea Gull Lighting](#) /
- › [Sea Gull Lighting 9804115 Undercabinet Light Instruction Manual](#)

Sea Gull Lighting 9804115

Sea Gull Lighting 9804115 Undercabinet Light Instruction Manual

Model: 9804115

INTRODUCTION

Thank you for choosing the Sea Gull Lighting 9804115 Undercabinet Light. This manual provides important information regarding the installation, operation, and maintenance of your new undercabinet light fixture. Please read these instructions thoroughly before installation and keep them for future reference.

This fixture is a 2-light self-contained 120-volt Xenon task lighting unit, designed for undercabinet applications.

IMPORTANT SAFETY INFORMATION

WARNING: Risk of electric shock. Disconnect power at the fuse box or circuit breaker before installation or servicing.

- Read all instructions carefully before beginning installation.
- All wiring connections must be in accordance with local and National Electrical Code (NEC) standards.
- Consult a qualified electrician if you are unsure about the installation process.
- Do not install near combustible materials.
- Ensure the fixture is securely mounted.

PACKAGE CONTENTS

Verify that all components are present before beginning installation.

- Undercabinet Light Fixture (Model: 9804115)
- G-9 35-watt 120-volt Xenon Lamp (2 included)
- Conduit Adapter
- Mounting Hardware
- Romex Cable Adapter with Strain Relief
- *Note: Connector cords and power cord are sold separately.*



Image: The Sea Gull Lighting 9804115 undercabinet light fixture, showing its white finish and compact design, ready for installation.

SPECIFICATIONS

Feature	Detail
Model Number	9804115
Brand	Sea Gull Lighting
Finish	White
Light Source	Xenon
Lamp Type	G-9 35-watt 120-volt
Number of Lights	2

Voltage	120 Volts
Power Source	Corded Electric
Mounting Type	Wall Mount (Undercabinet)
Product Dimensions	14 x 5 x 2 inches
Item Weight	1.7 pounds
Certification	ETL

SETUP AND INSTALLATION

Tools Required (Not Included):

- Screwdriver
- Wire Strippers
- Pliers
- Drill (if mounting to a new surface)

Installation Steps:

1. **Turn Off Power:** Before starting, ensure the power supply to the installation area is turned off at the circuit breaker or fuse box.
2. **Prepare Mounting Location:** Identify the desired location under the cabinet. Ensure there is sufficient space and a stable surface for mounting.
3. **Mount the Fixture:**
 - Use the provided mounting hardware to secure the fixture to the underside of the cabinet.
 - The fixture is designed for wall mount (undercabinet) applications.
4. **Wiring Connections:**
 - This fixture features a convertible hardwiring method, including a Romex cable adapter with strain relief for quick installation.
 - Connect the fixture's wires to the household electrical supply wires according to local electrical codes. Typically, this involves connecting black to black (live), white to white (neutral), and green/bare copper to green/bare copper (ground).
 - *Note: Connector cords and power cord are sold separately if you are not hardwiring directly.*
5. **Install Xenon Lamps:** Carefully insert the two G-9 35-watt 120-volt xenon lamps into their respective sockets within the fixture. Avoid touching the glass of the lamps directly with bare hands; use a clean cloth or gloves.
6. **Secure Fixture Cover:** Once wiring and lamps are installed, secure any covers or diffusers that came with the fixture.
7. **Restore Power:** Turn the power back on at the circuit breaker or fuse box and test the light fixture.

OPERATING INSTRUCTIONS

The Sea Gull Lighting 9804115 undercabinet light fixture operates on a standard 120-volt electrical supply. Once properly installed and powered, the fixture will illuminate when the connected wall switch or power source is activated.

- **Power On/Off:** Use the wall switch connected to the fixture to turn the lights on or off.

- **Lamp Type:** This fixture uses G-9 35-watt 120-volt xenon lamps. Ensure replacement lamps match these specifications.

MAINTENANCE

Cleaning:

- Always disconnect power before cleaning.
- Wipe the fixture with a soft, dry cloth.
- Do not use abrasive cleaners, solvents, or polishes as they may damage the finish.

Lamp Replacement:

1. **Turn Off Power:** Ensure the power to the fixture is completely off at the circuit breaker.
2. **Allow to Cool:** Allow the lamps to cool completely before attempting to replace them.
3. **Remove Old Lamp:** Gently pull the old G-9 xenon lamp straight out from its socket.
4. **Install New Lamp:** Insert a new G-9 35-watt 120-volt xenon lamp. Avoid touching the glass with bare hands; use a clean cloth or gloves to prevent oil residue from shortening lamp life.
5. **Restore Power:** Turn the power back on and test the new lamp.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	<ul style="list-style-type: none"> ◦ No power to the fixture. ◦ Loose wire connection. ◦ Defective lamp. 	<ul style="list-style-type: none"> ◦ Check circuit breaker/fuse. ◦ Verify all wire connections are secure (with power off). ◦ Replace lamp.
Light flickers.	<ul style="list-style-type: none"> ◦ Loose lamp. ◦ Incorrect lamp type. ◦ Loose wire connection. 	<ul style="list-style-type: none"> ◦ Ensure lamp is fully seated. ◦ Verify lamp is G-9 35-watt 120-volt xenon. ◦ Check wire connections (with power off).
Lamps burn out quickly.	<ul style="list-style-type: none"> ◦ Incorrect lamp voltage/wattage. ◦ Touching lamps with bare hands during installation. ◦ Overheating due to improper ventilation. 	<ul style="list-style-type: none"> ◦ Use only G-9 35-watt 120-volt xenon lamps. ◦ Handle new lamps with a clean cloth or gloves. ◦ Ensure fixture is not enclosed in a way that restricts airflow.

WARRANTY AND SUPPORT

For warranty information or technical support, please contact Sea Gull Lighting customer service. Keep your purchase receipt as proof of purchase.

Manufacturer: Walters Wholesale Electric - HI

Brand: Sea Gull Lighting

For further assistance, please visit the [Sea Gull Lighting Store on Amazon](#) or refer to the contact information provided with your product packaging.



© 2024 Sea Gull Lighting. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.